


ISSN 0486-4271



International Organisation
for Succulent Plant Study

Organización Internacional
para el Estudio de
Plantas Suculentas

Organisation Internationale
de Recherche sur les
Plantes Succulentes

Internationale Organisation
für Sukkulanten-Forschung

IOS

**Repertorium
Plantarum
Succulentarum
LVI (2005)**

Repertorium Plantarum Succulentarum LVI (2005)

*Index nominum novarum plantarum succulentarum anno MMV
editorum nec non bibliographia taxonomica ab U. Eggli, D. C.
Zappi et R. Nyffeler compositus.*

International Organization for Succulent Plant Study
Internationale Organisation für Sukkulantenforschung

September 2006

ISSN 0486-4271

Conventions used in Repertorium Plantarum Succulentarum

- Repertorium Plantarum Succulentarum attempts to list, under separate headings, newly published names of succulent plants and relevant literature on the systematics of these plants, on an annual basis. New names noted after the issue for the relevant year has gone to press are included in later issues. Specialist periodical literature is scanned in full (as available at the libraries at ZSS and Z or received by the compilers). Also included is information supplied to the compilers direct. It is urgently requested that any reprints of papers not published in readily available botanical literature be sent to the compilers.
- Validly published names are given in **bold face** type, accompanied by an indication of the nomenclatural type (name or specimen dependent on rank), followed by the herbarium acronyms of the herbaria where the holotype and possible isotypes are said to be deposited (first acronym for holotype), according to Index Herbariorum, ed. 8 and supplements as published in Taxon. Invalid, illegitimate, or incorrect names are given in *italic* type face. In either case a full bibliographic reference is given. For new combinations, the basionym is also listed. For invalid, illegitimate or incorrect names, the articles of the ICBN which have been contravened are indicated in brackets (note that the numbering of some regularly cited articles has changed in the Tokyo (1994) edition of the ICBN).
- The compilers would like to point out that they do not accept any names that might be inadvertently validated in this volume of RPS.
- Bibliographic details of papers dealing only with the description of one or two new taxa are not repeated in the bibliographic section.
- Abbreviations for periodicals are those suggested in ‘Bibliography of Succulent Plant Periodicals’ (U. Eggli in Friciana 60: 1-139, 1998 ('1995')) for specialized periodicals, or those of Bibliographia Periodicorum Huntianum Ed. 2 (BPH2) for most other periodicals.

Konventionen im Zusammenhang mit dem Repertorium Plantarum Succulentarum

- Das Repertorium Plantarum Succulentarum ist eine jährlich herausgegebene Zusammenstellung neuer Namen für sukkulente Pflanzen und der relevanten systematischen Literatur. Neue Namen, die nach der Drucklegung der Ausgabe des betreffenden Jahres bekannt werden, erscheinen in der nächsten erreichbaren Ausgabe. Spezialisierte Zeitschriften werden umfassend durchgesehen, soweit sie in den Bibliotheken von Z und ZSS vorhanden sind oder den Herausgebern privat vorliegen. Die Herausgeber bitten alle Autoren dringend, Separata relevanter Publikationen zur Verfügung zu stellen, vor allem wenn es sich um Beiträge in schwer zugänglichen Serien handelt.
- Gültig veröffentlichte Namen werden in **Fettschrift** wiedergegeben unter Angabe des nomenklatortischen Typs (Name oder Belegexemplar je nach Rangstufe; gefolgt von den Herbarakürzungen [entsprechend Index Herbariorum, ed. 8, und in Taxon publizierten Supplementen] der publizierten Hinterlegungsorte für Holotyp [1. Abkürzung] und Isotypen). Ungültige, illegitime oder falsch angewandte Namen erscheinen in *Kursivschrift* unter Angabe (in Klammer) derjenigen Artikel des ICBN, die verletzt worden sind. In allen Fällen folgen die kompletten bibliographischen Angaben. Für Umkombinationen wird auch das Basionym angegeben. Im Weiteren ist zu beachten, dass die Nummerierung einiger häufig zitiertener Artikel mit dem Erscheinen der Tokyo-Version (1994) des ICBN geändert hat.
- Die Herausgeber weisen mit aller Deutlichkeit darauf hin, dass sie keinen Namen anerkennen, der zufälligerweise in dieser Ausgabe des RPS validiert worden sein könnte.
- Beiträge, welche nur Beschreibungen eines oder zweier Taxa enthalten, werden in der bibliographischen Liste nicht separat aufgeführt.
- Die Abkürzungen für spezialisierte Sukkulanten-Zeitschriften richten sich nach ‘Bibliography of Succulent Plant Periodicals’ (U. Eggli in Friciana 60: 1-139, 1998 ('1995')), für allgemeine botanische Zeitschriften in der Regel nach Bibliographia Periodicorum Huntianum Ed. 2 (BPH2).

Compiled by / Zusammengestellt von:

U. Eggli, Sukkulanten-Sammlung Zürich, Mythenquai 88, CH-8002 Zürich, Switzerland.
R. Nyffeler, Institut für systematische Botanik der Universität Zürich, Zollikerstrasse 107, CH-8008 Zürich.
D. C. Zappi, The Herbarium, Royal Botanic Gardens Kew, Richmond, Surrey TW9 3AE, U.K.

Available from (incl. back issues) / Erhältlich durch (inkl. bereits erschienene Hefte):

IOS, c/o Sukkulanten-Sammlung Zürich (address above / Adresse siehe oben).

© by IOS & Sukkulanten-Sammlung, Zürich (Switzerland) 2006. ISSN 0486-4271.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the copyright holder.

Compilers' Preface

After two years with delayed publication, RPS is finally back on schedule and appears just in time for the 2006 IOS Congress in Zürich. We are grateful to all those involved who have made this possible. Thanks go to Anita Lendel (Z) who helped extensively with the scanning of botanical periodicals received at the library at Z.

Thanks are also due to all the colleagues who supplied us with separate prints of their publications. Fortunately, today's technology makes the distribution of reprints in electronic form easy and economic. We continue to urge all those publishing in the field of succulent plant botany to supply reprints (paper copies, or electronically as pdf to urs.eggli@zuerich.ch) for the library of the Sukkulanten-Sammlung. The availability of reprints does not only make the compilation of RPS easier, but also helps to keep our library up-to-date. Incidentally, the entire bibliographical data published in RPS as well as the complete catalogue of the ZSS library will at the time this RPS is published be available in a searchable version on the Web (www.zuerich-herbarien-unizh.ch/spic) thanks to the efforts of one of us (RN). The nomenclatural data from RPS will be made available through the same URL in the near future.

Vorwort der Herausgeber

Während der letzten beiden Jahren erschien das RPS leider mit grosser Verspätung. Umso mehr freut es uns, dass RPS dieses Jahr wieder zum üblichen Publikationstermin und eben gerade rechtzeitig zum IOS-Kongress 2006 erscheinen kann. Wir sind allen Beteiligten dankbar, dass dies möglich geworden ist. Ein besonderer Dank geht an Anita Lendel (Z), welche sich intensiv um die Durchsicht der allgemeinen botanischen Zeitschriften in der Bibliothek Z gekümmert hat.

Ein Dank geht ferner an alle Fachkolleginnen und -kollegen, welche uns mit Sonderdrucken ihrer Veröffentlichungen bedient haben. Glücklicherweise erlaubt die heutige Technologie eine einfache und kostengünstige Verteilung von Sonderdrucken in elektronischer Form. So wiederholen wir unsere Bitte an alle Autorinnen und Autoren im weiten Feld der Sukkulantenbotanik, uns für die Bibliothek der Sukkulanten-Sammlung Sonderdrucke ihrer Arbeiten zuzustellen (in Papierform, oder elektronisch im pdf-Format an urs.eggli@zuerich.ch). Das Vorliegen von Sonderdrucken macht nicht nur die Zusammenstellung des RPS einfacher, sondern hilft auch mit, unsere Bibliothek aktuell zu halten. Dank dem Engagement von RN werden übrigens die gesamten im RPS publizierten bibliographischen Angaben sowie der vollständige Katalog der ZSS-Bibliothek zum Zeitpunkt des Erscheinens dieses Heftes im Internet (unter www.zuerich-herbarien-unizh.ch/spic/) in einer suchbaren Version einsehbar sein. Die nomenklatortischen Daten der RPS-Datenbank werden in naher Zukunft unter derselben URL ebenfalls zugänglich gemacht werden.

NOMINA NOVA

AGAVACEAE

- Agave** 'Blue Flame' Trager, Cact. Succ. J. (US) 77(2): 92, ill., 2005. [= *Agave shawii* (seed parent) × *A. attenuata*.]
- Agave segregae** D. Guillot & P. van der Meer, Flora Montib. 29: 30, fig. 1 (p. 33), 2005. Typus: *Guillot & van der Meer* s.n. (VAL).
- Agave valenciana** Cházaro & A. Vázquez, Novon 15(4): 525-527, ill., 2005. Typus: *Vargas-Rodríguez & al.* 436 (IEB, ENCB, GUADA, IBUG, MEXU, MO, WIS, XAL).
- Agave vazquez-garciae* Cházaro & al., Suelentas (Barcelona) No. 31: 13, 2005. *Nom. inval.* (Art. 32.1c).
- Manfreda galvaniae** A. Castañeda & al., Acta Bot. Mex. 72: 66-68, ill. (incl. p. 75), 2005. Typus: *Castañeda Rojas & al.* 108 (MEXU, ENCB, IEB, MO).

AIZOACEAE

- Bergeranthus albomarginatus** A. P. Dold & S. A. Hammer, Haseltonia 11: 83, fig. 1B (p. 80), 2005. Typus: *Dold* 3943 (GRA, BOL, PRE).
- Bergeranthus nanus** A. P. Dold & S. A. Hammer, Haseltonia 11: 92, fig. 1H (p. 80), 2005. Typus: *Dold* 4388 (GRA, BOL, PRE).
- Brownanthus vaginatus** (Lamarck) Chesselet & Pignal, Bothalia 35(1): 33, 2005. Basionym: *Mesembryanthemum vaginatum*.
- Brownanthus vaginatus** ssp. *schenckii* (Schinz) Chesselet & Pignal, Bothalia 35(1): 33, 2005. Basionym: *Mesembryanthemum schenckii*.
- Oscularia cremophila** van Jaarsveld & al., Bothalia 35(2): 160-161, ill., 2005. Typus: *van Jaarsveld* 18404 (PRE).
- Phiambolia gydouwensis** (L. Bolus) Klak, Bradleya 23: 102, ill. (p. 99), 2005. Basionym: *Mesembryanthemum uncum* var. *gydouwense*.
- Phyllolobus humilis** (L. Bolus) Klak, Bradleya 23: 103, ill. (p. 99), 2005. Basionym: *Sphaeranthus humilis*.
- ✗*Rhinerictus* S. A. Hammer, Mesemb Study Group Bull. 20(2): 38, 2005. *Nom. inval.* (Art. 34.1b). [= *Rhinephyllum* × *Agnirictus*.]
- ✗*Rhinomat* S. A. Hammer, Mesemb Study Group Bull. 20(2): 38, 2005. *Nom. inval.* (Art. H6.2). [= *Rhinephyllum* × *Stomatium*.]
- Ruschiella** Klak, Bradleya 23: 100, 2005. Typus: *Mesembryanthemum argenteum* L. Bolus.
- Ruschiella argentea** (L. Bolus) Klak, Bradleya 23: 101, ill. (p. 99), 2005. Basionym: *Mesembryanthemum argenteum*.
- Ruschiella henricii** (L. Bolus) Klak, Bradleya 23: 101, ill. (p. 99), 2005. Basionym: *Mesembryanthemum henricii*.
- Ruschiella lunulata** (A. Berger) Klak, Bradleya 23: 101, 2005. Basionym: *Mesembryanthemum lunulatum*.

ALOACEAE

- Aloe** 'Coromandel Gold' T. Saunderson, Alsterworthia Internat. 5(3): 17, ill. (pp. 17-18), 2005. [Hybrid, parentage not disclosed.]
- Aloe** 'White Fang' Kemble, Alsterworthia Internat. 5(2): 15, ill., 2005. [= *Aloe humilis* 'Edward Hummel' × *A. glauca*.]
- Aloe arborescens** ssp. *mizimnyati* van Jaarsveld & A. E. van Wyk, Aloe 42(3): 40-41, ill., 2005. Typus: *van Jarsveld & Xaba* 18211 (PRE).
- Aloe humilis** 'Hummel's Select' Kemble, Alsterworthia Internat. 5(2): 14, ill., 2005. [Without statement of origin.]
- Aloe imalotensis** var. *longiracemosa* Castillon, Kakt. and. Sukk. 56(10): 270-271, ill., 2005. Typus: *Castillon* 17 (HBG). [Sphalm. 'longiracemosa'.]
- Aloe philippei** Castillon, Kakt. and. Sukk. 56(10): 267-269, ill., 2005. Typus: *Castillon* 1615 (HBG).
- Aloe roeoeslii** Lavranos & T. A. McCoy, Kakt. and. Sukk. 56(3): 67-68, ill., 2005. Typus: *Röösli & Hoffmann* 53/01 (TAN).
- Gasteria** 'Ilberry' R. Scott, Alsterworthia Internat. 15(3): 14, ill., 2005. [= (*Gasteria bicolor* var. *liliputana* × *G. batesiana* var. *batesiana*) × *Gasteria* 'Little Warty'.]
- Gasteria** 'Perfell' R. Scott, Alsterworthia Internat. 15(3): 14-15, ill., 2005. [= *Gasteria* 'Perfектус' × *G. ellaphieae*.]
- Gasteria doreeniae** van Jaarsveld & A. E. van Wyk, Aloe 41(4): 81-82, ill., 2005. Typus: *Court* 448 (NBG). [Dated 2004, received 13. 3. 2005.]
- Gasteria tukhelensis** van Jaarsveld, Bothalia 35(2): 164-165, ill., 2005. Typus: *van Jaarsveld & al.* 17996 (NBG).
- Haworthia arabesqua** M. Hayashi, Haworthia Study No. 12: 7, ill., 2005. Typus: *Hayashi* 03-439 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia bella** M. Hayashi, Haworthia Study No. 12: 8, ill., 2005. Typus: *Hayashi* 02-26 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia caerulea** M. Hayashi & Breuer, Haworthia Study No. 12: 7, ill., 2005. Typus: *Hayashi* 04-27 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]

- Haworthia calva** M. Hayashi, Haworthia Study No. 12: 8, ill., 2005. Typus: *Hayashi* 04-28 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia emeralda** M. Hayashi, Alsterworthia Internat. No. 12: 11, ill., 2005. Typus: *Hayashi* 03-36 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia florens** M. Hayashi, Alsterworthia Internat. No. 12: 11, ill., 2005. Typus: *Hayashi* 03-27 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia fluffa** M. Hayashi, Haworthia Study No. 12: 9, ill., 2005. Typus: *Hayashi* 04-82 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia harryi** M. Hayashi, Haworthia Study No. 12: 9, ill., 2005. Typus: *Hayashi* 03-294 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia hastata** M. Hayashi, Haworthia Study No. 12: 9, ill., 2005. Typus: *Hayashi* 03-189 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia hisui** M. Hayashi, Alsterworthia Internat. No. 12: 10, ill., 2005. Typus: *Hayashi* 03-288 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia indigoa** M. Hayashi, Alsterworthia Internat. No. 12: 13, ills. (pp. 13, [16]), 2005. Typus: *Hayashi* 03-298 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia jadearia** M. Hayashi, Alsterworthia Internat. No. 12: 13, ills. (pp. 13, [16]), 2005. Typus: *Hayashi* 03-299 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia jeffreisii** M. Hayashi, Alsterworthia Internat. No. 12: 10, ill., 2005. Typus: *Hayashi* 03-83 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005. Epithet probably correctable and alluding to the type locality "Jeffrey's Bay".]
- Haworthia laeta** M. Hayashi, Alsterworthia Internat. No. 12: 13, ills. (p. 12), 2005. Typus: *Hayashi* 03-295 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia ligulata** M. Hayashi, Haworthia Study No. 12: 6, ill., 2005. Typus: *Hayashi* 03-438 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia mutica** 'Robert Rodin' Trager, Cact. Succ. J. (US) 77(2): 99, ill., 2005. [A horticultural selection traced back to a garden in Springbok, RSA.]
- Haworthia oculata** M. Hayashi, Alsterworthia Internat. No. 12: 10, ill., 2005. Typus: *Hayashi* 03-432 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia pilosa** M. Hayashi, Haworthia Study No. 12: 7, ill., 2005. Typus: *Hayashi* 04-31 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia pusilla** M. Hayashi, Alsterworthia Internat. No. 12: 10, ill., 2005. Typus: *Hayashi* 03-28 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia subhamata** M. Hayashi, Alsterworthia Internat. No. 12: 11, ill., 2005. Typus: Res. Inst. Evol. Biol. Tokyo. [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia teres** M. Hayashi, Haworthia Study No. 12: 7, ill., 2005. Typus: *Hayashi* 03-41 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia velutina** M. Hayashi, Alsterworthia Internat. No. 12: 11, ill., 2005. Typus: *Hayashi* 03-386 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005. Sphalm. 'velutina'.]
- Haworthia veneta** M. Hayashi, Haworthia Study No. 12: 6, ills., 2005. Typus: *Hayashi* 03-436 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005. Sphalm. 'veneta'.]
- Haworthia villosa** M. Hayashi, Haworthia Study No. 12: 8, ill., 2005. Typus: *Hayashi* 03-382 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- Haworthia violacea** M. Hayashi, Haworthia Study No. 12: 9, ill., 2005. Typus: *Hayashi* 03-191 (Res. Inst. Evol. Biol. Tokyo). [Dated Dec. 2004, post-marked 16. 1. 2005.]
- ### APOCYNACEAE
- Pachypodium mikea** J. Lüthy, Cact. Succ. J. (US) 77(4): 181, ills. (pp. 178-186), 2005. Typus: *Röösli & Hoffmann* 17/04 (Z, P, TAN).
- ### ASCLEPIADACEAE
- Astralluma ubomboensis** (I. Verdoorn) Bruyns, Stapel. South. Afr. Madagascar 1: 63, ills. (pp. 64-65), 2005. Basionym: *Caralluma ubomboensis*.
- Caralluma sudanica** Bruyns, Aloe 41(4): 79, ills. (p. 78), 2005. Typus: *Wickens* 27 (K). [Dated 2004, received 13. 3. 2005.]
- Ceropogia namuliensis** Bruyns, Aloe 41(4): 76-77, ills., 2005. Typus: *Bruyns* 9725 (BOL, K, MO). [Dated 2004, received 13. 3. 2005.]
- Cynanchum viminale** ssp. *crassicaule* Liede & Meve, Novon 15(2): 320-321, ills., 2005. Typus: *Goyder & al.* 4029 (K, EA, UBT).
- Cynanchum viminale** ssp. *stipitaceum* (Forsskål) Meve & Liede, Novon 15(2): 323, ills., 2005. Basionym: *Asclepias stipitacea*.
- Duvalia caespitosa** ssp. *pubescens* (N. E. Brown) Bruyns, Stapel. South. Afr. Madagascar 1: 78, ills., 2005. Basionym: *Duvalia pubescens*.

- Duvalia caespitosa** ssp. **vestita** (Meve) Bruyns, Stapel. South. Afr. Madagascar 1: 79, ill., 2005. Basionym: *Duvalia vestita*.
- Hoya andalensis** Kloppenburg, Fraterna 18(1): 1-5, ill., cover-ill., 2005. Typus: *de Vogel & Vernaden* s.n. in IPPS 1775 (UC 20051) [Ex cult. Kloppenburg. The association of the collection details with the type are not fully established (l.c. p. 1).].
- Hoya mindorensis** ssp. **superba** Kloppenburg, Fraterna 18(3): 1, ill. (cover, pp. 1-4), 2005. Typus: *Liddle IML 768* in Wayman 2005 (UC) [Ex cult. A. Wayman.].
- Hoya weebella** Kloppenburg, Fraterna 18(2): 1-7, ill., cover-ill., 2005. Typus: UC 20051 [Ex cult. T. Nyhuus.].
- Huernia barbata** ssp. **ingeae** (Lavranos) Bruyns, Stapel. South. Afr. Madagascar 1: 176, ill., 2005. Basionym: *Huernia ingeae*.
- Huernia blyderiverensis** (L. C. Leach) Bruyns, Stapel. South. Afr. Madagascar 1: 162, ill. (pp. 162-163), 2005. Basionym: *Huernia quinta* var. *blyderiverensis*.
- Huernia guttata** ssp. **reticulata** (Masson) Bruyns, Stapel. South. Afr. Madagascar 1: 181, ill., 2005. Basionym: *Stapelia reticulata*.
- Huernia hislopii** ssp. **cashelensis** (L. C. Leach & Plowes) Bruyns, Stapel. South. Afr. Madagascar 1: 193, ill. (pp. 193-194), 2005. Basionym: *Huernia longituba* ssp. *cashelensis*.
- Huernia hystrix** ssp. **parvula** (L. C. Leach) Bruyns, Stapel. South. Afr. Madagascar 1: 189, ill., 2005. Basionym: *Huernia hystrix* var. *parvula*.
- Huernia verekeri** ssp. **angolensis** (L. C. Leach) Bruyns, Stapel. South. Afr. Madagascar 1: 139, ill., 2005. Basionym: *Huernia verekeri* var. *angolensis*.
- Huernia verekeri** ssp. **pauciflora** (L. C. Leach) Bruyns, Stapel. South. Afr. Madagascar 1: 139, ill., 2005. Basionym: *Huernia verekeri* var. *pauciflora*.
- Huernia zebra** ssp. **insigniflora** (C. A. Maass) Bruyns, Stapel. South. Afr. Madagascar 1: 171, ill., 2005. Basionym: *Huernia insigniflora*.
- Larryleachia cactiformis** var. **felina** (D. T. Cole) Bruyns, Stapel. South. Afr. Madagascar 1: 223, ill., 2005. Basionym: *Trichocaulon felinum*.
- Orbea longii** (C. A. Lückhoff) Bruyns, Stapel. South. Afr. Madagascar 1: 322, ill., 2005. Basionym: *Stapelia longii*.
- Pectinaria longipes** ssp. **villetii** (C. A. Lückhoff) Bruyns, Stapel. South. Afr. Madagascar 2: 341, ill., (p. 342), 2005. Basionym: *Caralluma longipes* var. *villetii*.
- Piaranthus cornutus** var. **ruschii** (Nel) Bruyns, Stapel. South. Afr. Madagascar 2: 365, ill., 2005. Basionym: *Piaranthus ruschii*.
- Piaranthus geminatus** ssp. **decorus** (Masson) Bruyns, Stapel. South. Afr. Madagascar 2: 361, ill., 2005. Basionym: *Stapelia decora*.
- Piaranthus punctatus** var. **framesii** (Pillans) Bruyns, Stapel. South. Afr. Madagascar 2: 355, ill. (pp. 356-357), 2005. Basionym: *Piaranthus framesii*.
- Rhytidocaulon speckii** T. A. McCoy, Kakt. and. Sukk. 56(10): 260-262, ill., 2005. Typus: *Specks* 1862 in McCoy 2808 (MO, UPS).
- Stapelia grandiflora** var. **conformis** (N. E. Brown) Bruyns, Stapel. South. Afr. Madagascar 2: 470, ill., 2005. Basionym: *Stapelia conformis*.
- Stapelia hirsuta** var. **baylissii** (L. C. Leach) Bruyns, Stapel. South. Afr. Madagascar 2: 462, ill. (p. 463), 2005. *Nom. illeg.* (Art. 52.1), based on *Stapelia baylissii*. [Illegitimate as the prioritizable *Stapelia praetermissa* var. *luteola* L. C. Leach 1984 is cited as synonym, which itself created the prioritizable *S. praetermissa* var. *praetermissa*.]
- Stapelia hirsuta** var. **gariepensis** (Pillans) Bruyns, Stapel. South. Afr. Madagascar 2: 464, ill. (p. 465), 2005. Basionym: *Stapelia gariepensis*.
- Stapelia hirsuta** var. **tsomoensis** (N. E. Brown) Bruyns, Stapel. South. Afr. Madagascar 2: 461, ill., 2005. *Nom. illeg.* (Art. 52.1), based on *Stapelia tsomoensis*. [Illegitimate as the prioritizable *Gonostemon glabricalis* var. *forcipis* (E. Phillips & Letty) P. V. Heath 1993 is cited in the synonymy, as well as *Gonostemon glabricalis* [var. *glabricalis*].]
- Stapelia hirsuta** var. **vetula** (Masson) Bruyns, Stapel. South. Afr. Madagascar 2: 463, ill. (p. 464), 2005. Basionym: *Stapelia vetula*.
- Stapelia paniculata** ssp. **kougabergensis** (L. C. Leach) Bruyns, Stapel. South. Afr. Madagascar 2: 447, ill., 2005. Basionym: *Stapelia kougabergensis*.
- Stapelia paniculata** ssp. **scitula** (L. C. Leach) Bruyns, Stapel. South. Afr. Madagascar 2: 446, ill., 2005. Basionym: *Stapelia scitula*.
- Tromotriche pedunculata** ssp. **longipes** (C. A. Lückhoff) Bruyns, Stapel. South. Afr. Madagascar 2: 559, ill. (pp. 559-560), 2005. Basionym: *Stapelia longipes*.

ASPHODELACEAE

- Bulbine erumpens** S. A. Hammer, Cact. Succ. J. (US) 77(3): 128-129, ill., 2005. Typus: *Hammer* 2565 (BOL).
- Bulbine retinens** van Jaarsveld & S. A. Hammer, Aloe 42(1-2): 14-15, ill., 2005. Typus: *van Jaarsveld & Welsh* 15747 (NBG).
- Bulbine suurbergensis** van Jaarsveld & A. E. van Wyk, Aloe 42(3): 48-50, ill., 2005. Typus: *van Jarsveld & Burring* 19228 (NBG).

ASTERACEAE

- Kleinia venteri** van Jaarsveld, Aloe 42(1-2): 12-13, ill., 2005. Typus: *van Jaarsveld* 11218 (PRE).
Othonna cremophila B. Nordenstam & van Jaarsveld, Aloe 42(1-2): 4-6, ill., 2005. Typus: *van Jaarsveld* 19119 (PRE).
Senecio radicans 'Gordon Rowley' Zonneveld, Succulenta 84(3): 109, ill., 2005. [Nom. nov. pro *Senecio rowleyanus* H. Jacobsen 1968.]

BURSERACEAE

- Commiphora kaokoensis** Swanepoel, Bothalia 35(1): 47-50, ill., 2005. Typus: *Swanepoel* 1 (WIND, PRE).

CACTACEAE

- Ancistrocactus brevihamatus** var. **pallidus** A. D. Zimmerman ex A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 339, tt. 217-219, 2004. Typus: *Powell & Powell* 5924 (SRSC).
×Aporepicactus E. Meier, Kakutslüte 2005: 35, 2005. Nom. inval. (Art. 34.1b, H6.4?). [*Apocracanthus* × 'Epipactus hybrids'.]
Astrophytum 'Golden Fog' Mikhaltsov, Byull. KRKS No. 2: 7-8, ill., 2005. [= Suppl. to Kakt. Klub 2004(4), publ. April 2005.]
Astrophytum alacriportanum (Backeberg & Voll) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 12, 2005. Basionym: *Frailea alacriportana*.
Astrophytum albiareolatum (Buining & Brederoo) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 12, 2005. Basionym: *Frailea albiareolata*.
Astrophytum albicolumnare (F. Ritter) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 12, 2005. Basionym: *Frailea albicolumnaris*.
Astrophytum albifuscum (F. Ritter) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 12, 2005. Basionym: *Frailea albifusca*.
Astrophytum asperispinum (F. Ritter) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 12, 2005. Basionym: *Frailea asperispina*.
Astrophytum asterioides (Werdermann) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 12, 2005. Basionym: *Frailea asterioides*.
Astrophytum aureinitens (Buining & Brederoo) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 12, 2005. Basionym: *Frailea aureinitens*.
Astrophytum aureispinum (F. Ritter) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 12, 2005. Basionym: *Frailea aureispina*.
- Astrophytum aureum** (Backeberg) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 12, 2005. Basionym: *Frailea aurea*.
Astrophytum bruchii (Spagazzini) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 12, 2005. Basionym: *Frailea bruchii*.
Astrophytum bueneckeri (W.-R. Abraham) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 12, 2005. Basionym: *Frailea bueneckeri*.
Astrophytum caespitosum (Britton & Rose) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 12, 2005. Nom. inval. (Art. 33.6, Ex. 11), based on *Echinocactus caespitosus*. [The name given as basionym is itself a combination and is here corrected.]
Astrophytum carminifilamentosum (Kilian) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 13, 2005. Nom. inval., based on *Frailea carminifilamentosa*, nom. inval. (Art. 37.1).
Astrophytum castaneum (Backeberg) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 13, 2005. Basionym: *Frailea castanea*.
Astrophytum cataphractum (Dams) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 13, 2005. Basionym: *Echinocactus cataphractus*.
Astrophytum chiquitanum (Cárdenas) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 13, 2005. Basionym: *Frailea chiquitana*.
Astrophytum chrysacanthum (Hrabe) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 13, 2005. Nom. inval., based on *Frailea chrysacantha*, nom. inval. (Art. 8.4, 37.1).
Astrophytum curvispinum (Buining & Brederoo) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 13, 2005. Basionym: *Frailea curvispina*.
Astrophytum dadakii (Fric) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 13, 2005. Basionym: *Echinocactus dadakii*. [Acceptable as validly published combination under Art. 33.6, Ex. 12 (ICBN 2000).]
Astrophytum deminutum (Buining & Brederoo) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 13, 2005. Basionym: *Frailea deminuta*.
Astrophytum friedrichii (Buining & G. Moser) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 13, 2005. Basionym: *Frailea friedrichii*.
Astrophytum fulisetum (Buining & Brederoo) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 13, 2005. Basionym: *Frailea fulivseta*.
Astrophytum gracillimum (Monville ex Lemaire) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 13, 2005. Basionym: *Echinocactus gracillimus*.
Astrophytum grahlianum (Haage jr. ex K. Schumann) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 13, 2005. Basionym: *Echinocactus grahlianus*.

- Astrophytum horstii** (F. Ritter) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 13, 2005. Basionym: *Frailea horstii*.
- Astrophytum ignacionense** (Buining & G. Moeser) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 13, 2005. Basionym: *Frailea ignacionensis*. [Sphalm. 'ignacionensis'.]
- Astrophytum knippelianum** (Quehl) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 14, 2005. Basionym: *Echinocactus knippelianus*.
- Astrophytum lepidum** (Buining & Brederoo) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 14, 2005. Basionym: *Frailea lepida*.
- Astrophytum mammiferum** (Buining & Brederoo) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 14, 2005. Basionym: *Frailea mammifera*.
- Astrophytum matoanum** (Buining & Brederoo) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 14, 2005. Basionym: *Frailea matoana*.
- Astrophytum melitae** (Buining & Brederoo) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 14, 2005. Basionym: *Frailea melitae*.
- Astrophytum moserianum** (Buining & Brederoo) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 14, 2005. Basionym: *Frailea moseriana*. [Sphalm. 'moseranum'.]
- Astrophytum perbellum** (Prestlé) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 14, 2005. Basionym: *Frailea perbella*.
- Astrophytum perumbilicatum** (F. Ritter) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 14, 2005. Basionym: *Frailea perumbilicata*.
- Astrophytum phaeodiscum** (Spegazzini) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 14, 2005. Basionym: *Echinocactus pygmaeus* var. *phaeodiscus*.
- Astrophytum pseudogracillimum** (F. Ritter) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 14, 2005. *Nom. inval.*, based on *Frailea pseudogracillima*, *nom. inval.* (Art. 37.1).
- Astrophytum pseudopulcherrimum** (Fric ex Y. Ito) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 14, 2005. Basionym: *Frailea pseudopulcherrima*.
- Astrophytum pulcherrimum** (Arechavaleta) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 14, 2005. Basionym: *Echinocactus pulcherrimus*.
- Astrophytum pullispinum** (Backeberg) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 14, 2005. *Nom. inval.*, based on *Frailea pullispina*, *nom. inval.* (Art. 8.2).
- Astrophytum pumilum** (Lemaire) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 14, 2005. Basionym: *Echinocactus pumilus*.
- Astrophytum pygmaeum** (Spegazzini) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 14, 2005. Basionym: *Echinocactus pygmaeus*.
- Astrophytum schilinzkyanum** (F. Haage ex K. Schumann) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 15, 2005. Basionym: *Echinocactus schilinzkyanus*.
- Astrophytum uhlidianum** (Backeberg) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 15, 2005. *Nom. inval.*, based on *Frailea uhlidiana*, *nom. inval.* (Art. 8.2).
- Cleistocactus hoffmannii** G. Charles, Cact. Syst. Init. No. 20: 12-13, 2005. Typus: *Knize* 1896 (K, ZSS [iso?]) [Holotype ex cult. G. Charles.]. [Based on the description of *Loxanthocereus hoffmannii* F. Ritter 1981 (*nom. inval.*, Art. 37.1).]
- Cleistocactus jajoanus** (Backeberg) G. Charles, Cact. Syst. Init. No. 20: 13, 2005. Basionym: *Borzicactus jajoanus*.
- Cleistocactus winteri** ssp. *colademono* D. R. Hunt, Cact. Syst. Init. No. 20: 14, 2005. Typus: *Krahn* 950 (KOELN). [*Nom. nov. pro Hildewintera colademononis* Diers & al. 2003.]
- Copiapoa aphanes** Helmut Walter & Mächler, Kakt. and. Sukk. 56(4): 101-102, illus. (pp. 99-103), 2005. Typus: *Walter & Mächler* 449 (SGO).
- Copiapoa megarhiza** ssp. *parvula* Mächler & Helmut Walter, Kakt. and. Sukk. 56(11): 297-298, illus., 2005. Typus: *Walter & Mächler* 391 (SGO).
- Copiapoa taltalensis** ssp. *desertorum* (F. Ritter) G. Charles, in A. E. Hoffmann & Helmut Walter, Cact. Fl. Chile, ed. 2, 164, 2005. Basionym: *Copiapoa desertorum*. [Dated 2004, publ. March 2005.]
- Coryphantha echinus** var. *robusta* A. M. Powell, Cacti Trans-Pecos Adjacent Areas, 455, tt. 302-304, 2004. Typus: *Powell* 5829 (SRSC).
- Coryphantha pottsiana** (Poselger) A. D. Zimmerman, in A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 428, tt. 284-285, 2004. Basionym: *Echinocactus pottsianus*.
- Coryphantha sneedii** var. *albicolumnaria* (Hester) A. D. Zimmerman, in A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 424, tt. 279-283, 2004. *Nom. inval.* (Art. 34.1b), based on *Escobaria albicolumnaria*. [Published as provisional name ("forthcoming").]
- Coryphantha sneedii** var. *guadalupensis* (S. Brack & K. D. Heil) A. D. Zimmerman, in A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 420, tt. 275-276, 2004. *Nom. inval.* (Art. 34.1b), based on *Escobaria guadalupensis*. [Published as provisional name ("forthcoming").]
- Coryphantha tuberculosa** var. *varicolor* (Tiegel) A. D. Zimmerman, in A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 436, tt. 288-289, 2004. *Nom. inval.* (Art. 34.1b), based on *Coryphantha varicolor*. [Published as provisional name ("forthcoming").]

- Coryphantha vorwerkii** (Fric) Halda & Malina, Acta Mus. Richnov. Sect. Nat. 12(1): 8, 2005. Basionym: *Neowerdermannia vorwerkii*.
- Cumulopuntia crassicylindrica** (Rauh & Backeberg) F. Ritter ex Eggli, Novon 15(2): 278, 2005. Basionym: *Tephrocactus crassicylindricus*. [First published invalidly (Art. 33.3) by F. Ritter, Kakt. Südamer. 4: 1254, 1981 (and erroneously included as valid in RPS 32, but exact page reference not cited).]
- Disocactus flagriformis** (Zuccarini) Scheinvar, Fl. Cactol. Estado Querétaro, 156, 2004. Basionym: *Cereus flagriformis*.
- ✗**Disophyllum** 'Tobias' Uhlig, Epi-Flora (Nijmegen) No. 1: 2-3, ill., 2005. [= ✗*Aporophyllum* 'Moonlight' × ✗*Disophyllum* 'Frühlingsahnen'.]
- Echinocactus grusonii* fa. *setispinus* hort. ex Scarascia, Cactus & Co. 9(2): 123, 2005. *Nom. inval.* (Art. 36.1, 37.1). [Chance seedlings from cultivation.]
- Echinocactus grusonii* fa. *setispinus* 'Scarascia' hort. ex Scarascia, Cactus & Co. 9(2): 123-126, ill., 2005. *Nom. inval.* (Art. 43.1).
- Echinocereus chisoensis** ssp. *fobeatus* (Oehme) N. P. Taylor, Cact. Syst. Init. No. 19: 10, 2005. Basionym: *Echinocereus fobeatus*.
- Echinocereus coccineus* var. *rosei* (Wooton & Standley) A. D. Zimmerman, in A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 203, tt. 115-116, 2004. *Nom. inval.* (Art. 34.1b), based on *Echinocereus rosei*. [Published as provisional name ("forthcoming").]
- Echinocereus fitchii** ssp. *bergmannii* W. Blum, *Echinocereus reichenbachii-fitchii-Komplex*, 265, ill. (pp. 268-284), 2005. Typus: *Bergmann* 221 (UAT).
- Echinocereus reichenbachii** 'Chik' Fedukin, Byull. KRKS No. 3: 9, ill., 2005. [A chlorophyll-deficient mutant from cultivation.]
- Echinocereus reichenbachii** ssp. *comanchensis* D. Felix & Oldach, *Echinocereus reichenbachii-fitchii-Komplex*, 209, ill. (pp. 213-222), 2005. Typus: *Oldach* 229 (ZSS) [Ex cult. T. Oldach 2004.].
- Echinocereus rigidissimus** ssp. *rubispinus* Karl Werner Beisel W. Blum, *Echinocereenfreund* 18(4): 87-90, ill., 2005. [A white-flowering form obtained in cultivation.]
- Echinocereus* ✗*roetteri* var. *neomexicanus* (J. M. Coulter) A. D. Zimmerman, in A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 211, tt. 124-125, 2004. *Nom. inval.* (Art. 34.1b), based on *Cereus dasycanthus* var. *neomexicanus*. [Published as provisional name ("forthcoming").]
- Echinocereus viridiflorus* var. *neocapillus* (Weniger) Leuck ex A. D. Zimmerman, in A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 267, tt. 164-165, 2004. *Nom. inval.* (Art. 34.1b), based on *Echinocereus chloranthus* var. *neocapillus*. [Published as provisional name ("forthcoming").]
- Echinocereus viridiflorus* var. *russanthus* (Weniger) A. D. Zimmerman, in A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 263, tt. 160-163, 2004. *Nom. inval.* (Art. 34.1b), based on *Echinocereus russanthus*. [Published as provisional name ("forthcoming").]
- Echinopsis** 'Hallucination' Trager, Cact. Succ. J. (US) 77(2): 91, ill., 2005. [A third-generation descendant of the Paramount hybrids.]
- Echinopsis aurea** ssp. *fallax* (Oehme) M. Lowry, Cact. Syst. Init. No. 19: 11, 2005. Basionym: *Lobivia fallax*.
- Echinopsis aurea** ssp. *shaferi* (Britton & Rose) M. Lowry, Cact. Syst. Init. No. 19: 11, 2005. Basionym: *Lobivia shaferi*.
- Echinopsis backebergii** ssp. *wrightiana* (Backeberg) M. Lowry, Cact. Syst. Init. No. 20: 15, 2005. Basionym: *Lobivia wrightiana*.
- Echinopsis bridgesii** ssp. *vallegrandensis* (Cárdenas) M. Lowry, Cact. Syst. Init. No. 19: 12, 2005. Basionym: *Echinopsis vallegrandensis*.
- Echinopsis chiloensis** ssp. *skottsbergii* (Backeberg ex Skottsberg) G. Charles, Cact. Syst. Init. No. 19: 13, 2005. Basionym: *Trichocereus skottsbergii*.
- Echinopsis oligotricha** (Cárdenas) M. Lowry, Cact. Syst. Init. No. 19: 12, 2005. Basionym: *Lobivia oligotricha*.
- Echinopsis pugionacantha** ssp. *haemantha* (Rausch) M. Lowry, Cact. Syst. Init. No. 19: 12, 2005. Basionym: *Lobivia pugionacantha* var. *haemantha*.
- Echinopsis thionantha** ssp. *glaucum* (F. Ritter) M. Lowry, Cact. Syst. Init. No. 19: 12, 2005. Basionym: *Acanthocalycium glaucum*.
- Epiphyllum** 'Deutschlands Riese' Süpplie, Epi-Flora (Nijmegen) No. 1: 5, ill., 2005. [= *Epiphyllum* 'Mexa Kelly' × *Epiphyllum* #245.]
- Epiphyllum** 'Terry Hewitt' Süpplie, Epi-Flora (Nijmegen) No. 1: 5, ill., 2005. [= *Epiphyllum* 'Oriana' × *Epiphyllum* #227.]
- Eriosyce caligophila** R. Pinto, Bradleya 23: 1-3, ill., SEM-ills., 2005. Typus: *Pinto* & *Kirberg* 157665 (CONC).
- Eriosyce curvispina** ssp. *marksiana* (F. Ritter) Ferryman, in A. E. Hoffmann & Helmut Walter, Cact. Fl. Chile, ed. 2, 214, 2005. Basionym: *Pyrhocactus marksianus*. [Dated 2004, publ. March 2005.]
- Eriosyce curvispina** var. *limariensis* (F. Ritter) A. E. Hoffmann & Helmut Walter, Cact. Fl. Chile, ed. 2, 208, 2005. Basionym: *Pyrhocactus limariensis*. [Dated 2004, publ. March 2005.]
- Eriosyce curvispina** var. *lissocarpa* (F. Ritter) A. E. Hoffmann & Helmut Walter, Cact. Fl. Chile, ed. 2, 214, 2005. Basionym: *Pyrhocactus lissocarpus*. [Dated 2004, publ. March 2005.]

- Eriosyce eriosyzoides** var. **carrizalensis** (F. Ritter) A. E. Hoffmann & Helmut Walter, Cact. Fl. Chile, ed. 2, 222, 2005. Basionym: *Pyrrhocactus carrizalensis*. [Dated 2004, publ. March 2005.]
- Eriosyce eriosyzoides** var. **huascensis** (F. Ritter) A. E. Hoffmann & Helmut Walter, Cact. Fl. Chile, ed. 2, 222, 2005. Basionym: *Pyrrhocactus huascensis*. [Dated 2004, publ. March 2005.]
- Eriosyce eriosyzoides** var. **totoralensis** (F. Ritter) A. E. Hoffmann & Helmut Walter, Cact. Fl. Chile, ed. 2, 222, 2005. Basionym: *Pyrrhocactus totoralensis*. [Dated 2004, publ. March 2005.]
- Eriosyce eriosyzoides** var. **transitensis** (F. Ritter) A. E. Hoffmann & Helmut Walter, Cact. Fl. Chile, ed. 2, 220, 2005. Basionym: *Pyrrhocactus transitensis*. [Dated 2004, publ. March 2005.]
- Eriosyce megioli** (Rausch) Ferryman, Cact. Syst. Init. No. 20: 16, 2005. Basionym: *Pyrrhocactus megioli*.
- Eriosyce napina** ssp. **challensis** I. Schaub & Keim, Cactus & Co. 9(2): 111-113, ill. (pp. 104, 108-113), 2005. Typus: Schaub & Keim s.n. (SGO 151590).
- Eriosyce odieri** ssp. **malleolata** (F. Ritter) A. E. Hoffmann & Helmut Walter, Cact. Fl. Chile, ed. 2, 258, 2005. Basionym: *Chileorebutia malleolata*. [Dated 2004, publ. March 2005.]
- Eriosyce odieri** var. **weisseri** A. E. Hoffmann & Helmut Walter, Cact. Fl. Chile, ed. 2, 258-259, ill. (t. 96b), 2005. Typus: Hoffmann s.n. (SGO). [Dated 2004, publ. March 2005.]
- Eriosyce paucicostata** ssp. **echinus** (F. Ritter) Ferryman, in A. E. Hoffmann & Helmut Walter, Cact. Fl. Chile, ed. 2, 232, 2005. Basionym: *Pyrrhocactus echinus*. [Dated 2004, publ. March 2005.]
- Eriosyce spectabilis** A. E. Hoffmann & Helmut Walter, Cact. Fl. Chile, ed. 2, 236-237, ill. (t. 85), 2005. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name. Dated 2004, published March 2005.]
- Eriosyce taltaleensis** ssp. **pygmaea** (F. Ritter) Ferryman, in A. E. Hoffmann & Helmut Walter, Cact. Fl. Chile, ed. 2, 240, 2005. Basionym: *Pyrrhocactus pygmaeus*. [Dated 2004, publ. March 2005.]
- Epostoa guentheri** (Kupper) Buxbaum ex Eggli, Novon 15(2): 278, 2005. Basionym: *Cephalocereus guentheri*. [First published invalidly (Art. 33.3) by Buxbaum, Österr. Bot. Zeitschr. 106: 155, 1959.]
- Eulychnia iquiquensis** ssp. **ritteri** (Cullmann) D. R. Hunt, Cact. Syst. Init. No. 19: 13, 2005. Basionym: *Eulychnia ritteri*.
- Ferocactus chrysacanthus** ‘Jakudza’ Fedukin, Byull. KRKS No. 3: 11, ill., 2005. [A chlorophyll-deficient mutant from cultivation.]
- Ferocactus emoryi** ssp. **covillei** (Britton & Rose) D. R. Hunt & Dimmitt, Cact. Syst. Init. No. 20: 16, 2005. Basionym: *Ferocactus covillei*. [Repeated l.c. No. 21: 11, 2006, in the belief that the 2005-publication was invalid under Art. 33.3.]
- Ferocactus latispinus** ssp. **greenwoodii** (Glass) N. P. Taylor, Cact. Syst. Init. No. 20: 17, 2005. Basionym: *Ferocactus recurvus* var. *greenwoodii*.
- Ferocactus peninsulae** ssp. **santa-maria** (Britton & Rose) Pilbeam & Bowdery, Ferocactus, 82, ill., 2005. Basionym: *Ferocactus santa-maria*.
- Ferocactus peninsulae** ssp. **townsendianus** (Britton & Rose) Pilbeam & Bowdery, Ferocactus, 83, ill., 2005. Basionym: *Ferocactus townsendianus*.
- Ferocactus recurvus** ssp. **greenwoodii** (Glass) Pilbeam & Bowdery, Ferocactus, 91, ill., 2005. Basionym: *Ferocactus recurvus* var. *greenwoodii*.
- Ferocactus townsendianus* ‘Variegated Surprise’ Mikhaltsov, Byull. KRKS No. 3: 12, 2005. *Nom. inval.* (Art. ICNCP 24.1?). [Probably invalid under Art. 24.1 ICNCP for lack of a precise page reference to the previously published description.]
- Ferocactus wislizeni** ssp. **herrerae** (J. G. Ortega) Pilbeam & Bowdery, Ferocactus, 103, ill., 2005. Basionym: *Ferocactus herrerae*.
- Ferocactus wislizeni** ssp. **tiburonensis** (G. Lindsay) Pilbeam & Bowdery, Ferocactus, 105, ill., 2005. Basionym: *Ferocactus wislizeni* var. *tiburonensis*.
- Gymnocalycium** ‘Choco’ Mikhaltsov, Byull. KRKS No. 2: 5, ill., 2005. [= Suppl. to Kakt. Klub 2004(4), publ. April 2005.]
- Gymnocalycium** ‘Dragon’s Tooth’ Mikhaltsov, Byull. KRKS No. 2: 6-7, ill., 2005. [= Suppl. to Kakt. Klub 2004(4), publ. April 2005.]
- Gymnocalycium** ‘Jupiter’ Mikhaltsov, Byull. KRKS No. 2: 5-6, ill., 2005. [= Suppl. to Kakt. Klub 2004(4), publ. April 2005.]
- Gymnocalycium** ‘Mars’ Mikhaltsov, Byull. KRKS No. 3: 12, 2005. *Nom. inval.* (Art. ICNCP 24.1?). [Probably invalid under Art. 24.1 ICNCP for lack of a precise page reference to the previously published description.]
- Gymnocalycium** ‘Master Watanabe’ Mikhaltsov, Byull. KRKS No. 3: 12, 2005. [*Nom. nov. pro Gymnocalycium mihanovichii* ‘Master Watanabe’ Mikhaltsov 2003.]
- Gymnocalycium** ‘Mercury’ Mikhaltsov, Byull. KRKS No. 2: 7, ill., 2005. [= Suppl. to Kakt. Klub 2004(4), publ. April 2005.]
- Gymnocalycium** ‘Zebra Violet’ Mikhaltsov, Byull. KRKS No. 3: 12, 2005. *Nom. inval.* (Art. ICNCP 24.1?). [*Nom. nov. pro Gymnocalycium × friedrichii* ‘Zebra Violet’ Mikhaltsov 2003 (*nom. inval.*). Probably invalid under Art. 24.1(d) for lack of a page reference to the previously published description.]

- Gymnocalycium** Sect. *Chiquitana* Rogatskin, Rod *Gymnocalycium*, 141, 2005. *Nom. inval.* (Art. 33.3, 36.1).
- Gymnocalycium** Sect. *Schickendantziana* Rogatskin, Rod *Gymnocalycium*, 141, 2005. *Nom. inval.* (Art. 33.3, 36.1). [Sphalm. ‘Schikendantziana’.]
- Gymnocalycium anisitsii** ssp. *damsii* (K. Schumann) G. Charles, Cact. Syst. Init. No. 20: 17, 2005. Basionym: *Echinocactus damsii*.
- Gymnocalycium cardenasianum** ‘Mustang’ Fedukin, Byull. KRKS No. 3: 11, ill., 2005. [A chlorophyll-deficient mutant from cultivation.]
- Gymnocalycium carolinense** (Neuhuber) Neuhuber, *Gymnocalycium* 18(4): 639, ills., 2005. Basionym: *Gymnocalycium andreae* ssp. *carolinense*.
- Gymnocalycium castellanosii** ssp. *ferocior* (Bakeberg ex H. Till & Amerhauser) G. Charles, Cact. Syst. Init. No. 20: 18, 2005. Basionym: *Gymnocalycium mostii* ssp. *ferocior*.
- Gymnocalycium gibbosum** ssp. *borthii* (Koop ex H. Till) G. Charles, Cact. Syst. Init. No. 20: 18, 2005. Basionym: *Gymnocalycium borthii*.
- Gymnocalycium glaucum** ssp. *ferrarii* (Rausch) G. Charles, Cact. Syst. Init. No. 20: 18, 2005. Basionym: *Gymnocalycium ferrarii*.
- Gymnocalycium jochumii** Neuhuber, *Gymnocalycium* 18(1): 605-606, ills., SEM ill., 2005. Typus: *Neuhuber* 96-888 (BA, WU). [See comment l.c. 607 on the type number.]
- Gymnocalycium jochumii** var. *jugum* Neuhuber, *Gymnocalycium* 18(1): 606-607, ill., 2005. Typus: *Neuhuber* 96-891 (BA, WU). [See comment l.c. 607 on the type number.]
- Gymnocalycium megalothelos** ssp. *prestleanum* H. Till, *Gymnocalycium* 18(2): 625, ills. (p. 624), 2005. Typus: *Prestlé* 400 (ICN) [Ex cult. H. Till no. 3536].
- Gymnocalycium megalothelos** var. *susanna* H. Till, *Gymnocalycium* 18(2): 624, ills. (p. 623), 2005. Typus: *Rausch* s.n. (MVM) [Ex cult. H. Till HT 927]. [Spelling of the species epithet corrected to ‘megalothelon’.]
- Gymnocalycium monvillei** ‘White Coral’ Mikhaltsov, Byull. KRKS No. 2: 8, ill., 2005. [= Suppl. to Kakt. Klub 2004(4), publ. April 2005.]
- Gymnocalycium nataliae** Neuhuber, *Gymnocalycium* 18(3): 635-638, ills., 2005. Typus: *Neuhuber* 88-94 (BA, WU).
- Gymnocalycium pflanzii** ssp. *zegaruae* (Cárdenas) G. Charles, Cact. Syst. Init. No. 20: 18, 2005. Basionym: *Gymnocalycium zegaruae*.
- Gymnocalycium ritterianum** var. *acentracanthum* F. Berger, *Gymnocalycium* 18(1): 601, ills. (pp. 600-602), 2005. Typus: *Berger* Be97-76/305 (CORD).
- Gymnocalycium schickendantzii** ssp. *delaetii* (K. Schumann) G. Charles, Cact. Syst. Init. No. 20: 18, 2005. Basionym: *Echinocactus delaetii*.
- Gymnocalycium spegazzinii** fa. *unguispinum* Slaba, Kaktusy 41(2): 41, ills. (pp. 39-41), 2005. Typus: *Slaba* 44b (PR 11862).
- Haageocereus chilensis** F. Ritter ex D. R. Hunt, Cact. Syst. Init. No. 20: 19, 2005. Typus: *Ritter* s.n. (U). [Name first used by F. Ritter in H. Winter, Katalog V: 9, 1958 and equalling *Haageocereus fascicularis* sensu F. Ritter, Kakt. Südamer. 3: 1125-1126, 1980.]
- xHaagespostoa villigera** (Rauh & Backeberg) Ostolaza, Brit. Cact. Succ. J. 23(1): 31, 2005. Basionym: *Neobinghamia villigera*.
- Hylocereus undatus** ssp. *luteocarpus* Calíx de Dios, Haseltonia 11: 12-13, ills., 2005. Typus: *Martínez* 608 (XAL, XAL).
- +**Hylogymnocalycium** G. D. Rowley, Brit. Cact. Succ. J. 23(1): 12, 2005. [*Nom. nov. pro +Hylocalyicum* P. V. Heath (*nom. inval.*, Art. 21.3 ICNCP ed. 2004).]
- +**Hylogymnocalycium** ‘Singulare’ (P. V. Heath) G. D. Rowley, Brit. Cact. Succ. J. 23(1): 12, ill., 2005. Basionym: +*Hylocalyicum singulare*.
- Lophocereus schottii** fa. *spiralis* León de la Luz & I. Fogel, Cact. Succ. J. (US) 77(4): 188, ill., 2005. Based on *León de la Luz* 10088. *Nom. illeg.* (Art. 53.1). [A redescription of *L. schottii* fa. *spiralis* A. M. Carter 1966 with a different type.]
- Lophophora koehresii** (Rifha) Bohata & al., Kaktusy 41(Speciál 2): 20, ill., 2005. Basionym: *Lophophora diffusa* var. *koehresii*.
- Lophophora williamsii** ssp. *diffusa* (Croizat) Scheinvar, Fl. Cactol. Estado Querétaro, 212, 2004. Basionym: *Lophophora echinata* var. *diffusa*.
- Mammillaria** ‘Blando’ Blando, Cactus & Co. 9(2): 116, 2005. [First described without a name l.c. 2(2): 26, ills., 1998, and presumably involving *Mammillaria gueldemanniana* var. *guirocobensis* as one parent.]
- Mammillaria** ‘Chiara Blando’ Blando, Cactus & Co. 9(2): 116-117, ills., 2005. [A sport of *Mammillaria* ‘Blando’, which itself is a hybrid of unknown parentage.]
- Mammillaria** *bocasana* ‘Tania’ Fedukin, Byull. KRKS No. 3: 10, ill., 2005. [A partially chlorophyll-deficient mutant from cultivation.]
- Mammillaria candida** ssp. *ortizrubioana* (Bravo) Rogozinski & Plein, Mitteilungsbl. AfM 29(2): 84, ills. (pp. 81-87), 2005. Basionym: *Neomammillaria ortizrubioana*. [Sphalm. ‘ortizrubiona’.]
- Mammillaria grahamii** ssp. *sheldonii* (Britton & Rose) D. R. Hunt, Cact. Syst. Init. No. 20: 21, 2005. Basionym: *Neomammillaria sheldonii*.
- Mammillaria lasiacantha** fa. *magallanii* (F. Schmoll ex R. T. Craig) W. A. & B. Fitz Maurice, J. Mammillaria Soc. 45(2): 21, 2005. Basionym: *Mammillaria magallanii*.
- Mammillaria lasiacantha** fa. *stella-de-tacubaya* (Heese) W. A. & B. Fitz Maurice, J. Mammillaria Soc. 45(2): 21, 2005. Basionym: *Mam-*

- millaria stella-de-tacubaya.*
- Mammillaria marcosii** 'Paul' Gapon, Byull. KRKS No. 3: 12, ill., 2005. [An abnormally offsetting variant from cultivation.]
- Mammillaria mathildae** 'Karel Kracík' Halda & al., Acta Mus. Richnov. Sect. Nat. 12(1): 8, t. 5: fig. 6 (p. 34), 2005. [Of horticultural origin.]
- Mammillaria paulii** Linzen, Mitteilungsbl. AfM 29(3): 139-143, ills., SEM-ills., 2005. Typus: *Anonymus* 2666 (Herb. Jard. Bot. Univ. Bermejillo, Durango, Mexico).
- Mammillaria pectinifera** ssp. *solisoides* (Backeberg) D. R. Hunt, Cact. Syst. Init. No. 20: 21, 2005. Basionym: *Mammillaria solisoides*. [Bracket author erroneously given as 'Kraenz'.]
- Mammillaria prolifera** 'Hardy' Lodé, Cact.-Avent. No. 68: 35-36, ill., 2005. [A horticultural sport.]
- Melocactus macracanthos* fa. *citrispinus* (Antesberger & B. Antesberger) G. Thomson, Cactus & Co. 9(4): 204, caption to fig., 2005. *Nom. inval.*, based on *Melocactus citrispinus*, *nom. inval.* (Art. 8.2, 37.1).
- Melocactus macracanthos* fa. *inclinatus* (Antesberger) G. Thomson, Cactus & Co. 9(4): 206, caption to fig., 2005. *Nom. inval.* (Art. 33.3), based on *Melocactus inclinatus*.
- Mila caespitosa** ssp. *pugionifera* (Rauh & Backeberg) D. R. Hunt, Cact. Syst. Init. No. 20: 21, 2005. Basionym: *Mila pugionifera*.
- Notocactus bregmanianus** van Vliet, Succulenta 84(2): 64, ills. (pp. 65-68, cover), 2005. Typus: *van Vliet* 155 (IAC 44-466).
- Notocactus denardi** S. H. Klein, Internoto 26(3): 87-92, ills., 2005. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name.]
- Notocactus sellowii** fa. *courantii* (Lemaire) N. Gerloff & Neduchal, Internoto 25(2): 103, 2004. Basionym: *Echinocactus courantii*. [Omitted previously.]
- Opuntia aurea** var. *aureispina* (S. Brack & K. D. Heil) A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 136, tt. 72-73, 2004. Basionym: *Opuntia macrocentra* var. *aureispina*.
- Opuntia aurea** var. *diplopurpurea* A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 130-131, tt. 68-69, 2004. Typus: *Weedin* 481 (SRSC).
- Opuntia aurea** var. *discolor* A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 139, tt. 74-75, 2004. Typus: *Powell & Powell* 6004 (SRSC).
- Opuntia aurea** var. *parva* A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 134, tt. 70-71, 2004. Typus: *Powell & Powell* 6007 (SRSC).
- Opuntia ×carstenii** R. Puente & C. Hamann, Cact. Succ. J. (US) 77(5): 231, ills. (pp. 228, 231-235), 2005. Typus: *Puente & Hamann* 2902 (DES, ASU).
- Opuntia engelmannii** 'linguiformis' (Griffiths) A. D. Zimmerman, in A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 190, tt. 109-110, 2004. *Nom. inval.* (Art. 34.1b), based on *Opuntia linguiformis*. [Published as provisional name ("forthcoming").]
- Opuntia fuscolineata** Sturmühler & Mucher, Wulfenia 12: 59-60, ills., 2005. Typus: *Amerhauser & al.* MU-136 (GZU) [Ex cult. W. Mucher s.n., 19. 9. 2003].
- Opuntia mackensenii** var. *minor* (M. S. Anthony) A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 153, tt. 84-85, 2004. *Nom. inval.* (Art. 34.1b), based on *Opuntia macrocentra* var. *minor*. [Published as provisional name ("under consideration").]
- Opuntia mucheri** Sturmühler, Wulfenia 12: 60-62, ills., 2005. Typus: *Amerhauser & al.* MU-96 (GZU, KL, ZSS) [Ex cult. W. Mucher s.n., 12. 9. 2003].
- Opuntia olmeca** Pérez Crisanto & al., Cact. Suc. Mex. 50(3): 90-94, ills., 2005. Typus: *Pérez* 594 (MEXU). [Name first used invalidly (Art. 35.1, 37.1, cf. RPS 55) in Reyes Santiago & al., Cact. otras Pl. Nativas Cañada Cuicatlán, 99, ills., 2004.]
- Parodia hegeri** Diers & al., Kakt. and. Sukk. 56(5): 127-130, ills., 2005. Typus: *Krahn* 960 (KOELN, LPB).
- Peniocereus castellanosis** (Scheinvar) Scheinvar, Fl. Cactol. Estado Querétaro, 178, 2004. Basionym: *Nyctocereus castellanosis*.
- Peniocereus chiapensis** (Bravo) Gómez-Hinostrosa & H. M. Hernández, Revista Mex. Biodivers. 76(2): 131, 2005. Basionym: *Acanthocereus chiapensis*. [The validity of the combination depends on the interpretation of the status of the basionym. D. R. Hunt (Cact. Syst. Init. No. 21: 13, 2006) treats the name as *nom. nov.* for the basionym, which he feels is invalid under Art. 37.1.]
- Peniocereus serpentinus** ssp. *pietatis* (Bravo) Scheinvar, Fl. Cactol. Estado Querétaro, 177, 2004. Basionym: *Nyctocereus serpentinus* var. *pietatis*.
- Pfeiffera asuntapatensis** (M. Kessler & al.) Ralf Bauer, Cact. Syst. Init. No. 20: 6, 2005. Basionym: *Lepismium asuntapatense*.
- Pfeiffera monacantha** ssp. *kimmachii* (Doweld) Ralf Bauer, Cact. Syst. Init. No. 19: 8, ill., 2005. Basionym: *Acanthorhipsalis monacantha* ssp. *kimmachii*.
- Pilosocereus leucocephalus** ssp. *palmeri* (Rose) Scheinvar, Fl. Cactol. Estado Querétaro, 191-192, 2004. Basionym: *Cephalocereus palmeri*. [Doubtfully valid as the basionym reference is given on p. 191, the combination is made on p. 192.]
- Rebutia brighignae** Mosti & Papini, Cactus & Co. 9(1): 60-61, ills., SEM-ills., 2005. Typus: *Rausch* 751 (FT, ZSS) [Holotype ex cult. S. Mosti].

- Rebutia raffaellii** Mosti & Papini, Cactus & Co. 9(1): 56-57, ill., SEM-ills., 2005. Typus: *Rausch* 333c (FT) [Ex cult. S. Mosti].
- Rebutia rovidana** Mosti & Papini, Cactus & Co. 9(1): 58-59, ill., SEM-ills., 2005. Typus: *Rausch* 333b (FT) [Ex cult. S. Mosti].
- Rhipsalis pachyptera** fa. **rubra** Süpplie, Epi-Flo-
ra (Nijmegen) No. 1: 16-17, ill., 2005. Typus:
Anonymus s.n. in *EPRIC* 1500 (Herb. *EPRIC*
Nijmegen).
- Schlumbergera** 'Helmut Paetzold' Süpplie, Ber-
liner Kakt.-Blät. No. 5: 2-4, ill., 2005. [= *Schlumbergera* 'Thor-Alice' × 'Lorna Doo-
me'.]
- Schlumbergera** 'Twiggy' Süpplie, Kaktusblüte
2005: 36-37, ill., 2005. [A sport of *Schlumber-
gera* 'Tortine'.]
- Schlumbergera** 'White Queen' Süpplie, Kaktus-
blüte 2005: 36-37, ill., 2005. [= *Schlumber-
gera* 'Thor-Britta' × 'Snowflake'.]
- Schlumbergera** **xeprica** 'Proud Tina' Süpplie,
Succulenta 84(1): 42-43, ill., 2005. [= *Schlumbergera russelliana* × *S. orssichiana*.]
- Schlumbergera** **xreginae** 'Duchess of York'
Süpplie, Succulenta 84(1): 44, ill., 2005. [= *Schlumbergera* **xreginae** Bristol Amber' ×
'Joyce Carr'.]
- Schlumbergera** **xreginae** 'Labour Queen'
Süpplie, Kaktusblüte 2005: 36-37, ill., 2005.
[= *S. xreginae* 'Kathy Gough' × *S. xreginae*
'Rossmore Kathy Gonaert'].
- Schlumbergera** **xreginae** 'Miss Annie' Süpplie,
Kaktusblüte 2005: 36-37, ill., 2005. [= *S. xre-
ginae* 'Variegated Madame Butterfly' × *S. xre-
ginae* 'Joyce Carr'.]
- Sclerocactus** **parviflorus** ssp. **macropermus**
(Hochstätter) Hochstätter, Gen. Sclerocactus, 27, ill., 2005. *Nom. inval.* (Art. 33.3), based on *Sclerocactus parviflorus* fa. *macropermus*. [Published without exact page reference.]
- Sclerocactus** **parviflorus** ssp. **variflorus** (Hochstät-
ter) Hochstätter, Gen. Sclerocactus, 29, ill., 2005. *Nom. inval.* (Art. 33.3), based on *Sclero-
cactus parviflorus* fa. *variflorus*. [Published without exact page reference.]
- Sclerocactus** **whipplei** ssp. **heilii** (Castetter & al.)
D. R. Hunt, Cact. Syst. Init. No. 20: 23, 2005.
Basionym: *Sclerocactus whipplei* var. *heilii*.
- Sulcorebutia** **erinacea** Slaba & Sorma, Kaktusy
41(1): 13, ill. (pp. 10-12), 2005. Based on
Slaba & Sorma 61-99. *Nom. illeg.* (Art. 53.1).
[Non *Sulcorebutia erinacea* (F. Ritter) F. H.
Brandt 1976.]
- Sulcorebutia** **purpurea** ssp. **dorana** (Gertel) Hal-
da & al., Acta Mus. Richnov. Sect. Nat. 12(1):
9, ill. (t. 7: fig. 1, outside back cover), 2005.
Basionym: *Sulcorebutia dorana*.
- Sulcorebutia** **purpurea** ssp. **lindae** Halda & al.,
Acta Mus. Richnov. Sect. Nat. 12(1): 9, ill. (t.
7: figs. 5-6, outside back cover), 2005. Typus:
Halda & al. 051132 (PR 11950).
- Sulcorebutia** **purpurea** ssp. **nadae** Halda & al.,
Acta Mus. Richnov. Sect. Nat. 12(1): 9, ill. (t.
7: figs. 2-4, outside back cover), 2005. Typus:
Halda & al. 051128 (PR 11949).
- Sulcorebutia** **roberto-vasquezii** Diers & Krahn,
Kakt. and. Sukk. 56(8): 213-215, ill., (12):
323 [erratum], 2005. Typus: *Krahn* 986
(KOELN, BOLV, LPB).
- Sulcorebutia** **vargasii** Diers & Krahn, Kakt. and.
Sukk. 56(11): 282-286, ill., 2005. Typus:
Krahn 995 (KOELN, BOLV, LPB).
- Turbinicarpus** **beguinii** ssp. **zaragozae** (Glass &
R. A. Foster) D. R. Hunt, Cact. Syst. Init. No.
20: 24, 2005. Basionym: *Gymnocalycium subter-
raneus* var. *zaragozae*. [Sphalm. 'zaragozae'
with the opinion that this original spelling is a
correctable error.]
- Turbinicarpus** **niebla** D. Donato & Zanovello ex
García-Morales & al., Turbi-Now No. 18: 14,
ill., 2005. Typus: *García-Morales* 557 (UAT).
[First used as provisional name by D. Donato
& Zanovello, Conoscere, capire, coltivare Turbi-
nicarpus - Rapicactus, 177-178, 2004 (*nom.
inval.*, 34.1b, 36.1). See also Turbi-Now No.
17: 42-51, ill., 2005 ('2004'), with a full de-
scription but without Latin diagnosis.]
- Turbinicarpus** **saueri** ssp. **gonzalezii** Pavláček &
Zatloukal, Kaktusy 41(1): 9, ill. (pp. 3, 5-7),
2005. Typus: *González-Botello* & al. s.n.
(CFNL 650). [German translation in Turbi-
Now No. 18: 15-18, ill., 2005.]
- Turbinicarpus** **schmiedickeanus** ssp. **jauernigii**
(G. Frank) D. R. Hunt, Cact. Syst. Init. No. 20:
24, 2005. Basionym: *Turbinicarpus jauernigii*.
- ×Turbiniphora** Halda & Malina, Acta Mus. Rich-
nov. Sect. Nat. 12(1): 7-8, 2005. [= *Turbi-
nicarpus* × *Lophophora*.]
- ×Turbiniphora** **panarottoi** Halda & Malina, Acta
Mus. Richnov. Sect. Nat. 12(1): 8, ill. (p. 33),
2005. Typus: Herb. Halda 05008318 [Ex cult.
J. J. Halda]. [= *Turbinicarpus schmiedickea-
nus* var. *panarottoi* × *Lophophora williamsii*.]
- Uebelmannia** **meninensis** 'Chameleon' Fedukin,
Byull. KRKS No. 3: 9-10, ill., 2005. [A partially
chlorophyll-deficient mutant from cul-
tivation.]
- Yungasocereus** **inquisivensis** (Cárdenas) F. Ritter
ex Eggli, Novon 15(2): 278, 2005. Basionym:
Samaipaticereus **inquisivensis**. [First pub-
lished invalidly (Art. 33.3) by F. Ritter, Kakt.
Südamer. 2: 669, 1980 (and incorrectly given
as valid in RPS 31).]

CRASSULACEAE

- Aeonium** **canariense** fa. **longithyrum** (Burchard)
Rebmann, Succulent 2005(2): 26-27, ill.,
2005. *Nom. inval.* (Art. 33.3), based on *Sem-
pervivum canariense* ssp. *longithyrum*. [Used
casually only.]

- Dudleya gnoma** 'White Sprite' Trager, Cact. Succ. J. (US) 77(2): 104, 2005. [Formerly known as *D. greenii* 'White Sprite'.]
- Echeveria** 'Chrissy n Ryan' Mottram, Brit. Cact. Succ. J. 23(4): 166-166, ill., 2005. [= *Echeveria prolifica* × *E. setosa* var. *deminuta*.]
- Echeveria** 'Ghost Buster' Trager, Cact. Succ. J. (US) 77(2): 98, ill., 2005. [= *Echeveria colorata* × *E. elegans*.]
- Echeveria andicola** Pino, Haseltonia 11: 98-99, ill., 2005. Typus: *Pino* 1320 (USM).
- Echeveria cuspidata** var. **gemmula** Kimnach, Cact. Succ. J. (US) 77(1): 32-33, ill., 2005. Typus: *Metorn* s.n. in ZSS 971262 (HNT, ME-XU, ZSS).
- Echeveria cuspidata** var. **zaragozae** Kimnach, Cact. Succ. J. (US) 77(1): 29-31, ill., 2005. Typus: *Glass* & al. s.n. (HNT).
- Echeveria tencho** Moran & Uhl, Haseltonia 11: 141-143, fig. 2 (p. 140), 2005. Typus: *MacDougall* B.266 (SD) [Ex cult. Hort. Moran, San Diego, 13. 1. 1967 (= Moran 13277).]
- Kalanchoe bracteata** 'Silvermint' Trager, Cact. Succ. J. (US) 77(2): 100, ill., 2005. [A horticultural selection without known origin.]
- Kalanchoe bracteata** var. **virescens** Descoings, J. Bot. Soc. Bot. France 30: 13-14, 2005. Based on *Descoings* 28304. *Nom. illeg.* (Art. 52.1). [Illegitimate because of the inclusion of several previously published varieties.]
- Kalanchoe ×flaurentia** Descoings, J. Bot. Soc. Bot. France 30: 14, 2005. Typus: *Descoings* 28305 (P) [Ex cult. B. Descoings.]. [= *Kalanchoe bracteata* × *K. orgyalis*.]
- Kalanchoe grandidieri** var. **itampolensis** Descoings, Crass. Madec. Novae, 17, 2005. Typus: *Phillipson* & al. 3733 (P, MO).
- Kalanchoe humifusa** Descoings, Crass. Madec. Novae, 14-16, ill., 2005. Typus: *Descoings* 28314 (P) [Ex cult. B. Descoings.].
- Kalanchoe inaurata** Descoings, Crass. Madec. Novae, 3-5, ill., 2005. Typus: *Anonymus* s.n. in *Descoings* 28310 (P) [Ex cult. B. Descoings, without known wild origin.].
- Kalanchoe ×lokaraana** Descoings, J. Bot. Soc. Bot. France 30: 15-18, ill., 2005. Typus: *Descoings* 28303 (P) [Ex cult. B. Descoings.]. [= *Kalanchoe laxiflora* × *K. sp.*]
- Kalanchoe pareikiana** Descoings & Lavranos, in *Descoings*, Crass. Madec. Novae, 10-13, ill., 2005. Typus: *Lavranos* & McCoy 31863 (P).
- Kalanchoe peltigera** Descoings, Crass. Madec. Novae, 6-9, ill., 2005. Typus: *Richaud* s.n. in *Descoings* 28316 (P) [Ex cult. B. Descoings.].
- Kalanchoe ×richaudii** Descoings, J. Bot. Soc. Bot. France 30: 14-16, ill., 2005. Typus: *Descoings* 28302 (P) [Ex cult. B. Descoings.]. [= *Kalanchoe delagoensis* × *K. rosei*.]
- Sedum acre** 'Oktoberfest' Hort. Jelitto ex R. Stephenson, Sedum Soc. Newslett. No. 74: 80-81, ill., 2005. [A white-flowered horticultural strain.]

- Sempervivum ×feigeanum** Neeff, Kakt. and. Sukk. 56(3): 72, ill. (pp. 72-73), 2005. Typus: *Neeff* H073 (E). [= *Sempervivum davisii* × *S. staintonii*.]
- Sempervivum herfriedianum** Neeff, Kakt. and. Sukk. 56(3): 71-72, ill., 2005. Typus: *Neeff* H075 (E, K, HUB).

DRACAENACEAE

- Sansevieria longistyla** la Croiz, Kew Bull. 59(4): 617-618, ill. (p. 620), 2005. Typus: *Brummitt* 10284 (K) [Ex cult. RBG Kew 23. Feb. 1976.]. [Dated 2004, publ. March 2005 fide IPNI.]
- Sansevieria pedicellata** la Croiz, Kew Bull. 59(4): 620, fig. 2, 2005. Typus: *Wild* 5638 (K). [Dated 2004, publ. March 2005 fide IPNI.]

EUPHORBIACEAE

- Euphorbia ammophila** S. Carter & Dioli, Nordic J. Bot. 23(3): 295-296, ill., 2005. Typus: *Thulin* & *Dahir* 6704 (K, UPS).
- Euphorbia bertemariae** Bissneret & Dioli, Cact. Succ. J. (US) 77(4): 208-209, ill., 2005. Typus: *Dioli* 29 (ETH).
- Euphorbia densispina** S. Carter, Nordic J. Bot. 23(3): 296-297, ill., 2005. Typus: *Thulin* 10784 (UPS, K).
- Euphorbia erythrocucullata** R. Mangelsdorff, Haseltonia 11: 3-7, ill., 2005. Typus: *Röösli* & *Hoffmann* 9/02 (MO, FR, P).
- Euphorbia ×fernandez-lopezii** Molero & Rovira, Willdenowia 35(2): 278-279, ill., 2005. Based on *Fernández* & al. s.n. *Nom. inval.* (Art. 37.6). [= *Euphorbia bourgeana* × *E. berthelotii*.]
- Euphorbia frankii** Lavranos, Kakt. and. Sukk. 56(9): 240-242, ill., 2005. Typus: *McCoy* 2740 (FT).
- Euphorbia godana** Buddensiek & al., Kakt. and. Sukk. 56(2): 43-46, ill., 2005. Typus: *Lavranos* & *Newton* 13176 (FT).
- Euphorbia ×marreroi** Molero & Rovira, Willdenowia 35(2): 276-277, 2005. Typus: *Marrero* & *Molero* s.n. (BCN 39343). [= *Euphorbia regis-jubae* × *E. aphylla*.]

GERANIACEAE

- Pelargonium adriaanii** Albers & M. Becker, Bot. Jahrb. Syst. 126(2): 154-157, ill., 2005. Typus: *Albers* & *Becker* 4235 (MSUN, K, PRE, WIND).

Pelargonium rotundipetalum Vorster ex R. Clifton, Geraniaceae Group News 2004-5 (winter): 4, 6, 2005. Based on Vorster s.n. in *Stellenbosch Univ.* 2876. *Nom. inval.* (Art. 37.6). [Name first used by Vorster, Proc. Int. Geraniaceae Symp., 286-289, illus. (p. 293), 1990.]

HYACINTHACEAE

Ornithogalum juncifolium var. **emsii** van Jaarsveld & A. E. van Wyk, Bothalia 35(1): 83, ill., 2005. Typus: *van Jaarsveld & Ems* 16808 (NBG).

LAMIACEAE

Aeollanthus rydingianus van Jaarsveld & A. E. van Wyk, Bothalia 35(2): 157-158, ill., 2005. Typus: *van Jaarsveld & al.* 17481 (WIND).

Plectranthus brevimentum T. J. Edwards, Bothalia 35(2): 149, ill. (p. 150), 2005. Typus: *Edwards & al.* 3210 (NU, PRE) [Ex cult.].

Plectranthus porcatus van Jaarsveld & P. J. Winter, Bothalia 35(2): 170-171, ill., 2005. Typus: *Winter* 6725 (PRE).

Plectranthus rosulatus Hedge, Adansonia, sér. 3, 27(2): 321-322, ill., 2005. Typus: *Mangelsdorff* HC 22 in *Hedge* 05/01 (E) [Ex cult. J. Bogner, München.].

Plectranthus stylesii T. J. Edwards, Bothalia 35(2): 149-150, ill. (p. 151), 2005. Typus: *Styles* s.n. in *Hort. Edwards* 3259 (NU, E, GRA, K, NH, PRE) [Ex cult.].

LENTIBULARIACEAE

Pinguicula ibarrae Zamudio, Acta Bot. Mex. 70: 70-73, ill., 2005. Typus: *Zamudio & al.* 11814 (IEB).

Pinguicula martinezii Zamudio, Acta Bot. Mex. 70: 76-79, ill., 2005. Typus: *Zamudio & Carranza* 7150 (IEB).

PIPERACEAE

Peperomia andina Pino, Peperomias Cajamarca, 13, fig. 1 (pp. 46-47), 2004. Typus: *Pino* 284 (USM).

Peperomia andina var. **pseudoperuviana** Pino, Peperomias Cajamarca, 14, fig. 2 (pp. 48-49), 2004. Typus: *Pino* 894 (USM).

Peperomia columellaris Hutchison ex Pino & Klopfenstein, Haseltonia 11: 103-105, ill., 2005. Typus: *Hutchison & Wright* 4980 (UC, USM,

G, K, P). [Name first used as nude name attributed to Hutchison by Brako & Zarucchi, Cat. Fl. Pl. Gymnos. Peru, 888, 1993.]

Peperomia cymbifolia Pino, Peperomias Cajamarca, 15-16, fig. 3 (pp. 50-51), 2004. Typus: *Hutchison & Wright* 5076 (USM, C, UC ['clonotype'], US).

Peperomia cymbifolia var. **goodspeedii** Pino & Cieza, Haseltonia 11: 108-110, ill., 2005. Typus: *Hutchison & Wright* 5274 (UC, F, K, MO, NY, US, USM).

Peperomia dolabriformis var. **grandis** Hutchison ex Pino & Klopfenstein, Haseltonia 11: 106-107, ill., 2005. Typus: *Hutchison & Krahn* 4960 (UC, F, G, GH, K, LE, M, MICH, MO, NY, P, S, US, USM). [Based on a manuscript name by Hutchison.]

Peperomia galloides var. **glauea** Pino, Peperomias Cajamarca, 20-21, fig. 7 (p. 57), 2004. Typus: *Pino* 644 (USM).

Peperomia lanuginosa Pino, Peperomias Cajamarca, 24-25, fig. 11 (p. 61), 2004. Typus: *Pino* 1215 (USM).

Peperomia macrorhiza var. **liliputiana** Pino & Cieza, Haseltonia 11: 110-112, ill., 2005. *Klopfenstein & Cieza* 593 (USM).

Peperomia nivalis fa. **diminuta** Pino, Peperomias Cajamarca, 30-31, fig. 16 (p. 67), 2004. Typus: *Pino* 328 (USM).

Peperomia polzii Rauh ex Bogner, Kakt. and. Sukk. 56(12): 327-328, ill., 2005. Typus: *Polz* s.n. (M) [Ex cult. BG München, June 2005.].

PORTRULACACEAE

Avonia buderiana (von Poellnitz) de Morree, Succulenta 84(5): 217, 2005. *Nom. inval.* (Art. 33.3), based on *Anacampseros buderiana*. [Name accidentally used, without indication of the basionym.]

Talinella albidiiflora Applequist, Adansonia, sér. 3, 27(1): 52-53, fig. 1, 2005. Typus: *Humbert* 12753 (P, G, K, MO, P, WAG).

Talinella ankaranensis Applequist, Adansonia, sér. 3, 27(1): 54, fig. 3 (p. 55), 2005. Typus: *Humbert* 18940 (P, MO, P).

Talinella bossri Applequist, Adansonia, sér. 3, 27(1): 58, fig. 5 (p. 59), 2005. Typus: *Bosser* 17406bis (P).

Talinella grevei ssp. **calcicola** Applequist, Adansonia, sér. 3, 27(1): 64, fig. 7F-G (p. 65), 2005. Typus: *Bosser* 10426 (P, MO, P, TAN).

Talinella grevei ssp. **hirsuta** Applequist, Adansonia, sér. 3, 27(1): 66, fig. 7A-E (p. 65), 2005. Typus: *Herb. Jard. Bot. Tananarive* 6067 (P, TAN?).

Talinella grevei ssp. **sarmentosa** (Leandri) Applequist, Adansonia, sér. 3, 27(1): 67, 2005. Basionym: *Sabouraea sarmentosa*.

Talinella humbertii Applequist, Adansonia, sér. 3,
27(1): 68, fig. 8 (p. 69), 2005. Typus: *Humbert*
13403 (P).

Talinella latifolia Applequist, Adansonia, sér. 3,
27(1): 70-71, fig. 9, 2005. Typus: *Perrier de la*
Bâthie 12533 (P).

Talinella tsitondroinensis Applequist, Adansonia,
sér. 3, 27(1): 75, fig. 11 (p. 76), 2005. Typus:
Perrier de la Bâthie 1385 (P).

Talinella xerophila Applequist, Adansonia, sér. 3,
27(1): 76-78, fig. 12, 2005. Typus: *Service*
Forestier 28983 (P, TEF).

BIBLIOGRAPHIA

- [1] Afferni, M. (2005) Età e crescita dei cactus colonnari. Age and growth of columnar cacti. *Plante Grasse* 25(2): 67-74, illus.
- [2] Afferni, M. (2005) *Sedum alpestre* Villars in the Tuscan-Emilian Apennines. *Sedum Soc. Newslett.* No. 74: 92-95, ill. [Italian version in *Plante Grasse* 25(1): 20-22, illus., 2005.]
- [3] Aigner, P. A. (2005) Variation in pollination performance gradients in a *Dudleya* species complex: Can generalization promote floral divergence? *Funct. Ecol.* 19: 681-689, map, illus.
- [4] Albesiano, S. & Fernández-Alonso, J. L. (2005) Análisis florístico y biogeográfico de las cactáceas y otras plantas suculentas de la franja tropical (500 - 1200 m) del Cañón del Río Chicamocha (Boyacá - Santander, Colombia). *Bol. Inform. SLCCS* 2(2): 3-4, illus. [Electronically published as part of Nakari 16(1), 2005 (CD-ROM).]
- [5] Alejandre Sáenz, J. A. & al. (2005) Notas florísticas referentes al macizo ibérico septentrional, IV. *Flora Montibar.* 30: 46-62. [Includes data on *Pistorinia hispanica* and *Umbilicus heylandianus*.]
- [6] Ali, S. I. (2005) Flora of Pakistan. No. 211. *Asphodelaceae*. Karachi (PK): Department of Botany, University of Karachi / St. Louis (US: MO): Missouri Botanical Press. 28 pp., illus., key. [Includes *Aloe*.]
- [7] Allorge, L. (2005) Les Vanilles succulentes de Madagascar. *Succulentes* 2005(2): 3-11, illus.
- [8] Alsemgeest, W. & al. (2005) *Agave applanata*, de metamorfose van een Agavesoort... *Succulenta* 84(6): 246-250, illus.
- [9] Althoff, D. M. & al. (2004) Characterizing the interaction between the bogus yucca moth and Yuccas: Do bogus yucca moths impact *Yucca* reproductive success? *Oecologia* 140: 321-327.
- [10] Althoff, D. M. & al. (2005) Community context of an obligate mutualism: Pollinator and florivore effects on *Yucca filamentosa*. *Ecology* 86 (4): 905-913, illus.
- [11] Anaya, A. (2005) The real *Sedum hintonii*. *Sedum Soc. Newslett.* No. 75: 10-12, illus.
- [12] Anderson, E. F. & Eggli, U. (ed.) (2005) Das grosse Kakteen-Lexikon. Stuttgart (D): Ulmer. 744 pp., illus. [Translated, corrected and updated from the original English edition 2001.]
- [13] Angeles, C. & al. (2005) Distribución y estatus de conservación de *Ferocactus robustus* (Pfeiff.) Britton & Rose. *Cact. Suc. Mex.* 50(2): 36-55, illus., maps.
- [14] Aona, L. Y. (2003) Caracterização e delimitação do gênero *Micranthocereus* Backeb. (*Cactaceae*) baseados em caracteres morfológicos e moleculares. Campinas (BR: SP): UNICAMP. Unpublished thesis. [Cited from *Bol. Inform. SLCCS* 1(1): 6, 2004.]
- [15] Applequist, W. L. (2005) A revision of the Malagasy endemic *Talinella* (*Portulacaceae*). *Adansonia*, sér. 3, 27(1): 47-80, illus., maps, key.
- [16] Applequist, W. L. & Pratt, D. B. (2005) The malagasy endemic *Dendropeltula* (*Portulacaceae*) is referable to *Deeringia* (*Amaranthaceae*): Molecular and morphological evidence. *Taxon* 54 (3): 681-687, illus.
- [17] Arias, S. & al. (2005) Phylogenetic relationships in *Peniocereus* (*Cactaceae*) inferred from plastid DNA sequence data. *J. Pl. Res.* 118(5): 317-328, illus.
- [18] Arnald, J. (2005) Madeira: Not just a holiday destination. *Brit. Cact. Succ. J.* 23(4): 161-163, illus. [Included for the habitat illustrations of *Aeonium glutinosum* and *A. glandulosum*.]
- [19] Arruda, E. C. P. & al. (2004) Elementos traqueais de cinco táxons de *Cactaceae* da caatinga pernambucana. *Acta Bot. Brasil.* 18(4): 731-736.
- [20] Arundel, S. T. (2005) Using spatial models to establish climatic limiters of plant species' distributions. *Ecol. Modelling* 182(2): 159-181. [Includes data on *Carnegiea gigantea* and *Ferocactus acanthodes*.]
- [21] Audissou, J.-A. (2005) Aloes of Madagascar. Part 1 / Part 2. *Alsterworthia Internat.* 5(1): 24-32, (2): 5-10, illus.
- [22] Bailey, G. & al. (2005) *Ariocarpus bravoanus* – on the edge. *Brit. Cact. Succ. J.* 23 (2): 78-82, illus.
- [23] Bauer, D. (2005) Estudio taxonómico y patrones geográficos de cactáceas epífiticas en Rio Grande do Sul, Brasil. *Bol. Inform. SLCCS* 2(2): 4-5. [Electronically published as part of Nakari 16(1), 2005 (CD-ROM).]
- [24] Bauer, R. (2005) Notes on *Hylocereus triangularis* and *H. trigonus* and the spineless form of *Pfeiffera monacantha*. *Cact. Syst. Init. No.* 19: 4-9, illus. [Erratum l.c. No. 20: 10, 2005.]
- [25] Bauer, R. (2005) More notes on *Pfeiffera*. *Cact. Syst. Init. No.* 20: 6-10, illus.
- [26] Bauer, R. (2005) *Hylocereus ocamponis* (Salm-Dyck) Britton & Rose. *EPIG* 16(2): 60-65, illus.
- [27] Bayer, M. B. (2005) *Astroloba* flowers. *Haworthiad* 19(1): 14-16, 25, illus.
- [28] Bayer, M. B. (2005) Completing the saga of *H. mutica* var. *nigra*? *Haworthiad* 19(1): 7-13, illus.
- [29] Bayer, M. B. (2005) Some variation in *Ha-*

- worthia venosa* var. *venosa*. Haworthiad 19(2): 40-42, ill.
- [30] Bayer, M. B. (2005) A note on *Haworthia viscosa*. Haworthiad 19(2): 50-51, ill.
- [31] Becker, M. & Albers, F. (2005) Was ist *Pelargonium parviflorum*? Avonia 23(2): 31-39, ill., map.
- [32] Beentje, H. & al. (eds.) (2005) Flora of Tropical East Africa. *Compositae* (part 3). Richmond (GB): Royal Botanic Gardens Kew for the East African Governments. pp. 547-869, ill., keys. [Includes *Kleinia* (pp. 680-697), *Senecio* (pp. 617-669) and *Solanecio* (pp. 670-680).]
- [33] Benavides, A. M. & al. (2005) A first quantitative census of vascular epiphytes in rain forests of Colombian Amazonia. Biodivers. & Conservation 14(3): 739-758.
- [34] Bercht, L. (2005) *Gymnocalycium mostii* en *Gymnocalycium monvillei*, vrienden in de natuur? Succulenta 84(4): 157-161, ill.
- [35] Berger, F. (2005) Zeittafel bzw. Geschichte der rotblühenden Gymnocalycien der UG. *Microrosemineum*. Gymnocalycium 18(2): 615-616.
- [36] Bernal-Salazar, S. & Terrazas, T. (2005) Wood anatomical variation of *Neobuxbaumia tetetzo*: A columnar Cactaceae. J. Arid Environm. 63(4): 671-685, ill.
- [37] Bernhard, S. (2005) Über Samengewichte von Kakteen. Kakt. and. Sukk. 57(1): 23-27. [Dated Jan. 2006, received 30. 12. 2005.]
- [38] Berresford, P. (2005) Hunting the hedgehog – the Mojave way. Brit. Cact. Succ. J. 23(3): 105-114, ill. [On *Echinocereus* spp.]
- [39] Bester, S. P. & al. (2005) *Hoodia flava*. Flow. Pl. Afr. 59: 100-106, map, t. 2215.
- [40] Blanchy, C. (2005) *Mammillaria bombycinia* in situ. Cactus & Co. 9(2): 89-102, ill. [Included for the illustrations.]
- [41] Blum, W. & al. (2005) Der *Echinocereus reichenbachii-fitchii*-Komplex. The *Echinocereus reichenbachii-fitchii*-complex. Marktredwitz (D): Arbeitsgruppe Echinocereus. 336 pp., ill., SEM-ills., key. [= Der Echinocereenfreund 17: Sonderausgabe 2004.]
- [42] Bobich, E. G. (2005) Vegetative reproduction, population structure, and morphology of *Cylindropuntia fulgida* var. *mamillata* in a desert grassland. Int. J. Pl. Sci. 166(1): 97-104, ill.
- [43] Bockemühl, J. & Bauer, R. (2005) Betrifft: "Die besten *Schlumbergera*-Kreuzungen". Kakt. and. Sukk. 56(5): 138. [On purported intergeneric hybrids.]
- [44] Bohata, J. & al. (2005) Rod *Lophophora* Coulter. Kaktusy 41(Special 2): 48 pp., ill., maps. [Also published 2006 in a German translation.]
- [45] Bonnefond, J. (2005) *Idria (Fouquieria) columaris* en basse Californie. Succulentes 2005 (3): 25-32, ill. [Included for the illustrations of the wood.]
- [46] Boonjaras, T. & Thaitong, O. (2003) *Ceropogia hirsuta* (Asclepiadaceae), a new record for Thailand. Thai Forest Bull. 31(1): 1-6, ill. [Omitted previously.]
- [47] Boulos, L. (2005) Flora of Egypt. Volume 4, Monocotyledons (*Alismataceae* - *Orchidaceae*). Cairo (EG): Al Hadara Publishing. xvi + 617 pp., ill., keys. [Includes *Asphodelaceae* (pp. 33-37, tt. 415-416), *Hyacinthaceae* (pp. 42-60, tt. 417-418) and *Dracaenaceae* (pp. 83-84, t. 421).]
- [48] Bowers, J. E. (2005) Influence of climatic variability on local population dynamics of a Sonoran Desert platyopuntia. J. Arid Environm. 61 (2): 193-210. [On *Opuntia engelmannii*.]
- [49] Bowers, J. E. (2005) Influence of plant size and climatic variability on the floral biology of *Fouquieria splendens* (Ocotillo). Madroño 52(3): 158-165.
- [50] Bowers, J. E. (2005) New evidence for persistent or transient seed banks in three Sonoran Desert cacti. Southw. Naturalist 50(4): 482-487. [Data for *Carnegiea gigantea*, *Ferocactus wislizeni* and *Mammillaria grahamii*.]
- [51] Boyle, T. H. (2005) The relationship between flower age and seed production in *Hatiora gaertneri* and *Schlumbergera truncata* (Cactaceae). HortScience 40(7): 1988-1991.
- [52] Boyle, T. H. & Idnurm, A. (2003) Intergeneric hybridization between *Schlumbergera* Lem. and *Hatiora* Britt. & Rose (Cactaceae). J. Amer. Soc. Hort. Sci. 128(5): 724-730, ill.
- [53] Braun, G. (2005) Was verbirgt sich hinter *Echinocereus* spec. Lau 1583? Echinocereenfreund 18(1): 3-11, ill.
- [54] Braun, P. J. & Esteves Pereira, E. (2005) The Melocacti of Chapada Grande, Brazil, and the conservation status of *Melocactus deinacanthus*. Cact. Succ. J. (US) 77(2): 82-89, ill.
- [55] Braun, P. J. & Esteves Pereira, E. (2005) *Melocactus braunii* – eine interessante Art aus Bahia, Brasilien. Kakt. and. Sukk. 56(6): 146-151, ill.
- [56] Breckenridge, F. (2005) Adventures with wild Gasterias. Cact. Succ. J. (US) 77(5): 244-253, ill., map.
- [57] Breckwoldt, S. & K. (2005) Wann blüht eigentlich *Mammillaria gueldemanniana*? Mitteilungsbl. AfM 29(2): 102-105, ill.
- [58] Brummitt, R. K. (2005) Report of the Committee for Spermatophyta: 56. Taxon 54(2): 527-536. [Includes data on *Agave noah*, *Peperomia nitida* and *Conophytum haramoepense*.]

- [59] Bruxel, J. & Jasper, A. (2005) A família *Cactaceae* na bacia hidrográfica do Rio Taquari, RS, Brasil. *Acta Bot. Brasil.* 19(1): 71-79, key, ill.
- [60] Bruyns, P. V. (2005) Stapeliads of Southern Africa and Madagascar. Hatfield (RSA): Umdaus Press. 2 vols., vi + iv + 606 pp., ills., keys, maps. [Errata (1 sheet with 8 maps for *Stapelianthus* spp.) distributed separately March/April 2006.]
- [61] Bruyns, P. V. (2005) A recently described species of *Ceropegia* from Namaqualand. *Aloe* 41 (4): 84-85, ills. [Dated 2004, received 13. 3. 2005. On *Ceropegia namaquensis*.]
- [62] Bruyns, P. V. (2005) *Sarcostemma*. The oldest and newest of (perhaps) the world's most widespread succulent. *Cact. Succ. J. (US)* 77(5): 222-227, 236, ills.
- [63] Bullock, S. H. & al. (2005) Twentieth century demographic changes in Cirio and Cardón in Baja California, México. *J. Biogeogr.* 32: 127-143, ills., map.
- [64] Burke, A. (2005) Endemic plants of the arid succulent karoo in Namibia: Towards hypotheses for their evolution. *Ecography* 28(2): 171-180.
- [65] Burleigh, M. (2005) Hybridizing *Turbinicarpus* and *Gymnocalyx*. *Cact. Succ. J. (US)* 77(1): 21-27, ills.
- [66] Bustamante, E. & Búrquez, A. (2005) Fenología y biología reproductiva de las cactáceas columnares. *Cact. Suc. Mex.* 50(3): 68-88, ills.
- [67] Butterworth, C. A. & Wallace, R. S. (2005) Molecular phylogenetics of the leafy cactus genus *Pereskia* (*Cactaceae*). *Syst. Bot.* 30(4): 800-808, map.
- [68] Cabrera-Luna, J. A. & Olvera-Valerio, D. (2005) *Mammillaria wiesingeri* Boed. Primer registro para la flora cactológica del Estado de Querétaro, México. *Bol. Inform. SLCCS* 2(3): 9-10, ill., map. [Electronically published only.]
- [69] Calderón Moya-Méndez, N. & al. (2004) Distribución y estado de conservación del género *Haageocereus* (familia *Cactaceae*) en el Departamento de Lima, Perú. *Ecol. Aplic.* 3(1-2): 17-22, maps.
- [70] Calvente, A. de M. (2005) A família *Cactaceae* no Parque Natural Municipal da Prainha, Rio de Janeiro, RJ. Rio de Janeiro (BR): Museu Nacional / Universidade Federal do Rio de Janeiro. M.Sc. thesis.
- [71] Calvente, A. de M. & al. (2005) Listagem, distribuição geográfica e conservação das espécies de *Cactaceae* no Estado do Rio de Janeiro. *Rodriguésia* 56(87): 141-162, map.
- [72] Cariaga, K. A. & al. (2005) Patterns of genetic diversity in the critically endangered Florida Key endemic *Consolea corallicola* Small (*Cactaceae*): Evidence from inter-simple sequence repeat (ISSRs) DNA polymorphisms. *Caribbean J. Sci.* 41(2): 225-233, map.
- [73] Carnevali Fernandez Concha, G. & al. (2005) Notes on the flora of the Yucatan Peninsula III. New records and miscellaneous notes for the peninsula flora II. *Harvard Pap. Bot.* 9: 257-296. [Includes *Agavaceae* (pp. 263-264) and *Piperaceae* (pp. 286-290).]
- [74] Carter, S. (2005) Euphorbias of southern Morocco. *Cact. Succ. J. (US)* 77(1): 34-37, ills.
- [75] Castañeda Rojas, E. & al. (2005) *Manfreda galvaniæ* (*Agavaceae*), especie nueva de México, con nota sobre la ubicación taxonómica de *M. malinaltenangensis* Matuda y su lectotipificación. *Acta Bot. Mex.* 72: 65-76, ills., key.
- [76] Castillo, R. & al. (2003) Sexual compatibility between two types of *Hylocereus* (*Cactaceae*). *Revista Biol. Trop.* 51(3-4): 699-705.
- [77] Castillon, J.-B. (2005) Voyage à Madagascar, mai-juin 2004. *Succulentes* 2005(2): 29-32, ills. [On several species of *Aloe*.]
- [78] Castillon, J.-B. (2005) Hybrides de *Pachypodium*. Notes sur *Pachypodium eburneum* Lavranos. *Succulentes* 2005(4): 27-30, ills.
- [79] Chahinian, B. J. (2005) The splendid *Sansevieria*. Buenos Aires (ARG): Published by the author. 178 pp., ills., key.
- [80] Chahinian, B. J. (2005) Letters to the editor. *Sansevieria* No. 11: 22, ills. [On leaf characters of some *Sansevieria* taxa.]
- [81] Chahinian, B. J. (2005) The many faces of *Sansevieria robusta* N. E. Brown. *Sansevieria* No. 11: 3-6, ills.
- [82] Chalet, J.-M. (2005) *Echinocereus scheeri* ssp. *scheeri* & la Barranca de Urique. *Cactus & Co.* 9(1): 43-52, ills.
- [83] Chalet, J.-M. (2005) Nouveaux biotopes de *Melocactus curvispinus* ssp. *dawsonii* dans l'État de Jalisco. *Succulentes* 2005(1): 9-11, ills.
- [84] Chaves, F. A. (2004) Polinización especializada de *Parodia sellowii* (Link & Otto) Hunt (*Cactaceae*) en un enclave subxerofítico de la Cordillera Oriental de Colombia. *Bol. Inform. SLCCS* 1(1): 3, ill.
- [85] Cházaro Basáñez, M. J. & al. (2005) In situ: *Agave nayaritensis*. *Cact.-Avent.* No. 66: 33-37, ills.
- [86] Cházaro Basáñez, M. & al. (2004) *Agave* (*Agavaceae*) en el norte de Jalisco y zonas circunvecinas de Nayarit, Durango y Zacatecas: Una sinopsis. In: Vázquez-García, J. A. & al. (eds.): *Flora del norte de Jalisco y etnobotánica huichola*; pp. 56-66. Guadalajara (MEX): Universidad de Guadalajara.
- [87] Cházaro Basáñez, M. J. & al. (2005) *Mammillaria limonensis* Reppenhagen, a little

- known cactus. Cact.-Avent. No. 65: 14-17, ills. [Spanish and Catalan version in *Suculentas* (Barcelona) No. 33: 10-15, ills., 2006.]
- [88] Cházaro Basáñez, M. J. & al. (2005) *Agave valenciana*: A brand new gigantic species from Mexico. Cact.-Avent. No. 68: 24-30, ills. [Spanish version in *Suculentas* (Barcelona) No. 32: 10-16, ills., 2005; and in Bol. Soc. Latinoamer. Caribe Cact. otras Suc. 3(3): 3-6, ills., 2006.]
- [89] Cházaro Basáñez, M. J. & al. (2005) Avances en el estudio de los Agaves del centro de México. *Suculentas* (Barcelona) No. 31: 6-15, ills.
- [90] Cházaro Basáñez, M. J. & al. (2005) *Agave valenciana* (Agavaceae), a gigantic new species from Jalisco, Mexico. Novon 15(4): 525-530, ills., map. [Included for the distribution map of related taxa.]
- [91] Chenoune, K. (2005) La flore et la végétation du Hoggar. Bois Forêts Trop. 284: 79-83.
- [92] Chesselet, P. & Pignal, M. (2005) Lamarck's new species of *Mesembryanthemaceae* and the types of their names. Bothalia 35(1): 29-33, ills.
- [93] Christie, B. (2005) Finding *Sulcorebutia christiei*. Brit. Cact. Succ. J. 23(3): 128-131, ills.
- [94] Christie, S. J. & al. (2005) *Aloe jawiyon*, a new species from Soqotra (Yemen). Bradleya 23: 23-30, ills.
- [95] Christophe, A. (2005) Socotra. The lost island. Venegono Superiore (I): Cactus & Co. Libri. 64 pp., ills. [Included for the stunning illustrations.]
- [96] Clark-Tapia, R. & al. (2005) How important is clonal recruitment for population maintenance in rare plant species? The case of the narrow endemic cactus *Stenocereus eruca* in Baja California, México. Biol. Conservation 124: 123-132.
- [97] Clark-Tapia, R. & al. (2005) Clonal diversity and distribution in *Stenocereus eruca* (*Cactaceae*), a narrow endemic cactus of the Sonoran Desert. Amer. J. Bot. 92(2): 272-278, map.
- [98] Cole, D. T. (2005) *Lithops gesinae* – and other lithoparian notes. Mesemb Study Group Bull. 20(2): 27-32.
- [99] Cole, D. T. & Cole, N. A. (2005) *Lithops*. Flowering Stones. Venegono Superiore (I): Cactus & Co. Libri. [4 +] 364 pp., ills., key, maps. [Original Ed. published 1988.]
- [100] Corman, P. (2005) Monte Cristi: À la recherche de *Harrisia hastii* et *Plumeria tuberculata*. Succulentes 2005(3): 12-17, ills.
- [101] Craib, C. (2005) Vanishing grasslands of eastern South Africa. Veld. Fl. (1975+) 2005 (Sept.): 126-129, ills.
- [102] Crook, I. (2005) South Peru *Opuntia* log. Part 4. Intermediate altitude members of the genus *Cumulopuntia*. Tephrocactus Study Group 11(1): 3, ill. (p. 6).
- [103] Crook, R. & Mottram, R. (2005) *Opuntia* index part 11: W-Z, cultivars. Bradleya 23: 57-78, ills. [Concluded from l.c. 22, 2004.]
- [104] Crouch, N. R. & al. (2005) *Impatiens flanaganiae*. Flow. Pl. Afr. 59: 84-92, map, ill., t. 2213.
- [105] Crozier, B. S. (2005) Systematics of *Cactaceae* Juss.: Phylogeny, cpDNA evolution, and classification, with emphasis on the genus *Mammillaria*. Austin (US: TX): University of Texas at Austin. Unpubl. Ph.D. thesis.
- [106] Cumana Campos, L. J. & Cabeza, P. J. (2005) Clave para especies silvestres de Angiospermas de la región occidental de la Península de Araya, Estado de Sucre, Venezuela. Ernstia, ser. 2, 13(1-2): 61-93, key. [*Cactaceae*: p. 65. Dated June 2003 on the cover, received 14. 7. 2005 at ZSS.]
- [107] Cumming, D. M. (2005) *Chortolirion Bergeri*. Inferred relationships from limited hybridization. Alsterworthia Internat. 5(2): 2-4.
- [108] Dalke, I. V. & Golovko, T. K. (2005) Morphophysiological characteristic of the urals and arctic plants of *Rhodiola rosea* (*Crassulaceae*) when grown in the Middle Taiga subzone. Rastitel'n. Resursy 41(4): 1-11.
- [109] Danin, A. (2004) Distribution atlas of plants in the Flora Palaestina area. Jerusalem (Israel): Israel Academy of Sciences and Humanities. [*Crassulaceae*: pp. 118-120, maps.]
- [110] Delanoy, G. (2005) The flowering of *Harisia earlei*. Brit. Cact. Succ. J. 23(1): 21-22, ills.
- [111] Delanoy, G. (2005) *Agave underwoodii* Trelease in its habitat. Cact.-Avent. No. 65: 33-36, ills.
- [112] Delanoy, G. (2005) Nei dintorni di / Around Morro do Chapeu (Brazil). Cactus & Co. 9(2): 68-88, (3): 166-179, ills. [Included for the illustrations.]
- [113] Descoings, B. (2005) *Crassulaceae* Made-cassae Novae. Aubenas (F): Société Botanique de l'Ardèche. 18 pp., ills.
- [114] Descoings, B. (2005) Note sur les *Kalanchoe* (*Crassulaceae*) de Madagascar (2): Une espèce nouvelle, *K. tenuiflora*. Succulentes 2005 (3): 21-24, ills. [Part 1 publ. l.c. 2004(4), 2004.]
- [115] Descoings, B. (2005) Note sur les *Kalanchoe* (*Crassulaceae*) de Madagascar (3): Des modes originaux de multiplication végétative. Succulentes 2005(4): 21-26, ills.
- [116] Descoings, B. (2005) Le genre *Perriceriodum* (Berger) H. Ohba (*Crassulaceae*) à Madagascar. Acta Bot. Gallica 152(3): 289-292, ills.

- [117] Descoings, B. (2005) Sur quelques *Kalanchoe* (*Crassulaceae*) hybrides de Madagascar. *J. Bot. Soc. Bot. France* 30: 3-18, illus., key.
- [118] Dessein, S. & al. (2005) *Gomphocalyx* and *Phylohydrax* (*Rubiaceae*): Sister taxa excluded from *Spermacoceae* s.s., featuring a remarkable case of convergent evolution. *Taxon* 54(1): 91-107, illus.
- [119] Díaz-Castelazo, C. & al. (2005) Morphological and secretory characterization of extrafloral nectaries in plants of coastal Veracruz, Mexico. *Ann. Bot. (Oxford)*, n.s. 96: 1175-1189, illus. [Includes data on *Opuntia stricta*.]
- [120] Dold, A. P. & al. (2005) Leaves of grass: A taxonomic revision of the genus *Bergeranthus* Schwantes (*Aizoaceae*). *Haseltonia* 11: 78-97, illus., key, maps.
- [121] Dold, T. (2005) The rediscovery of *Ornithogalum britteniae*. *Cact. Succ. J. (US)* 77(3): 148-151, illus., maps.
- [122] Domina, G. (2005) Typification of the name *Kleinia mandraliscae* Tineo (*Asteraceae*). *Fl. Medit.* 15: 5-7, ill.
- [123] Dortort, F. (2005) Under discussion. *Avonia* and other succulent *Portulacaceae*. *Cact. Succ. J. (US)* 77(1): 14-20, illus.
- [124] Draxler, A. (2005) [Russian:] *Sulcorebutia gerosenilis* in habitat. *Kakt. Klub* 2005(1): 28-29, illus.
- [125] Du Puy, D. J. & al. (2002) The *Leguminosae* of Madagascar. Richmond (GB): Royal Botanic Gardens, Kew. x + 737 pp., 32 col. tt., keys, illus. [Includes *Delonix* (pp. 27-42, t. 6F, t. 7A-D).]
- [126] Duarte, M. R. & Hayashi, S. S. (2005) Estudo anatômico de folha e caule de *Pereskia aculeata* Mill. (*Cactaceae*). *Revista Brasil. Farmacogn.* 15(2): 103-109, illus.
- [127] Duncan, J. & al. (2005) The decline of *Aloe pillansii*. Is the flagship of the Richtersveld sinking? *Veld. Fl.* (1975+) 2005(4): 180-181, illus.
- [128] Dupal, S. (2005) *Notobrasilia* – rod, který prestat existoval? [Czech: The genus that doesn't exist anymore?]. *Cactaceae etc.* 15(2): 46-54, illus.
- [129] Edwards, E. J. & al. (2005) Basal cactus phylogeny: Implications of *Pereskia* (*Cactaceae*) paraphyly for the transition to the cactus life form. *Amer. J. Bot.* 92(7): 1177-1188, map.
- [130] Edwards, T. J. (2005) Two new *Plectranthus* species (*Lamiaceae*) and new distribution records from the Pondoland centre of plant endemism, South Africa. *Bothalia* 35(2): 149-152, illus.
- [131] Eggli, U. & Leuenberger, B. E. (2005) The Cárdenas type specimens of *Cactaceae* names in the herbarium of the Instituto Miguel Lillo, Tucumán, Argentina (LIL). *Willdenowia* 35: 179-192.
- [132] Esperza-Olguín, L. & al. (2005) Comparative demographic analysis of three *Neobuxbaumia* species (*Cactaceae*) with differing degree of rarity. *Populat. Ecol.* 47(3): 229-245.
- [133] Evans, L. S. (2005) Stem surface injuries of *Neobuxbaumia tetetzo* and *Neobuxbaumia mezcalensis* of the Tehuacan Valley of central Mexico. *J. Torrey Bot. Soc.* 132(1): 33-37.
- [134] Evans, L. S. & al. (2005) Changes in scale and bark stem surface injuries and mortality rates of a Saguaro cacti (*Carnegiea gigantea*, *Cactaceae*) population in Tucson Mountain Park. *Canad. J. Bot.* 83(3): 311-319.
- [135] Fedoronchik, N. & Didukh, Y. (2002) *Ekoflora Ukrayny / Ecoflora of Ukraine*. Vol. 3. Kiev (UA): Phytosociocentre. 496 pp. [Includes *Cactaceae* (pp. 464-466) and *Portulacaceae* (pp. 473-475).]
- [136] Felix, D. (2005) Interessante Standorte in USA und Mexiko. Teil 3: *Echinocereus apachensis* Blum et Rutow am Fish Creek Hill in Arizona. *Echinocereenfreund* 18(3): 62-64, illus.
- [137] Felix, D. (2005) Interessante Standorte in USA und Mexiko. Teil 4: *Echinocereus nicholii* (Benson) Parfitt in den Silver Bell Mountains in Arizona. *Echinocereenfreund* 18(4): 100-102, illus.
- [138] Fencl, O. (2005) Ferokaktusy poloostrova Baja California. *Kaktusy* 41(Speciál 1): 1-32, illus., maps.
- [139] Fernández-Alonso, J. L. & Estupiñán, C. (2005) *Echinopsis pachanoi* y *Opuntia quitenensis*, dos cactáceas nuevas para la flora de Colombia. *Bol. Inform. SLCCS* 2(3): 3-4, ill. [Electronically published only.]
- [140] Figueroa Cardozo, Y. & Galeano, G. (2004) Representación de las plantas suculentas en el desierto de la Tatacoa, Huila, Colombia. *Bol. Inform. SLCCS* 1(1): 3-4, ill.
- [141] Fitz Maurice, W. A. & B. (2005) The tangled taxonomic web of *Mammillaria stella-de-tacubaya*, *M. gasseriana* et al. *J. Mammillaria Soc.* 45(2): 16-23, illus., map. [Republished together with a German translation in *Mitteilungsbl. AfM* 30(2): 60-79, illus., 2006.]
- [142] Florence, J. (2004) Flore de la Polynésie française. Volume 2. Paris (F): IRD Éditions. [Includes *Aizoaceae* (pp. 38-42), *Cactaceae* (cultivated only, pp. 89-95), and *Portulacaceae* (pp. 343-350).]
- [143] Flores Martínez, A. & Manzanero Medina, G. I. (2005) Método de evaluación de riesgo de extinción de *Mammillaria huitzilopochtlí* D. R. Hunt. *Cact. Suc. Mex.* 50(1): 15-26, illus.
- [144] Flores, J. & al. (2005) Comparative seed germination in species of *Turbinicarpus*: An endangered cacti genus. *Nat. Areas J.* 25(2): 183-187.

- [145] Foster, P. I. (2005) *Monadenium kimberleyana* [sic!] (Euphorbiaceae) and a putative locality in South Africa. *Euphorbia World* 1(2): 20, ill.
- [146] Franco, L. & Afferni, M. (2005) Le mutazioni di un *Sempervivum arachnoideum* L. della Valtellina. *Piante Grasse* 25(4): 134-137, ill.
- [147] Frank, G. R. W. (2005) Scanning electron micrographs of seeds. In: Hochstätter, F.: The genus *Sclerocactus*; pp. 59-63, SEM-ills. Mannheim (D) / Hamlyn Valley (US: UT): Published by the author.
- [148] Fritz, G. (2005) Recent discoveries of more localities for *Khadia beswickii*, a Red Data Mesemb species from Heidelberg, Gauteng. *Aloe* 42 (3): 62-65, ill.
- [149] Gaidarhgy, M. N. (2005) [Russian:] The inflorescences of succulent plants of the family *Asphodelaceae*. *Bot. Zhurn.* (Moscow & Leningrad) 90(2): 233-243.
- [150] Gaisberg, M. von (2005) Die Vegetation der Fussstufe von El Hierro (Kanarische Inseln). Berlin / Stuttgart (D): J. Cramer in der Gebr. Borntraeger Verlagsbuchhandlung. 364 pp., ill., maps. [= Diss. Bot. 395.]
- [151] Gallo, L. & Guiggi, A. (2005) *Opuntia stricta* (Haw.) Haw. (Cactaceae). In: Selvaggi, A. & al. (eds.): Note floristiche piemontesi no. 1-12. *Rivista Piemont. Storia Nat.* 26: 372.
- [152] Gapon, V. & Neuhuber, G. (2005) [Russian:] What spines have to be on *Tephrocactus articulatus*? Kakt. Klub 2005(1): 36-43, ill.
- [153] García Ruiz, I. & Pérez-Calix, E. (2005) Las crassuláceas del Estado de Michoacán, México. *Bol. Inform. SLCCS* 2(2): 8-12, ill., maps. [Electronically published as part of Nakari 16(1), 2005 (CD-ROM).]
- [154] Geiger, E. (2005) *Ceropegia haygarthii* Schlechter. *Avonia* 23(1): 25-28, ill.
- [155] Gemmrich, W. (2005) Hellgelb blühende *Notocactus herteri* (Werderm.) Werderm., Buining et Kreuz. Internoto 26(4): 117-125, ill.
- [156] Gerloff, N. (2005) *Notocactus erinaceus* (Haw.) Kraenzl oder *Notocactus corynodes* (Otto ex Pfeiff.) Kraenzl. Wer braucht den richtigen Namen? Internoto 26(1): 27-32, ill.
- [157] Gerloff, N. (2005) Überlebenskünstler *N.[notocactus] ottonis* (Lehmann) A. Berger ex Bäckeberg. Internoto 26(2): 37-49, ill.
- [158] Gerloff, N. (2005) *Notocactus* Gf 145 ist nicht *Notocactus harmonianus* F. Ritter. Internoto 26(3): 81-86, ill.
- [159] Gerloff, N. & Neduchal, J. (2005) *Notocactus uebelmannianus* fa. *nilssonii* (G. Koenigs) N. Gerloff & J. Neduchal. Hat dieses Taxon zwei Blütenfarben? Internoto 26(2): 58-63, ill.
- [160] Gildenhuys, S. (2005) *Euphorbia vandermerwei* R. A. Dyer, a little-known species from the Mpumalanga Province. *Aloe* 42(1-2): 16-17, ill.
- [161] Gildenhuys, S. (2005) *Aloe reitzii* var. *reitzii* and associates. *Aloe* 42(1-2): 8-11, ill.
- [162] Gildenhuys, S. (2005) A short introduction of the genus *Euphorbia*, the latex, its uses and their flowers. *Aloe* 42(3): 54-58, ill.
- [163] Gilmer, K. & al. (2005) Beobachtungen an *Austrocylindropuntia pachypus* (Opuntioideae). Kakt. und Sukk. 56(7): 169-177, ill., map.
- [164] Godínez-Alvarez, H. & al. (2005) Characteristics of seedling establishment of *Stenocereus stellatus* (Cactaceae) in the Tehuacán Valley, Mexico. *Southw. Naturalist* 50(3): 375-380.
- [165] Goldblatt, P. & al. (2005) Cape plants: Corrections and additions to the flora. 1. *Bothalia* 35 (1): 35-46.
- [166] Gómez-Hinostrosa, C. & Hernández, H. M. (2005) A new combination in *Peniocereus* (Cactaceae). *Revista Mex. Biodivers.* 76(2): 129-135, ill.
- [167] González-Torres, L. R. & al. (2005) Saving a dwarf Cuban Turk's Cap cactus. *Brit. Cact. Succ. J.* 23(2): 82-85, ill. [On *Melocactus actinacanthus*. Czech version with different illustrations in *Kaktusy* 41(4): 114-117, 2005.]
- [168] Gorelick, R. (2005) *Bursera microphylla* in Phoenix, Arizona. *Cact. Succ. J. (US)* 77(3): 146-147, ill.
- [169] Gorelick, R. (2005) *Opuntia quitensis*. *Cact. Succ. J. (US)* 77(5): 265, ill.
- [170] Gorelick, R. & Doan, S. C. (2005) Distribution of *Ferocactus emoryi* (Cactaceae) in Arizona. *Bradleya* 23: 31-40, ill., maps.
- [171] Gratias, J. (2005) Rostliny, které moc neznámé *Kedrostis foetidissima* Cogn. *Adenium* 2005(1): 15-16, ill. [Supplemental information l.c. (2): 29-30, ill., 2005.]
- [172] Green, T. (2005) *Hoya imperialis alba*. *Fraterna* 18(1): 6-7, ill.
- [173] Guillot Ortiz, D. & Meer, P. van der (2005) Nuevos datos de las familias Agavaceae y Aloeaceae en la costa mediterránea de la Península Ibérica. *Flora Montiber.* 30: 3-8.
- [174] Gutermann, Y. & Gendler, T. (2005) Annual rhythm of germination of seeds of *Mesembryanthemum nodiflorum* 32 years after collection. *Seed Sci. Res.* 15(3): 249-253.
- [175] Halda, J. J. & Hráček, L. (2005) Poznámky k pozorování struktury semen, plodu, kvetu a stonku u rodu *Ariocarpus* / Notes on the observations upon the structure of the *Ariocarpus* seeds, fruits, flowers and stems. *Acta Mus. Richnov. Sect. Nat.* 12(1): 16-35, ill.
- [176] Hammer, S. (2005) Recombinant *Nanan-*

- thus* for fun and profit. Mesemb Study Group Bull. 20(1): 5. [On *Titanopsis × Rhinephyllum* and *Nananthus × Aloinopsis* hybrids.]
- [177] Hammer, S. (2005) Stomachs for uncertainty. Mesemb Study Group Bull. 20(1): 7. [On *Stomatium* taxa.]
- [178] Hanáček, P. & Ricánek, M. (2005) *Duvaliandra dioscoridis* (Lavranos) M. Gilbert. Kak-tusy 41(3): 79-81, ills.
- [179] Hancock, K. & al. (2005) Canada's Kaladar cactus. Brit. Cact. Succ. J. 23(2): 50-55, ills., map. [Included for the distribution data for *Opuntia fragilis* in Canada.]
- [180] Hannan-Jones, M. A. & al. (2005) Isolation and characterization of microsatellite loci from mother-of-millions, *Bryophyllum delagoense* (Crassulaceae), and its hybrid with *Bryophyllum daigremontianum*, 'Houghton's hybrid'. Molec. Ecol. Notes 5(4): 770-773.
- [181] Hargreaves, B. J. (2005) *Aloe marlothii* in Botswana and beyond. Alsterworthia Internat. 5 (3): 6-9, 15, ills.
- [182] Hargreaves, B. J. (2005) *Euphorbia pseudotuberosa* Pax and/or *E. trichadenia* Pax in Botswana. Euphorbia World 1(1): 21-22, map, ills.
- [183] Hargreaves, B. J. (2005) Strange spurges in Botswana? Euphorbia World 1(2): 12-13, ills.
- [184] Hart, G. & Hart, S. (2005) Interdependence of the Galapagos Islands cacti and fauna. Cact. Succ. J. (US) 77(4): 164-169, ills.
- [185] Hartmann, H. E. K. (2005) The genus *Delosperma* in Gauteng. IV. *Delosperma herbeum*: Occurrence and delimitation. Aloe 41(4): 86-95, ills., key, map. [Dated 2004, received 13. 3. 2005. Cont. from l.c. 39(3-4), 2003.]
- [186] Hassan, N. S. & al. (2005) Seed coat morphology of *Aizoaceae* – *Sesuvioideae*, *Gisekiaceae* and *Molluginaceae* and its systematic significance. Bot. J. Linn. Soc. 148: 189-206.
- [187] Hassan, N. S. & al. (2005) Conspectus of *Aizoaceae*, *Gisekiaceae* and *Molluginaceae* of Egypt and the Sudan. Feddes Repert. 116(1-2): 1-42, maps.
- [188] Hayashi, M. (2005) [*Haworthia*] *correcta* group. Haworthia Study No. 12: 12-13, ills. [Dated Dec. 2004, post-marked 16. Jan. 2005.]
- [189] Hayashi, M. (2005) [*Haworthia*] *gracilis* complex. Haworthia Study No. 12: 4-12, ills. [Dated Dec. 2004, post-marked 16. Jan. 2005.]
- [190] Heek, W. van & Strecker, W. (2005) Standortbeobachtungen und Kulturerfahrungen bei *Micranthocereus* (*Astrocephalocereus*) *albicephalus*. Kakt. and. Sukk. 56(8): 197-200, ills.
- [191] Heine, R. (2005) *Lithops villetii* – *deboeri* – *kennedyi*. Avonia 22(3): 60-63, ills. [Dated 2004, received 31. Jan. 2005.]
- [192] Henssen, H.-H. (2005) *Notocactus rutilans* cv. Stor. Internoto 26(3): 96, ill.
- [193] Hentzschel, G. (2005) Summary of studies of *Sclerocactus* seed morphology / Zusammenfassung der morphologischen Untersuchungen der Samen von *Sclerocactus*. In: Hochstätter, F.: The genus *Sclerocactus*; pp. 57-58, 313, ills. Mannheim (D) / Hamlyn Valley (US: UT): Published by the author.
- [194] Hernández, H. M. & Gómez-Hinostrosa, C. (2005) Cactus diversity and endemism in the Chihuahuan Desert region. In: Cartron, J.-L. E. & al. (eds.): Biodiversity, ecosystems and conservation in Northern Mexico; pp. 264-276, maps. Oxford (GB) etc.: Oxford University Press.
- [195] Hjertson, M. (2005) Further notes on *Rebutia*. Cact. Syst. Init. No. 19: 18-23, key.
- [196] Hjertson, M. (2005) Typification of *Echinopsis pugionacantha*. Cact. Syst. Init. No. 19: 24.
- [197] Hochstätter, F. (2005) The genus *Sclerocactus*, tribe *Cacteae*, family *Cactaceae*. Mannheim (D) / Hamlyn Valley (US: UT): Published by the author. 335 pp., ills., keys, maps.
- [198] Hochstätter, F. (2005) The genus / Die Gattung *Sclerocactus* Britton & Rose *Cactaceae*. Part / Teil III / IV. Cactaceae Rev. 8(1): 14-20, (2): 4-21, ills. [Continued from l.c. 7(2): 4-18, ills., 2004, continuing l.c. 9(1), 2006.]
- [199] Hochstätter, F. (2005) *Sclerocactus*. (1). Succulenta 84(6): 279-280. [Continued in l.c. 85(2), 2006.]
- [200] Hoeve, W. ten (2005) *M.[ammillaria] albiflora*, eine bedrohte Spezies? / a threatened species? Mitteilungsbl. AfM 29(2): 95-101, ills.
- [201] Hofacker, A. (2005) *Parodia herteri* – in Natur und Kultur. Kakt. and. Sukk. 56(7): 178-181, ills. [Included for the illustrations.]
- [202] Hoffmann, A. E. & Walter, H. (2005) Cactáceas en la flora silvestre de Chile. Santiago de Chile: Ediciones Fundación Claudio Gay. 2. Ed.; 307 pp., ills., map. [Dated Dec. 2004, published March 2005 (D. Hunt, pers. comm.). First edition publ. 1989.]
- [203] Hoock, H. & Kleszewski, K.-P. (2005) *Astrophytum capricorne* (Cactaceae) mit rein gelben Blüten. Kakt. and. Sukk. 57(1): 15-18, ills. [Dated Jan. 2006, received 30. 12. 2005.]
- [204] Horáček, P. (2005) Netresky. Brno (SK): CP Books. 72 pp., ills. [Synopsis of *Sempervivum* incl. cultivars.]
- [205] Hoxey, P. (2005) *Eriosyce laui* – a Chilean enigma. Brit. Cact. Succ. J. 23(2): 57-66, ills.
- [206] Hughes, L. (2005) Brady Pincushion Cactus. Desert Pl. 21(2): 13-17, ills.
- [207] Hunt, D. R. (2005) *Opuntia*: Few photographs, still fewer identifications. Cact. Syst.

- Init. No. 19: 14-17, key.
- [208] Hunt, D. R. (2005) Further notes on *Corynacactus* B. & R. Cact. Syst. Init. No. 19: 26-29, ill.
- [209] Hunt, D. R. (2005) Some colour variants in *Ferocactus*. Cact. Syst. Init. No. 20: 26-29, ill.
- [210] Hunt, D. R. & Taylor, N. P. (eds.) (2005) Notulae systematicae Lexicon Cactacearum spectantes V. Cact. Syst. Init. No. 19: 10-13. [Cont. from l.c. no. 16, 2003.]
- [211] Hunt, D. R. & Taylor, N. P. (eds.) (2005) Notulae systematicae Lexicon Cactacearum spectantes VI. Cact. Syst. Init. No. 20: 11-24, ill. [Cont. l.c. No. 21, 2006.]
- [212] Ibarra-Cerdeña, C. N. & al. (2005) Pollination ecology of *Stenocereus queretaroensis* (*Cactaceae*), a chiropterophilous columnar cactus, in a tropical dry forest of Mexico. Amer. J. Bot. 92(3): 503-509.
- [213] Jaarsveld, E. J. van & Wyk, A. E. van (2005) A new cliff-dwelling *Bulbine* species (*Asphodelaceae*) from the Eastern Cape. Aloe 42(3): 48-51, ill., map, key. [Includes a key to 7 cliff-dwelling species from the Eastern Cape.]
- [214] Jaarsveld, E. J. van & al. (2005) Succulents of South Africa. A guide to regional diversity. Cape Town (RSA): Tafelberg Publishers. Ed. 2; 144 pp., ill. [Original edition published 2000.]
- [215] Jaarsveld, E. J. van & al. (2005) *Bulbine retinens*, a new cliff-dweller from the Eastern Cape. Aloe 42(1-2): 14-15, ill., key. [Includes a key to 5 cliff-dwelling species.]
- [216] Jaarsveld, E. J. van & al. (2005) *Aloe omavandae*. Flow. Pl. Afr. 59: 2-6, map, t. 2201.
- [217] Jankalski, S. (2005) Hybrids in succulent *Euphorbia*. Euphorbia World 1(1): 17-20, ill.
- [218] Janssens, S. & al. (2005) Palynological variation in Balsaminoid *Ericales*. II. *Balsaminaceae*, *Tetrameristaceae*, *Pellicieraceae* and general conclusions. Ann. Bot. (Oxford), n.s. 96: 1061-1073, SEM-ills.
- [219] Jeffrey, C. & Beentje, H. J. (2005) *Compositae* Part 3, *Senecioneae*. In: Beentje, H. J. & Ghazanfar, S. A. (eds.): Flora of Tropical East Africa. Richmond (GB): RBG Kew.
- [220] Kemble, B. (2005) Miniature Aloes. Alsterworthia Internat. 5(2): 14-16, ill. [On hybrids with *Aloe humilis* as one parent.]
- [221] Kiesling, R. & Ferrari, O. E. (2005) 100 Cactus argentinos. Buenos Aires (RA): Editorial Albatros. 128 pp., ill.
- [222] Klak, C. (2005) *Ruschiella*, a new genus of *Aizoaceae* and new combinations in *Phiamolia* and *Phyllobolus*. Bradleya 23: 97-104, ill.
- [223] Kleier, C. & Lambrinos, J. G. (2005) The importance of nurse associations for three tropical alpine life forms. Arctic Antarc. Alpine Res. 37 (3): 331-336. [Includes data on *Cumulopuntia ignescens*.]
- [224] Klein, S. H. (2005) Das Ende von *Notocactus rechensis* Buining. Internoto 26(2): 49-52, ill.
- [225] Kleinheyer, F. (2005) Seit Jahrtausenden geschätzt: *Rhodiola rosea*, die Rosenwurz. Kakt. and. Sukk. 56(4): 105-107, ill. [Included for the illustrations of Norwegian material.]
- [226] Klimes, L. & Dickoré, B. (2005) A contribution to the vascular plant flora of Lower Ladakh (Jammu & Kashmir, India). Willdenowia 35(1): 125-153, maps. [Includes 2 spp. of *Crassulaceae*.]
- [227] Klopfenstein, O. (2005) Expedition to the Marañón. Cact.-Avent. No. 67: 2-13, ill. [Included for the illustrations of *Matucana* and *Peperomia*.]
- [228] Kock, D. de (2005) The "what is what" in *Ceropegia* – a preliminary checklist (part 4 ['3'], part 5 ['3']). Asklepios No. 92: 23-26, No. 93: 22-27. [Concluded from l.c. No. 91: 27-28, 2004.]
- [229] Kölli, D. (2005) Untersuchung von *Schlumbergera*-Mythen: Gibt es eine Hybride mit *Schlumbergera kautskyi*? EPIG 16(2): 48-55, ill.
- [230] Konnert, M. (2005) Isoenzyme analysis of *Sclerocactus* and related genera / Isoenzymanalyse von *Sclerocactus* und verwandten Gattungen. In: Hochstätter, F.: The genus *Sclerocactus*; pp. 55-56, 314-316, ill. Mannheim (D) / Hamlyn Valley (US: UT): Published by the author.
- [231] Krömer, T. & al. (2005) Diversity patterns of vascular epiphytes along an elevational gradient in the Andes. J. Biogeogr. 32(10): 1799-1809, map.
- [232] Kunte, L. (2005) Objevení bílé kvetoucí *Neolloydia conoidea* (DC.) Br. et R. Kaktusy 41 (1): 18-21, ill. [On the discovery of white-flowered plants.]
- [233] Lausser, A. & E. (2005) Erosion bedroht den Lebensraum der *Mammillaria hernandezii*. Kakt. and. Sukk. 56(6): 141-145, ill.
- [234] Lechner, P. (2005) *Turbinicarpus schwarzii*. Turbi-Now No. 18: 4-10, ill.
- [235] León de la Luz, J. L. & Fogel, I. (2005) *Lophocereus schottii* var. *schottii* forma *spiralis* (*Cactaceae*) and notes on the monstrose forms. Cact. Succ. J. (US) 77(4): 187-189, ill.
- [236] León de la Luz, J. L. (2005) Evaluation of the conservation status of *Morangaya pensilis* (*Cactaceae*), a little known endemic monotypic genus of southern Baja California, Mexico. Oryx 39(2): 219-222, map.
- [237] Liede-Schumann, S. & Meve, U. (2005) Notes on succulent *Cynanchum* (*Apocynaceae*, *Asclepiadoideae*) in East Africa. Novon 15(2): 320-

- 232, ill.
- [238] Linzen, T. (ed.) (2005) Ergänzungslieferung zum Werk Die Mammillarien (LBS-Lieferung 2004). Düsseldorf (D): Arbeitskreis für Mammillarienfreunde. loose pages, ill.
- [239] Lodé, J. (2005) Fuerteventura, island of the great adventure. Cact.-Avent. No. 66: 8-15, ill., map. [Included for the checklist of succulent plant taxa.]
- [240] Lodé, J. (2005) New locations for *Caralluma europaea*. Cact.-Avent. No. 67: 24-28, ill., map.
- [241] Lowe Forrest, L. & al. (2005) A phylogeny of *Begonia* using nuclear ribosomal sequence data and morphological characters. Syst. Bot. 30(3): 671-682.
- [242] Lowry, M. (2005) South American exploration. Sedum Soc. Newslett. No. 73: 57-60, ill. [On a supposed occurrence of *Sedum jujuense* in Bolivia.]
- [243] Loza-Cornejo, S. & Terrazas, T. (2005) Epidermal and hypodermal characteristics in North American *Cactoideae* (*Cactaceae*). J. Pl. Res. 116 (1): 27-35.
- [244] Lüthy, A. D. & Dicht, R. F. (2005) The *Coryphantha elephantidens* group. A nomenclatural challenge. Cact. Succ. J. (US) 77(3): 121-126, ill., map.
- [245] Lüthy, J. (2005) Copiapoén im Norden Chiles – von Mejillones nach Tocopilla. Kakt. and. Sukk. 56(5): 113-119, ill. [Included for the illustrations; also treating *Eriosyce laui*.]
- [246] Lüthy, J. (2005) Copiapoén im Norden Chiles – von Blanco Encalada zur Quebrada Botija. Kakt. and. Sukk. 56(7): 183-192, ill.
- [247] Lüthy, J. M. (2005) *Pachypodium mikea*, a new arborescent species from Madagascar. Cact. Succ. J. (US) 77(4): 178-186, ill., key.
- [248] Lüthy, J. M. & Lavranos, J. (2005) *Pachypodium rosulatum* ssp. *bemarahaense*, a new subspecies from Madagascar. Cact. Succ. J. (US) 77 (1): 38-42, 46, ill., key. [Includes a key to the *P. rosulatum* complex.]
- [249] Macaya B., J. & Bustamante, R. (2005) *Mailueniopsis darwinii* (Hensl.) F. Ritter var. *darwinii* (*Cactaceae*), primera cita para la flora de Chile. Chloris Chilensis 8(1): 2 pp., map. [Electronically published at <http://www.chlorischile.cl> (accessed 20. Sept. 2005).]
- [250] Machado, M. (2005) The discovery of *Arrojadoa marylaniae*. Cact. Succ. J. (US) 77(2): 62-67, ill.
- [251] Machado, M. & Charles, G. (2005) *Pilosocereus bohlei* Hofacker – a remarkable new species from Brazil. Brit. Cact. Succ. J. 22(4): 188-192, ill. [Volume for 2004, publ. Feb. 2005.]
- [252] Machado, M. & al. (2005) Taxonomy and conservation of the *Discocactus* Pfeiff. (*Cactaceae*) species occurring in the state of Bahia, Brazil. Bradleya 23: 41-56, ill., map, key.
- [253] Mahr, D. (2005) The status of the cactus moth in the U.S., and the role of CSSA. To The Point 77(6): 166-167.
- [254] Maity, D. & Springate, L. (2005) High Himalayan Rhodiolas with translucent leaf margins. Sedum Soc. Newslett. No. 74: 95-102, ill. [On *Rhodiola bupleuroides* and *R. marginata*.]
- [255] Malquichagua Salazar, K. J. & al. (2005) Chromenes of polyketide origin from *Peperomia villipetiola*. Phytochemistry 66(5): 573-579.
- [256] Malyshev, L. I. & Peshkova, G. A. (eds.) (2004) Flora of Siberia. 7. *Berberidaceae - Grossulariaceae*. Enfield (US: NH): Science Publications. viii + 318 pp., ill., maps. [*Crassulaceae*: pp. 153-170, ill., keys (auct. G. A. Peshkova). Translated from the original Russian edition published 1994.]
- [257] Martínez-Avalos, J. G. & Jurado, E. (2005) Geographic distribution and conservation of *Cactaceae* from Tamaulipas, Mexico. Biodivers. & Conservation 14(10): 2483-2506, map.
- [258] Martínez-Avalos, J. G. & al. (2005) Análisis del método de evaluación de riesgo (MER) del "falso peyote" (*Astrophytum asterias* (Zucc.) Lem.) en México. Cact. Suc. Mex. 49(4): 118-127, ill. [Dated Dec. 2004 on the inside front cover, received 3. Feb. 2005.]
- [259] Mauseth, J. D. (2005) Anatomical features, other than wood, in subfamily *Opuntioideae* (*Cactaceae*). Haseltonia 11: 113-125, ill.
- [260] Mauseth, J. D. & al. (2005) Field observations on *Backebergia* and other cacti from Balsas Basin, Mexico. Cact. Succ. J. (US) 77(3): 132-143, ill. [Includes data on a possible hybrid *Backebergia* × *Pachycereus*.]
- [261] McIntosh, M. E. (2005) Pollination of two species of *Ferocactus*: Interactions between cactus-specialist bees and their host plants. Funct. Ecol. 19(4): 727-734.
- [262] Meier, E. (2005) *Selenicereus validus* Arias & Guzmán. Kaktusbüte 2005: 33-35, ill.
- [263] Mesfin, T. (2004) Asteraceae (Compositae). In: Hedberg, I. & al. (eds.): Flora of Ethiopia and Eritrea, volume 4(2). Addis Ababa (Ethiopia): National Herbarium / Uppsala (S): Swedish Science Press. 408 pp., ill., keys.
- [264] Méndez, M. & al. (2005) Floral demography and reproductive system of *Pterocactus gaumeri*, a rare columnar cactus endemic to Mexico. J. Arid Environm. 62(3): 363-376.
- [265] Middleditch, H. (ed.) (2005) *Tephrocactus strobiliformis*. Chileans 19(63): 102-106, ill. (cover).

- [266] Middleditch, H. (ed.) (2005) Finding which sort of *Haageocereus* / *Haageocereus fascicularis*. Chileans 19(63): 109-115.
- [267] Middleditch, H. (ed.) (2005) *Gymnocalycium pflanzii*. Chileans 19(63): 115-121.
- [268] Middleditch, H. (ed.) (2005) *Lobivia pentlandii*. Chileans 19(63): 92-102, ills.
- [269] Molero, J. & Rovira, A. M. (2004) *Euphorbia lamarckii* Sweet, correct name for *E. obtusifolia* Poir. non Lam. Vieraea 32: 117-122.
- [270] Molero, J. & Rovira, A. M. (2005) Typification of some Macaronesian and Mediterranean spurge. Taxon 54(2): 472-474.
- [271] Molero, J. & Rovira, A. M. (2005) Natural hybrids in endemic Canarian dendroid spurge (*Euphorbia* subsect. *Pachycladæ*). Willdenowia 35(2): 271-280, ills., map.
- [272] Molina-Freaner, F. & Clark-Tapia, R. (2005) Clonal diversity and allelic relationships between two closely related species of columnar cacti from the Sonoran Desert: *Stenocereus eruca* and *Stenocereus gummosus*. Int. J. Pl. Sci. 166(2): 257-264, map.
- [273] Monje, P. V. & Baran, E. J. (2005) Evidence of formation of glushinskite as biomineral in a *Cactaceae* species. Phytochemistry 66(5): 611-614.
- [274] Moraes, E. & al. (2005) Population genetic structure of two columnar cacti with a patchy distribution in eastern Brazil. Genetica 125(2-3): 311-323, map.
- [275] Mort, M. E. & al. (2005) Phylogenetics and diversification of *Cotyledon* (Crassulaceae) inferred from nuclear and chloroplast DNA sequence data. Amer. J. Bot. 92(7): 1170-1176, map.
- [276] Mosti, S. & al. (2005) Le succulente del Dhofar. The succulents of Dhofar. I. Cactus & Co. 9(4): 216-236, ills., map. [Continued l.c. 10(1), 2006.]
- [277] Mostul, B. L. (2005) The succulents of Venezuela's Rio Chama canyon. Cact. Succ. J. (US) 77(2): 68-74, ills., map.
- [278] Mottram, R. (2005) Some observations on *Copiapoa* fruits. Cact. Syst. Init. No. 19: 24-26, ills.
- [279] Moukhachov, V. (2005) [Russian:] Russian Obregonias. Kakt. Klub 2005(2): 9-15, ills. [On a population of *Orostachys spinosa*.]
- [280] Mühl, A. (2005) The genus / Die Gattung *Pediocactus* (Engelmann) Britton & Rose *Cactaceae* in Idaho. Cactaceae Rev. 8(1): 4-13, ills., maps. [Continued from l.c. 6(2): 4-19, ills., 2003 (under a different title).]
- [281] Müller, K. & Borsch, T. (2005) Phylogenetics of *Amaranthaceae* based on matK/trnK sequence data – evidence from parsimony, likelihood and Bayesian analyses. Ann. Missouri Bot. Gard. 92: 66-102.
- [282] Mummenhoff, K. & al. (2005) Phylogeny, morphological evolution, and speciation of endemic *Brassicaceae* genera in the Cape Flora of southern Africa. Ann. Missouri Bot. Gard. 92: 400-424.
- [283] Naranjo Suárez, J. & al. (2005) Atlas de la flora de Gran Canaria. Bot. Macaronés. 25: 189-196, ills. [On an electronically published atlas of plant taxa incl. distribution maps.]
- [284] Naumenko, A. (2005) Sukkulanten in Kirgisien. Kakt. and. Sukk. 56(11): 300-303, ills. [Included for the illustrations of *Rhodiola* spp. etc.]
- [285] Neduchal, J. (2004) Notocactus Teil PGFRIC: Alberto Vojtech Fric und seine Notokakteen. Frankfurt (D): Palmengarten der Stadt Frankfurt am Main / Erhaltungssammlung Notokakteen. 111 pp., ills. [Electronically published www.palmengarten.frankfurt.de/deutsch/botanik/i_wiss.htm (accessed Dec. 2005).]
- [286] Neduchal, J. (2005) Typ-Bestimmung bei manchen Notokakteen. Internoto 26(2): 56-57, ill.
- [287] Nelson, E. A. & al. (2005) Functional leaf anatomy of plants with crassulacean acid metabolism. Funct. Pl. Biol. 32: 409-419.
- [288] Neuhuber, G. J. A. (2005) *Gymnocalycium riojense* [ssp. *paucispinum* var. *guasayanense*]. Die schönsten Fundorte. Teil 9. *Gymnocalycium* 18(2): A-B, ills.
- [289] Neuhuber, G. J. A. (2005) Die schönsten Fundorte. *Gymnocalycium acorrhagatum* J. G. Lambert. *Gymnocalycium* 18(3): A-B, ills.
- [290] Neuhuber, G. J. A. (2005) *Gymnocalycium delaetii*. *Gymnocalycium delaetii* fa. *antherosacos*. Kakt. Klub 2004(4): Suppl. Gymnorus no. 12: 45-48, ills. [Dated 2004, publ. April 2005.]
- [291] Neut, P. (2005) *Parodia procera* Ritter. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 18(10): 150-151, ill.
- [292] Neut, P. (2005) *Parodia tuberculosi-costata* Backeberg. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 18(11): 173-174, ill.
- [293] Neut, P. (2005) *Parodia betaniiana* Ritter 1980. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 18 (6): 86-87, cover-ill.
- [294] Neut, P. (2005) *Parodia camargensis* var. *camblayana* Ritter 1962. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 18(9): 139-140, ill.
- [295] Neville, D. (2005) Toes in the sand – *Fenestraria* in habitat. Brit. Cact. Succ. J. 23(2): 87-89, ills.
- [296] Newton, L. E. (2005) The pollination of East African succulent plants. Nairobi (Kenya): Succulenta East Africa. [4] + 18 + [2] pp., ills.

- [297] Newton, L. E. (2005) The elusive *Euphorbia ballyana*. *Euphorbia World* 1(1): 8-9, ill.
- [298] Newton, L. E. (2005) Arborescent Sansevierias. *Sansevieria* No. 12: 12-17, illss.
- [299] Newton, L. E. & Kamiti, A. (2005) *Kleinia leptophylla*, *Kleinia schwartzii*. *Flow. Pl. Afr.* 59: 122-132, maps, ill. tt. 2218-2219.
- [300] Nicolson, S. W. & Nepi, M. (2005) Dilute nectar in dry atmospheres: Nectar secretion patterns in *Aloe castanea* (*Asphodelaceae*). *Int. J. Pl. Sci.* 166(2): 227-233.
- [301] Niesler, I. M. & Hartmann, H. E. K. (2005) Scanning fruits and flowers of *Trichodadema* permits the identification of *Delosperma neethlingiae*. *Bradleya* 23: 105-116, illss., map.
- [302] Nilsen, L. B. & al. (2005) Traditional knowledge and genetic diversity of *Opuntia pilifera* (*Cactaceae*) in the Tehuacán-Cuicatlán valley, Mexico. *Econ. Bot.* 59: 366-376.
- [303] O'Quinn, R. & Hufford, L. (2005) Molecular systematics of *Montieae* (*Portulacaceae*): Implications for taxonomy, biogeography and ecology. *Syst. Bot.* 30(2): 314-331, maps.
- [304] Odehnal, J. (2005) *Echinocereus triglochidiatus* Engelm. var. *gonacanthus* (Engelmann et Bigelow) Boissevan [sic!]. *Kakutsy* 41(4): 97-101, illss., map. [Included for the illustrations.]
- [305] Odiaka, N. I. (2005) Morphological diversity among local germplasm of Fluted Pumpkin (*Telfairia occidentalis* Hook. f.) collected in Makurdi, Nigeria. *J. Food Agric. Environm.* 3(2): 199-204.
- [306] Ohba, H. (2005) Notulae Crassulacearum Asiae Orientalis (3). *J. Jap. Bot.* 80(2): 92-95. [On *Rhodiola* taxa.]
- [307] Ohr, M. & A. (2005) Felduntersuchungen an Standorten von *Echinocereus pectinatus* (Scheidweiler) Engelmann ssp. *pectinatus*. *Echinocereenfreund* 18(2): 31-50, illss., map.
- [308] Oldach, T. & al. (2005) *Echinocereus triglochidiatus* Engelmann aus den Manzano Mountains, Torrance Co., New Mexico. *Frosttharte Kakt.* 2(1): 13-20, illss., map.
- [309] Olson, M. E. & al. (2005) Extinction threat in the *Pedilanthus* clade (*Euphorbia*, *Euphorbiaceae*), with special reference to the recently rediscovered *E. conzattii* (*P. pulchellus*). *Amer. J. Bot.* 92(4): 634-641, illss.
- [310] Oome, S. (2005) The spines of / Die Dornen von *Mammillaria luethyi*. *Mitteilungsbl. AfM* 29(4): 210-213, illss.
- [311] Opel, M. R. (2005) Leaf anatomy of *Conophytum* N. E. Br. (*Aizoaceae*). *Haseltonia* 11: 27-52, illss.
- [312] Opel, M. R. (2005) A morphological phylogeny of the genus *Conophytum* N. E. Br. (*Aizo-*
- ceae*). *Haseltonia* 11: 53-77, illss.
- [313] Ostolaza, C. (2003) Categorización y conservación en cactáceas peruanas. *Zonas Aridas* (Lima) No. 7: 199-210.
- [314] Ostolaza, C. (2005) The Huaura valley, Lima, Peru – revisited. *Brit. Cact. Succ. J.* 23(1): 25-33, illss., map.
- [315] Ostolaza, C. (2005) Humboldt y los cactus peruanos. *Quepo* No. 19: 16-25, illss.
- [316] Ostolaza, C. (2005) *Corryocactus melaleucus* Ritter emend. Ostolaza. *Quepo* No. 19: 70-75, illss., SEM-ills.
- [317] Ostolaza, C. (2005) Algunos cactus del Perú. *Nakari* 16(2): [12 pp., illss.]. [Published electronically on CD.]
- [318] Otero-Arnaiz, A. & al. (2003) Evolution of *Polaskia chichipe* (*Cactaceae*) under domestication in the Tehuacán Valley, central Mexico: Reproductive biology. *Amer. J. Bot.* 90: 593-602.
- [319] Otero-Arnaiz, A. & al. (2005) Direct and indirect estimates of gene flow among wild and managed populations of *Polaskia chichipe*, an endemic columnar cactus in central Mexico. *Molec. Ecol.* 14(14): 4313-4322.
- [320] Otero-Arnaiz, A. & al. (2005) Genetic variation and evolution of *Polaskia chichipe* (*Cactaceae*) under domestication in the Tehuacán Valley, central Mexico. *Molec. Ecol.* 14(6): 1603-1611, map.
- [321] Papsch, W. (2005) Der Kakteenlebensraum "Pampa". Die Sierras de Tandil. *Kakt. and. Sukk.* 56(3): 74-80, illss., map.
- [322] Pavelka, P. (2005) *Pachypodium brevicaule* Baker, *P. densiflorum* Baker a *P. horombense* Poiss. *Kakutsy* 41(2): 47-52, map, illss.
- [323] Penet, L. & al. (2005) Multiple developmental pathways leading to a single morph: Monosulcate pollen (examples from the *Asparagales*). *Ann. Bot. (Oxford)*, n.s. 95(2): 331-343, illss. [Includes succulent taxa of *Aloe*, *Trachyandra*, *Bulbine*, *Albuca*, *Ornithogalum* and *Yucca*.]
- [324] Peter, C. & al. (2005) Observations of the pollination biology of *Bergeranthus multiceps* (*Aizooaceae*). *Aloe* 42(1-2): 20-22, illss.
- [325] Pfendbach, E. (2005) Trekking for Cuban cacti. *Cact. Succ. J. (US)* 77(2): 75-81, illss., map.
- [326] Pfendbach, E. (2005) *M.[ammillaria] prolifera* subsp. *prolifera* – Beobachtungen am Standort in Kuba. *Mitteilungsbl. AfM* 29(4): 218-218, illss.
- [327] Phuphanaphong, L. (2005) *Aizoaceae*. In: Santisuk, T. & Larsen, K. (eds.): *Flora of Thailand*, vol. 9(1): 1-6, illss., key. Bangkok (Thailand): The Forest Herbarium, National Park, Wildlife and Plant Conservation Department.

- [328] Piens, E. J. M. (2005) Rechtzetting! *Parodia* P235 = *Parodia setifera* Backeberg. *Succulenta* 84(3): 124-128, illus.
- [329] Piens, E. J. M. (2005) Notocactus hybriden? Zegen of verwerpelijk? *Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl.* 18(7): 107-109, illus. [Including a note on a possible hybrid with *Helicereus speciosus*.]
- [330] Pilbeam, J. (2005) *Gymnocalycium* – an alphabetical review (A) / (B). *Brit. Cact. Succ. J.* 23(1): 13-20, (4): 169-174, illus. [Cont. *Cact. World* 24, 2006.]
- [331] Pilbeam, J. & Bowdery, D. (2005) *Ferocactus*, sine loco (GB): British Cactus & Succulent Society. 116 pp., illus., maps, key.
- [332] Pin, A. B. & Simon, J. (2004) Guía ilustrada de los cactus del Paraguay. Asunción (PY): Artes Gráficos Zamhirópolos. 198 pp., illus.
- [333] Pino, G. (2004) Peperomias de Cajamarca. Lima (PE): Published by the author. [vi] + 75 pp., illus., key. [Published 30. 12. 2004 (pers. comm. G. Pino, April 2006).]
- [334] Pino, G. (2004) Las especies del género *Peperomia* R. et P. de la provincia de Cajamarca (Cajamarca, Perú). Lima (PE): UNMSM. M.Sc. thesis; 75 pp. [Also issued in a published version in the same year.]
- [335] Pinto, R. & Kirberg, A. (2005) Conservation status of *Eriosyce* (Cactaceae) in north-ernmost Chile. *Bradleya* 23: 7-16, illus., map.
- [336] Powell, A. M. & Weedin, J. F. (2004) Cacti of the Trans-Pecos and adjacent areas. Lubbock (US: TX): Texas Tech University Press. xviii + 510 pp. + 313 illus. on 64 unnumbered pp., maps, keys.
- [337] Prestlé, K.-H. (2005) *Notocactus kathariniae* Vliet als KPR-9 schon über 25 Jahre in Kultur? *Internoto* 26(1): 3-5, illus. [Repeated in a slightly different version l.c. 26(3): 53-55, illus., 2005.]
- [338] Pritchard, D. (2005) Un trio di Euforbie globose. A trio of globose Euphorbias. *Cactus & Co.* 9(1): 34-42, illus., map.
- [339] Proches, S. & al. (2005) Patterns of geophyte diversity and storage organ size in the winter-rainfall region of southern Africa. *Diversity & Distrib.* 11(1): 101-109, maps.
- [340] Pullen, T. (2005) *Glottiphyllum*. Deel 1 / Deel 2. *Succulenta* 84(2): 90-94, (3): 129-134, illus.
- [341] Pullen, T. (2005) *Faucaria*. *Succulenta* 84 (4): 150-156, illus.
- [342] Puppo, P. (2005) Las Nolanas: Habitantes de las lomas. Quepo No. 19: 26-33, illus.
- [343] Ramírez-Padilla, C. A. & Valverde, T. (2005) Germination responses of three congeneric cactus species (*Neobuxbaumia*) with differing degrees of rarity. *J. Arid Environm.* 61(2): 333-343.
- [344] Randazzo, A. (2003) Das Wachstum der Echinopsen, eine mathematische Gleichung. *Hybriden-J.* 3: 23-24.
- [345] Remizowa, M. & al. (2005) Evolutionary transitions among flowers of perianthless *Piperales*: Inferences from inflorescence and flower development in the anomalous species *Peperomia fraseri* (Piperaceae). *Int. J. Pl. Sci.* 166(6): 925-943, illus.
- [346] Reyes-Agüero, J. A. & al. (2005) Systematic notes and detailed description of / Notas sistemáticas y una descripción detallada de *Opuntia ficus-indica* (L.) Miller (Cactaceae). *Agrociencia (Chapingo)* [ser. 3] 39: 395-408, illus.
- [347] Reyes-Agüero, J. A. & al. (2005) Variación morfológica de *Opuntia* (Cactaceae) en relación con su domesticación en la altiplanicie meridional de México. *Interciencia (Caracas)* 30 (8): 476-484, map.
- [348] Richter, I. (2005) *Euphorbia anachoreta* Svent. – die seltenste aller Euphorbien? *Berliner Kakt.-Blätt.* No. 5: 25-26, 29-31, 33, illus.
- [349] Richter, I. (2005) "Cholla". Opunzie dei deserti statunitensi / Opuntien der Wüsten der Vereinigten Staaten (*Cylindropuntia*, *Corynopuntia*, *Micropuntia*, *Grusonia*). *Piante Grasse* 25(3: Suppl.): 80 pp., illus.
- [350] Ríha, J. (2005) *Turbinicarpus klinkerianus*, populace od La Negrita, San Luis Potosí. *Kaktusy* 41(1): 29-31, illus., map.
- [351] Ríha, J. (2005) Vzácný endemit ostrova Kuba – *Escobaria cubensis* (Br. et R.) Hunt [Czech: Rare endemic plant from Cuba – *E. cubensis*]. *Kaktusy* 41(3): 86-89, (4): 124, illus.
- [352] Ríha, J. (2005) *Digitostigma caput-medusae* – vzácná novinka? [Czech: *D. caput-medusae*: A rare novelty?]. *Kaktusy* 41(3): 94-96, illus. [Included for the illustrations of flowering seedling plants.]
- [353] Ríha, J. (2005) Zajímavá forma *Echinocereus viridiflorus* subsp. *davisi* f. "brevispinus" [Czech: An interesting form of ...]. *Kaktusy* 41(4): 118, ill.
- [354] Rischer, W. (2005) Beobachtungen im Gewächshaus und in der Natur. *Echinocereenfreund* 18(4): 103-105, illus. [On the pollination of *Echinocereus salm-dyckianus* and *E. scheeri*.]
- [355] Rischer, W. & al. (2005) Baja and northern Mexico highlights. *Cactus & Co.* 9(1): 4-22, (3): 145-165, illus. [Included for the illustrations.]
- [356] Rischer, W. & al. (2005) Highlights 2004 – blühende Zwerge am Standort. *Mitteilungsbl. AfM* 29(1): 10-14, illus. [Included for the illustrations of *Mammillaria saboae* subspecies.]

- [357] Roalson, E. H. & al. (2005) Untangling *Gloxiniaceae* (Gesneriaceae). I. Phylogenetic patterns and generic boundaries inferred from nuclear, chloroplast, and morphological cladistic datasets. *Taxon* 54(2): 389-410, illus. [Includes several genera with succulent taxa.]
- [358] Rocha, M. & al. (2005) Reproductive ecology of five sympatric *Agave* (*Littaea*) (Agavaceae) species in Central Mexico. *Amer. J. Bot.* 92(8): 1330-1341.
- [359] Rodgerson, C. (2005) *Conophytum ratum* – a yellow flowered form. *Brit. Cact. Succ. J.* 23 (3): 119-120, illus.
- [360] Rogatskin, D. (2005) Rod *Gymnocalycium* Pfeiff. Moscow (RU): Kaktus Klub. 159 pp. + 64 tt.
- [361] Rogatskin, D. (2005) Unusual *Weingartia* – 2. Kakt. Klub 2004(4): 17-19, illus. [Dated 2004, publ. April 2005. First part in l.c. 2000(2): 30-31.]
- [362] Rogozinski, H. (2005) *Mammillaria dodsonii*, ein Kleinod unter den Mammillarien. *Mitteilungsbl. AfM* 29(1): 16-31, illus.
- [363] Rogozinski, H. (2005) Besprechung einiger Veröffentlichungen zur Problematik um / Discussion of various published documents concerning the matter of *M.[asseriana] gasseri* Boed., *M. stella-de-tacubaya* Heese und *M. viescensis* Rogozinski et Appenzeller. [Teil 1] / Teil 2. *Mitteilungsbl. AfM* 29(3): 116-122, (4): 172-186, illus. [Cont l.c. 30, 2006. Part 2 of the paper consists of an integral republication (with English translation) of a paper published 1981 by T. Linzen.]
- [364] Rogozinski, H. & Plein, W. (2005) *Mammillaria ortizrubionia* (Bravo) Werdermann, geschnäht und verkant. *Mitteilungsbl. AfM* 29(2): 80-89, illus. [Includes a full English translation.]
- [365] Rovsek, Z. (2003) *Tephrocactus geometrus* (A. Castellanos) Backeberg. *Welwitschia* 6(1-4): 6-9, illus. [Included for the illustrations.]
- [366] Röhr, H.-D. (2005) Der Berg ruft. Semperpost No. 13: 4-13, illus., map. [On *Sempervivum pittioni*.]
- [367] Ruinaard, H. (2005) Groeiplaatsen van *Echinocereus reichenbachii* in de buurt van Dallas. [Deel 1 / Deel 2 / Deel 3. *Succulenta* 84 (1): 36-41, (2): 84-89, (3): 110-119, illus.]
- [368] Rzedowski, J. & al. (2005) Inventario del conocimiento taxonómico, así como de la diversidad y del endemismo regionales de las especies mexicanas de *Bursera* (Burseraceae). *Acta Bot. Mex.* 70: 85-111, maps.
- [369] Salvador, A. & al. (2005) Las especies mexicanas de cactáceas en riesgo de extinción. I. Una comparación entre los listados NOM-059-ECOL-2001 (México), la Lista Roja (IUCN) y CITES. *Cact. Suc. Mex.* 50(4): 100-125, illus.
- [370] Salvador, M. M. & al. (2005) Population structure of Maguey (*Agave salmiana* ssp. *crassispina*) in southeast Zacatecas, Mexico. *Arid Lands Res. Manag.* 19(2): 101-109.
- [371] Schädlich, V. (2005) Die *Gymnocalycium* des Gran Chaco und der Savannen aus Argentinien, Bolivien und Paraguay. Teil 5. *Gymnocalycium paediophilum* Schütz am Cerro León im Nationalpark "Defensores del Chaco". *Gymnocalycium* 18(3): 629-634, illus., map.
- [372] Schädlich, V. (2005) Die *Gymnocalycium* des Gran Chaco und der Savannen aus Argentinien, Bolivien und Paraguay. Teil 6. *Gymnocalycium stenopleurum* F. Ritter. *Gymnocalycium* 18(4): 641-644, illus.
- [373] Scheinvar, L. (2004) Flora cactológica del Estado de Querétaro: Diversidad y riqueza. México (MEX): Fondo de Cultura Económica. 391 pp., illus., maps, keys.
- [374] Schlumpberger, B. O. & Badano, E. I. (2005) Diversity of floral visitors to *Echinopsis atacamensis* subsp. *pasacana* (Cactaceae). *Hasseltonia* 11: 18-26, illus.
- [375] Schmidt, H. (2004) *Echinocereuskreuzungen* aus Leidenschaft. Marktredwitzer Kakt.-freund No. 8: 17-29, illus. [Omitted previously.]
- [376] Schönenberger, J. & al. (2005) Molecular phylogenetics and patterns of floral evolution in the *Ericales*. *Int. J. Pl. Sci.* 166(2): 265-288. [Includes data on *Fouquieriaceae*.]
- [377] Schönenberger, J. & Grenhagen, A. (2005) Early floral development and androecium organization in *Fouquieriaceae* (Ericales). *Pl. Syst. Evol.* 254(3-4): 233-249, illus.
- [378] Schols, P. & al. (2005) Pollen evolution in Yams (*Dioscorea*: *Dioscoreaceae*). *Syst. Bot.* 30 (4): 750-759, SEM-ills.
- [379] Schols, P. & al. (2005) Comparative pollen development in *Dioscoreales*. *Int. J. Pl. Sci.* 166 (6): 909-924, illus.
- [380] Schropp, K. (2005) Rote Königin der Dolomiten. *S.[empervivum] dolomiticum* am Naturstandort. Semperpost No. 14: 4-13, illus.
- [381] Schubert, K. & Heek, W. van (2005) Was ist eigentlich *Ariocarpus retusus*? Kakt. and. Sukk. 56(5): 120-124, illus.
- [382] Schulz, L. & Kapitany, A. (2005) *Echeveria* cultivars. Teesdale (AUS): Schulz Publishing. 208 pp., illus.
- [383] Scott, D. (2005) *Melocactus intortus* nell'arcipelago della Guadalupe / in the Guadeloupe archipelago. *Cactus & Co.* 9(3): 133-144, illus.
- [384] Scott, P. E. (2004) Timing of *Agave palmeri* flowering and nectar-feeding bat visitation in the Peloncillos and Chiricahua mountains.

- Southw. Naturalist 49(4): 425-434.
- [385] Seago, J. L. jr. & al. (2005) A re-examination of the root cortex in wetland flowering plants with respect to aerenchyma. Ann. Bot. (Oxford), n.s. 96(4): 565-579. [Includes *Crassula aquatica*.]
- [386] Sedivý, V. & Pavláček, P. (2005) Co víme o *Roseocactus intermedius*? Kaktusy 41(3): 72-78, ill., map.
- [387] Shishkova, S. & Dubrovský, J. G. (2005) Developmental programmed cell death in primary roots of Sonoran Desert Cactaceae. Amer. J. Bot. 92(9): 1590-1594, ill.
- [388] Siebold, K. & al. (2005) Beobachtungen am Standort von *Echinocereus scheeri* (Salm-Dyck) Scheer. Echinocereenfreund 18(3): 80-82, ill. [Includes observation of hummingbird pollination.]
- [389] Slába, R. (2005) Tahemná *Cintia* [Czech: Mysterious *Cintia*]. Kaktusy 41(3): 66-72, ill.
- [390] Slába, R. (2005) *Parodia* z nejvýších poloh – *P. maassii* (Heese) Berg. [Czech: A *Parodia* from the highest elevations]. Kaktusy 41(4): 119-123, ill. [Included for the illustrations.]
- [391] Smale, T. (2005) Contrarious Conos. Mesemb Study Group Bull. 20(3): 49-52, ill. [Includes data on intrageneric hybridization experiments in *Conophytum*.]
- [392] Smith, G. F. & Craib, C. (2005) *Aloe craibii* and its environment. Cact. Succ. J. (US) 77 (4): 202-204, ill.
- [393] Smith, G. F. & Steyn, E. M. A. (2005) Notes on the phenology, natural geographical distribution range and taxonomy of *Aloe dichotoma* (Aloaceae). Bradleya 23: 17-22, ill., map.
- [394] Smith, G. F. & al. (2005) *Aloe affinis*. Curtis's Bot. Mag., ser. nov., 22(2): 95-99, ill., t. 524.
- [395] Sortibrán, L. & al. (2005) Does cladode inclination restrict microhabitat distribution for *Opuntia puberula* (Cactaceae)? Amer. J. Bot. 92 (4): 700-708, ill.
- [396] Sotomayor, M. & Arredondo G., A. (2005) *Turbinicarpus*. Sviluppo delle spine e delle plantule. Spines and seedling development. II. Cactus & Co. 9(1): 23-33, ill. [Continued from I.c. 8(2), 2004.]
- [397] Spinnler, H. (2004) Auf der Suche nach *Echinocereus ×lloydii* im Trans-Pecos-Gebiet. Marktredwitzer Kakt.-freund No. 8: 3-16, ill. [Omitted previously.]
- [398] Staník, R. (2005) Mexiko stále plné prekvapení – nová neznáma populácia *Turbinicarpus* spec. [Czech: Mexican travel reminiscences. A new unknown population of *Turbinicarpus* sp.]. Cactaceae etc. 14(4): 132-133, ill. [Dated 2004, received March 2005.]
- [399] Staník, R. (2005) *Eriosyce heinrichiana* (Backeberg) Kattermann. Cactaceae etc. 15(2): 43-46, ill., cover-ill.
- [400] Staník, R. (2005) Pár poznámok ku *Coryphantha salinensis* (Poselger) Dicht et Lüthy [Czech: Some observations on *Coryphantha salinensis*]. Cactaceae etc. 15(3): 119-120, ill.
- [401] Staník, R. (2005) (Aké meno pre) *Pyrrhocactus* sp. od Vicuni. Cactaceae etc. 15(3): 83-85, ill.
- [402] Stanley, R. E. (2005) *Mammillaria crucigera* and selected close relatives. J. Mammillaria Soc. 45(1): 8-10.
- [403] Stanley, R. E. (2005) *Mammillaria machucae* W. A. & Betty Fitz Maurice species nova? J. Mammillaria Soc. 45(3): 36-38.
- [404] Stephenson, R. (2005) Rosularias of the Lake Van area. Cact.-Avent. No. 67: 14-18, ill.
- [405] Stephenson, R. (2005) Description of several *Sedum jujuyense* plants in cultivation. Sedum Soc. Newslett. No. 73: 70-72, ill.
- [406] Stephenson, R. (2005) How do I recognize *Sedum gypsicola*? Sedum Soc. Newslett. No. 75: 23, ill.
- [407] Stephenson, R. & J. (2005) [Sedum of] south-eastern Anatolia. Sedum Soc. Newslett. No. 72: 28-36, map, ill.
- [408] Stephenson, R. & J. (2005) Corfu, towards a checklist. Sedum Soc. Newslett. No. 73: 52-57, ill., map.
- [409] Stierstorfer, C. (2005) The vascular plant vegetation in the forest belt of El Hierro (Canary Islands). Berlin / Stuttgart (D): J. Cramer in der Gebr. Borntraeger Verlagsbuchhandlung. 375 S., ill., maps. [= Diss. Bot. 393.]
- [410] Stiling, P. & al. (2004) Endangered cactus restoration: Mitigating the non-target effects of a biological control agent (*Cactoblastis cactorum*) in Florida. Restoration Ecol. 12: 605-611. [Conservation of *Opuntia corallicola*.]
- [411] Stintzing, F. C. & Carle, R. (2005) Cactus stems (*Opuntia* spp.): A review of their chemistry, technology and uses. Molec. Nutr. Food Res. 49: 175-194.
- [412] Stuchlík, S. (2005) Návsteva lokality *Notocactus neocarechaleatae* (K. Sch. ex Speg.) Havlíček v Brazílii [Czech: A visit at the locality of ... in Brazil]. Kaktusy 41(1): 22-24, ill.
- [413] Stuchlík, S. (2005) *Notocactus herteri* Werd. f. *pseudoherteri* (Buining) Herm opet nalezen [Czech: *Notocactus herteri* fa. *pseudoherteri* rediscovered]. Kaktusy 41(2): 53-56, ill., map.
- [414] Stuchlík, S. (2005) Nekteré poznatky o *Frailea densispina* (Hofacker et Herm) Gerloff [Czech: Some notes on *F. densispina*]. Kaktusy 41

- (3): 82-85, ill., map.
- [415] Stuchlík, S. (2005) *Notocactus buiningii* Buxbaum je zajímavý notokaktus [Czech: *N. buiningii*, an interesting *Notocactus*]. Kaktusy 41(4): 102-105, ill.
- [416] Stuchlík, S. (2005) *Notocactus sellowii* (Link et Otto) Theun. var. *courantii* (Lem.) Gerloff. Minimus 36(1-2): 6-9, ill.
- [417] Suehs, C. M. & al. (2004) Invasion dynamics of two alien *Carpobrotus* (Aizoaceae) taxa on a Mediterranean island. II. Reproductive strategies. Heredity 92(6): 550-556.
- [418] Suehs, C. M. & al. (2004) Dynamique d'invasion de deux végétaux introduits dans le bassin méditerranéen, *Carpobrotus* spp. (Aizoaceae) sur l'île de Bagaud (Parc National de Port-Cros, S.E. France): Hybridation, structure clonale et stratégies de reproduction. Sci. Rep. Port-Cras Nation. Park France 20: 19-46.
- [419] Suehs, C. M. & al. (2005) Unexpected insularity effects in invasive plant mating systems: The case of *Carpobrotus* (Aizoaceae) taxa in the Mediterranean Basin. Biol. J. Linn. Soc. 85(1): 65-79.
- [420] Süpplie, F. (2005) *Epiphyllum* 2. Nijmegen (NL): Epiphytic Plant Research and Information Center. 80 pp., ill. [Undated. Dealing with epiphytic hybrids, with numerous new hybrids (not included in the RPS database).]
- [421] Süpplie, F. (2005) The *Schlumbergera* queens. Cact. Succ. J. (US) 77(5): 256-261, ill. [Includes a list of known hybrids with *Schlumbergera orssichiana* as one parent.]
- [422] Svensson, G. P. & al. (2005) Chemistry and geographic variation of floral scent in *Yucca filamentosa* (Agavaceae). Amer. J. Bot. 92(10): 1624-1631.
- [423] Swanepoel, W. (2005) *Commiphora kao-koensis* (Burseraceae), a new species from Namibia, with notes on *C. dinteri* and *C. namaensis*. Bothalia 35(1): 47-53, ill., map.
- [424] Symon, D. (2005) A note on the sexuality of *Beschorneria yuccoides* and comments on the horticulture of this uncommon garden subject. Cact. Succ. J. (US) 77(3): 144-145, ill., (4): 177 [erratum].
- [425] Tavormina, G. & Tavormina, S. (2005) La vera identità di *Aeonium webbii* Bolle (Crassulaceae). Piante Grasse 25(3): 102-105, ill.
- [426] Tavormina, G. & Tavormina, S. (2005) Succulente della Flora Italiana. Parte III. *Sedum sediforme* (Jacquin) C. Pau. Piante Grasse 25(4): 162-166, ill. [Parts 1 and 2 published 1997 and 1998 without part numbers.]
- [427] Taylor, N. P. (2005) *Maihuenia poeppigii*. Curtis's Bot. Mag., ser. nov., 22(2): 105-108, ill., t. 526.
- [428] Thiele, H. (2005) Auf Ritters Spuren – am Standort von *Weingartia pygmaea*. Kaktusblüte 2005: 15-19, ill.
- [429] Thomson, G. (2005) A revision of the genus *Melocactus* in Curaçao and Bonaire, Netherlands Antilles, with an illustration of the neotype of *M. macracanthos*. Bradleya 23: 79-96, maps, ill.
- [430] Thomson, G. (2005) Simple thrills in the Caribbean – *Mammillaria mammillaris* and *Opuntia curassavica* in habitat. Brit. Cact. Succ. J. 23 (3): 98-102, ill.
- [431] Thomson, G. (2005) Typification of *Cactus macracanthos* Salm-Dyck. Cact. Syst. Init. No. 19: 9.
- [432] Thomson, G. (2005) Curaçao: *Melocactus* et alia. Cactus & Co. 9(4): 198-215, ill., map. [On *Melocactus macracanthos* variability.]
- [433] Till, H. (2005) Bemerkungen zu *Gymnocalycium rhodantherum* und den mit ihm verwandten Taxa. 5. *Gymnocalycium alboareolatum* Rausch. Gymnocalycium 18(1): 611-614, ill. [Cont. from H. Till & Amerhauser, l.c. 17(4), 2004.]
- [434] Till, H. (2005) Beitrag zur Klärung des rosa blühenden *Gymnocalycium denudatum* (Link & Otto) Pfeiff. ex Mittler und seine Zugehörigkeit zu *Gymnocalycium megalothelos* (Sencke ex K. Schum.) Britton & Rose. Gymnocalycium 18(2): 617-626, ill.
- [435] Till, H. & Amerhauser, H. (2005) Die *Gymnocalycium* des Gran Chaco und der Savannen aus Argentinien, Bolivien und Paraguay. Teil 7. *Gymnocalycium friedrichii* (Werderm.) Pazo. Gymnocalycium 18(4): 645-650, ill.
- [436] Tinoco, A. & al. (2005) Population genetics of *Escontria chiotilla* in wild and silvicultural managed populations in the Tehuacán Valley, central Mexico. Genetic Res. & Crop Evol. 52(5): 525-538.
- [437] Toit, J. du (2005) New localities and intensive botanising. Mesemb Study Group Bull. 20(4): 81, 83. [Distribution data for several Mesemb taxa.]
- [438] Tománek, J. (2005) [Czech:] What is *Gymnocalycium megalothelos*? Gymnofil 33(3-4): 1-6, ill.
- [439] Torres-Morán, M. I. & al. (2005) Diversidad genética en *Agave tequilana* Weber var. Azul proveniente de micropropagación. Nakari 16(3): [7 pp.]. [Published electronically on CD.]
- [440] Trevisan, A. & al. (2005) Alla scoperta delle *Epithelantha* (Weber) Br. & R. Piante Grasse 25(1): 2-7, ill. [Included for the illustrations.]
- [441] Tulden, L. van (2005) *Epithelantha micromeris*. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 18(4): 51-58, ill. [Included for the illustrations.]

- [442] Turland, N. J. & Watson, M. F. (2005) Second report of the Special Committee on suprageneric names: Family name listings in Appendix IIB of the Code. *Taxon* 54(2): 491-499. [Includes several families with succulent taxa.]
- [443] Twijnstra, T. (2005) Auf der Suche nach *Mammillaria mammillaris*. *Mitteilungsbl. AfM* 29 (2): 90-94, illus., map. [On the distribution on Curaçao. Includes a full English translation.]
- [444] Uhl, C. H. & al. (2005) Chromosomes and hybrids of *Echeveria* DC. IX. Series *Spicatae* (Baker) Berger. *Haseltonia* 11: 138-149, illus. [Cont. from l.c. 10, 2004.]
- [445] Unger, G. & Huber, R. (2005) Neuer Standort von *Echinocactus grusonii* entdeckt? *Kaktusblüte* 2005: 20-22, illus.
- [446] Utami, N. & Shimizu, T. (2005) Seed morphology and classification of *Impatiens* (*Balsaminaceae*). *Blumea* 50: 447-456, illus.
- [447] Vázquez-García, J. A. & al. (2004) Listado preliminar de plantas vasculares del norte de Jalisco y zonas adyacentes. In: Vázquez-García, J. A. & al. (eds.): Flora del norte de Jalisco y etnobotánica huichola; pp. 116-168. Guadalajara (MEX): Universidad de Guadalajara.
- [448] Vazquez-Sánchez, M. & al. (2005) Morfología y anatomía del céfalo de *Cephalocereus senilis* (*Cactaceae*). *Anales Jard. Bot. Madrid* 62(2): 153-161.
- [449] Veldhuisen, R. van (2005) *Euphorbia* species nova J&R 260 additional notes. *Euphorbia World* 1(2): 9-11, illus.
- [450] Veldhuisen, R. van (2005) *Euphorbia gorgonis*. Deel I / Deel II / Deel III. *Succulenta* 84 (3): 135-141, (4): 176-187, (5): 201-207, illus., map.
- [451] Venter, K. (2005) Riversdale. Mecca for magnificent Haworthias. Part 2. Alsterworthia Internat. 5(1): 2-23, illus. [Part 1 published l.c. 4(3), 2004; complete series also published as Alsterwirthia Internat. Special Issue No. 6, 2005.]
- [452] Villardebo, A. & Leyva Bermudez, O. (2005) *Escobaria cubensis* (Br. & R.) Hunt, 1978, un cactus hors du commun de l'île de Cuba. *Succulenta* 2005(2): 12-20, illus.
- [453] Villarreal, J. A. & al. (2005) The confusing identity of *Agave wislizeni* (*Agavaceae*). *Taxon* 54 (3): 801-803.
- [454] Vincentz, F. (2005) *Euphorbia ephedromorpha* Bartlett, a forgotten succulent from Guatemala. *Euphorbia World* 1(2): 14-15, illus.
- [455] Vliet, D. J. van (2005) *Notocactus bregmanianus* van Vliet. *Internoto* 26(3): 67-72, illus.
- [456] Vries, J. de (2005) *Sulcorebutia tarabucoensis* ssp. *patriciae*, einer der spektakulärsten Sulcorebutien-Neufunde der letzten Jahre. *Echinopseen* 2(2): 58-59, illus.
- [457] Wagner, G. F. (2005) Seltsame *Eriospermum*-Species aus dem westlichen Südafrika. *Avonia* 23(1): 1-7, illus. [Continued in l.c. 24(1), 2006.]
- [458] Walker, C. (2005) A tale of two Arabian Aloes. *Brit. Cact. Succ. J.* 23(4): 175-179, illus.
- [459] Walker, C. C. (2005) *×Tavarorbea*. Another intergeneric hybrid Stapeliad. *Asklepios* No. 92: 7-8, ill.
- [460] Walter, H. & Mächler, W. (2005) Das Puzzle um Ritters *Copiapoa longispina* und die Beschreibung einer neuen Unterart von *Copiapoa megarhiza*. *Kakt. and. Sukk.* 56(11): 295-299, illus., map.
- [461] Welman, W. G. & Condy, G. (2005) *Ipomoea ommanneyi*. *Flow. Pl. Afr.* 59: 108-112, map, t. 2216.
- [462] Wet, L.-A. de (2005) Is *Pelargonium reniforme* in danger? Effects of harvesting on *Pelargonium reniforme*. *Veld. Fl.* (1975+) 2005(4): 182-184, illus.
- [463] Wilkin, P. & al. (2005) A plastid gene phylogeny of the Yam genus, *Dioscorea*: Roots, fruits and Madagascar. *Syst. Bot.* 30(4): 736-749.
- [464] Williamson, G. (2005) *Anacampseros retusa* from the deep freeze into the furnace. *Cact. Succ. J. (US)* 77(4): 170-176, illus., map, (6): [274] [erratum].
- [465] Williamson, G. (2005) The rediscovery of *Aloe fimbrialis* and an amplified description. *Cact. Succ. J. (US)* 77(6): 313-317, illus., map.
- [466] Williamson, G. (2005) An interesting new desert *Euphorbia* from the NW Richtersveld and southern Namib Desert. *Euphorbia World* 1(2): 5-7, illus., map. [On *Euphorbia einensis* var. *anemonecola*.]
- [467] Winthagen, D. & Lawant, P. (2005) Mysterious *Euphorbia cucumerina*. *Euphorbia World* 1(2): 21-30, illus., map.
- [468] Wittner, H. (2005) Aus den Hochgebirgen Perus: *Corryocactus squarrosum*. *Kakt. and. Sukk.* 56(12): 317-320, illus.
- [469] Wolf, W. (2005) Impressionen II. Internoto 26(4): 99-101, illus. [On the destroyed original habitat of *Notocactus calvescens*.]
- [470] Zhu, Guanghua (ed.) (2005) Flora of China. Illustrations. Vol. 5: *Ulmaceae* through *Basellaceae*. Beijing (China): Science Press / St. Louis (US: MO): Missouri Botanical Garden Press. [*Aizoaceae*: p. 350; *Portulacaceae*: p. 351; *Basellaceae*: p. 352.]
- [471] Zonneveld, B. J. M. (2005) De waarde van de hoeveelheid DNA per kern voor de naamgeving in *Senecio*. 3. De "erwtenplantjes". *Succulenta* 84

(3): 106-109, ills. [Continued from l.c. 83(6), 2004.]

[472] Zonneveld, B. J. M. (2005) De waarde van de hoeveelheid DNA per kern voor de naamgeving in *Senecio*. 4. De planten met voornamelijk succulente stammetjes. *Succulenta* 84(4): 162-167, ills.

[473] Zonneveld, B. J. M. (2005) *Jovibarba* of *Sempervivum*, dat is de vraag. *Succulenta* 84(5): 208-216, ills.

[474] Zonneveld, B. J. M. & al. (2005) First nuclear DNA amounts in more than 300 Angiosperms. *Ann. Bot. (Oxford)*, n.s. 96: 229-244. [Includes numerous taxa of succulent plants.]

[475] Zúñiga, B. & al. (2005) Interacciones planta-nodriza en *Lophophora diffusa* (Cactaceae) en un desierto subtropical de México. *Biotropica* 37(3): 351-356.

BIBLIOGRAPHIA

Cross-References of Author Names

- Afferni, M.: → Franco, L.
 Albers, F.: → Becker, M.
 Amerhauser, H.: → Till, H.
 Arredondo G., A.: → Sotomayor, M.
 Badano, E. I.: → Schlumpberger, B. O.
 Baran, E. J.: → Monje, P. V.
 Bauer, R.: → Bockemühl, J.
 Beentje, H. J.: → Jeffrey, C.
 Borsch, T.: → Müller, K.
 Bowdery, D.: → Pilbeam, J.
 Bustamante, R.: → Macaya B., J.
 Búrquez, A.: → Bustamante, E.
 Cabeza, P. J.: → Cumana Campos, L. J.
 Carle, R.: → Stintzing, F. C.
 Charles, G.: → Machado, M.
 Clark-Tapia, R.: → Molina-Freaner, F.
 Cole, N. A.: → Cole, D. T.
 Condy, G.: → Welman, W. G.
 Craib, C.: → Smith, G. F.
 Dicht, R. F.: → Lüthy, A. D.
 Dickoré, B.: → Klimes, L.
 Didukh, Y.: → Fedorochik, N.
 Doan, S. C.: → Gorelick, R.
 Dubrovsky, J. G.: → Shishkova, S.
 Eggli, U. (ed.): → Anderson, E. F.
 Esteves Pereira, E.: → Braun, P. J.
 Estupiñán, C.: → Fernández-Alonso, J. L.
 Fernández-Alonso, J. L.: → Albesiano, S.
 Ferrari, O. E.: → Kiesling, R.
 Fogel, I.: → León de la Luz, J. L.
 Galeano, G.: → Figueroa Cardozo, Y.
 Gandler, T.: → Guttermann, Y.
 Golovko, T. K.: → Dalke, I. V.
 Grehnagen, A.: → Schönenberger, J.
 Guiggi, A.: → Gallo, L.
 Gómez-Hinostrosa, C.: → Hernández, H. M.
 Hart, S.: → Hart, G.
 Hartmann, H. E. K.: → Niesler, I. M.
 Hayashi, S. S.: → Duarte, M. R.
 Heek, W. van: → Schubert, K.
 Hernández, H. M.: → Gómez-Hinostrosa, C.
 Huber, R.: → Unger, G.
 Hufford, L.: → O'Quinn, R.
 Hráček, L.: → Halda, J. J.
 Idnurm, A.: → Boyle, T. H.
 Jasper, A.: → Bruxel, J.
 Jurado, E.: → Martínez-Avalos, J. G.
 Kamiti, A.: → Newton, L. E.
 Kapitany, A.: → Schulz, L.
 Kirberg, A.: → Pinto, R.
 Kleszewski, K.-P.: → Hoock, H.
 Lambrinos, J. G.: → Kleier, C.
 Lavranos, J.: → Lüthy, J. M.
 Lawant, P.: → Winthagen, D.
 Leuenberger, B. E.: → Eggli, U.
 Leyva Bermudez, O.: → Villardebo, A.
 Manzanero Medina, G. I.: → Flores Martínez, A.
 Meer, P. van der: → Guillot Ortiz, D.
 Meve, U.: → Liede-Schumann, S.
 Mottram, R.: → Crook, R.
 Mächler, W.: → Walter, H.
 Neduchal, J.: → Gerloff, N.
 Nepi, M.: → Nicolson, S. W.
 Neuhuber, G.: → Gapon, V.
 Olvera-Valerio, D.: → Cabrera-Luna, J. A.
 Pavlácek, P.: → Sedivý, V.
 Peshkova, G. A. (eds.): → Malyshev, L. I.
 Pignal, M.: → Chesselet, P.
 Plein, W.: → Rogozinski, H.
 Pratt, D. B.: → Applequist, W. L.
 Pérez-Calix, E.: → García Ruiz, I.
 Ricánek, M.: → Hanácek, P.
 Rovira, A. M.: → Molero, J.
 Shimizu, T.: → Utami, N.
 Simon, J.: → Pin, A. B.
 Springate, L.: → Maity, D.
 Steyn, E. M. A.: → Smith, G. F.
 Strecker, W.: → Heek, W. van
 Tavormina, S.: → Tavormina, G.
 Taylor, N. P. (eds.): → Hunt, D. R.
 Terrazas, T.: → Bernal-Salazar, S.
 Terrazas, T.: → Loza-Cornejo, S.
 Thaithong, O.: → Boonjaras, T.
 Valverde, T.: → Ramírez-Padilla, C. A.
 Wallace, R. S.: → Butterworth, C. A.
 Walter, H.: → Hoffmann, A. E.
 Watson, M. F.: → Turland, N. J.
 Weedin, J. F.: → Powell, A. M.
 Wyk, A. E. van: → Jaarsveld, E. J. van