



**Repertorium
Plantarum
Succulentarum
XXXVII (1986)**

Repertorium Plantarum Succulentarum XXXVII (1986)

Index nominum novarum plantarum succulentarum anno MCMLXXXVI editorum nec non bibliographia taxonomica ab U. Eggli et N. P. Taylor compositus.

International Organization for Succulent Plant Study
Internationale Organisation für Sukkulantenforschung

January 1988

Conventions used in Repertorium Plantarum Succulentarum

- Repertorium Plantarum Succulentarum attempts to list, under separate headings, newly published names of succulent plants and relevant literature on the systematics of these plants, on an annual basis. New names noted after the issue for the relevant year has gone to press are included in later issues. Specialist periodical literature is scanned in full (as available at the libraries of K, Z, ZSS or received by the compilers), whereas the *Current awareness list*, produced at the Royal Botanic Gardens, Kew, is used as the key to other literature. Also included is information supplied to the compilers direct. It is urgently requested that any reprints of papers not published in readily available botanical literature be sent to one of the compilers.
- Validly published names are given in **bold face** type, accompanied by an indication of the nomenclatural type (name or specimen dependent on rank), followed by the herbarium acronyms of the herbaria where the holotype and possible isotypes are deposited (first acronym for holotype), according to Index Herbariorum ed. 7 and supplements as published in Taxon. Invalid, illegitimate, or incorrect names are given in *italic* type face. In either case a full bibliographic reference is given. For new combinations, the basionym is also listed. For invalid or illegitimate names, the articles of the ICBN which have been contravened are indicated in brackets.
- The compilers would like to point out that they do not accept any names that might be inadvertently validated in this volume of RPS.
- Bibliographic details of papers dealing only with the description of one or two new taxa are given in the nomenclatural section and not repeated in the bibliographical section.
- Abbreviations used for periodicals are those suggested in 'A Bibliography of Succulent Plant Periodicals' (U. Eggli in Bradleya 3: 103-119. 1985) for specialized periodicals, or those of *Bibliographia Periodicorum Huntianum* for other periodicals.

Konventionen im Zusammenhang mit dem Repertorium Plantarum Succulentarum

- Das Repertorium Plantarum Succulentarum ist eine jährlich herausgegebene Zusammenstellung neuer Namen für sukkulente Pflanzen und der relevanten systematischen Literatur. Neue Namen, die nach dem Abschluss der Ausgabe des betreffenden Jahres bekannt werden, erscheinen in der nächsten erreichbaren Ausgabe. Spezialisierte Zeitschriften werden umfassend durchgesehen, soweit sie in den Bibliotheken von K, Z und ZSS vorhanden sind oder den Herausgebern vorliegen. Die *Current awareness list* der Royal Botanic Gardens, Kew, wird als Grundlage für die übrige botanische Literatur verwendet. Die Herausgeber bitten alle Autoren dringend, Separata relevanter Publikationen zur Verfügung zu stellen, vor allem wenn es sich um Beiträge in schwer zugänglichen Serien handelt.
- Gültig veröffentlichte Namen werden in **Fettschrift** wiedergegeben unter Angabe des nomenklatortischen Typs (Name oder Belegexemplar je nach Rangstufe; gefolgt von den Herbarakürzungen [entsprechend Index Herbariorum, ed. 7, und in Taxon publizierten Supplementen] der Hinterlegungsorte für Holotyp [1. Abkürzung] und Isotyphen). Ungültige oder illegitime Namen erscheinen in *Kursivschrift* unter Angabe (in Klammer) derjenigen Artikel des ICBN, die verletzt worden sind. In allen Fällen folgen die kompletten bibliographischen Angaben. Für Umkombinationen wird auch das Basionym angegeben.
- Die Herausgeber weisen mit aller Deutlichkeit darauf hin, dass sie keinen Namen anerkennen, der zufälligerweise in dieser Ausgabe des RPS validiert worden sein könnte.
- Beiträge, welche nur Beschreibungen eines oder zweier Taxa enthalten, werden in der bibliographischen Liste nicht separat aufgeführt.
- Die Abkürzungen für spezialisierte Sukkulanten-Zeitschriften richten sich nach 'A Bibliography of Succulent Plant Periodicals' (U. Eggli in Bradleya 3: 103-119. 1985), für allgemeine botanische Zeitschriften nach *Bibliographia Periodicorum Huntianum*.

Compiled by: / Zusammengestellt von:

U. Eggli, Städtische Sukkulanten-Sammlung, Mythenquai 88, CH-8002 Zürich, Switzerland; and
N. P. Taylor, Herbarium, Royal Botanic Gardens, Kew, Richmond, Surrey TW9 3AE, U. K.

Available from / Erhältlich durch: Städtische Sukkulanten-Sammlung (adress see above / Adresse siehe oben).

© by IOS, Zürich (Switzerland), 1988.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the copyright holder.

Alle Rechte vorbehalten. Kein Teil dieser Publikation darf ohne das vorherige schriftliche Einverständnis des Copyright-Inhabers in irgendeiner Form reproduziert, photokopiert oder auf Datenträgern gespeichert oder verbreitet werden.

NOMINA NOVA

AGAVACEAE

Yucca harrimaniae var. **sterilis** Neese & Welsh,
Great Basin Naturalist 45(4): 789. 1986.
Typus: *S. L. Welsh* 18461upplied) (BRY).

AIZOACEAE

Acrodon duplessiae (L. Bolus) Glen, Bothalia 16(2): 217. 1986. Basionym: *Ruschia duplessiae*.

Acrodon leptophyllus (L. Bolus) Glen, Bothalia 16(2): 217. 1986. Basionym: *Ruschia leptophylla*.

Ebracteola fulleri (L. Bolus) Glen, Bothalia 16(2): 222. 1986. Basionym: *Ruschia fulleri*.

Ebracteola wilmaniae (L. Bolus) Glen, Bothalia 16(2): 222. 1986. Basionym: *Mesembryanthemum wilmaniae*.

Lampranthus deltoides Glen, Bothalia 16(1): 55. 1986. [Already published, see RPS 34: 5.]

Lampranthus deltoides var. **caulescens** (Miller) Rowley, Excelsa 12: 34. 1986. Basionym: *Mesembryanthemum caulescens*.

Pleiospilos subg. **Punctillaria** (N. E. Br.) H. E. K. Hartm. & Liede, Bot. Jahrb. Syst. 106(4): 475. 1986. Basionym: *Punctillaria*.

Pleiospilos compactus ssp. **canus** (Haw.) H. E. K. Hartm. & Liede, Bot. Jahrb. Syst. 106(4): 476. 1986. Basionym: *Mesembryanthemum canum*. Neotypus: *Nel* SUG 9462 (BOL).

Pleiospilos compactus ssp. **fergusoniae** (L. Bolus) H. E. K. Hartm. & Liede, Bot. Jahrb. Syst. 106(4): 478. 1986. Basionym: *Pleiospilos fergusoniae*.

Pleiospilos compactus ssp. **minor** (L. Bolus) H. E. K. Hartm. & Liede, Bot. Jahrb. Syst. 106(4): 479. 1986. Basionym: *Pleiospilos minor*.

Pleiospilos compactus ssp. **sororius** (N. E. Br.) H. E. K. Hartm. & Liede, Bot. Jahrb. Syst. 106(4): 478. 1986. Basionym: *Mesembryanthemum sororium*.

Tanquana H. E. K. Hartm. & Liede, Bot. Jahrb. Syst. 106(4): 479-480. 1986. Typus: *T. archeri*.

Tanquana archeri (L. Bolus) H. E. K. Hartm. & Liede, Bot. Jahrb. Syst. 106(4): 480. 1986. Basionym: *Pleiospilos archeri*.

Tanquana hilmarii (L. Bolus) H. E. K. Hartm. & Liede, Bot. Jahrb. Syst. 106(4): 481. 1986. Basionym: *Pleiospilos hilmarii*.

Tanquana prismatica (Schwantes) H. E. K. Hartm. & Liede, Bot. Jahrb. Syst. 106(4): 481. 1986. Basionym: *Mesembryanthemum prismaticum*.

ALOEACEAE

Aloe inconspicua Plowes, Aloe 23(2): 32-33, illus. 1986. Typus: *Plowes* 7079 (PRE).

ASCLEPIADACEAE

Ceropegia dichotoma ssp. **krainzii** (Sventenius) Bruyns, Beitr. Biol. Pfl. 60(3): 454, illus. 1986. Basionym: *Ceropegia krainzii*.

Ceropegia schajiesorum Malaisse, Bull. Jard. Bot. Nat. Belge 56(3/4): 491-492, ill. 1986. Typus: *Malaisse* 13 692 (BR).

Huernia formosa Leach, Excelsa 12: 95, 96-97 (ills.). 1986. Typus: *Lavrano* 9330 (NBG).

Huernia lavrani Leach, Excelsa 12: 94, 96-97 (ills.). 1986. Typus: *Lavrano* & *Bavazzano* 8534 (NBG, K).

Lavraria Plowes, Cact. Succ. J. (US) 58(3): 122. 1986. Typus: *L. haagnerae*.

Lavraria haagnerae Plowes, Cact. Succ. J. (US) 58(3): 123, 119 (ill.). 1986. Typus: *C. H. Haagner* s.n. sub *Plowes* 5046 (PRE).

Raphionacme namibiana Venter & Verhoeven, S. Afr. J. Bot. 52(4): 332, ill. 1986. Typus: *Marloth* 5017 (PRE).

Raphionacme palustris Venter & Verhoeven, S. Afr. J. Bot. 52(2): 149-152, illus., map. 1986. Typus: *Venter* 9005 (BLFU, K, PRE).

ASTERACEAE

Kleinia subg. **Notonia** (DC.) C. Jeffrey, Kew Bull. 41(4): 926. 1986. Basionym: *Notonia* DC..

Kleinia abyssinica var. **hildebrandtii** (Vatke) C. Jeffrey, Kew Bull. 41(4): 928. 1986. Basionym: *Notonia hildebrandtii*.

Kleinia breviflora C. Jeffrey, Kew Bull. 41(4): 925. 1986. Typus: *Verdcourt* 3561 (K).

Kleinia dolichocoma C. Jeffrey, Kew Bull. 41(4): 925. 1986. Typus: *Bally & Smith* 14600 (K).

Kleinia gregorii (S. Moore) C. Jeffrey, Kew Bull. 41(4): 927. 1986. Basionym: *Notonia gregorii*.

Kleinia implexa (Bally) C. Jeffrey, Kew Bull. 41(4): 926. 1986. Basionym: *Senecio implexus*.

Kleinia leptophylla C. Jeffrey, Kew Bull. 41(4): 927. 1986. Typus: *Bally* 12546 (K).

Kleinia mweroensis (Baker) C. Jeffrey, Kew Bull. 41(4): 927. 1986. Basionym: *Senecio mweroensis*.

Kleinia oligodonta C. Jeffrey ('*oligodontia'*), Kew Bull. 41(4): 926. 1986. Typus: *Bally* 10638 (K).

Kleinia patriciae C. Jeffrey, Kew Bull. 41(4): 927. 1986. Typus: *Bally & Carter* 16464 (K).

Kleinia petraea (R. E. Fr.) C. Jeffrey, Kew Bull. 41(4): 926. 1986. Basionym: *Notonia petraea*.

- Kleinia picticaulis** (Bally) C. Jeffrey, Kew Bull. 41(4): 927. 1986. Basionym: *Senecio picticaulis*.
- Kleinia scotiooides** C. Jeffrey, Kew Bull. 41(4): 925. 1986. Typus: *Tweedie* 3129 (K, M).
- Kleinia vermicularis** C. Jeffrey, Kew Bull. 41(4): 928. 1986. Typus: *B. D. Burtt* 6417 (K).
- Othonna armiana** van Jaarsveld, South Afr. J. Bot. 52(6): 569, ills. 1986. Typus: *van Jaarsveld & Kühn* 8188 (NBG).
- Othonna gregorii** (F. Muell.) C. Jeffrey, Kew Bull. 41(4): 876. 1986. Basionym: *Senecio gregorii*.
- Senecio** sect. **Peltati** (Muschl.) C. Jeffrey, Kew Bull. 41(4): 897. 1986. Basionym: *Senecio* subsect. *Peltati*.
- Senecio** sect. **Rowleyani** C. Jeffrey, Kew Bull. 41(4): 934. 1986. Typus: *Senecio rowleyanus* Jacobsen.
- Senecio margaritae** C. Jeffrey, Kew Bull. 41(4): 898. 1986. Typus: *Bally* 1013 (K).
- Solanecio angulatus** (Vahl) C. Jeffrey, Kew Bull. 41(4): 922. 1986. Basionym: *Cacalia angulata*.
- Solanecio biafrae** (Oliv. & Hiern) C. Jeffrey, Kew Bull. 41(4): 922. 1986. Basionym: *Senecio biafrae*.
- Solanecio buchwaldii** (O. Hoffm.) C. Jeffrey, Kew Bull. 41(4): 921. 1986. Basionym: *Senecio buchwaldii*.
- Solanecio tuberosus** (Sch. Bip. ex A. Rich.) C. Jeffrey, Kew Bull. 41(4): 921. 1986. Basionym: *Senecio tuberosus*.

CACTACEAE

- Aparadoa** van Vliet, Succulenta 65(4): 86. 1986. *Nom. inval.* (Arts. 36.1, 37.1), substitute for *Brasiliparodia*.
- Arthrocereus itabiriticola** P. J. Braun, Kakt. and. Sukk. 37(11): 234-237, ills., SEM-ills. 1986. Typus: *Horst & Uebelmann* HU 330 (ZSS).
- Borzicactus celsianus** var. **trollii** (Kupper) Rowley, Excelsa 12: 35. 1986. Basionym: *Cereus trollii*.
- Brasilopuntia subacarpa** Rizzini & Mattos-F., Rev. Brasil Biol. 46(2): 324. 1986. Typus: *Rizzini & Mattos-Filho* 38 (RB).
- Cleistocactus fossulatus** Mottram, Chileans 13(43): 30. 1986. Typus: *F. Ritter* 100 ex cult. *R. Mottram* 4.1 (K). [syn. *Oreocereus fossulatus* Backeb. (1934) pro parte excl. typ., non *Pilocereus fossulatus* Labouret.]
- Coryphantha salm-dyckiana** var. **brunnea** (Salm-Dyck) Unger, Kakt. and. Sukk. 37(5): 86. 1986. Basionym: *Mammillaria salm-dyckiana* var. *brunnea*.
- Escobaria chaffeyi** f. **viridiflora** (Frič) Riha, Kaktusy 22(2): 25-27, ill. 1986. Basionym: *Foebea viridiflora*.

- Escobaria guadalupensis** Brack & Heil, Cact. Succ. J. (US) 58(4): 165-167, ills. 1986. Typus: *Anonymous* (San Juan College Herbarium 2774).
- Facheiroa** subg. **Zehntnerella** (B. & R.) P. J. Braun & Esteves, Kakt. and. Sukk. 37(3): 56. 1986. Basionym: *Zehntnerella*.
- Facheiroa estevesii** P. J. Braun, Kakt. and. Sukk. 37(4): 74-79, ills., SEM-ills. 1986. Typus: *Esteves Pereira* 186 (KOELN).
- Ferocactus piliferus** (Lemaire ex Ehrenberg) Unger, Kakt. and. Sukk. 37(2): 45. 1986. Basionym: *Echinocactus piliferus*.
- Ferocactus piliferus** f. **flavispinus** (hort. ex Schelle) Unger, Kakt. and. Sukk. 37(2): 45. 1986. Basionym: *Echinocactus pilosus* [f.] *flavispinus*.
- Ferocactus piliferus** var. **stainesii** (Salm-Dyck) Unger, Kakt. and. Sukk. 37(2): 45. 1986. Basionym: *Echinocactus pilosus* var. *stainesii*.
- Mammillaria** ser. **Megastigmatae** Neutelings, Succulenta 65(1): 3. 1986. Typus: *Mammillaria microcarpa* (B. & R.) Engelmann ex A. Berger
- Mammillaria albicans** f. **slevinii** (B. & R.) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Neomammillaria slevinii* (*Mammillaria slevinii* given in error). [This and most of the subsequent combinations by Neutelings have been invalidly published first in l.c. (1): 3-5.]
- Mammillaria bambusiphila** Reppenhagen, Mitteilungsbl. AfM 10(5): 161-166, ills. 1986. Typus: *Reppenhagen* 748 (K).
- Mammillaria bambusiphila** var. **parva** Reppenhagen, Mitteilungsbl. AfM 10(5): 167-171, ills. 1986. Typus: *Reppenhagen* 663 (K).
- Mammillaria berkiana** A. B. Lau, Kakt. and. Sukk. 37(2): 30-33, ills. 1986. Typus: *A. Lau* 1245 (ZSS).
- Mammillaria dioica** f. **angelensis** (Craig) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Mammillaria angelensis*.
- Mammillaria dioica** f. **estebanensis** (Lindsay) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Mammillaria estebanensis*.
- Mammillaria dioica** f. **incerta** (Parish) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Mammillaria incerta*.
- Mammillaria dioica** f. **phitauiana** (Baxter) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Neomammillaria phitauiana*.
- Mammillaria dioica** f. **verhaertiana** (Böd.) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Mammillaria verhaertiana*.
- Mammillaria dioica** var. **armillata** (K. Brandegee) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Mammillaria armillata*.
- Mammillaria dioica** var. **capensis** (Gates) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Neomammillaria capensis*.

- Mammillaria dioica** var. **cerralboae** (B. & R.) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Neomammillaria cerralboae*.
- Mammillaria dioica** var. **multidigitata** (Radley ex Lindsay) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Mammillaria multidigitata*.
- Mammillaria dioica** var. **neopalmeri** (Craig) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Mammillaria neopalmeri*.
- Mammillaria elegans** var. **lanata** (B. & R.) Hofmann, Inform.-Brief ZAG Mammillaria 1985: 25. 1986. Basionym: *Neomammillaria lanata*. [Issue for 1985, published 1986.]
- Mammillaria goodridgii** f. **shurliana** (Gates) Neutelings, Succulenta 65(5): 120. 1986. Basionym: *Mammillaria shurliana*.
- Mammillaria goodridgii** var. **blossfeldiana** (Böd.) Neutelings, Succulenta 65(5): 120. 1986. Basionym: *Mammillaria blossfeldiana*.
- Mammillaria goodridgii** var. **bullardiana** (Gates) Neutelings, Succulenta 65(5): 120. 1986. Basionym: *Neomammillaria bullardiana*.
- Mammillaria goodridgii** var. **hutchisoniana** (Gates) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Neomammillaria hutchisoniana*.
- Mammillaria goodridgii** var. **louisae** (Lindsay) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Mammillaria louisae*.
- Mammillaria guelzowiana** var. **robustior** R. Wolf, Kakt. and. Sukk. 37(12): 256-257, illus. 1986. Typus: *R. & F. Wolf* 60/86 (WU).
- Mammillaria kleiniorum** Appenzeller, Mitteilungsbl. AfM 10(6): 197-203, illus. 1986. Typus: *H.-J. Klein* 190a (ZSS).
- Mammillaria mazatlanensis** f. **patonii** (Bravo H.) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Neomammillaria patonii*.
- Mammillaria mazatlanensis** f. **sinalensis** (Craig) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Mammillaria occidentalis* var. *sinalensis*.
- Mammillaria mazatlanensis** var. **occidentalis** (B. & R.) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Neomammillaria occidentalis*.
- Mammillaria milleri** f. **auricarpa** (W. T. Marshall) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Mammillaria microcarpa* var. *auricarpa*.
- Mammillaria milleri** f. **gueldeanniana** (Backeb.) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Mammillaria gueldemanniana*.
- Mammillaria milleri** f. **oliviae** (Orcutt) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Mammillaria oliviae*.
- Mammillaria milleri** f. **swinglei** (B. & R.) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Neomammillaria swinglei*.
- Mammillaria milleri** var. **grahamii** (Engelmann) Neutelings, Succulenta 65(5): 119. 1986. *Nom. inval.* (cf. Art. 57), based on *Mammillaria grahamii*.
- Mammillaria milleri** var. **sheldonii** (B. & R.) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Neomammillaria sheldonii*.
- Mammillaria thornberi** var. **yaquensis** (Craig) Neutelings, Succulenta 65(5): 119. 1986. Basionym: *Mammillaria yaquensis*.
- Matucana krahni** (Donald) Bregman, Kakt. and. Sukk. 37(12): 253, ill. 1986. Basionym: *Borziecactus krahni*.
- Matucana oreodoxa** (Ritter) Slaba, Kaktusy 22(6): 130. 1986. Basionym: *Eomatucana oreodoxa*.
- Matucana polzii** Diers, Donald & Zecher, Kakt. and. Sukk. 37(6): 114-119, illus., SEM-ills. 1986. Typus: *E. Zecher* 762 (KOELN).
- Melocactus lanssensianus** P. J. Braun, Succulenta 65(2): 25-30, (3): 61-64, illus. 1986. Typus: *Horst & Uebelmann* HU 474 (ZSS).
- Melocactus ruestii** ssp. **cintalapensis** Elizondo, Cact. Suc. Mex. 31(3): 54-55, ill. 1986. Typus: *Elizondo* 0189 (XAL).
- Melocactus ruestii** ssp. **maxonii** (Rose) Elizondo, Cact. Suc. Mex. 31(3): 53. 1986. Basionym: *Cactus maxonii*.
- Melocactus ruestii** ssp. **oaxacensis** (B. & R.) Elizondo, Cact. Suc. Mex. 31(3): 52. 1986. Basionym: *Cactus oaxacensis*.
- Melocactus ruestii** ssp. **sanctae-rosae** (L. D. Gómez) Elizondo, Cact. Suc. Mex. 31(3): 54. 1986. Basionym: *M. maxonii* var. *sanctae-rosae*.
- Micranthocereus streckeri** van Heek & van Crikinge, Kakt. and. Sukk. 37(5): 102-105, illus. 1986. Typus: *van Heek et al.* 85/250 (KOELN).
- Neolloydia laui** (Glass & Foster) E. F. Anderson, Bradleya 4: 22. 1986. Basionym: *Turbinicarpus laui*.
- Neolloydia lophophoroidea** (Werderm.) E. F. Anderson, Bradleya 4: 22. 1986. Basionym: *Thelocactus lophophoroidea*.
- Neolloydia mandragora** (Frič ex A. Berger) E. F. Anderson, Bradleya 4: 14. 1986. Basionym: *Echinocactus mandragora*.
- Neolloydia pseudomacrochele** (Backeb.) E. F. Anderson, Bradleya 4: 22. 1986. Basionym: *Strombocactus pseudomacrochele*.
- Neolloydia pseudopectinata** (Backeb.) E. F. Anderson, Bradleya 4: 15. 1986. Basionym: *Pelecyphora pseudopectinata*.
- Neolloydia schmidickeana** (Böd.) E. F. Anderson, Bradleya 4: 19. 1986. Basionym: *Echinocactus schmidickeanus*.
- Neolloydia schmidickeana** var. **dickisoniae** (Glass & Foster) E. F. Anderson, Bradleya 4: 20. 1986. Basionym: *Turbinicarpus schmidickeanus* var. *dickisoniae*.

- Neolloydia schmiedickeana** var. **flaviflora** (G. Frank & A. B. Lau) E. F. Anderson, Bradleya 4: 20. 1986. Basionym: *Turbinicarpus flaviflorus*.
- Neolloydia schmiedickeana** var. **gracilis** (Glass & Foster) E. F. Anderson, Bradleya 4: 19. 1986. Basionym: *Turbinicarpus gracilis*.
- Neolloydia schmiedickeana** var. **klinkeriana** (Backeb. & Jacobsen) E. F. Anderson, Bradleya 4: 20. 1986. Basionym: *Turbinicarpus klinkerianus*.
- Neolloydia schmiedickeana** var. **macrochele** (Werderm.) E. F. Anderson, Bradleya 4: 20. 1986. Basionym: *Echinocactus macrochele*.
- Neolloydia schmiedickeana** var. **schwarzii** (Shurly) E. F. Anderson, Bradleya 4: 20. 1986. Basionym: *Strombocactus schwarzii*.
- Neolloydia subterranea** var. **zaragozae** (Glass & Foster) E. F. Anderson, Bradleya 4: 14. 1986. Basionym: *Gymnocalycium subterraneum* var. *zaragozae*.
- Neolloydia valdeziana** (H. Möller) E. F. Anderson, Bradleya 4: 14. 1986. Basionym: *Pelecyphora valdeziana*.
- Neolloydia viereckii** var. **major** (Glass & Foster) E. F. Anderson, Bradleya 4: 15. 1986. Basionym: *Gymnocalycium viereckii* var. *major*.
- Neopoteria centeteria** (Lehmann) Rowley, Excelsa 12: 39. 1986. Basionym: *Echinocactus centeterius*.
- Notocactus arnostianus** Lisal & Kolarik, Internoto 7(1): 6-8, ill. 1986. Typus: *Horst & Uebelmann* HU 338 [pro parte] (Herb. Arboreti Musei Silesiaci, Opava - Novy Dur, CSSR).
- Notocactus catarinensis** Scheinvar, Fl. Ilust. Catarinense, Cact. 50. 1986. Typus: *Horst & Uebelmann* HU 40 (no actual specimen selected). [Given as new combination for *Brasilopodia catarinensis* Ritter (*nom. inval.*) but actually to be treated as a new taxon for nomenclatural reasons.]
- Notocactus gibberulus** Prestlé, Succulenta 65(6/7): 142-145, ill., SEM-ills. 1986. Typus: *Prestlé* 313 (U).
- Notocactus graessneri** f. **microdasys** P. J. Braun, Kakt. und. Sukk. 37(3): 57, ill. 1986. Typus: *Horst & Uebelmann* HU 501 (ZSS).
- Notocactus macambahensis** Prestlé, Internoto 7(3): 67-72, ill., SEM-ills. 1986. Typus: *Prestlé* 425 (U).
- Notocactus meonacanthus** Prestlé, Internoto 7(2): 35-39, ill., SEM-ills. 1986. Typus: *Prestlé* 318 (U).
- Notocactus ritterianus** Lisal & Kolarik, Internoto 7(1): 3-5, ill. 1986. Typus: *Horst & Uebelmann* HU 338 [pro parte] (Herb. Arboreti Musei Silesiaci, Opava - Novy Dur, CSSR).
- Opuntia basilaris** var. **heilii** Welsh & Neese, Great Basin Naturalist 43(4): 700. 1983. Typus: *Neese* 5938 (BRY).
- Opuntia chisosensis** (Anthony) Ferguson, Cact. Succ. J. (US) 58(3): 124, ill. 1986. Basionym: *O. lindheimeri* var. *chosensis*.
- Opuntia erinacea** var. **aurea** (Baxter) Welsh, Great Basin Naturalist 46(2): 255. 1986. Basionym: *Opuntia aurea*.
- Opuntia lindheimeri** var. **subarmata** (D. Griff.) Elizondo & Wehbe, Cact. Suc. Mex. 31(4): 99, 100. 1986. *Nom. inval.* (Art. 33), based on *O. engelmannii* var. *subarmata*. Valid combination published in l.c. 32(1): 17, 1987.
- Parodia heteracantha** Ritter ex Weskamp, Kakt. / Sukk. 21(4): 83-84, 116 (ill.). 1986. Typus: *F. Ritter* 926 (DR).
- Parodia mutabilis** var. **sanguiniflora** (Backeb.) F. Brandt, Letzeb. Cactefren 7(2): 21. 1986. Basionym: *Parodia sanguiniflora*.
- Parodia stereospina** F. Brandt, Letzeb. Cactefren 7(9): 203, 201 (ill.). 1986. *Nom. inval.* (Art. 36).
- Pereskia grandifolia** var. **violacea** Leuenberger, Mem. New York Bot. Gard. 41: 116-118, ill. 1986. Typus: *F. C. F. da Silva* 89 (HRB, B).
- Pereskia humboldtii** var. **rauhii** (Backeb.) Leuenberger, Mem. New York Bot. Gard. 41: 69. 1986. Basionym: *Pereskia vargasii* var. *rauhii*.
- Pfeifferinae** Volgin, Feddes Repert. 97(9-10): 563. 1986. Typus: *Pfeiffera* Salm-Dyck.
- Pilosocereus cenepequei** Rizzini & Mattos-F., Rev. Brasil Biol. 46(2): 324. 1986. Typus: *Rizzini & Mattos-Filho* 39 (RB).
- Pilosocereus juaruensis** (Buin. & Brederoo) P. J. Braun, Kakt. and. Sukk. 35(8): 181. 1984. Basionym: *Pseudopilocereus juaruensis*.
- Pilosocereus pusillibaccatus** P. J. Braun & Esteves, Cact. Succ. J. (US) 58(6): 240-243, ill. 1986. Typus: *Esteves* 202 (ZSS).
- Pilosocereus ruschianus** (Buin. & Brederoo) P. J. Braun, Kakt. and. Sukk. 35(8): 181. 1984. Basionym: *Pseudopilocereus ruschianus*.
- Pilosocereus subsimilis** Rizzini & Mattos-F., Rev. Brasil Biol. 46(2): 327. 1986. Typus: *Rizzini & Mattos-Filho* 41 (RB).
- Pseudoacanthocereus boreominarum** Rizzini & Mattos-F., Rev. Brasil Biol. 46(2): 327. 1986. Typus: *Rizzini & Mattos-Filho* 40 (RB).
- Rebutia sumayana** Rausch, Succulenta 65(4): 73-75, ill. 1986. Typus: *W. Rausch* 738 (ZSS).
- Schlumbergerinae** Volgin, Feddes Report. 97(9-10): 563-564. 1986. Typus: *Schlumbergera* Lemaire.
- Selenicereus wittii** (Schumann) Rowley, Excelsa 12: 36. 1986. Basionym: *Cereus wittii*.
- Sulcorebutia kraeberi** var. **hoffmanniana** (Backeb.) Donald, Succulenta 65(10): 208. 1986. *Nom. inval.*, based on *Lobivia hoffmanniana* Backeb., *nom. inval.* (Art. 9.5).
- Sulcorebutia menesesii** var. **kamiensis** Brederoo & Donald, Succulenta 65(8): 153, 155-158, (9): 190-193, (10): 207-209, ill., SEM-ills. 1986. Typus: *A. B. Lau* 974 (K).

- Sulcorebutia menesesii** var. **muschii** (Vasquez) Donald, Succulenta 65(10): 208. 1986. Basionym: *Sulcorebutia muschii*.
- Sulcorebutia steinbachii** var. **australis** Rausch, Succulenta 65(11): 240-241, ill. 1986. Typus: W. Rausch 729 (ZSS).
- Sulcorebutia vizcarrae** var. **lauri** Brederoo & Donald, Succulenta 65(3): 52-55, (4): 89-93 (5): 106-108, ill., SEM-ills. 1986. Typus: A. B. Lau 324 (K).
- Tephrocactus weberi** var. **deminutus** Rausch, Succulenta 65(12): 249, 251-252, ill. 1986. Typus: W. Rausch 241 (ZSS).
- Thelocactus durangensis** (Runge) Rowley, Excelsa 12: 31. 1986. Basionym: *Echinocactus durangensis*.
- Thelocactus lausseri** Riha & Busek, Kakt. and. Sukk. 37(8): 162-164, ill., SEM-ills. 1986. Typus: *Lausser* file (PR 377 518). [First mentioned in a paper by A. Lausser — see bibliography in this volume of RPS.]
- Thelocactus unguispinus** (Engelm.) Rowley, Excelsa 12: 30. 1986. Basionym: *Echinocactus unguispinus*.
- Weberocereus glaber var. *mirandae* (Bravo H.) Eliasson, Kaktus (Odense) 21(2): 44. 1986. Combination based on *Selenicereus mirandae*, first published by Kimnach in 1978.
- Weberocereus rosei (Kimnach) Eliasson, Kaktus (Odense) 21(2): 44. 1986. Combination based on *Eccremocactus rosei*, first published by Buxbaum in 1978.
- Weingartia columnaris F. Brandt, Kakt. Orch.-Rundschau 11(2-3): 18. 1986. Typus: K. Knize s.n. ex cult. *Brandt* no. 109/a (HEID).
- Weingartia minima (Rausch) F. Brandt, Kakt. Orch.-Rundschau 11(1): 2. 1986. Based on *Sulcorebutia taratensis* var. *minima*. [Combination is incorrect as *Rebutia taratensis* Card. is given in the synonymy.]
- Weingartia miranda F. Brandt, Kakt. Orch.-Rundschau 10(4-5): 41-44, ill. 1985. Typus: K. Knize s.n. ex cult. *Brandt* no. 108/a (HEID). [Probably published early in 1986, Kew copy is dated 21. 2. 1986.]

CRASSULACEAE

- Aeonium × beltranii** A. Bañares, Vieraea 16: 69, 70 (ill.). 1986. Typus: *Bañares* s.n. 1981 (TFC 19946). [*Aeonium decorum* × *A. subplanum*.]
- Aeonium × castellodecorum** A. Bañares, Vieraea 16: 64, 65 (ill.). 1986. Typus: *Bañares* s.n. 1983 (TFC 19944). [*Aeonium castello-paivae* × *A. decorum*.]
- Aeonium × cilifolium** A. Bañares, Vieraea 16: 59-60, ill. 1986. Typus: *Nogales & Bañares* s.n. 1980 (TFC 19937). [*Aeonium ciliatum* × *A. sedifolium*.]

- Aeonium × holospathulatum** A. Bañares, Vieraea 16: 66, 68 (ill.). 1986. Typus: *Bañares* s.n. 1981 (TFC 19949). [*Aeonium holochrysum* × *A. spathulatum* var. *spathulatum*.]
- Aeonium × nogalesii** A. Bañares, Vieraea 16: 61, 62 (ill.). 1986. Typus: *Bañares & Nogales* s.n. 1980 (TFC 19938). [*Aeonium palmense* × *A. sedifolium*.]
- Aeonium × sanchezii** A. Bañares, Vieraea 16: 66, 67 (ill.). 1986. Typus: *Bañares* s.n. 1982 (TFC 19945). [*Aeonium rubrolineatum* × *A. spathulatum* var. *spathulatum*.]
- Aeonium × wildpretii** A. Bañares, Vieraea 16: 61, 63 (ill.). 1986. Typus: *Nogales & Bañares* s.n. 1980 (TFC 19941). [*Aeonium palmense* × *A. vestitum*.]
- ✗ **Cremnopetalum** Kimnach & Moran, Cact. Succ. J. (US) 58(2): 55. 1986. [= *Cremnophila* × *Graptopetalum*.]
- Graptopetalum paraguayense** ssp. *bernalense* Kimnach & Moran, Cact. Succ. J. (US) 58(2): 54, ill. 1986. Typus: A. B. Lau 089 (= HBG 42 370) (HNT, BH, MEXU, SD, US).
- ✗ **Greenonium cabrerae** A. Santos, Veget. & Fl. La Palma 184, 185 (ill.). 1983. [*Aeonium spathulatum* × *Greenovia diplocycla*.]
- ✗ **Greenonium tijarafensis** A. Santos, Veget. & Fl. La Palma 184, 187 (ill.). 1983. [*Aeonium ciliatum* × *Greenovia diplocycla*.]
- Orostachys** cv. **Noordwijk** Zonneveld, Brit. Cact. Succ. J. 4(4): 99, ill. 1986. (*O. furusei* × *O. aggregatus* F2).
- Rhodiola imbricata** var. *lobulata* Singh & Bhattach., Bull. Bot. Survey India 25(1-4): 246. 1985. Typus: N. C. Nair 32763 (CAL, BSD). [Vol. for 1983, published 1985 or 1986.]
- Rhodiola lobulata** (Singh & Bhattach.) H. Ohba, J. Jap. Bot. 61(7): 205. 1986. Basionym: *Rhodiola imbricata* var. *lobulata*.
- Rhodiola purpureoviridis** ssp. *phariense* (H. Ohba) H. Ohba, J. Jap. Bot. 61(7): 206. 1986. Basionym: *Sedum phariense*.
- Rhodiola tangutica** (Maxim.) S.-H. Fu, Bull. Bot. Res. North-East. Forest. Inst. 6(4): 158. 1986. Basionym: *Sedum algidum* var. *tanguticum*.
- Sedum anhuiense** S.-H. Fu & Wang, Bull. Bot. Res. North-East. Forest. Inst. 6(4): 137. 1986. Typus: *Hsiao & Tan* 503 (Herb. Anhui Inst. Biol., iso HIB).
- Sedum creticum** var. *hierapetrae* (Rechinger fil.) 't Hart & Hagemann, Mountain Fl. Greece [ed. A. Strid] 1: 353. 1986. Basionym: *Sedum hierapetrae*.
- Sedum grisebachii** ssp. *flexuosum* (Wettstein) Greuter & Burdet, Med-Checklist 3: 20. 1986. Basionym: *Sedum flexuosum*.
- Sedum grisebachii** ssp. *kostovii* (Stefanov) Greuter & Burdet, Med-Checklist 3: 20. 1986. Basionym: *Sedum kostovii*.
- Sedum gypsophilum** B. L. Turner, Phytologia 59(5): 321-322. 1986. Typus: B. L. Turner, T. Ayers & R. Scott 15 557 (TEX, UMEX).

Sedum hengduanense K.-T. Fu, Acta Bot. Bor. Occid. Sin. 6(2): 105. 1986. Typus: *Quing-zang Exped.* (1981) 3373 (PE).
Sedum longyanense K.-T. Fu, Acta Bot. Bor. Occid. Sin. 6(2): 108. 1986. Typus: *Tsoong* 5272 (PE).

Sedum magellense ssp. *olympicum* (Boiss.) Greuter & Burdet, Med-Checklist 3: 24. 1986. Basionym: *Sedum olympicum*.
Sedum multicaule ssp. *rugosum* K.-T. Fu, Acta Bot. Bor. Occid. Sin. 6(2): 105. 1986. Typus: *Quing-zang Exped.* (1982) 10846 (PE).

Sedum myuicum K.-T. Fu, Acta Bot. Bor. Occid. Sin. 6(2): 107. 1986. Typus: *Hu & Zhu* 1101 (Herb. NW Inst. Bot., Shaanxi).

Sedum obtusipetalum ssp. *dandyani* R. Hamet ex H. Ohba, J. Jap. Bot. 61(9): 274. 1986. Typus: *Stainton, Sykes & Williams* 9011 (BM, TI).

Sedum subtile ssp. *chinense* H. Ohba, J. Jap. Bot. 61(8): 227. 1986. Typus: *H. Smith* 6664 (UPS).

Sedum taiwanianum S.-S. Ying, Quart. J. Chinese Forest. 19(2): 101, ill. 1986. Typus: *S.-S. Ying* s. n. (NTUF).

Sedum uniflorum ssp. *rugosum* (Fröd.) K.-T. Fu, Acta Bot. Bor. Occid. Sin. 6(2): 110. 1986. Basionym: *Sedum japonicum* f. *rugosum*.

Sedum verticillatum f. *bulbiferum* Yonezawa, J. Phytogeogr. Taxon. 34(2): 69. 1986. Typus: *N. Yonezawa* s.n. (KANA 117392).

Sempervivum × alidae Zonneveld, Brit. Cact. Succ. J. 4(3): 65, ill. 1986. [*S. wulfenii* × *S. grandiflorum*.] (U).

Sempervivum brevipetalum Kit Tan & Sorger, Pl. Syst. Evol. 154(1-2): 120. 1986. Typus: *Sorger & Kit Tan* 84-62-14 (herb. Sorger, E).

Sempervivum globiferum ssp. *aghricum* Kit Tan & Sorger, Pl. Syst. Evol. 154(1-2): 121. 1986. Typus: *Sorger* 83-37-16 (herb. Sorger, E).

DRACAENACEAE

Sansevieria fischeri (Baker) W. Marais, Kew Bull. 41(1): 58. 1986. Basionym: *Buphane fischeri*.

EUPHORBIACEAE

Euphorbia lumbicalis Leach, S. Afr. J. Bot. 52(4): 369. 1986. Typus: *Leach & Beyer* 17123 (NBG, MO, PRE).

Euphorbia mira Leach, S. Afr. J. Bot. 52(1): 10, ill. 1986. Typus: *Beyer* s.n. cult. in *Leach* 17175 (NBG, K, PRE).

Euphorbia parvicyathophora Rauh, Cact. Succ. J. (US) 58(4): 143, ill. 1986. Typus: *Lavrano & Morat* 9601 (= *Abbey Garden* 75-1116) (HEID).

Monadenium schajesii Malaisse, Bull. Jard. Bot. Nat. Belge 56(3/4): 487-488. 1986. Typus: *Malaisse* 12 091 (BR).

GERANIACEAE

Pelargonium desertorum P. Vorster, S. Afr. J. Bot. 52(2): 184-186, ill., map. 1986. Typus: *Drijfhout* 1454 (PRE, NBG).

LENTIBULARIACEAE

Pinguicula ehlersae Speta & Fuchs, Stapfia 10: 111-119. 1982. Typus: *R. Ehlers* s.n. (BGL). [These new succulent taxa of *Pinguicula* have been contributed by M. Cheek.]

Pinguicula esseriana Kirchner, Willdenowia 11: 317-319. 1983. Typus: *Köhres* s.n. (Herb. Ruhr-Universität Bochum).

Pinguicula zecheri Speta & Fuchs, Stapfia 10: 111-119. 1982. Typus: *Schatzl* s.n. (BGL).

PIPERACEAE

Peperomia 'Werner Rauh' hort. ISI ex L. Davis et al., Cact. Succ. J. (US) 58(2): 78. 1986. [= *P. asperula* × *P. dolabriformis*. Based on an accidental seedling at Huntington BG (HBG 55 144).]

Peperomia wolfgang-krahni Rauh, Kakt. and. Sukk. 37(7): 136-140, ill., SEM-ills. 1986. Typus: *W. Krahn* 662 in BG Heidelberg 51 476 (HEID).

PONTULACACEAE

Calandrinia sect. **Pachypodae** Kelley & Swanson, Phytologia 60(3): 172. 1986. Typus: *C. pachypoda*.

Calandrinia pachypoda ssp. *eyerdamii* Kelley & Swanson, Phytologia 60(3): 173. 1986. Typus: *W. J. Eyerdam* 24 876 (UC, F, K).

Portulaca carrisoana (Exell & Mendonça Nyananyo, Taxon 35(3): 592. 1986. Basionym: *Sedopsis carrisoana*.

RUBIACEAE

Phylohydrax Puff, Pl. Syst. Evol. 154(3-4): 362. 1986. Typus: *P. carnosa*. [Perennial succulents superficially resembling mesembs.]

Phylohydrax carnosa (Hochst.) Puff, Pl. Syst. Evol. 154(3-4): 362. 1986. Basionym: *Diodia carnosa*. Neotypus: *Gerrard* 312 (BM, K, W).

Phylohydrax madagascariensis (Roem. & Schult.) Puff, Pl. Syst. Evol. 154(3-4): 363. 1986. Basionym: *Hydrophyllax madagascariensis*.

VITACEAE

Cyphostemma jiguu Verdcourt, Kew Bull. 41(4): 1016. 1986. Typus: *Verdcourt* 3627 (K, BR, EA). [Nom. nov. for *Cyphostemma pachypus* Verdcourt non Desc., a name erroneously included as legitimate in the previous issue of RPS.]

BIBLIOGRAPHIA

- [1] AARSEN, P. N. (1986). *Rebutia kozelskyi*[i] nomen nudum, mogelijk een kruising van *Rebutia senilis* ssp. *senilis*. *Succulenta* 65(12): 257-259, ill.
- [2] ABRAHAM, W. R. (1986). *Wigginsia turbinata* und einige Verwandte. *Internoto* 7(3): 86-89, ill.
- [3] ABRAHAM, W. R. (1986). Beobachtungen an den Standorten einiger bisher unbeschriebener Notokakteen. *Internoto* 7(4): 99-102, ill. [On the classification of *Notocactus buiningii* var. *idiotensis* Prestlé nom. nud.]
- ALBANESE, S. (1986): vide SAJEVA, M.
- [4] ANDERSON, E. F. (1986). A revision of the genus *Neolloydia* B. & R. (*Cactaceae*). *Bradleya* 4: 1-28, tabs., ill., SEM-ills., maps, key.
- [5] ANONYMUS (1983). Flora Yunnanica. Vol. 3. Beijing: Science Press. [*Asclepiadaceae: Ceropegia, Brachystelma, Hoya*: pp. 563-677, ill.]
- [6] ANTESBERGER, H. (1986). Zur Oberflächenkulptur einiger *Gymnocalycium*-Samen. Kakt. and. Sukk. 37(3): 50-51, SEM-ills.
- ARZBERGER, A. (1986): vide BRAUN, P. J.
- [7] AUGUSTIN, K. (1986). Die HS-Sulcorebutien und Weingarten. Auswertung der Feldaufzeichnungen. Kakt. and. Sukk. 37(1): 6-9, (3): 52-53, (8): 166-168, (11): 250-252, ill., maps. [Continued from vol. 36.]
- [8] AXMAN, J. et al. (eds.) (1986). Atlas kaktusů. Chrudim: Chrudimský kaktusář. 48 sheets, col. ill. [Intended to be published in several parts. Each sheet features a colour photograph and detailed description of a taxon.]
- [9] BAKER, M. A. & PARFITT, B. D. (1986). *Crassulaceae*. In: Löve, A. (ed.): Chromosome number reports XCI. *Taxon* 35(2): 405-406 [n = 17 is reported for *Dudleya attenuata*.]
- BAKER, M. A. (1986): vide PINKAVA, D. J.
- [10] BAÑARES BADET, A. (1986). Híbridos interspecíficos del género *Aeonium* Webb & Berth. (*Crassulaceae*) en las Islas Canarias. Novedades y datos corológicos. *Vieraea* 16: 57-71, ill.
- [11] BAYER, M. B. (1986). *Stapelia glanduliflora* Masson crossed with *Stapelia erectiflora* N. E. Brown. *Asklepios* 38: 19-22, ill.
- [12] BAYER, M. B. (1986). *Haworthia* — confusion reigns again. *Excelsa* 12: 91-92.
- [13] BECKER, U. (1986). *Gymnocalycium bruchii* (Speg.) Hoss. oder *Gymnocalycium lafaldense* F. Vaupel. Kakt. / Sukk. 21(1): 21-28, ill. [Issue erroneously numbered '1/2' on the cover.]
- [14] BERNHARD, U. & HOOCK, H. (1986). Die Astrophyten von Cuatro Cienagas. Kakt. and. Sukk. 37(7): 141-147, ill.
- [15] BEUKES, G. J. & VERHOEVEN, R. L. (1986). A new locality of *Portulacaria armiana* (*Portulacaceae*) in southern South West Africa: Namibia. *S. Afr. J. Bot.* 52(3): 266-267, ill.
- [16] BHATTACHARYYA, U. C. & SINGH, B. B. (1986). A note on the occurrence of *Rhodiola fastigiata* (*Crassulaceae*) in the Himalaya. *Bull. Bot. Surv. India* 26(3-4): 192-194, drawings [Volume for 1984, published 1986.]
- BRACK, S. (1986): vide HEIL, K. D.
- [17] BRANDT, F. H. (1985). Samenmorphologische Studie der Evolution der Gattung *Parodia*. Kakt. Orch.-Rundschau 10(4-5): 45-74, ill.
- [18] BRANDT, F. H. (1986). Genus *Weingartia*: Eine blütenmorphologische Studie: 1-3. Kakt. Orch.-Rundschau 11(2-3): 21-31, ill.
- [19] BRAUN, P. J. & ARZBERGER, A. (1986). Zur Kenntnis von *Pilosocereus juaruensis* (Buining et Brederoo ex Brederoo et Theunissen) P. J. Braun. Kakt. and. Sukk. 37(10): 197-203, ill., SEM-ills.
- [20] BRAUN, P. J. & ESTEVES P., E. (1986). Aantekeningen bij *Discocactus lindaianus* Diers et Esteves. *Succulenta* 65(6/7): 148-151, (9): 194-197, (12): 263, ill.
- [21] BRAVO-H., H. & SANCHEZ-MEJORADA, H. (1986). Notas sobre las Cactaceas de Mesoamerica. *Cact. Suc. Mex.* 31(1): 18-24, (2): 43-48, (3): 70-76, ill., keys. [Continued from vol. 31. These instalments cover *Disocactus*, *Wittia*, *Rhipsalis*, *Melocactus* and *Mammillaria*.]
- [22] BREDEROO, A. J. & DONALD, J. D. (1986). *Sulcorebutia vizcarrae* var. *lauji* Brederoo & Donald var. nov. *Succulenta* 65(3): 52-55, (4): 89-93, (5): 106-108, ill., SEM-ills. [Includes general information on the taxonomy of the genus.]
- [23] BREGMAN, R. et al. (1986). Het geslacht *Matucana* Br. & R. *Succulenta* 65(6/7): 123-126, (8): 165-169, (10): 220-221, (11): 243-246, ill., SEM-ills., map.
- [24] BRUYNS, P. V. (1986). A note on *Crassula rupestris* subsp. *marnieriana* (Huber & Jacobsen) Tölken. *Aloe* 23(1): 16-17, col. ill.
- [25] BRUYNS, P. V. (1986). A note on *Pleiospilos hilmari* L. Bol. *Aloe* 23(2): 30-31, col. ill.
- [26] BRUYNS, P. V. (1986). An interesting freak flower in *Stapeliopsis saxatilis* (N. E. Br.) Bruyns. *Aloe* 23(3): 48-49, ill.

- [27] BRUYNS, P. V. (1986). The genus *Ceropegia* on the Canary Islands (Asclepiadaceae — *Ceropegiae*). A morphological and taxonomic account. Beitr. Biol. Pfl. 60(3): 427-458, ills., distribution map. [Vol. for 1985, published May 1986.]
- [28] BRUYNS, P. V. (1986). Miscellaneous notes on *Ceropegiae* (Asclepiadaceae). Bradleya 4: 29-38, ills. [Covers *Rhytidocaulon paradoxum*, *Brachystelma discoideum*, the identity of *Caralluma tuberculata* and *Stultitia miscella*.]
- [29] BRUYNS, P. V. (1986). *Ceropegia's* van de Canarische eilanden. Succulenta 65(9): 177, 179-182, (11): 227-230, ills., key.
- [30] BURGESS, T. L. (1986). *Agave* adaptation to aridity. Desert Pl. 7(2): 39-50, ills. [Vol. for 1985. Contains information on clinal variation of several taxa.]
- BUSEK, J. (1986): vide RIHA, J.
- BUSKIRK, R. E. (1986): vide OTIS, G. W.
- [31] CARTER, S. et al. (1984). A collection of and notes on *Euphorbiaceae* from the Cape Verde Islands. Senckenbergiana Biol. 64(4-6): 429-451, 2 figs., keys.
- [32] CARTIER, A. (1986). *Gymnocalycium viereckii* et ses formes. Succulenten 1986(3): 13-16, ills.
- [33] CHAHINIAN, B. J. (1986). The *Sansevieria trifasciata* varieties. A presentation of all cultivated varieties. Reseda (USA): Trans Terra Publ. 110 pp., col. ills., drawings. [Probably published early in 1987 ?]
- [34] CHAZARO B., M. & MARQUEZ R., J. (1986). Cactaceas del centro de Veracruz y zona limitrofe de Puebla. Cact. Suc. Mex. 31(3): 58-67, ills. [Taxa from the genera *Melocactus*, *Opuntia*, *Selenicereus*, *Acanthocereus*, *Neobuxbaumia*, *Cephalocereus*, *Stenocereus*, *Nopalea*, *Mammillaria*, *Hylocereus*, *Pereskia*, *Epiphyllum*, *Nopalxochia* and *Aporocactus* are enumerated in this sequence.]
- [35] CHLOUPEK, O. (1986). Gedanken über den Identifikationswert von einzelnen morphologischen Merkmalen bei Parodien. Kakt. and. Sukk. 37(9): 194-196, ill.
- CLARK, W. D. (1986): vide KNOX, M. J.
- [36] COLE, D. T. (1986). *Lithops helmutii* — and Harry Hall. Cact. Succ. J. (US) 58(6): 259-262, 278, ills.
- [37] COLLENETTE, S. (1986). An illustrated guide to the flowers of Saudi Arabia. London: Scorpion Publishing Ltd. 514 pp., col. ills. Meteorology and Environmental Protection and Administration, Saudi Arabia, Flora Publication 1. [Photographs and short descriptions of Saudi Arabian plants, including succulents of the families *Aizoaceae*, *Aloeaceae*, *Asclepiadaceae*, *Crassulaceae* and *Euphorbiaceae*.]
- [38] CREMERS, G. & SELL, Y. (1986). Architecture végétative et structure inflorescentielle du genre *Kalanchoe* (Crassulaceae) à Madagascar. Bull. Mus. Nation. Hist. Nat., B, Adansonia 8(1): 63-76, ills., chromosome numbers.
- CRIEKINGE, L. van (1986): vide HEEK, W. van
- [39] DESHPANDE, S. & SHARMA B. D. (1986). A note on the topotypic collection of *Kalanchoe bhidei* Cooke (Crassulaceae) after eight decades. Bull. Bot. Surv. India 26(3-4): 238-239. [Volume for 1984, published 1986.]
- [40] DITTBERNER, H. (1986). Bemerkungen zu der Neuauflistung der Mammillarien durch Hunt. Inform.-Brief ZAG Mammillaria 1985: 13-19. [Issue for 1985, published 1986.]
- DONALD, J. D. (1986): vide BREDEROO, A. J.
- [41] DONKELAAR, R. van (1986). *Hoya* species IPPS 1331. Hoya Nieuwsbrief 4: 4-9, ills. [Includes information on *Hoya pubera* Blume.]
- [42] DONKELAAR, R. van (1986). *Dischidia formosana* Maxim. Hoya Nieuwsbrief 4: 12-15, ills.
- [43] DONKELAAR, R. van (1986). Smalbladige *Hoya's* uit India. Hoya Nieuwsbrief 4: 16-24, ills. [Includes information on *Hoya longifolia* and *H. shepherdii*.]
- [44] DOWNS, P. E. (1986). Some Succulents of Malawi. Brit. Cact. Succ. J. 4(3): 58-62, (4): 90-93, ills., map.
- [45] EBEL, F. (1986). Sukkulanten — Lebenskünstler im Pflanzenreich. Halle: Martin-Luther-Universität Halle-Wittenberg. 100 pp., ills. [Useful compilation, richly illustrated.]
- [46] EERKENS, G. (1986). Braziliaanse Melocactussen met een HU-nummer. Succulenta 65(3): 56-58, ills. [Terminated from vol. 64.]
- EGGLI, U. (1986): vide TAYLOR, N. P.
- EL-GADI, A. (1981): vide JAFRI, S. M. H.
- EL-GADI, A. (1986): vide HOSSAIN, A. B. M. E.
- [47] ELIASSON, U. (1986). *Weberocereus glaber* (Eichlam) Hunt. Kaktus (Odense) 21(2): 44, ill.
- [48] ELIZONDO E., M. & C. J. L. (1986). El genero *Melocactus* Link et Otto en Mexico y Centroamerica. Cact. Suc. Mex. 31(2): 27-32, (3): 51-57, ills., map, key.

- [49] ENGEL, T. (1986). A. V. Frič ist Autor der Gattung *Notocactus*. Internoto 7(2): 40-42. [*Notocactus schumannianus* (Nicolai) Frič is selected as lectotype of the genus.]
- ESTEVES P., E. (1986): vide BRAUN, P. J.
- [50] ETTELT, J. (1986). Die falsche *Mammillaria pseudoperbella*. Kakt. / Sukk. 20(3/4): 56-57, 88 (ills.). [Volume for 1985, published 1986.]
- [51] EWALD, E. (1986). *Selenicereus wittii* (K. Schumann) Rowley. Epiphytes 10(39): 76-77, 1 col. phot. [Included on account of the illustration.]
- FAIRBROTHERS, D. E. (1986): vide WALLACE, R. S.
- [52] FIEDLER, M. (1986). Was ist *Mammillaria estanzuelensis*? Frankfurter Kakt.-Freund 1986(2): 32-33.
- [53] FORSTER, P. I. & LIDDLE, D. J. (1986). *Hoya* in Australia. Fortitude Valley (Australia): Queensland Succulent Society. 39 pp., drawings, maps. [Includes descriptions and illustrations of the taxa of *Hoya* and *Dischidia* native to Australia.]
- [54] FORSTER, P. I. (1986). Notes on native *Crassula* (*Crassulaceae*) in south-eastern Queensland. Anacampseros 2(3-4): 43-44, ill.
- [55] FORSTER, P. I. (1986). Cultivation of *Bryostelma* (*Asclepiadaceae*). Anacampseros 2(3-4): 62-65, ills. [Included on account of information on and photographs of the Australian *B. microstemma*.]
- [56] FORSTER, P. I. (1986). Some succulents from the Moonie Highway, southern Queensland. Anacampseros 3(1): 12-15, ills., SEM-ills. [Includes notes on *Calandrinia* species incl. seed illustrations.]
- [57] FORSTER, P. I. (1986). An overlooked synonym in *Sarcozona* (*Aizoaceae*). Austral. Syst. Bot. Soc. Newslett. no. 47: 10-11.
- [58] FORSTER, P. I. (1986). Notes on African Plants: *Asclepiadaceae*. The nomenclature of several *Brachystelma* species from southern Africa. Bothalia 16(2): 227-228, ills.
- [59] FORSTER, P. I. (1986). Notes on *Peperomia* Ruiz & Pavon (*Peperomiaceae*), occasional epiphytes from Australia. Epiphytes 10(39): 84-88, 1 col. phot.
- [60] FORSTER, P. I. (1986). Research on *Mammillaria* and allied genera (2). Recent literature on *Mammillaria* and allied genera (3). J. Mammillaria Soc. 26(4): 35-38, (6): 55-58. [Bibliography of recent literature on the genus. Part 1 appear in l.c. 25(4): 52-56.]
- [61] FRANDSEN, R. (1986). *Neohenricia sibbettii* (L. Bolus) L. Bolus. Aloe 23(3): 60, ills.
- [62] FRANK, G. R. W. (1986). Die Echinocereen von Baja California. Kakt. and. Sukk. 37(5): 90-98, (6): 122-125, (7): 130-134, ills., SEM-ills.
- [63] FREEMAN, C. E. & REID, W. H. (1986). Aspects of the reproductive biology of *Agave lechuguilla* Torr. Desert Pl. 7(2): 75-80, ills. [Vol. for 1985.]
- [64] FRITZ, G. (1986). Was ist *Turbinicarpus* spec. "Rio III"? Kakt. and. Sukk. 37(3): 60-61, ills. [See also note in l.c. (8): 165 on possible origin of the plant in question.]
- [65] FRITZ, G. (1986). Einige Worte zu *Turbinicarpus laui* Glass & Foster. Kakt. and. Sukk. 37(4): 83-84, ills., (10): 207 [erratum].
- [66] FRITZ, G. (1986). Einige Bemerkungen zu *Turbinicarpus lophophoroides* (Werdermann) F. Buxbaum & Backeberg. Kakt. and. Sukk. 37(10): 204-207, ills.
- [67] FRÜCHT, F.-P. (1986). Die Blütenfarbstoffe von *Rebutia violaciflora*. Inform.-Brief ZAG Echinopseen 8: 12-17, diags.
- [68] FU, K.-T. (1986). New taxa of *Sedum* from Hengduanshan in China [in Chinese]. Acta Bot. Bor. Occid. Sin. 6(2): 105-110, ills.
- [69] FUNAMOTO, T. & YUASA, H. (1986). Cytogeography of *Sedum verticillatum* L. in Japan. J. Phytogeogr. Taxon. 34(1): 36-39, ills., map., chromosome numbers.
- [70] GEORGE, A. S. (ed.) (1986). Flora of Australia: vol. 46. *Iridaceae to Dioscoreaceae*. Canberra: Australian Government Publishing Service. xii + 247 pp., ills., maps, keys. [Covers *Aloe* (by P. I. Forster & H. T. Clifford), and *Agave*, *Dra- caena*, *Sansevieria* (all by P. I. Forster).]
- [71] GERLOFF, B. (1986). *Notocactus ottonis* (Lehm.) var. *schuldtii* Kreuzinger. Internoto 7(2): 48-55, ills.
- [72] GERTEL, W. (1986). Ein rätselhafter Kaktus: *Sulcorebutia caracarensis* (Cardenas) Donald. Kakt. and. Sukk. 37(1): 18-20, ills.
- [73] GERTEL, W. (1986). Eine Perle aus Bolivien — *Sulcorebutia vasqueziana* Rausch. Kakt. and. Sukk. 37(9): 186-188, ills.
- [74] GIBSON, A. C. et al. (1986). The ever-changing landscape of cactus systematics. Ann. Missouri Bot. Gard. 73: 532-555, 25 figs.
- [75] GIBSON, A. C. & NOBEL, P. S. (1986). The cactus primer. Cambridge (USA) / London (GB): Harvard University Press. 286 pp., ills., diags.
- [76] GLÄTZLE, W. & PRESTLE K. H. (1986). Seed-morphology of the genus *Notocactus*. Bradleya 4: 79-96, SEM-ills., map.

- [77] GLEN, H. F. (1986). Numerical taxonomic studies in the subtribe *Ruschiinae* (*Mesembryanthemaceae*): *Astridia*, *Acrodon* and *Ebracteola*. Bothalia 16(2): 203-226, ills., chromosome nos., key.
- [78] GLEN, H. F. & HARDY, D. S. (1986). *Aloe schelpe*. *Aloe thornicroftii*. Flow. Pl. Afr. 49(1-2): pl. 1935, pl. 1936.
- [79] GLEN, H. F. (1986). *Ruschia quarzitica*. Flow. Pl. Afr. 49(1-2): pl. 1937.
- [80] GROEN, L. E. (1986). *Astroloba* Uitew. Succulenta 65(1): 19-23, ill.
- [81] GRÖNER, G. (1986). Zum Stand der *Echino-nopsis*-Hybriden-Züchtung. Kakt. and. Sukk. 37(8): 150-157, ills.
- GRÖNER, G. (1986): vide KRAHN, W.
- [82] GROENEWALD, E. G. et al. (1986). The possible use of phenolic acids in the chemotaxonomy of the genus *Sarcocaulon*. South Afr. J. Bot. 52(2): 187-188, 1 fig.
- [83] HALLIDAY, P. (1986). The genus *Kleinia* (*Compositae*) in North Africa and the Canary Islands. Kew Bull. 41(2): 279-285, 2 figs.
- [84] HAMMER, S. (1986). *Ophthalmophyllum subfenestratum* — a *Conophytum* conundrum. Aloe 23(2): 39-42, col. ills.
- [85] HAMMER, S. (1986). Notes on *Conophytum pellucidum*. Aloe 23(3): 56-58, col. ills.
- [86] HAMMER, S. (1986). *Conophytum hallii* and its cohorts. Cact. Succ. J. (US) 58(6): 256-258, ills.
- [87] HARDY, D. S. (1986). *Aloe helenae*. Flow. Pl. Afr. 49(1-2): pl. 1934.
- HARDY, D. S. (1986): vide GLEN, H. F.
- [88] HARGREAVES, B. J. (1986). Pig's ears and pencils — *Cotyledon orbiculata* in Lesotho. Excelsa 12: 77-82, map, drawings [On the variability of leaf characters.]
- [89] HARP, C. (1986). *Huernia lodarensis*, Arabian Ceropagias, cultivation and other matters. Asklepios 37: 97-101, ills.
- [90] HARTMANN, H. E. K. & LIEDE, S. (1986). Die Gattung *Pleiospilos* s. lat. (*Mesembryanthemaceae*). Bot. Jahrb. Syst. 106(4): 433-485, ills.
- [91] HARTMANN, H. E. K. (1986). Notes on the genus *Cephalophyllum*. Chromosome numbers in the genus *Cephalophyllum* N. E. Br. (*Mesembryanthemaceae*). Cact. Succ. J. (US) 58(6): 263-266, ills.
- [92] HEEK, W. van & CRIEKINGE, L. van (1986). *Micranthocereus streckeri* van Heek & van Crielinge. Kakt. and. Sukk. 37(5): 102-105, ills. [Contains col. photographs of 7 taxa of the genus in flower.]
- [93] HEIL, K. D. & BRACK, S. (1986). The cacti of White Sands National Monument. Cact. Succ. J. (US) 58(2): 67-69, 80-81, ills., keys.
- [94] HEIL, K. D. & BRACK, S. (1986). The cacti of Guadalupe Mountains National Park. Cact. Succ. J. (US) 58(4): 165-177, ills., keys.
- [95] HEINE, R. (1986). *Lithops* — lebende Steine. Leipzig (DDR) / Melsungen (D): Neumann Verlag. 176 pp., col. ills., drawings. [Included on account of the illustrations.]
- [96] HERM, K. (1986). Ist *Notocactus rubriflorus* Kolischer ein Synonym von *Notocactus herteri* Werdermann? Internoto 7(2): 58-63, ills.
- [97] HEYER, W. (1986). Die Formenvielfalt der *Lophophora williamsii*. Kakt. and. Sukk. 37(2): 25-27, ills. [Illustrating the variability of the taxon.]
- [98] HOFMANN, B. (1986). *Mammillaria lanata* (Br. & R.) Orc. und *M. albilanata* Backebg. Inform.-Brief ZAG Mammillaria 1985: 19-25, ills. [Issue for 1985, published 1986.]
- [99] HOFMANN, B. (ed.) (1986). Die *Mammillaria*. Übersicht über die Arten, Varietäten und Synonyme der Mammillarien und verwandter Gattungen. Potsdam (DDR): Zentrale Arbeitsgemeinschaft Mammillarien beim Kulturbund der DDR. Lieferung (Part) 1, 34 pp., 16 col. photos. [Part 1 of a planned series on the genus *Mammillaria* with descriptions and illustrations.]
- HOOCK, H. (1986): vide BERNHARD, U.
- [100] HORICH, C. K. (1986). Zur Heimat von *Hylocereus guatemalensis* (Eichlam) Britton & Rose. Kakt. and. Sukk. 37(2): 42-43, ills. [Author not indicated and deduced by inference.]
- [101] HORICH, C. K. (1986). In der Heimat von *Cryptocereus anthonyanus* Alexander. Kakt. and. Sukk. 37(3): 65-67, ills.
- [102] HORICH, C. K. (1986). Guatamas dornigster Kaktus: *Nyctocereus guatemalensis* Britton & Rose. Kakt. and. Sukk. 37(8): 160-161, ills.
- [103] HORICH, C. K. (1986). Auf der Spur von *Disocactus nelsonii* (Britton & Rose) Lindinger. Kakt. and. Sukk. 37(11): 229-231, ills., map.
- [104] HOSSAIN, A. B. M. E. & EL-GADI, A. (1986). 121. *Agavaceae*. In: Jafri, S. M. H. & El-Gadi, A. (eds.): Flora of Libya: 121-123. Tripoli: Department of Botany, Al Faateh University. 19 pp., ills. [Genera covered: *Agave*, *Dracaena*, *Polianthes*, *Sansevieria*, *Yucca*.]

- [105] HOYOS F., J. (1985). Flora de la Isla Margarita, Venezuela. Caracas: Sociedad y Fundacion La Salle de Ciencias Naturales. Monografia No. 34. 927 pp. [Includes data on Agavaceae, Aizooceae and Cactaceae.]
- [106] HUGHES, P. (1986). Hot potatoes. Asklepios 38: 2-7, drawings. [Information on *Bryostelma circinatum*, *B. foetidum* and *B. stenophyllum*.]
- [107] HUNT, D. R. (1986). A new review of *Mammillaria* names. Bradleya 4: 39-64, ills. [Continued from vol. 3, concluded in vol. 5.]
- [108] HUNT, D. R. (1986). Report of study session, 30 March 1985, and notes on Lau & Reppenhagen Mammillarias. J. Mammillaria Soc. 26(1): 1-4.
- [109] HUNT, D. R. & TAYLOR, N. P. (eds.) (1986). The genera of the *Cactaceae*: Towards a new consensus. Preliminary findings of an *ad hoc* Working Party under the auspices of the IOS. Bradleya 4: 65-78. [Contains a "Consensus" list of accepted genera of the family.]
- [110] IWASHINA, T. & OOTANI, S. (1986). Distribution of flavonol glycosides and their sugar-free forms in subfamily *Cereoideae* [= *Cactoideae*]. Ann. Tsukuba Bot. Gard. 4: 25-42.
- [111] JAARSVELD, E. van (1986). The genus *Tylecodon* Tölken with specific reference to *Tylecodon hallii*. Cact. Succ. J. (US) 58(3): 104-108, ills., map, comparison table.
- [112] JAFRI, S. M. H. & EL-GADI, A. (1981). 87. *Crassulaceae*. In: Jafri, S. M. H. & El-Gadi, A. (eds.): Flora of Libya: 87. Tripoli: Department of Botany, Al Faateh University. 28 pp., ills., map, keys. [Genera covered: *Crassula*, *Sedum*, *Umbilicus*.]
- [113] JEFFREY, C. (1986). The *Senecioneae* in East Tropical Africa. Notes on *Compositae*: IV. Kew Bull. 41(4): 873-943, ills., keys. [Contains a list of the "Generic allocation of the cultivated succulent senecionoid *Compositae*" (pp. 933-936).]
- [114] JOHN, V. (1986). *Coryphantha scheeri* (Mühlenpfordt) Lemaire. Kaktusy 22(2): 34-37, ills.
- [115] JOHN, V. (1986). *Turbinicarpus schmiedickeanus* a přibuzné taxonomy. Kaktusy 22(4): 75-80, ills.
- [116] JORGE BLANCO, M. S. (1986). Estudio comparativo de los grannos de almidón de los especies canarias del género *Euphorbia*. Bot. Macaron. 12-13: 71-86, ill., map. [Vol. for 1984, published 1986.]
- [117] KELLEY, W. A. & SWANSON, J. R. (1986). A new section and subspecies of *Calandrinia* (*Portulacaceae*). Phytologia 60(3): 171-179, ills., map.
- [118] KIMBERLEY, M. J. (1986). A checklist of Zimbabwean Stapeliads. Excelsa 12: 59-70, ills.
- [119] KIMNACH, M. & MORAN, R. (1986). *Graptopetalum paraguayense*: A history and a new subspecies. Cact. Succ. J. (US) 58(2): 48-56, ills.
- [120] KNOX, M. J. & CLARK, W. D. (1986). Population variation in β-phenetylamines from *Mammillaria microcarpa*. Biochem. Syst. Ecol. 14: 25-27.
- [121] KÖLLNER, G. (1986). Mikroskopische Studien an Samen ausgewählter Gattungen der Echinopseen, Teil II. Inform.-Brief ZAG Echinopseen 9: 7-15, ills. [Part I published l.c. 7: 1-7.]
- [122] KOLARIK, J. & LISAL, K. (1985). *Noto-cactus buiningii* Buxbaum. Minimus 16(4): 61-67, ills.
- [123] KOLLER, A. L. & ROST, T. L. (1986). The microscopic anatomy of *Sansevieria* leaves. Cact. Succ. J. (US) 58(1): 30-33, ills.
- [124] KOPECKÝ, V. (1986). Knollovy nálezy z Gran Chaca. Kaktusy 22(2): 30-34, ills. [The variability of *Gymnocalycium mihanovichii* as occurring in the Chaco is illustrated based on collections by Knoll.]
- [125] KRÄHENBÜHL, F. (1986). *Mammillaria woodsii*, *hahniana*, *bravoae*, ... ein Formenschwarm aus Mittelmexiko ?? Kakt. and. Sukk. 37(10): 220-224, ills.
- [126] KRAHN, W. & GRÖNER, G. (1986). *Browningia pilleifera* (Ritter) Hutchison - ein interessanter Kandelaberkaktus aus Nordperu. Kakt. and. Sukk. 37(4): 72-73, ills.
- [127] KULL, U. (1986). Artbildung durch geographische Isolation bei Pflanzen - Die Gattung *Aeonium* auf Teneriffa. Gärtn.-Bot. Brief 88: 9-17, ills.
- LABANI, R. M. (1983): vide SIDDIQI, M. A.
- [128] LAMBERT, J. (1986). Het geslacht *Pterocactus*. Succulenta 65(11): 235-239, (12): 260-263, ills.
- [129] LAMBERT, J. (1986). Argentijnse vertegenwoordigers van het geslacht *Maihueniopsis*. Succulenta 65(6/7): 126-129, (8): 171-172, (9): 184-186, ills.
- [130] LARSEN, F. (1986). *Tephrocactus*. Kaktus (Odense) 21(1): 3-10, ills.
- [131] LAUSSER, A. (1986). Ein *Thelocactus* aus dem Norden von Coahuila mit der Blüte eines *Echinofossulocactus*. Kakt. and. Sukk. 37(6): 126-127, ills. [The taxon has been described in the same year as *T. lausseri* Riha & Busek.]
- [132] LAVRANOS, J. (1986). *Whitesloanea crassa* (N. E. Br.) Chiov. Aloe 23(1): 11, col. ill. [Included on account of the illustration.]

- [133] LEACH, L. C. (1986). The identity of *Huernia concinna* N. E. Br. and two new species from the Somali Republic. *Excelsa* 12: 93-98, illus.
- [134] LEACH, L. C. (1986). *Euphorbia filiflora*. *Euphorbia halipedicola*. *Flow. Pl. Afr.* 49(1-2): pl. 1927, pl. 1928.
- [135] LEACH, L. C. (1986). *Euphorbia candelabrum* Welw. and related matters. *Taxon* 35(4): 711-714.
- [136] LEACH, L. C. (1986). To "lump" or not to "lump". *Veld & Flora* 72(4): 123. [On *Huernia* taxonomy.]
- LEISTNER, O. A. (1986): vide TÖLKEN, H. R.
- [137] LEUENBERGER, B. E. (1986). Nomenklatorisches zu *Notocactus*. *Internoto* 7(2): 42-47. [On the author citation for *Notocactus*.]
- [138] LEUENBERGER, B. E. (1986). *Pereskia* (*Cactaceae*). *Mem. New York Bot. Gard.* Vol. 41. 141 pp., 49 figs., keys, maps.
- LIDDLE, D. J. (1986): vide FORSTER, P. I.
- LIEDE, S. (1986): vide HARTMANN, H. E. K.
- [139] LINZEN, T. (1986). Ehrenberg und seine "Vierzig Mammillarien aus Mexico". *Inform.-Brief ZAG Mammillaria* 1985: 9-12. [Issue for 1985, published 1986.]
- [140] LINZEN, T. (1986). *Mammillaria humboldtii* Ehrenberg. *Inform.-Brief ZAG Mammillaria* 1985: 31-33 [Issue for 1985, published 1986.]
- [141] LINZEN, T. (1986). Aussenseiter der Gattung *Mammillaria*: Die Untergattung *Cochemia*. *Kakt. / Sukk.* 21(1): 3-6, 16-18 (ills.). [Issue erroneously numbered '1/2' on the cover.]
- [142] LINZEN, T. (1986). Aussenseiter der Gattung *Mammillaria*. Die Untergattung *Dolichothele*. *Kakt. / Sukk.* 21(2/3): 47-53, 57/58 (ills.). [Issue erroneously numbered '3/4' on the cover.]
- [143] LINZEN, T. (1986). Neues aus alter Literatur. *Kakt. and. Sukk.* 37(9): 185 [Bibliographical note on the original description of *Echinocactus grusonii*.]
- [144] LINZEN, T. (1986). Die Untergattung *Dolichothele* der Gattung *Mammillaria*. *Mitteilungsbl. AfM* 10(1): 5-9, (2): 38-43, illus. [Continued from vol. 9.]
- LISAL, K. (1985): vide KOLARIK, J.
- [145] LISAL, K. (1986). Cesta A. V. Friče do Paraguaye 1927. *Minimus* 17(2): 27-32, 1 map. [Volume erroneously numbered as 18. Contains data on Frič's itinerary.]
- [146] LOBIN, W. (1986). The family *Asclepiadaceae* on the Cape Verde Islands, West Africa. *Asklepios* 37: 73-79, map, illus. [Includes data on *Sarcostemma daltonii* Decaisne.]
- [147] LUX, A. & STANIK, R. (1986). Mexické echinomastusy. *Kaktusy Sukulenty* 7(1): 3-6, (2): 28-30, illus.
- [148] MAJOVSKY, J. & UHRIKOVA, A. (1986). *Sedum telephium* aggr. in der Slowakei. *Acta Fac. Rer. Nat. Univ. Comenianae, Bot.* 25: 25-38, illus.
- MARQUEZ R., J. (1986): vide CHAZARO B., M.
- [149] MARX, G. (1986). *Euphorbia symmetrica* White, Dyer & Sloane. *Aloe* 23(2): 25, 27, col. ill.
- MATTOS-FILHO, A. de (1986): vide RIZZINI, C. T.
- [150] MEIER, E. (1986). *Selenicereus macdonaldiae* (Hooker) Britton & Rose. *Kakt. and. Sukk.* 37(10): 225-228, illus.
- [151] MEREGALLI, M. (1986). Rapporto preliminare sui *Gymnocalycium* appartenenti al gruppo *Mazanense* Backeberg. Preliminary report on the *Gymnocalycium* of the group *Mazanense* Backeberg. *Piante Grasse* 6(2): 51-56, (3): 80-88, map, illus. [Includes an English translation of the whole contribution. Continued in vol. 7.]
- [152] MEYRAN, J. (1986). Flor terminal en *Aporocactus conzatii*. *Cact. Suc. Mex.* 31(3): 67-69, illus.
- [153] MICHAEL, W. (1986). Einige ergänzende Bemerkungen zur Arealgeographie der Gattung *Weingartia*. *Inform.-Brief ZAG Echinopseen* 9: 15-19, map. [Includes identification of H. Swoboda-field numbers.]
- MORAN, R. (1986): vide KIMNACH, M.
- [154] MOTTRAM, R. (1986). *Cleistocactus fossulatus* — validation of the name. *Chileans* 13(43): 29-33.
- [155] NAKAI, K. M. (1986). A re-evaluation of *Dudleya alainae* Reiser (*Crassulaceae*). *Cact. Succ. J. (US)* 58(3): 111-115, illus.
- [156] NEDUCHAL, J. (1986). Brasiliparodien — ein Versuch zum Thema "Überblick". *Internoto* 7(3): 73-82, illus.
- [157] NEUTELINGS, T. M. W. (1986). *Mammillaria* series *Megastigmatae* *Neutelings* ser. nov. *Succulenta* 65(1): 3-7, (5): 118-120, illus. [A number of new combinations were invalidly published l.c. 3-5 (Art. 33.2) and valid publication was only achieved in l.c. 118-120.]
- [158] NEUTELINGS, T. M. W. (1986). *Mammillaria*-reeksen nader bekeken — *Ancistracanthae*. *Succulenta* 65(3): 50-51, (12): 255-257, illus., map. [Continued in vol. 66.]
- NICHOLLS, E. (1986): vide REYNOLDS, T.
- [159] NILSSON, M. (1986). *Pygmaeocereus*. *Kaktus (Odense)* 21(1): 15-19, illus.
- NOBEL, P. S. (1986): vide GIBSON, A. C.

- [160] NYANANYO, B. L. (1986). A survey of leaf flavonoids in the *Portulacaceae*. Biochem. Syst. Ecol. 14(6): 633-635, chromosome numbers.
- [161] NYANANYO, B. L. (1986). Taxonomic significance of stomatal complex in the *Portulacaceae*. Feddes Repert. 97(11-12): 763-766, illus.
- [162] NYANANYO, B. L. & OLOWOKUDEJO, J. D. (1986). The taxonomic position of *Ceraria* Pears. & Steph., *Portulacaria* Jacq. and *Silvaea* Phil. Feddes Repert. 97(11-12): 775-777.
- [163] NYANANYO, B. L. (1986). *Portulacaceae*. In: Löve, A. (ed.): Chromosome number reports XCIII. Taxon 35(4): 902-903 [Chromosome numbers for taxa of *Anacampseros* and *Calandrinia*.]
- [164] OESER, R. (1986). Enige opmerkingen bij de beschrijving van twee nieuwe *Sulcorebutia*'s. Succulenta 65(4): 93-95. [Concerning *S. unguis-pina* Rausch and *S. cochabambina* Rausch.]
- [165] OHBA, H. (1986). *Sedum subtile* Miq. from Tonkin, the first record of *Sedum* from the area covered by Lecomte's Flore de l'Indo-Chine. J. Jap. Bot. 61(8): 225-228, illus., map.
- [166] OHBA, H. (1986). Taxonomy of *Sedum obtusipetalum* Franch. and its allied species. J. Jap. Bot. 61(9): 270-275, illus., key.
- [167] OHBA, H. et al. (1986). The natural hybrid between *Rhodiola amabilis* (H. Ohba) H. Ohba and *R. wallichiana* (Hook.) Fu. Acta Phytotax. Geobot. 37(4-6): 123-127, illus.
- OLOWOKUDEJO, J. D. (1986): vide NYANANYO, B. L.
- OOTANI, S. (1986): vide IWASHINA, T.
- [168] OTIS, G. W. & BUSKIRK, R. E. (1986). Annual growth bands in a tropical dry forest cactus, *Lemaireocereus aragonii*. Cact. Succ. J. (US) 58(1): 25-29, illus., 127 (errata).
- PARFITT, B. D. (1986): vide BAKER, M. A.
- [169] PICKOFF, L. (1986). *Jatropha podagraria*. Cact. Succ. J. (US) 58(3): 117-118, illus. [Included on account of the illustrations.]
- [170] PIÑA LUJAN, I. (1986). Consideraciones sobre el genero *Manfreda*. Cact. Suc. Mex. 31(1): 12-18, (2):34-35, illus., maps. [Continued from vol. 30.]
- [171] PINKAVA, D. J. & BAKER, M. A. (1986). Chromosome and hybridization studies of Agaves. Desert Pl. 7(2): 93-100, illus. [Vol. for 1985.]
- [172] PLOWES, D. C. (1986). *Lavrania*, a new Stapeliad genus from South West Africa. Cact. Succ. J. (US) 58(3): 119-123, illus.
- [173] PORTER, D. M. (1986). Charles Darwin's vascular plant specimens from the voyage of HMS Beagle. Bot. J. Linn. Soc. 93(1): 1-172. [Cactaceae: *Tephrocactus* p. 84, *Aizoaceae* p. 44, *Crassulaceae*: *Crassula* (*Tillaea*) p. 94.]
- PRESTLE K. H. (1986): vide GLÄTZLE, W.
- [174] PRESTLE, K. H. (1986). *Notocactus spinibarbis* Ritter. Internoto 7(1): 20-22, illus.
- [175] PRESTLE, K. H. (1986). *Notocactus succineus* Ritter. Internoto 7(4): 122-124, ill.
- [176] PUFF, C. (1986). *Phylohydrax* (*Rubiaceae* — *Spermacoceae*) — A new genus to accommodate the African and Madagascan "Hydrophylax" species. Pl. Syst. Evol. 154(3-4): 343-366, illus. [Perennial succulents resembling mesembs in appearance.]
- [177] RAUSCH, W. (1986). *Gymnocalycium alboareolatum*. Rectificatie van de nieuwbeschrijving. Succulenta 65(11): 241.
- REID, W. H. (1986): vide FREEMAN, C. E.
- [178] REYNOLDS, T. (1986). A contribution to the phytochemistry of the East African tetraploid shrubby aloes and their diploid allies. Bot. J. Linn. Soc. 92(4): 383-392, map.
- [179] REYNOLDS, T. & NICHOLLS, E. (1986). An examination of phytochemical variation in *Aloe elgonica* Bullock. Bot. J. Linn. Soc. 92(4): 393-397, illus., chromosome nos.
- [180] RIHA, J. & BUSEK, J. (1986). *Astrophytum capricorne* var. *niveum* a var. *crassispinum*. Kaktusy 22(5): 99-103, illus.
- [181] RIZZINI, C. T. & MATTOS-FILHO, A. de (1986). New species of the *Cactaceae* from Minas Gerais, Brazil. Rev. Brasil Biol. 46(2): 323-328, illus.
- [182] ROGOZINSKI, H. (1986). *Mammillaria microthele* Mühlenpfordt. Ein interessanter Fund im Staate San Luis Potosi. Kakt. and. Sukk. 37(12): 258-260, illus.
- [183] ROGOZINSKI, H. (1986). Ein vorläufiger Beitrag zum Themenkreis um *Mammillaria gasseiana* Bödeker. Mitteilungsbl. AfM 10(1): 16-24, (2): 60-66, (3): 77-85, (4): 110-115, (5): 148-156, illus., map. [Continued in vol. 11.]
- ROST, T. L. (1986): vide KOLLER, A. L.
- [184] ROWLEY, G. D. (1986). Stoye postcards and the Haage connection. Excelsa 12: 23-47, illus. [A sequential listing and alphabetical index by plant names is provided to the "Stoye postcards". Includes a number of new names.]
- [185] SAJEDA, M. & ALBANESE, S. (1986). Note sulla *Caralluma europaea* N. E. Br. Piante Grasse 6(4): 99-104, map, illus.

- [186] SAJEEVA, M. et al. (1986). Modelli architettonici nelle specie succulente di *Euphorbia* L. *Piante Grasse* 6(4): 116-123, ill.
- SANCHEZ-MEJORADA, H. (1986): vide BRAVO-H., H.
- [187] SAUER, N. (1986). *Ophthalmophyllum praesectum*. *Aloe* 23(1): 14, col. ill.
- [188] SAUER, N. (1986). *Ophthalmophyllum noctiflorum*. *Aloe* 23(3): 54, ill., (4): 78 [erratum].
- [189] SCHEINVAR, L. (1986). Flora ilustrada Catarinense: Cactáceas. Itajaí: Herbario "Barbosa Rodrigues". 383 pp., ill., maps, SEM-ills. [Dated Dec. 20, 1985, but not distributed before 1986.]
- [190] SCHLOSSER, H. S. (1986). *Frailea asteroidea* Werdermann. *Kakt. and. Sukk.* 37(8): 158-159, ill.
- [191] SCHÜTZ, B. (1986). Monografie rodu *Gymnocalycium*. Brno (CSSR): Vydal Klub Kaktusaru Astrophytum Brno. 150 pp., ill., 1 pp. of errata.
- [192] SEDIVY, V. (1986). *Echinomastus warnockii* (L. Benson) Glass et Foster. *Kaktusy* 22(1): 10-12, ill. [A discussion of its variability.]
- SELL, Y. (1986): vide CREMERS, G.
- [193] SEMJONOW, D. W. (1986). Arten der Gattung *Zygophyllum* in der Mongolischen VR. *Kakt. / Sukk.* 20(1/2): 33-34, 21 (ills.). [Included on account of the illustrations. Volume for 1985, published 1986.]
- SHARMA B. D. (1986): vide DESHPANDE, S.
- [194] SIDDIQI, M. A. & LABANI, R. M. (1983). 104. *Cactaceae*. In: Jafri, S. M. H. & El-Gadi, A. (eds.): *Flora of Libya*: 101-106. Tripoli: Department of Botany, Al Faateh University. 7 pp., ill., key.
- SINGH, B. B. (1986): vide BHATTACHARYYA, U. C.
- [195] SLABA, R. (1986). *Mammillaria pectinifera* (Stein) Web. - čarokrásný šperk z rostlinné pokladnice mexického státu. *Kaktusy* 22(1): 5-9, ill.
- [196] SLABA, R. (1986). *Wigginsia horstii* Ritter. *Kaktusy* 22(2): 27-30, ill.
- STANIK, R. (1986): vide LUX, A.
- [197] STANLEY, R. E. (1986). Some notes on *M[ammillaria]* sp. n. San Lorenzo Apan. *J. Mammillaria Soc.* 26(5): 51.
- [198] STEVENSON, R. (1986). A guide to the identification of *Aeonium* species. *Brit. Cact. Succ. J.* 4(3): 66-69, ill., tab., key.
- [199] STUCHLIK, S. (1985). *Notocactus villa-velhensis* aneb poznámky k jedné rekombinaci. *Minimus* 16(2): 36-39, 1 ill.
- [200] STUCHLIK, S. (1986). Studium der Samen der Gattung *Wigginsia* D. M. Porter. *Internoto* 7(1): 23-27, SEM-ills.
- [201] STUCHLIK, S. (1986). *Notocactus veenianus* van Vliet - jasná rostlina? *Kaktusy* 22(3): 57-60, ill.
- SWANSON, J. R. (1986): vide KELLEY, W. A.
- [202] TAYLOR, N. P. (1986). The identification of Escobarias (*Cactaceae*). *Brit. Cact. Succ. J.* 4(2): 36-44, ill., key.
- [203] TAYLOR, N. P. & EGGLI, U. (1986). The lectotype of *Delosperma* N. E. Brown (*Aizoaceae*). *Taxon* 35(4): 709-711.
- [204] THEUNISSEN, J. (1986). *Notocactus tenuicylindricus* eine eigene Art? *Kaktus* (Hanau) 1986(2): 53-54, ill.
- [205] TÖLKEN, H. R. & LEISTNER, O. A. (1986). *Bryophyllum delagoense*. *Flow. Pl. Afr.* 49(1-2): pl. 1938. [*B. tubiflorum*!]
- UHRICOVA, A. (1986): vide MAJOVSKY, J.
- [206] UNGER, G. (1986). *Ferocactus piliferus* (Lemaire ex Ehrenberg) Unger. *Kakt. and. Sukk.* 37(2): 44-46, ill.
- [207] UNGER, G. (1986). Das Problem mit *Coryphantha delaetiana* (Quehl) Berger und *Coryphantha salm-dyckiana* (Scheer ex Salm-Dyck) Britton & Rose. *Kakt. and. Sukk.* 37(5): 85-88, ill.
- VERHOEVEN, R. L. (1986): vide BEUKES, G. J.
- [208] VLIET, D. J. van (1986). De Notocactussen van de Aparados da Serra. *Succulenta* 65(4): 83-87, ill., map.
- [209] VOLGIN, S. A. (1986). Taxonomic revision of the subtribe *Rhipsalinae* Britt. et Rose emend. F. Buxb. (*Cactaceae* — *Cereoideae*). *Feddes Repert.* 97(9-10): 553-564, pl. 43, ill.
- [210] WAGENAAR-HUMMELINCK, P. (1986). Agavenproblemen op de Bovenwindse Eilanden der Kleine Antillen. *Succulenta* 65(6/7): 138-142, (8): 161-164, (10): 215-219, ill., map.
- [211] WALLACE, R. S. & FAIRBROTHERS, D. E. (1986). Isoelectrically focussed seed proteins of populations of *Opuntia humifusa* (Raf.) Raf. (*Cactaceae*). *Biochem. Syst. Ecol.* 14(4): 365-369, maps.
- [212] WALLACE, R. S. (1986). Biochemical taxonomy and the *Cactaceae*: An introduction and review. *Cact. Succ. J. (US)* 58(1): 35-38.

- [213] WALTERS, S. M. et al. (eds.) (1986). The European garden flora: A manual for the identification of plants cultivated in Europe. Vol. 1: *Pteridophyta, Gymnospermae, Angiospermae*: Monocotyledons (Part 1). Cambridge etc.: Cambridge University Press. xv + 430 pp., ills., keys. [Contains *Agavaceae*, *Aloeaceae*, *Dracaenaceae*, *Liliaceae*.]
- [214] WEBER, R. (1986). Der *Rebutia fiebrigii* (Gürke) Br. & R. -Formenkreis. Inform.-Brief ZAG Echinopseen 8: 1-10, 9: 1-7, ills. [To be continued in next issue.]
- [215] WIJNANDS, D. O. (1986). De correcte citeering van *Aloe vera* en *Aloe succotrina*. Succulenta 65(3): 69-71, ill.
- [216] WOLLENSCHLÄGER, B. (1986). *Mammillaria candida* Scheidweiler: Sind die Formen der Art noch in unseren Sammlungen? Mitteilungsbl. AfM 10(4): 133-142, ills.
- [217] WOOLCOCK, S. C. (1986). Seed colour of *Mammillaria bocasana* and closely related plants. J. Mammillaria Soc. 26(1): 8.
- [218] WORTHINGTON, R. D. (1986). Observations on the flowering of cacti from the vicinity of El Paso, Texas. Cact. Succ. J. (US) 58(5): 213-217, ills. [Includes observations on taxa of the genera *Neolloydia*, *Opuntia*.]
- YUASA, H. (1986): vide FUNAMOTO, T.
- [219] ZAHRA, R. (1986). *Eriocactus* Backbg. Brit. Cact. Succ. J. 4(4): 115-117, ills. [Included on account of illustrations of documented material.]
- [220] ZIMMERMANN, H. (1986). Weitere Ergebnisse der Fertilitätsuntersuchungen bei *Rebutia* K. Sch. und *Aylostera*. Speg. Inform.-Brief ZAG Echinopseen 9: 19-22.
- [221] ZIMMERMANN, N. (1986). *Pachycormus discolor* (Bentham) Coville — der Elefantenbaum Niederkaliforniens. Kakt. and. Sukk. 37(1): 12-17, ills.
- [222] ZIMMERMANN, N. (1986). Eine interessante *Cucurbitaceae*: *Kedrostis africana* (Linné) Cogniaux. Kakt. and. Sukk. 37(12): 262-266, ills.
- [223] ZONNEVELD, B. J. M. (1986). The missing hybrid *Sempervivum* × *alidae*. Brit. Cact. Succ. J. 4(3): 65, ills.
- [224] ZONNEVELD, B. J. M. (1986). Another hybrid *Orostachys* — *Orostachys* 'Noordwijk'. Brit. Cact. Succ. J. 4(4): 99, ills.
- [225] ZONNEVELD, B. J. M. (1986). *Sempervivum leucanthum* and its "hybrids". Sempervivum Fanciers Assoc. Newslett. 12(3): 15, ills.

INDEX BIBLIOGRAPHIAE

The numbers refer to the entry numbers in the Bibliography. — Die Nummern verweisen auf die nummerierten Einträge in der Bibliographie.

- Agavaceae 213
see also Dracaenaceae
Agave 30, 63, 70, 104, 171, 210
floristic account 104, 105
Furcraea 70
Manfreda 170
Polianthes 104
Yucca 104
- Aizoaceae 173
Acrodon 77
Astridia 77
Cephalophyllum 91
Conophytum 84, 85, 86
Delosperma 203
Ebracteola 77
floristic account 37, 105
Lithops 36, 95
Neohenricia 61
Ophthalmophyllum 187, 188
Pleiospilos 25, 90
Punctillaria 90
Ruschia 79
Sarcozona 57
Tanquana 90
- Aloeaceae 213
Aloe 70, 78, 87, 178, 179, 215
Astroloba 80
floristic account 37
Haworthia 12
- Anacardiaceae
Pachycormus 221
- Asclepiadaceae
Brachystelma 5, 28, 55, 58, 106
Caralluma 28, 185
Ceropegia 5, 27, 29, 89
Dischidia 42, 53
floristic account 5, 37, 118
Hoya 5, 41, 43, 53
Huernia 89, 133, 136
Lavrania 172
Rhytidocaulon 28
Sarcostemma 146
Stapelia 11
Stapeliopsis 26
Stultitia 28
Whitesloanea 132
- Asteraceae
classification 113
Delairea 113
Kenia 83, 113
Mikaniopsis 113
Othonna 113
- Pittocaulon 113
Senecio 113
Solanecio 113
- Cactaceae
Aporocactus 152
Arequipa 23
Astrophytum 14, 180
biochemical taxonomy 212
Borzicactus 23
Brasiliopuntia 181
Brasiliparodia 156, 208
Browningia 126
classification 74, 109
Cleistocactus 154
Coryphantha 114, 207
Cryptocereus 101
Denmoza 23
Discocactus 20
Disocactus 21, 103
distribution 34, 93, 94
Echinocactus 143
Echinocereus 62
Echinomastus 147, 192
Echinopsis 81
Eriocactus 49, 137, 219
Escobaria 202
Ferocactus 206
floristic account 105, 189, 194
flowering behaviour 218
Frailea 190
general 75, 110
Gymnocalyx 4, 32
Gymnocalyxium 6, 13, 124, 151, 177, 191
hybrids 81
Hylocereus 100
illustrations 8
Lemaireocereus 168
Lophophora 97
Maihueniopsis 129
Mammillaria 21, 40, 50, 52, 60, 98, 99, 107, 108, 120, 125, 139, 140, 141, 142, 144, 157, 158, 182, 183, 195, 197, 216, 217
Matucana 23
Melocactus 21, 46, 48
Micranthocereus 92
Neolloydia 4, 32
Notocactus 2, 3, 49, 71, 76, 96, 122, 137, 145, 156, 174, 175, 196, 199, 200, 201, 204, 208, 219
Nyctocereus 102
Opuntia 130, 211
Oreocereus 23
Oroya 23
Parodia 17, 35
Pereskia 138

- Pfeiffera 209
Pilosocereus 19, 181
Pseudoacanthocereus 181
Pterocactus 128
Pygmaeocereus 159
Rebutia 1, 67, 214, 220
Rhipsalis 21, 209
Schlumbergera 209
Selenicereus 51, 150
Strophocactus 51
Sulcorebutia 7, 22, 72, 73, 121, 164
Tephrocactus 130, 173
Thelocactus 131
Turbinicarpus 4, 64, 65, 66, 115
Weberocereus 47
Weingartia 7, 18, 153
Wigginsia 2, 196, 200
Wittia .21
- Crassulaceae**
Aeonium 10, 127, 198
Bryophyllum 205
Cotyledon 88
Crassula 24, 54, 112, 173
Dudleya 9, 155
floristic account 37, 112
Graptopetalum 119
hybrids 10, 223, 224
Kalanchoe 38, 39
Orostachys 224
Rhodiola 16, 167
Sedum 68, 69, 112, 148, 165, 166
Sempervivum 223, 225
Tylecodon 111
Umbilicus 112
- Cucurbitaceae**
Kedrostis 222
- Dracaenaceae** 213
Dracaena 104
Sansevieria 33, 70, 104, 123
- Euphorbiaceae**
Euphorbia 116, 134, 135, 149, 186
floristic account 31, 37
Jatropha 169
- Geraniaceae**
Sarcocaulon 82
- Illustrations** 8, 184
- Liliaceae** 213
see also *Aloeaceae*
- Mesembryanthemaceae:** see *Aizoaceae*
- Peperomiaceae:** see *Piperaceae*
- Piperaceae**
Peperomia 59

Corrections to previous volumes

Due to an unfortunate editorial slip, two combinations in *Pilosocereus* were omitted from RPS 35 (1984). They are included in this issue.

The *Weberocereus* combinations by D. R. Hunt reported in RPS 36 (1985) have already been published by other authors in earlier years as follows: *W. bradei* (B. & R.) Rowley 1974, *W. glaber* (Eichlam) Rowley 1982, *W. imitans* (Kimnach & Hutchison) F. Buxbaum 1978, *W. tonduzii* (F. A. C. Weber) Rowley 1982. RPS 34 listed *Porfuria schwartzii* (Frič) Crkal as a new name. This combination had in fact already been published by Bödeker in 1929. The uncritical inclusion of these combinations is based on the fact that at present, it is impracticable for the compilers to check whether a combination has already been published earlier or not.

The *Brasiliparodia*-taxa described by F. Ritter in 1979 are reported as validly published in RPS 30, but they are in fact invalid as no single element is given as type.

Parodia camblayana (given as 'camplayana') reported as valid in RPS 33: 10, 1982, is invalid as no page number is given for the basionym (Art. 33.2).

Some of the errors reported here have been pointed out by W. Spanowsky and J. Kolarik. We are very grateful for this assistance.

Korrekturen zu früheren Bänden

Durch ein Versehen des Herausgebers wurden zwei *Pilosocereus*-Kombinationen nicht in RPS 35 (1984) aufgenommen, was in dieser Ausgabe nun nachgeholt wird.

Die von D. R. Hunt publizierten *Weberocereus*-Kombinationen wie sie in RPS 36 (1985) nachgewiesen werden, wurden bereits in früheren Jahren durch andere Autoren wie folgt publiziert: *W. bradei* (B. & R.) Rowley 1974, *W. glaber* (Eichlam) Rowley 1982, *W. imitans* (Kimnach & Hutchison) F. Buxbaum 1978, *W. tonduzii* (F. A. C. Weber) Rowley 1982. In RPS 34 wurde *Porfuria schwartzii* (Frič) Crkal als Neukombination aufgenommen. Dieser Name wurde aber bereits 1929 von Bödeker publiziert. Die unkritische Aufnahme dieser Kombinationen in das RPS ist dadurch zu erklären, dass es den Herausgebern zur Zeit nicht mit vernünftigem Aufwand möglich ist, die Existenz einer Kombination zu überprüfen.

Die von F. Ritter 1979 beschriebenen *Brasiliparodia*-Arten wurden in RPS 30 als gültig betrachtet. Da nicht ein einziges Element als Typus angegeben wurde, sind sie jedoch nicht gültig veröffentlicht worden.

Parodia camblayana (als 'camplayana') wurde in RPS 33: 10, 1982, als gültig aufgeführt, wurde aber nicht gültig veröffentlicht, da für das Basionym die Seitenangabe fehlt (Art. 33.2).

Die Herren Spanowsky und Kolarik haben uns freundlicherweise auf einige der hier aufgeführten Fehler aufmerksam gemacht, wofür wir ihnen sehr dankbar sind.

