



**Repertorium
Plantarum
Succulentarum
XLI (1990)**

Repertorium Plantarum Succulentarum XLI (1990)

*Index nominum novarum plantarum succulentarum anno MCMXC
editorum nec non bibliographia taxonomica ab U. Eggli et N. P. Taylor
compositus.*

International Organization for Succulent Plant Study
Internationale Organisation für Sukkulantenforschung

July 1991

Conventions used in Repertorium Plantarum Succulentarum

- Repertorium Plantarum Succulentarum attempts to list, under separate headings, newly published names of succulent plants and relevant literature on the systematics of these plants, on an annual basis. New names noted after the issue for the relevant year has gone to press are included in later issues. Specialist periodical literature is scanned in full (as available at the libraries of K, Z, ZSS or received by the compilers). Also included is information supplied to the compilers direct. It is urgently requested that any reprints of papers not published in readily available botanical literature be sent to one of the compilers.
- Validly published names are given in **bold face** type, accompanied by an indication of the nomenclatural type (name or specimen dependent on rank), followed by the herbarium acronyms of the herbaria where the holotype and possible isotypes are said to be deposited (first acronym for holotype), according to Index Herbariorum, ed. 8 and supplements as published in Taxon. Invalid, illegitimate, or incorrect names are given in *italic* type face. In either case a full bibliographic reference is given. For new combinations, the basionym is also listed. For invalid, illegitimate or incorrect names, the articles of the ICBN which have been contravened are indicated in brackets.
- The compilers would like to point out that they do not accept any names that might be inadvertently validated in this volume of RPS.
- Bibliographic details of papers dealing only with the description of one or two new taxa are given in the nomenclatural section and not repeated in the bibliographic section.
- Abbreviations for periodicals are those suggested in 'A Bibliography of Succulent Plant Periodicals' (U. Eggli in Bradleya 3: 103-119, 1985, and supplements in l.c. 5: 101-104, 1987) for specialized periodicals, or those of Bibliographia Periodicorum Huntianum for other periodicals.

Konventionen im Zusammenhang mit dem Repertorium Plantarum Succulentarum

- Das Repertorium Plantarum Succulentarum ist eine jährlich herausgegebene Zusammenstellung neuer Namen für sukkulente Pflanzen und der relevanten systematischen Literatur. Neue Namen, die nach der Drucklegung der Ausgabe des betreffenden Jahres bekannt werden, erscheinen in der nächsten erreichbaren Ausgabe. Spezialisierte Zeitschriften werden umfassend durchgesehen, soweit sie in den Bibliotheken von K, Z und ZSS vorhanden sind oder den Herausgebern privat vorliegen. Die Herausgeber bitten alle Autoren dringend, Separata relevanter Publikationen zur Verfügung zu stellen, vor allem wenn es sich um Beiträge in schwer zugänglichen Serien handelt.
- Gültig veröffentlichte Namen werden in **Fettschrift** wiedergegeben unter Angabe des nomenklatirischen Typs (Name oder Belegexemplar je nach Rangstufe; gefolgt von den Herbarakürzungen [entsprechend Index Herbariorum, ed. 7, und in Taxon publizierten Supplementen] der publizierten Hintellegungsorte für Holotyp [1. Abkürzung] und Isotypen). Ungültige oder illegitime Namen erscheinen in *Kursivschrift* unter Angabe (in Klammer) derjenigen Artikel des ICBN, die verletzt worden sind. In allen Fällen folgen die kompletten bibliographischen Angaben. Für Umkombinationen wird auch das Basionym angegeben.
- Die Herausgeber weisen mit aller Deutlichkeit darauf hin, dass sie keinen Namen anerkennen, der zufälligerweise in dieser Ausgabe des RPS validiert worden sein könnte.
- Beiträge, welche nur Beschreibungen eines oder zweier Taxa enthalten, werden in der bibliographischen Liste nicht separat aufgeführt.
- Die Abkürzungen für spezialisierte Sukkulanten-Zeitschriften richten sich nach 'A Bibliography of Succulent Plant Periodicals' (U. Eggli in Bradleya 3: 103-119, 1985, sowie Supplementen in l.c. 5: 101-104, 1987), für allgemeine botanische Zeitschriften nach Bibliographia Periodicorum Huntianum.

Compiled by / Zusammengestellt von:

U. Eggli, Städtische Sukkulanten-Sammlung, Mythenquai 88, CH-8002 Zürich, Switzerland, and
N. P. Taylor, The Herbarium, Royal Botanic Gardens Kew, Richmond, Surrey TW9 3AE, U.K.

Available from (incl. all back issues) / Erhältlich durch (inkl. alle bereits erschienenen Hefte):

IOS, c/o Städtische Sukkulanten-Sammlung (address above / Adresse siehe oben).

© by IOS, Zürich (Switzerland) 1991.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the copyright holder.

Alle Rechte vorbehalten. Kein Teil dieser Publikation darf ohne das vorherige schriftliche Einverständnis des Copyright-Inhabers in irgendeiner Form reproduziert, photokopiert oder auf Datenträgern bzw. in Datenbanken gespeichert oder verbreitet werden.

Preface

The present issue of RPS begins a new set of ten volumes and a new decade also. Looking back at the past 40 volumes, it is astonishing to see how many name changes have been reported for each year.

Editorial policy (if such exists for a compilation like RPS) has not changed much during its period of publication. Bibliographical data additional to that supplied as the references to new names was included for the first time in vol. 21 (1970), and constituted a major step forward in providing an information service on developments in the world of succulent plant systematics. Another, more minor change from vol. 33 onwards was the addition of data on typification (including the acronym(s) of the herbarium where type material was said to be located). Finally, the present compilers decided to include provisionally published names from vol. 36 onwards. This decision has recently been questioned by a reviewer (W. Spanowsky, Kakt. / Sukk. 24(3/4): 117, 1989 [publ. 1990]) who would prefer the omission of such names in future issues. The compilers of RPS would like to make it clear that the inclusion of provisional names should under no circumstances be seen as an 'upgrading' or acceptance of them. Irrespective of their invalid status, they will be taken up in amateur specialist literature, and it was therefore felt useful to report their existence and place of publication. Certainly, the compilers wish to state that the publication and continued use of such names is to be strongly discouraged.

With the completion of 41 volumes of RPS, the compilers are pleased to announce that all the nomenclatural data reported in RPS since vol. 1 in 1950 has been edited and transferred to a computerized database, maintained at the Municipal Succulent Collection Zürich, ZSS. It has now become possible to arrange a combined name list embracing the whole period between 1950 and 1990, and the first such list to be published in book form is that for *Cactaceae* names. Details on the availability of this list are to be found on the back cover of this issue. Similar checklists for other families of succulent plants are planned for publication in the near future.

Vorwort

Das vorliegende RPS-Heft beginnt eine neue Serie von 10 Nummern, ebenso wie eine neue Dekade. Ein Rückblick auf die vergangenen 40 Bände zeigt, wie überraschend viele neue Namen jedes Jahr nachgewiesen wurden.

Die Redaktionspolitik (sofern so etwas für eine Zusammenstellung wie das RPS überhaupt existiert) hat sich während seiner Publikationsperiode nicht stark verändert. Bibliographische Angaben, die über die Angaben zu einzelnen Namen hinausgehen, wurden erstmals in Band 21 (1970) aufgenommen; dies war ein wichtiger Schritt in Richtung auf eine umfassende Information über die Entwicklungen in der Systematik der Sukkulantenwelt. Eine weitere kleine Änderung wurde ab Band 33 eingeführt mit der Aufnahme von Typifizierungsdaten (inkl. der Abkürzungen derjenigen Herbarien, wo gemäss Publikation Typusmaterial hinterlegt wurde). Schliesslich haben die heutigen Redaktoren sich ab Band 36 entschlossen, auch provisorisch publizierte Namen in das RPS aufzunehmen. Dieser Entscheid wurde kürzlich in einer Besprechung kritisiert (W. Spanowsky, Kakt. / Sukk. 23(3/4): 117, 1989 [publ. 1990]) und es wird vorgeschlagen, ihn rückgängig zu machen. Die RPS-Redaktoren möchten hier mit aller Deutlichkeit klarstellen, dass die Aufnahme von provisorischen Namen keinerlei 'Aufwertung' darstellen kann, von einer Annahme überhaupt zu schweigen. Da diese Namen trotz ihres ungültigen Status' in Liebhaberpublikationen erscheinen werden, scheint es vorteilhaft zu sein, deren Existenz und die zugehörigen Publikationsdaten nachzuweisen. Es versteht sich von selbst, dass die RPS-Redaktoren die Publikation und fortgesetzte Verwendung derartiger provisorischer Namen nicht gutheissen können.

Gleichzeitig mit dem Abschluss der ersten 41 Bände des Repertoriums kann hier angekündigt werden, dass sämtliche nomenklatorischen Einträge, die im Repertorium seit Band 1 im Jahre

1950 erschienen sind, kürzlich in eine Computer-gestützte Datenbank übertragen worden sind. Diese Datenbank wird an der Städtischen Sukkulanten-Sammlung in Zürich (ZSS) unterhalten. Dank dieser Datenbank ist es jetzt möglich, eine kombinierte, die Jahre 1950 bis 1990 umfassende Liste von Sukkulenen-Namen zu produzieren, und die erste derartige Liste soll noch dieses Jahr für die *Cactaceae* publiziert werden. Nähere Angaben über die Erhältlichkeit dieser Liste finden sich auf dem hinteren Umschlag dieses Bandes. Ähnliche Checklisten sollen in naher Zukunft auch für die übrigen Familien sukkulenter Pflanzen publiziert werden.

Corrections to previous volumes

- Len Newton has pointed out that the correct spelling of the name for the segregate family including *Aloe*, etc., is *Aloaceae* and not *Aloeaceae* as used so far. We are grateful for this correction.
- The name *Arrojadoa rhodantha* var. *canudosensis*, recorded in RPS 39: 5-6, is incorrect; in fact P. Braun has published the combination *A. rhodantha* ssp. *canudosensis*.

Korrekturen zu früheren Bänden

- Len Newton hat darauf aufmerksam gemacht, dass die richtige Schreibweise der für die Gattung *Aloe* und Verwandte vor einiger Zeit akzeptierten Familie *Aloaceae* ist und nicht *Aloeaceae* wie bisher verwendet. Wir sind dankbar für diesen Hinweis.
- Der in RPS 39: 5-6 nachgewiesene Name *Arrojadoa rhodantha* var. *canudosensis* ist falsch; richtig ist, dass P. Braun die Kombination *A. rhodantha* ssp. *canudosensis* publiziert hat.

NOMINA NOVA

AGAVACEAE

- Agave gentryi** Ullrich, Succulenta 69(10): 210-214, ills. 1990. Typus: *Gentry* 20159 (DES).
Agave grijalvensis Ullrich, Kakt. and. Sukk. 41(6): 102-108, ills., map. 1990. Typus: *Gentry* 12204 (DES, US).
Agave horrida ssp. *perotensis* Ullrich, Cact. Suc. Mex. 35(4): 80, ill. (p. 96). 1990. Typus: *Gentry, Barclay et Arguelles* 20417 (US, DES, MEXU).
Agave striata ssp. *stricta* (Salm-Dyck) Ullrich, Kakt. and. Sukk. 41(5): center page pullout 14. 1990. Basionym: *Agave stricta*.

AIZOACEAE

- Conicosia** subgen. **Herrea** (Schwantes) Ihlenfeldt & Gerbaulet, Bot. Jahrb. Syst. 111(4): 482. 1990. Basionym: *Herrea*.
Conicosia pugioniformis ssp. *alborosea* (L. Bolus) Ihlenfeldt & Gerbaulet, Bot. Jahrb. Syst. 111(4): 484-485. 1990. Basionym: *Conicosia alborosea*.
Conicosia pugioniformis ssp. *murielii* (N. E. Brown) Ihlenfeldt & Gerbaulet, Bot. Jahrb. Syst. 111(4): 485. 1990. Basionym: *Conicosia murielii*.
Conophytum rugosum ssp. *sanguineum* S. Hammer, Cact. Succ. J. (US) 62(1): 25-27, ills. 1990. Typus: *Mitchell* 502 (N BG). [The species name is incorrectly attributed to Mitchell & S. Hammer.]
Erepsia sect. *Crassifoliae* Liede, Beitr. Biol. Pfl. 64(3): 466-467. 1990. *Nom. inval.* (Art. 37.1).
Erepsia sect. *Intectatae* Liede, Beitr. Biol. Pfl. 64(3): 448. 1990. *Nom. inval.* (Art. 37.1).
Erepsia sect. *Tectatae* Liede, Beitr. Biol. Pfl. 64(3): 452-453. 1990. *Nom. inval.* (Art. 37.1).
Erepsia babILONiae Liede, Beitr. Biol. Pfl. 64(3): 467. 1990. Typus: *Esterhuysen* 32319a (BOL).
Erepsia dubia Liede, Beitr. Biol. Pfl. 64(3): 449-450. 1990. Typus: *Liede* 16984 (HBG).
Erepsia lacerata (Haworth) Liede, Beitr. Biol. Pfl. 64(3): 470. 1990. Basionym: *Mesembryanthemum laceratum*.
Erepsia pillansii (Kensit) Liede, Beitr. Biol. Pfl. 64(3): 471. 1990. Basionym: *Mesembryanthemum pillansii*.
Galenia glandulifera Bittrich, Bothalia 20(2): 217-219. 1990. Typus: *Gerbaulet et Strick* 24236 (HBG, PRE).
Trianthema kimberleyi Bittrich & Janssen in Bittrich, Nuytsia 7(2): 118-120, ill. 1990. Typus: *Bittrich et Janssen* 18618 (HBG, CANB, K, PERTH).

ALOACEAE

- Aloe** subsect. **Bowiea** (Haworth) G. F. Smith, South Afr. J. Bot. 56(3): 306. 1990. Basionym: *Bowiea* . [Spahm. 'Bowieae'. Lectotype: *Aloe bowiea*.]
Aloe subsect. **Graminaloe** (Reynolds) G. F. Smith, South Afr. J. Bot. 56(3): 306. 1990. Basionym: *Aloe* sect. *Graminaloe*.
Aloe alfredii Rauh, Cact. Succ. J. (US) 62(5): 232-233, ills. 1990. Typus: *Rauh* 68690 (HEID).
Aloe ciliaris var. **redacta** S. Carter, Kew Bull. 45(4): 643. 1990. Typus: *Wisura* 2640 (K).
Aloe delphinensis Rauh, Cact. Succ. J. (US) 62(5): 230-232, ills. 1990. Typus: *Rauh* 68629a (HEID).
Aloe kulanensis Newton & Beentje, Cact. Succ. J. (US) 62(5): 251-252, ills. 1990. Typus: *Newton* 3219 (K, EA).
Aloe powysorum Newton & Beentje, Cact. Succ. J. (US) 62(5): 252-255, ills. 1990. Typus: *Beentje, Newton et Powys* 4124 (EA, K, MO).
Aloe scabrifolia Newton & Lavranos, Cact. Succ. J. (US) 62(5): 219-221, ills. 1990. Typus: *Newton* 3476 (K, EA, MO).
Aloe tugenensis Newton & Lavranos, Cact. Succ. J. (US) 62(5): 215-217, ills. 1990. Typus: *Newton* 3514 (K, EA, MO).
Haworthia cv. **Kewensis** Kimnach & Trager, Cact. Succ. J. (US) 62(2): 79. 1990. [= *Haworthia kewensis*, a plant of unknown hybrid origin.]
- APOCYNACEAE
- Adenium** × **arizona** Kimnach & Trager, Cact. Succ. J. (US) 62(2): 75. 1990. [= *Adenium obesum* 'Red Everbloomer' × *A. swazicum* 'Boyce Thompson', created by M. Dimmitt.]
Adenium × **arizona** cv. **Crimson Star** Kimnach & Trager, Cact. Succ. J. (US) 62(2): 75. 1990. [A selection of the grex.]
Adenium × **arizona** cv. **Volcanic Sunset** Kimnach & Trager, Cact. Succ. J. (US) 62(2): 75. 1990. [A selection of the grex.]
- ASCLEPIADACEAE
- Angolluma** Munster, Cact. Succ. J. New South Wales 17(4): 63-64. 1990. Typus: *Caralluma decaisneana*. [See M. G. Gilbert in Bradleya 8: 20 (in adnot.), 1990, for a discussion on the validity and typification of this genus.]
Angolluma decaisneana (Lemaire) Munster, Cact. Succ. J. New South Wales 17(4): 64. 1990. *Nom. inval.* (Art. 33.2), based on *Boucerosia decaisneana*.
Brachystelma kituloense Goyder, Kew Bull. 45(4): 729. 1990. Typus: *Brummitt et*
- 5

- Goldblatt* 18092 (K, DSM, MO).
Caralluma subgen. **Boucerosia** (Wight & Arnott) M. G. Gilbert, Bradleya 8: 15. 1990. Basionym: *Boucerosia*.
Caralluma subgen. **Desmidorchis** (Ehrenberg) M. G. Gilbert, Bradleya 8: 19. 1990. Basionym: *Desmidorchis*.
Caralluma subgen. **Urmalcalca** M. G. Gilbert, Bradleya 8: 15. 1990. Typus: *Caralluma tuberculata* N. E. Brown.
Caralluma edwardsiae (M. G. Gilbert) M. G. Gilbert, Bradleya 8: 13. 1990. Basionym: *Caralluma gracilipes* ssp. *edwardsiae*.
Caralluma forskoalii (Decaisne) Plowes, Asklepios No. 50: 16. 1990. Basionym: *Desmidorchis forskoalii*.
Caralluma longiflora M. G. Gilbert, Bradleya 8: 12-14, illus. 1990. Typus: *Thulin et Warfa* 4604 (K).
Ceropogia barbigera Bruyns, Kew Bull. 44: 721-723. 1989. Typus: *Lavranois et Gilbert* 9241 (K).
Ceropogia poluniana Bruyns, Kew Bull. 44: 723-726. 1989. Typus: *Bruyns* 2497 (K).
Desmidorchis subgen. *Aperanthes* Munster, Cact. Succ. J. New South Wales 17: 65. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Probably an orthographic error for 'Apteranthes'.]
Desmidorchis subgen. *Teberocousia* Munster, Cact. Succ. J. New South Wales 17: 65. 1990. *Nom. inval.* (Art. 36.1, 37.1).
Dischidia torricellensis (Schlechter) P. I. Forster, Austrobaileya 3(2): 288. 1990. Basionym: *Spathidolepis torricellensis*.
Duvalia sect. **Arabica** Meve & Albers, Mitt. Inst. Allg. Bot. Hamburg 23b: 597. 1990. Typus: *Duvalia sulcata* N. E. Brown.
Hoya alagensis Schlechter ex Kloppenburg, Fraterna 1990(3rd Quarter): Suppl.: I [2 pp.], illus. 1990. Typus: *Merrill* 5542 (B). [Based on an unpublished name by R. Schlechter.]
Hoya burtoniae Kloppenburg, Hoyan 12(1: part 2): i-iii, illus. 1990. Typus: *Loher* 1 (UC).
Hoya cembra Kloppenburg, Fraterna 1990(3rd Quarter): Suppl.: II [2 pp.], illus. 1990. Typus: *Merrill* 5650 (B).
Hoya compacta C. M. Burton, Hoyan 12(2: Part 2): ii-iii, illus. 1990. Typus: *Burton* 101 (US) [Ex cult.]. [= *Hoya carnosa* 'Compacta' hort.]
Hoya edanoi C. M. Burton, Hoyan 12(2: Part 2): i, illus. 1990. *Nom. inval.* (Art. 37.1). [Based on two syntypes.]
Hoya halconensis Schlechter ex Kloppenburg, Fraterna 1990(3rd Quarter): Suppl.: III [2 pp.], illus. 1990. Typus: *Merrill* 5674 (B). [Based on an unpublished name by R. Schlechter.]
Hoya madulidii Kloppenburg, Fraterna 1990(3rd Quarter): Suppl.: IV [3 pp.], illus. 1990. Typus: *Bolster* 357 (B, UC).
Hoya palawanica Schlechter ex Kloppenburg, Fraterna 1990(3rd Quarter): Suppl.: V [2 pp.], illus. 1990. Typus: *Foxworthy* 834 (B). [Based on an unpublished name by R. Schlechter.]
Hoya paziae Kloppenburg, Fraterna 1990(3rd Quarter): Suppl.: VI [2 pp.], illus. 1990. Typus: *Merrill* 5618 (B).
Pachycymbium abayense (M. G. Gilbert) M. G. Gilbert, Bradleya 8: 23. 1990. Basionym: *Caralluma abayensis*.
Pachycymbium araysianum (Lavranois & Bilaidi) M. G. Gilbert, Bradleya 8: 23. 1990. Basionym: *Stultitia araysiana*.
Pachycymbium baldratii (White & Sloane) M. G. Gilbert, Bradleya 8: 24. 1990. Basionym: *Caralluma baldratii*.
Pachycymbium baldratii ssp. **subterraneum** (Brace & Bally) M. G. Gilbert, Bradleya 8: 24. 1990. Basionym: *Caralluma subterranea*.
Pachycymbium chrysostephanum (Deflers) M. G. Gilbert, Bradleya 8: 24. 1990. Basionym: *Stapelia chrysostephana*.
Pachycymbium cirtces (M. G. Gilbert) M. G. Gilbert, Bradleya 8: 22. 1990. Basionym: *Caralluma cirtces*.
Pachycymbium commutatum (A. Berger) M. G. Gilbert, Bradleya 8: 23. 1990. Basionym: *Caralluma commutata*.
Pachycymbium decaisneanum (Lemaire) M. G. Gilbert, Bradleya 8: 22. 1990. Basionym: *Boucerosia decaisneana*.
Pachycymbium deflersianum (Lavranois) M. G. Gilbert, Bradleya 8: 22. 1990. Basionym: *Caralluma deflersiana*.
Pachycymbium denboefii (Lavranois) M. G. Gilbert, Bradleya 8: 22. 1990. Basionym: *Caralluma denboefii*.
Pachycymbium distinctum (E. A. Bruce) M. G. Gilbert, Bradleya 8: 22. 1990. Basionym: *Caralluma distincta*.
Pachycymbium dummeri (N. E. Brown) M. G. Gilbert, Bradleya 8: 22. 1990. Basionym: *Stapelia dummeri*.
Pachycymbium eremastrum (O. Schwartz) M. G. Gilbert, Bradleya 8: 24. 1990. Basionym: *Caralluma eremastrum*.
Pachycymbium gemugofanum (M. G. Gilbert) M. G. Gilbert, Bradleya 8: 23. 1990. Basionym: *Caralluma gemugofana*.
Pachycymbium huernioides (Bally) M. G. Gilbert, Bradleya 8: 22. 1990. Basionym: *Caralluma huernioides*.
Pachycymbium kochii (Lavranois) M. G. Gilbert, Bradleya 8: 21-22. 1990. Basionym: *Caralluma kochii*.
Pachycymbium laikipiense M. G. Gilbert, Bradleya 8: 24-25, illus. 1990. Typus: *Bally* 12376 (K) [Ex cult. G. Classen.].
Pachycymbium laticoronum (M. G. Gilbert) M. G. Gilbert, Bradleya 8: 23. 1990. Basionym: *Caralluma sprengeri* ssp. *laticorona*.
Pachycymbium lugardii (N. E. Brown) M. G. Gilbert, Bradleya 8: 28. 1990. Basionym: *Caralluma lugardii*.
Pachycymbium luntii (N. E. Brown) M. G. Gilbert, Bradleya 8: 24. 1990. Basionym: *Caralluma luntii*.
Pachycymbium meintjesianum (Lavranois) M. G. Gilbert, Bradleya 8: 24. 1990. Basionym: *Caralluma meintjesiana*.
Pachycymbium miscellum (N. E. Brown) M. G.

- Gilbert, Bradleya 8: 28. 1990. Basionym: *Stapelia miscella*.
- Pachycymbium rogersii** (L. Bolus) M. G. Gilbert, Bradleya 8: 28. 1990. Basionym: *Stapelia rogersii*.
- Pachycymbium sacculatum** (N. E. Brown) M. G. Gilbert, Bradleya 8: 21, ill. 1990. Basionym: *Caralluma sacculata*.
- Pachycymbium schweinfurthii** (A. Berger) M. G. Gilbert, Bradleya 8: 23. 1990. Basionym: *Caralluma schweinfurthii*.
- Pachycymbium sprengeri** (N. E. Brown) M. G. Gilbert, Bradleya 8: 22. 1990. Basionym: *Caralluma sprengeri*.
- Pachycymbium sprengeri** ssp. *foetidum* (M. G. Gilbert) M. G. Gilbert, Bradleya 8: 23. 1990. Basionym: *Caralluma sprengeri* ssp. *foetida*.
- Pachycymbium sprengeri** ssp. *ogadense* (M. G. Gilbert) M. G. Gilbert, Bradleya 8: 23. 1990. Basionym: *Caralluma sprengeri* ssp. *ogadensis*.
- Pachycymbium tubiforme** (Bruce & Bally) M. G. Gilbert, Bradleya 8: 21. 1990. Basionym: *Caralluma tubiformis*.
- Pachycymbium ubomboense** (Verdoorn) M. G. Gilbert, Bradleya 8: 25, 28. 1990. Basionym: *Caralluma ubomboensis*.
- Pachycymbium vibratilis** (Bruce & Bally) M. G. Gilbert, Bradleya 8: 22. 1990. Basionym: *Caralluma vibratilis*.
- Pachycymbium wilsonii** (Bally) M. G. Gilbert, Bradleya 8: 22. 1990. Basionym: *Caralluma wilsonii*.
- Pachycymbium wissmannii** (O. Schwartz) M. G. Gilbert, Bradleya 8: 24. 1990. Basionym: *Caralluma wissmannii*.
- Rhytidocaulon tortum** (N. E. Brown) M. G. Gilbert, Bradleya 8: 29. 1990. Basionym: *Caralluma torta*.
- Stapelianthus calcarophilus** Morat, Bull. Mus. Nation. Hist. Nat. Paris, sect. B, Adansonia 12(1): 3-6, ills. 1990. Typus: *Morat* 3973 (P).

ASTERACEAE

- Othonna retrorsa** var. *spektakelensis* (Compton) Rowley, Cact. Succ. J. (US) 62(6): 282. 1990. Basionym: *Othonna spektakelensis*.
- Senecio articulatus** cv. *Candlelight* Rowley, Cact. Succ. J. (US) 62(6): 283. 1990. [Validity of name not assessed.]
- Senecio descoingsii** (Humbert) Jacobsen ex Rowley, Cact. Succ. J. (US) 62(6): 282. 1990. *Nom. inval.*, based on *Notonia descoingsii*, *nom. inval.* (Art. 37.1). [Combination first invalidly published by Jacobsen in Sukk.-Lex., 321, 1970.]
- Senecio longiflorus** ssp. *madagascariensis* (Humbert) Rowley, Cact. Succ. J. (US) 62(6): 282. 1990. Basionym: *Notonia madagascariensis*.
- Senecio longiflorus** ssp. *scottii* (Balfour) Rowley, Cact. Succ. J. (US) 62(6): 282. 1990. Basionym: *Senecio scottii*.

- Senecio mweroensis** ssp. *saginatus* (Halliday) Rowley, Cact. Succ. J. (US) 62(6): 282. 1990. Basionym: *Kleinia saginata*.
- Senecio nyikensis** var. *hildebrandtii* (Vatke) Rowley, Cact. Succ. J. (US) 62(6): 282. 1990. Basionym: *Notonia hildebrandtii*.
- Senecio oxyriifolius** ssp. *milanjianus* (Moore) Rowley, Cact. Succ. J. (US) 62(6): 282. 1990. Basionym: *Senecio milanjianus*.
- Senecio oxyriifolius** ssp. *tropaeolifolius* (Macowan) Rowley, Cact. Succ. J. (US) 62(6): 282. 1990. Basionym: *Senecio tropaeolifolius*.
- Senecio × peregrinus** (Kunkel) Rowley, Cact. Succ. J. (US) 62(6): 282. 1990. *Nom. inval.*, based on *Kleinia* × *eregrina*, *nom. inval.* (Art. 9.5).
- Senecio picticaulis** ssp. *patriciae* (Jeffrey) Rowley, Cact. Succ. J. (US) 62(6): 282. 1990. Basionym: *Kleinia patriciae*.
- Senecio polytomus** ssp. *squarrosum* (Cufodontis) Rowley, Cact. Succ. J. (US) 62(6): 282-283. 1990. Basionym: *Kleinia squarrosa*.
- Senecio rowleyanus** cv. *String-of-Pearls* Rowley, Cact. Succ. J. (US) 62(6): 283. 1990. [Validity of name not assessed.]
- Senecio scaposus** var. *addoensis* (Compton) Rowley, Cact. Succ. J. (US) 62(6): 283. 1990. Basionym: *Senecio addoensis*.
- Senecio sempervivus** ssp. *grantii* (Oliver & Hiem) Rowley, Cact. Succ. J. (US) 62(6): 283. 1990. Basionym: *Notonia grantii*.
- Senecio talinoides** ssp. *aizoides* (De Candolle) Rowley, Cact. Succ. J. (US) 62(6): 283. 1990. Basionym: *Kleinia aizoides*.
- Senecio talinoides** ssp. *chordifolius* (Hooker fil.) Rowley, Cact. Succ. J. (US) 62(6): 283. 1990. Basionym: *Senecio chordifolius*.
- Senecio talinoides** ssp. *cylindricus* (A. Berger) Rowley, Cact. Succ. J. (US) 62(6): 283. 1990. Basionym: *Kleinia cylindrica*.
- Senecio talinoides** ssp. *mandraliscae* (Tineo) Rowley, Cact. Succ. J. (US) 62(6): 283. 1990. Basionym: *Kleinia mandraliscae*.

CACTACEAE

- Astrophytum asterias** cv. *Super Kabuto* R. Mayer, Succulenta 69(7-8): 1068, ill. 1990.
- × **Cephaeliphllum** Mottram, Contr. New Class. Cact. Fam., 26. 1990. [= *Cephalocereus* × *Epiphyllum*.]
- Cerei** Mottram, Contr. New Class. Cact. Fam., 4. 10. 1990. Typus: *Cereus* Miller. [Validated by reference to *Cereaceae* Salm-Dyck 1845 (as 'Cereastreæ', corrected), published at the rank of *linea*.]
- × **Cerephyllum** Mottram, Contr. New Class. Cact. Fam., 26. 1990. [= *Cereus* × *Epiphyllum*.]
- Coryphantha wohlschlageri** Holzeis, Kakt. und. Sukk. 41(3): 50-52, ills. 1990. Typus: *Wohlschlagera* 223 (WU).
- × **Disberocereus** E. Meier, Kakt. und. Sukk. 41(4): 80. 1990. [= *Disocactus* × *Weberocereus*.]
- Discocactus zehntneri** var. *albispinus* (Buining &

- Brederoo) P. J. Braun, *Succulenta* 69(10): 215. 1990. Basionym: *Discocactus albispinus*.
- Discocactus zehntneri** var. **araneispinus** (Buining & Brederoo) P. J. Braun, *Succulenta* 69(10): 215. 1990. Basionym: *Discocactus araneispinus*.
- Discocactus zehntneri** var. **boomianus** (Buining & Brederoo) P. J. Braun, *Succulenta* 69(10): 218. 1990. Basionym: *Discocactus boomianus*.
- Discocactus zehntneri** var. **horstiorum** P. J. Braun, *Succulenta* 69(10): 218, ill. (p. 220). 1990. Typus: *Horst* 667 (ZSS, B, K, KOELN).
- × **Disophyllum** cv. **Frühlingsahnen** Petersen, Kakt. and. Sukk. 41(10): 238-239, ill. 1990. [*Discocactus macranthus* fa. × ?]
- × **Disophyllum** cv. **Frühlingselfe** Petersen, Kakt. and. Sukk. 41(10): 238-239, ill. 1990. [*Discocactus macranthus* fa. × ?]
- × **Disophyllum** cv. **Frühlingsgold** Petersen, Kakt. and. Sukk. 41(10): 238-239, ill. 1990. [*Discocactus macranthus* fa. × ?]
- × **Disophyllum** cv. **Frühlingspracht** Petersen, Kakt. and. Sukk. 41(10): 238-239, ill. 1990. [*Discocactus macranthus* fa. × ?]
- × **Disophyllum** cv. **Frühlingsreigen** Petersen, Kakt. and. Sukk. 41(10): 238-239, ill. 1990. [*Discocactus macranthus* fa. × ?]
- × **Disophyllum** cv. **Frühlingsstern** Petersen, Kakt. and. Sukk. 41(10): 238-239, ill. 1990. [*Discocactus macranthus* fa. × ?]
- × **Disophyllum** cv. **Frühlingstraum** Petersen, Kakt. and. Sukk. 41(10): 238-239, ill. 1990. [*Discocactus macranthus* fa. × ?]
- × **Disoselenicereus** E. Meier, Kakt. and. Sukk. 41(4): 80. 1990. [= *Discocactus* × *Selenicereus*.]
- × **Echinobergia** Mottram, Contr. New Class. Cact. Fam., 35. 1990. [Validity depends on the application of the name *Echinofossulocactus*.] [= *Echinofossulocactus* × *Leuchtenbergia*.]
- Echinocacti** Mottram, Contr. New Class. Cact. Fam., 4, 10. 1990. *Nom. inval.* (Art. 36.1). [Published at the rank of *linea*.]
- Echinocereus metornii** G. R. W. Frank, Kakt. and. Sukk. 41(10): 210-218, ills., SEM-ills. 1990. Typus: *Metorn* 49 (ZSS).
- Echinocereus mombergerianus** G. R. W. Frank, Kakt. and. Sukk. 41(11): 261. 1990. Typus: *Momberger* 1 (ZSS). [First published (with unclear typification and therefore invalidly [Art. 37.1]) in l.c. 40(11): 272-277, ills., 1989 (cf. RPS 40).]
- Echinocereus schererri** G. R. W. Frank, Kakt. and. Sukk. 41(8): 154-159, ills., SEM-ills. 1990. Typus: *Scherer* 123 (ZSS).
- × **Echinoparodia** Mottram, Contr. New Class. Cact. Fam., 36. 1990. [= *Echinopsis* × *Parodia*.]
- Echinopsis aurea** var. **albiflora** (Rausch) Ullmann, Kaktusy 26(1): 7. 1990. Basionym: *Lobivia aurea* var. *albiflora*.
- Echinopsis aurea** var. **callochrysea** (Ritter) Ullmann, Kaktusy 26(1): 7. 1990. Basionym: *Hymenorebutia aurea* var. *callochrysea*.
- Echinopsis aurea** var. **catamarcensis** (Ritter) Ullmann, Kaktusy 26(1): 7. 1990. Basionym: *Hymenorebutia aurea* var. *catamarcensis*.
- Echinopsis aurea** var. **depressicostata** (Ritter) Ullmann, Kaktusy 26(1): 7. 1990. Basionym: *Hymenorebutia aurea* var. *depressicostata*.
- Echinopsis aurea** var. **dobeana** (Dölz) Ullmann, Kaktusy 26(1): 7. 1990. Basionym: *Lobivia dobeana*.
- Echinopsis aurea** var. **fallax** (Oehme) Ullmann, Kaktusy 26(1): 7. 1990. Basionym: *Lobivia fallax*.
- Echinopsis aurea** var. **lariojensis** (Ritter) Ullmann, Kaktusy 26(1): 7. 1990. Basionym: *Hymenorebutia aurea* var. *lariojensis*.
- Echinopsis aurea** var. **sierragrandensis** (Rausch) Ullmann, Kaktusy 26(1): 7. 1990. Basionym: *Lobivia aurea* var. *sierragrandensis*. [First invalidly published (Art. 33.2) by Lambert in *Succulenta* 67(9): 182, 1988 (cf. RPS 39).]
- Echinopsis aurea** var. **tortuosa** (Rausch) Ullmann, Kaktusy 26(1): 7. 1990. Basionym: *Lobivia aurea* var. *tortuosa*.
- Epiphyllum floribundum** Kimnach, Cact. Succ. J. (US) 62(2): 83-85, ills. 1990. Typus: *Mathias* s.n. (HNT, MO, UCLA, US).
- Epiphyllum laui** Kimnach, Cact. Succ. J. (US) 62(3): 148-151, ills. 1990. Typus: *Laui* 1319 (HNT, CAS, MEXU).
- × **Espostocactus** Mottram, Contr. New Class. Cact. Fam., 38. 1990. [= *Espostoa* × *Cleistocactus*.]
- Frailea buenekeri** Abraham, *Succulenta* 69(3): 64-68, ills. 1990. Typus: *Büneker* 27 (KOELN [Succulentarium]).
- Gymnocalycium alboareolatum** var. **ramosum** Rausch, AG *Gymnocalycium* 3(2): 31, ills. 1990. Typus: *Rausch* 716b (ZSS).
- Gymnocalycium obductum** Piltz, *Succulenta* 69(4): 73-78, ills., SEM-ills. 1990. Typus: *Piltz* 121/1 (U).
- Gymnocalycium rauschii** H. Till & W. Till, *Succulenta* 69(2): 27-31, ills., SEM-ills. 1990. Typus: *Rausch* 350 p.p. (WU) [Ex cult. H. Till]. [German translation and emendation in AG *Gymnocalycium* 3(4): 41-42, ills., 1990.]
- Gymnocalycium taningaense** Piltz, Kakt. and. Sukk. 41(2): 22-26, ills., SEM-ills. 1990. Typus: *Piltz* 212/6 (KOELN [Succulentarium]).
- Hatiora gaertneri** fa. **serrata** (Lindinger) Süpplie, Rhipsalidinae, [63]. 1990. *Nom. inval.*, based on *Rhipsalidopsis serrata*, *nom. inval.* (Art. 36.1). [Basionym not actually given in the publication.]
- Hatiora rosea** fa. **remanens** (Backeberg) Süpplie, Rhipsalidinae, [64]. 1990. *Nom. inval.*, based on *Rhipsalidopsis rosea* var. *remanens*, *nom. inval.* (Art. 9.5, 37.1).
- Hatiora salicornioides** fa. **bambusoides** (F. A. C. Weber) Süpplie, Rhipsalidinae, [65]. 1990. Basionym: *Rhipsalis salicornioides* var. *bambusoides*.
- Hatiora salicornioides** fa. **cylindrica** (Britton & Rose) Süpplie, Rhipsalidinae, [65]. 1990.

- Basionym: *Hatiora cylindrica*.
Hatiora salicornioides fa. *gracilis* (F. A. C. Weber) Süpplie, Rhipsalidinae, [66]. 1990. *Nom. inval.* (Art. 33.2), based on *Rhipsalis gracilis*. [Sphalm. 'gracilles'. The basionym citation is completely wrong, and the name may not be valid at all.]
- Hatiora salicornioides* fa. *stricta* (F. A. C. Weber) Süpplie, Rhipsalidinae, [66]. 1990. *Nom. inval.* (Art. 33.2), based on *Rhipsalis stricta*. [The place given as basionym citation is completely wrong.]
- Hatiora salicornioides* fa. *villigera* (K. Schumann) Süpplie, Rhipsalidinae, [66]. 1990. Basionym: *Hariota villigera*.
- Heliocereus aurantiacus* var. *blomianus* Kimnach, Cact. Succ. J. (US) 62(6): 268-271, ill. 1990. Typus: *MacDougall* A202 (HNT, CAS, US).
- Leocereus bahiensis* var. *barreiraensis* P. J. Braun & E. Esteves Pereira, Kakt. and. Sukk. 41(9): 205. 1990. Typus: *Esteves Pereira* 118 (UFG 12.360, ZSS).
- Leocereus bahiensis* var. *exiguospinus* P. J. Braun & E. Esteves Pereira, Kakt. and. Sukk. 41(9): 205. 1990. Typus: *Esteves Pereira* 135 (UFG, ZSS).
- Leocereus bahiensis* var. *robustispinus* P. J. Braun & E. Esteves Pereira, Kakt. and. Sukk. 41(9): 205. 1990. Typus: *Braun* 702 (ZSS).
- Leocereus bahiensis* var. *urandianus* (Ritter) P. J. Braun & E. Esteves Pereira, Kakt. and. Sukk. 41(9): 205. 1990. Basionym: *Leocereus urandianus*.
- Leocereus estevesii* P. J. Braun, Kakt. and. Sukk. 41(9): 204-205. 1990. Typus: *Esteves Pereira* 207 (UFG 12.380, B, ZSS).
- Lepismium cruciforme* fa. *anceps* (F. A. C. Weber) Süpplie, Rhipsalidinae, [11]. 1990. Basionym: *Rhipsalis anceps*.
- Lepismium cruciforme* fa. *myosurus* (Salm-Dyck) Süpplie, Rhipsalidinae, [11]. 1990. Basionym: *Cereus myosurus*.
- Lepismium erectum* (Ritter) Süpplie, Rhipsalidinae, [15]. 1990. Basionym: *Pfeiffera erecta*. [Sphalm. 'erecta'].
- Lepismium matralensis* (Ritter) Süpplie, Rhipsalidinae, [13]. 1990. Basionym: *Pfeiffera matralensis*.
- Lepismium matralensis* var. *floccosa* (Ritter) Süpplie, Rhipsalidinae, [13]. 1990. Basionym: *Pfeiffera matralensis* var. *floccosa*. [Basionym erroneously given as *Pfeiffera matralensis*, treated as bibliographic error.]
- Lobivia haematantha* fa. *sublimiflora* (Backeberg) Ullmann, Kaktusy 26(1): 19. 1990. Basionym: *Lobivia sublimiflora*.
- Lobivia hertrichiana* fa. *binghamiana* (Backeberg) Ullmann, Kaktusy 26(1): 19. 1990. Basionym: *Lobivia binghamiana*.
- Lobivia hertrichiana* fa. *incaica* (Backeberg) Ullmann, Kaktusy 26(1): 19. 1990. Basionym: *Lobivia incaica*.
- Lobivia hertrichiana* fa. *minuta* (Ritter) Ullmann, Kaktusy 26(1): 19. 1990. Basionym:
- Lobivia minuta*.
Lobivia jajoiana var. *vatteri* (Krainz) Ullmann, Kaktusy 26(1): 19. 1990. Basionym: *Lobivia vatteri*.
- Lobivia lateritia* var. *cintiensis* (Cardenas) Ullmann, Kaktusy 26(1): 19. 1990. Basionym: *Lobivia cintiensis*.
- Lobivia pentlandii* fa. *brunneo-rosea* (Backeberg) Ullmann, Kaktusy 26(1): 19. 1990. Basionym: *Lobivia brunneo-rosea*. [Sphalm. 'brunneo-rosea'].
- Lobivia pentlandii* fa. *schneideriana* (Backeberg) Ullmann, Kaktusy 26(1): 19. 1990. Basionym: *Lobivia schneideriana*.
- Lobivia wrightiana* fa. *chilensis* hort. ex Herzog, Kakt. / Sukk. 24: 102. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Dated 1989, published 1990. Published as nude name.]
- Lobivia zecheri* fa. *ferruginea* hort. ex Herzog, Kakt. / Sukk. 24(3/4): 108. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Dated 1989, published 1990. Published as nude name.]
- Lobivia zecheri* fa. *fungiflora* (Braun) Herzog, Kakt. / Sukk. 24: 107. 1990. *Nom. inval.*, based on *Lobivia fungiflora*, nom. inval. (Art. 36.1, 43.1). [Dated 1989, published 1990. Published as provisional invalid name.]
- Mammillaria* subgen. *Cryptocarpa* Keizer, Succulenta 69(5): 102. 1990. *Nom. illeg.* (Art. 63.1). [Typus: *Mammillaria longiflora*.]
- Mammillaria dasyacantha* (D. Hunt) Reppenhagen, Kakt. and. Sukk. 41(2): 39. 1990. *Nom. inval.* (Art. 33.2), based on *Mammillaria laui* fa. *dasyacantha*. [Non *Mammillaria dasyacantha* Engelmann, cf. Art. 64.1.]
- Mammillaria laui* var. *subducta* (D. Hunt) Reppenhagen, Kakt. and. Sukk. 41(2): 39. 1990. *Nom. inval.* (Art. 33.2), based on *Mammillaria laui* fa. *subducta*.
- Mammillaria linaresensis* R. & F. Wolf, Kakt. and. Sukk. 41(11): 262-264, ill. 1990. Typus: *Wolf* 84/84 (WU).
- × *Myrtocereus* Mottram, Contr. New Class. Cact. Fam., 59. 1990. [= *Myrtillocactus* × *Nyctocereus*.]
- Neobuxbaumia squamulosa* Scheinvar & Sanchez-Mejorada, Cact. Suc. Mex. 35(1): 13-18, ill., SEM-ill. 1990. Typus: *Sanchez-Mejorada et al.* 4250 (MEXU).
- Notocactus* sect. *Anstrophiolatae* Havlicek, Kakt. Vilag 18(4): 80. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus alacriportanus*. Sphalm. for 'Astrophiolatae'? Dated 1988.]
- Notocactus* sect. *Campanulatiflorales* Havlicek, Kakt. Vilag 18(4): 76. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus mammulosus*. Dated 1988.]
- Notocactus* sect. *Infundibuliflorales* Havlicek, Kakt. Vilag 18(4): 73. 1989. Typus: *Notocactus ottonis*. Dated 1988.
- Notocactus* sect. *Interflorales* Havlicek, Kakt. Vilag 18(4): 77. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus rauschii*. Dated 1988. Used as provisional name since 1976.]

Notocactus sect. *Malacocarpoformia* Havlicek, Kakt. Vilag 18(4): 78. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus corynodes*. Dated 1988. Used as provisional name since 1976.]

Notocactus sect. *Microseminiformia* Havlicek, Kakt. Vilag 18(4): 77. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus schumannianus*. Dated 1988. Used as provisional name since 1976. As this section contains all the taxa which can serve as lectotype for the genus, the name would be invalid under Art. 22 also.]

Notocactus sect. *Protoseminiformia* Havlicek, Kakt. Vilag 18(4): 78. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus graessneri*. Dated 1988. Used as provisional name since 1976.]

Notocactus ser. *Brasilianae* Havlicek, Kakt. Vilag 18(4): 79. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus longispinus*. Dated 1988.]

Notocactus ser. *Buxbaumiana* Havlicek, Kakt. Vilag 18(4): 80. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus alaciportanus*. Dated 1988.]

Notocactus ser. *Cephalioideae* (Fric & Kreuzinger) Havlicek, Kakt. Vilag 18(4): 77. 1989. *Nom. inval.* (Art. 22). [Dated 1988. As this series contains all the taxa which can serve as lectotype for the genus, the name will be invalid.]

Notocactus ser. *Corynodinae* Havlicek, Kakt. Vilag 18(4): 79. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus corynodes*. Dated 1988.]

Notocactus ser. *Fricianae* Havlicek, Kakt. Vilag 18(4): 75. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus minimus*. Dated 1988. Used as provisional name since 1976.]

Notocactus ser. *Graessnerianae* Havlicek, Kakt. Vilag 18(4): 78. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus graessneri*. Dated 1988.]

Notocactus ser. *Herterianae* Havlicek, Kakt. Vilag 18(4): 75. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus herteri*. First used provisionally since 1976. Dated 1988.]

Notocactus ser. *Krainziana* Havlicek, Kakt. Vilag 18(4): 78. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus magnificus*. Dated 1988.]

Notocactus ser. *Mammulosi* Fric & Kreuzinger ex Havlicek, Kakt. Vilag 18(4): 76. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus* group *Mammulosi* in Kreuzinger, Verzeichn. Amer. und Sukk., 21, 1935. Dated 1988.]

Notocactus ser. *Melchersiana* Havlicek, Kakt. Vilag 18(4): 77. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus mueller-melchersii*. Dated 1988. Used as provisional name since 1976.]

Notocactus ser. *Paucispini* (Fric & Kreuzinger) Havlicek, Kakt. Vilag 18(4): 73. 1989. Basionym: *Notocactus* group *Paucispini*. [Dated 1988. First used as a provisional name since 1976. Validity of name not assessed.]

Notocactus ser. *Rauschiana* Havlicek, Kakt. Vilag 18(4): 77. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus rauschii*. Dated 1988.]

Used as provisional name since 1976.]

Notocactus ser. *Scopanae* Havlicek, Kakt. Vilag 18(4): 74. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus scopae*. First used provisionally since 1976.]

Notocactus ser. *Setacei* (Fric & Kreuzinger) Havlicek, Kakt. Vilag 18(4): 75. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus concinnus*. Dated 1988. Used as provisional name since 1976.]

Notocactus ser. *Uebelmannianae* Havlicek, Kakt. Vilag 18(4): 75. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus uebelmannianus*. Dated 1988. Used as provisional name since 1976.]

Notocactus ser. *Werdermannianae* Havlicek, Kakt. Vilag 18(4): 75. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus werdermannianus*. Dated 1988. Used as provisional name since 1976.]

Notocactus subgen. *Acanthocephala* (Backeberg) Havlicek, Kakt. Vilag 18(4): 78. 1989. Basionym: *Acanthocephala*. [Dated 1988.]

Notocactus subgen. *Eriocephala* (Backeberg) Havlicek, Kakt. Vilag 18(4): 77. 1989. *Nom. inval.* (Art. 22). [Dated 1988. This subgenus contains all the taxa from which the lectotype for the genus can be selected and is therefore invalid.]

Notocactus subgen. *Notobrasilia* Havlicek, Kakt. Vilag 18(4): 79-80. 1989. *Nom. inval.* (Art. 36.1). [Based on *Notocactus alaciportanus*. Dated 1988.]

Notocactus subser. *Arechavaletai* Havlicek, Kakt. Vilag 18(4): 73. 1989. *Nom. inval.* (Art. 36.1, 37.1). [Dated 1988.]

Notocactus subser. *Blaawianus* Havlicek, Kakt. Vilag 18(4): 76. 1989. *Nom. inval.* (Art. 36.1, 37.1). [Dated 1988.]

Notocactus subser. *Concinnus* Havlicek, Kakt. Vilag 18(4): 75. 1989. *Nom. inval.* (Art. 36.1, 37.1).

Notocactus subser. *Floricomus* Havlicek, Kakt. Vilag 18(4): 76. 1989. *Nom. inval.* (Art. 36.1, 37.1). [Dated 1988.]

Notocactus subser. *Glaucinus* Havlicek, Kakt. Vilag 18(4): 74. 1989. *Nom. inval.* (Art. 36.1, 37.1). [Dated 1988.]

Notocactus subser. *Linkii* Havlicek, Kakt. Vilag 18(4): 74. 1989. *Nom. inval.* (Art. 36.1, 37.1). [Dated 1988.]

Notocactus subser. *Mammulosus* Havlicek, Kakt. Vilag 18(4): 76. 1989. *Nom. inval.* (Art. 36.1, 37.1). [Dated 1988.]

Notocactus subser. *Muricatus* Havlicek, Kakt. Vilag 18(4): 74. 1989. *Nom. inval.* (Art. 36.1, 37.1). [Dated 1988.]

Notocactus subser. *Ottonis* Havlicek, Kakt. Vilag 18(4): 73. 1989. *Nom. inval.* (Art. 36.1). [Notocactus *ottonis*. Dated 1988.]

Notocactus subser. *Oxycostatus* Havlicek, Kakt. Vilag 18(4): 73. 1989. *Nom. inval.* (Art. 36.1, 37.1). [Dated 1988.]

Notocactus subser. *Tabularis* Havlicek, Kakt. Vilag 18(4): 76. 1989. *Nom. inval.* (Art. 36.1, 37.1). [Dated 1988.]

- Notocactus concinnus** fa. *joadii* (Arechavaleta) Havlicek, Kakt. Vilag 18(4): 75. 1989. Basionym: *Echinocactus concinnus* var. *joadii*. [Dated 1988.]
- Notocactus darilhoensis** Prestlé, Minimus 21(4): 71-73, ill. 1990. Based on *Prestlé* 354. *Nom. inval.* (Art. 36.1).
- Notocactus gerloffii** Havlicek, Kakt. Vilag 18(4): 77. 1989. [*Nom. nov. pro Notocactus fuscus* var. *longispinus* Ritter 1979. Dated 1988.]
- Notocactus graessneri** var. *stellatus* hort. ex Havlicek, Kakt. Vilag 18(4): 78. 1989. *Nom. inval.* (Art. 36.1, 37.1). [Used as provisional name. Dated 1988.]
- Notocactus grossei** fa. *aureispinus* (Ritter) Theunissen ex Havlicek, Kakt. Vilag 18(4): 78. 1989. Basionym: *Eriocactus grossei* var. *aureispinus*. [The combination is ascribed to Theunissen. Dated 1988.]
- Notocactus incomptus** Gerloff, Internoto 11(2/3): 37-41, ill., SEM-ill. 1990. Typus: *Horst et Uebelmann* HU 96 (1967) (ZSS).
- Notocactus infernensis** hort. ex Gerloff, Internoto 11(4): 155-157, ill. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Notocactus leninghausii** fa. *minor* (Ritter) Theunissen ex Havlicek, Kakt. Vilag 18(4): 78. 1989. Basionym: *Eriocactus leninghausii* var. *minor*. [The combination is ascribed to Theunissen.]
- Notocactus linkii** var. *albispinus* Abraham, Succulenta 69(5): 117-120, ill. 1990. Typus: *Abraham* 281 (KOELN). [= *N. ottonis* var. *albispinus* Backeb., nom. inval. (Art. 37). First used by Gerloff & Schäfer in Internoto 10(1): 11-15, ill., 1989 (cf. RPS 40).]
- Notocactus mammulosus** var. *albispinus* Oster, Internoto 11(2/3): 94, ill. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Notocactus mammulosus** var. *arbritoensis* Oster, Internoto 11(2/3): 94, ill. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Notocactus mammulosus** var. *artinensis* Oster, Internoto 11(2/3): 94, ill. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Notocactus mammulosus** var. *gracilior* Oster, Internoto 11(2/3): 94, ill. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Notocactus mammulosus** var. *gracilispinus* hort. ex Bergner, Internoto 11(4): 146. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as nude name.]
- Notocactus mammulosus** var. *multiflorus* Oster, Internoto 11(2/3): 94, ill. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Notocactus mammulosus** var. *paucicostatus* Oster, Internoto 11(2/3): 94, ill. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Notocactus mammulosus** var. *rubrispinus* Oster, Internoto 11(2/3): 94, ill. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Notocactus miniatispinus** (Ritter) Havlicek, Kakt. Vilag 18(4): 73. 1989. Basionym: *Notocactus securituberculatus* var. *miniatispinus*. [Dated 1988.]
- Notocactus minimus** var. *tenuicylindricus* (Ritter) Havlicek, Kakt. Vilag 18(4): 75. 1989. Basionym: *Notocactus tenuicylindricus*. [Dated 1988.]
- Notocactus nearechavaletai** Havlicek, Kakt. Vilag 18(4): 79. 1989. [Dated 1988. First used as nude name by Elsner in Succulenta 56: 143-145, 1977 (cf. RPS 28). Based on *Echinocactus acuatus* var. *arechavaletai* Spegazzini, non *Notocactus arechavaletai*.]
- Notocactus nearechavaletai** var. *kovarikii* Havlicek, Kakt. Vilag 18(4): 79. 1989. *Nom. inval.* (Art. 36.1, 37.1). [Dated 1988, published 1989. Based on *Notocactus kovarikii* (Fric) Krainz, which is itself a combination based on a provisional name by Fric. Validity not assessed.]
- Notocactus nivosus** var. *albiflorus* Prestlé, Minimus 21(1): 9-13. 1990. Based on *Prestlé* 120. *Nom. inval.* (Art. 36, 37, 43). [Published as provisional name.]
- Notocactus ottonis** fa. *elegans* (Backeberg & Voll) Havlicek, Kakt. Vilag 18(4): 73. 1989. Basionym: *Notocactus ottonis* var. *elegans*. [Dated 1988.]
- Notocactus schumannianus** ssp. *nigrispinus* (K. Schumann) T. Engel, Internoto 11(2/3): 54. 1990. *Nom. inval.* (Art. 33.2), based on *Echinocactus nigrispinus*.
- Notocactus schumannianus** var. *ampliocostatus* (Ritter) Theunissen ex Havlicek, Kakt. Vilag 18(4): 77. 1989. Basionym: *Eriocactus ampliocostatus*. [The combination is ascribed to Theunissen. Dated 1988.]
- Notocactus scopula** var. *albicans* (Arechavaleta) Hofacker, Internoto 11(2/3): 69. 1990. Basionym: *Echinocactus scopula* var. *albicans*.
- Notocactus tabularis** fa. *boomelianus* Prauser, Internoto 11(2/3): 86. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Notocactus tabularis** fa. *setispinus* Prauser, Internoto 11(2/3): 86. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Notocactus tabularis** fa. *splendens* Prauser, Internoto 11(2/3): 86. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Notocactus tabularis** var. *splendens* Prauser, Internoto 11(2/3): 84. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Notocactus tabularis** var. *tolomanii* Prauser, Internoto 11(2/3): 84. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Notocactus uebelmannianus** var. *nilsonii* Königs, Internoto 11(4): 119-124, ill. 1990. *Nom. inval.* (Art. 37.1). [While the herbarium is given where the type is deposited, no actual collection is cited as being type or holotype.]
- Notocactus villa-velhensis** var. *carambeiensis*

- (Buining & Brederoo) Gerloff, Internoto 11(4): 131. 1990. *Nom. inval.* (Art. 57.1), based on *Notocactus carambeiensis*.
- × *Nyctocephalocereus* Mottram, Contr. New Class. Cact. Fam., 62. 1990. [= *Nyctocereus × Cephalocereus*.]
- Nyctocerei* Buxbaum (*pro linea*), Madroño 14(6): 181. 1958. Typus: *Nyctocereus*. [Repeated by Mottram, Contr. New Class. Cact. Fam., 6, 10, 1990, as *Echinocactinae linea Nyctocerei*, "comb. nov.".]
- Opuntia estevesii* P. J. Braun, Cact. Succ. J. (US) 62(4): 165-169, illus. 1990. Typus: *Esteves Pereira* 191 (UFG 12.377, B, ZSS).
- Opuntia iliae* Trujillo & Ponce, Ernstia 58-60: 1-7, ill. 1990. Typus: *Trujillo et Ponce* 18643 (MY).
- Opuntia macrorhiza* var. *potosina* Hernandez-Valencia, Acta Ci. Potosina 10(2): 155-168. 1988. Typus: *Hernandez-Valencia* 385 (SLPM).
- Parodia mesembrina* var. *juanensis* Weskamp, Kakt. and. Sukk. 41(7): 122-123, ill. 1990. Typus: *Herzog* 88 (WU).
- Parodia microsperma* ssp. *horrida* (Brandt) Kiesling & Ferrari, Cact. Succ. J. (US) 62(4): 198. 1990. Basionym: *Parodia horrida*.
- Parodia nana* Weskamp, Kakt. and. Sukk. 41(9): 186-187, ill. 1990. Typus: *Herzog* 133 (WU).
- Parodia tucumanensis* Weskamp, Succulenta 69(6): 137-139, ill. 1990. Typus: *Lau* 471 (WU) [ex cult. Weskamp].
- Parodiae* Mottram, Contr. New Class. Cact. Fam., 6, 12. 1990. Typus: *Parodia* Spegazzini. [Published at the rank of *linea*.]
- Pediocactus simpsonii* var. *indraianus* Hochstätter, Succulenta 69(9): 178-183, ill. 1990. Typus: *Hochstätter* 4 (HBG).
- Pediocactus simpsonii* var. *nigrispinus* Hochstätter, Succulenta 69(9): 178-183, ill. 1990. Typus: *Hochstätter* 15 (HBG).
- Pilosocereus flexibilispinus* P. J. Braun & E. Esteves Pereira, Kakt. and. Sukk. 41(5): 82-88, ill., SEM-ills. 1990. Typus: *Esteves Pereira* 145 (UFG 12.364, ZSS).
- × *Rathbunilloactus* Mottram, Contr. New Class. Cact. Fam., 72. 1990. [= *Rathbunia* × *Myrtillocactus*.]
- Rebutia einsteinii* var. *karreri* (Fric ex Backeberg) Sida, Kaktusy 26(1): 19. 1990. Basionym: *Mediolobivia schmiedcheniana* var. *karreri*.
- Rebutia haagei* var. *orurensis* (Backeberg) Sida, Kaktusy 26(1): 19. 1990. Basionym: *Lobivia orurensis*.
- Rebutiae* Mottram, Contr. New Class. Cact. Fam., 7, 11. 1990. Typus: *Rebutia*. [Validated by reference to *Rebutiinae* Donald 1955. Published at the rank of *linea*.]
- Rhipsalis* Buxbaum (*pro linea*), Madroño 14(6): 185. 1958. Typus: *Rhipsalis*. [Repeated by Mottram, Contr. New Class. Cact. Fam., 7, 11, 1990 as *Cactinae linea Rhipsalis* "comb. nov.".]
- Rhipsalis baccifera* ssp. *rhodocarpa* (F. A. C. Weber) Süpple, Rhipsalidinae, [27]. 1990. Basionym: *Rhipsalis cassytha* var. *rhodocarpa*.
- Schlumbergera truncata* var. *kautskyi* Horobin & McMillan, Epiphytes 14(56): 111-115, ill. 1990. *Nom. inval.* (Art. 37.1). [Attempt to validate as ssp. in l.c. 15(57), 1991.]
- Siccobaccatus* P. J. Braun & Esteves, Succulenta 69(1): 3-8, ill. 1990. Typus: *Astrocephalocereus dolichospermaticus*.
- Siccobaccatus dolichospermaticus* (Buining & Brederoo) P. J. Braun & Esteves Pereira, Succulenta 69(1): 7. 1990. Basionym: *Astrocephalocereus dolichospermaticus*.
- Siccobaccatus estevesii* (Buining & Brederoo) P. J. Braun & Esteves Pereira, Succulenta 69(1): 7. 1990. Basionym: *Astrocephalocereus estevesii*.
- Siccobaccatus estevesii* ssp. *grandiflorus* (Diers & Esteves P.) P. J. Braun & Esteves Pereira, Succulenta 69(1): 7. 1990. Basionym: *Astrocephalocereus estevesii* ssp. *grandiflorus*.
- Siccobaccatus estevesii* ssp. *insigniflorus* (Diers & Esteves P.) P. J. Braun & Esteves Pereira, Succulenta 69(1): 7. 1990. Basionym: *Astrocephalocereus estevesii* ssp. *insigniflorus*.
- Sulcorebutia tiraquensis* var. *aglaia* (Brandt) Sida, Kaktusy 26(1): 19. 1990. Basionym: *Weingartia aglaia*.
- Trichocereus arboreus* Kimnach, Cact. Succ. J. (US) 62(1): 3-5, ill. 1990. Typus: *Solomon* 11311 (HNT, MO, US).
- Turbinicarpus krainzianus* var. *minimus* (G. Frank) Diers, Succulenta 69(12): 269. 1990. Basionym: *Turbinicarpus krainzianus* fa. *minimus*.
- Wilcoxia lazaro-cardenasi* (Contreras & al.) Cartier, Maandbl. Liefhebb. Cact. Vetpl. 3(11): 164. 1990. *Nom. inval.* (Art. 33.2), based on *Neoevansia lazaro-cardenasi*.
- Wilcoxia schmollii* var. *lanata* hort. ex Cartier, Maandbl. Liefhebb. Cact. Vetpl. 3(10): 146. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Wilcoxia tamaulipensis* var. *brevispina* hort. ex Cartier, Maandbl. Liefhebb. Cact. Vetpl. 3(8): 123. 1990. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]

CRASSULACEAE

- Aeonium ciliatum* ssp. *praegeri* Bañares, Vieraea 18: 87-90. 1990. Typus: *Bañares* s.n. (TFC 25025).
- Aeonium × meridionalis* Bañares, Vieraea 18: 68. 1990. [= *A. ciliatum* ssp. *praegeri* × *A. spathulatum* var. *cruentum*. Validity of name not assessed.]
- Aeonium × occidentalis* Bañares, Vieraea 18: 68. 1990. [= *A. sedifolium* × *A. goochiae*. Validity of name not assessed.]
- Aeonium × perezii* Bañares, Vieraea 18: 68, ill.

- (p. 81). 1990. Typus: *Bañares* s.n. (TFC 25024). [= *A. decorum* × *A. urbiculum*.]
- Aeonium × timensis** Bañares & Macarrón, Vieraea 18: 68. 1990. [= *A. nobile* × *A. palmense*. Validity of name not assessed; typification unclear.]
- Bryophyllum fedtschenkoi** (Raymond Hamet & Perrier) Lauzac-Marchal, Compt.-Rend. Acad. Sci. Paris ser. D, 278: 2508. 1974. Basionym: *Kalanchoe fedtschenkoi*. [Repeated by C. Y. Cheng in Fl. Hebeiensis 1: 570, ?1986.]
- Dudleya cymosa** ssp. *costafolia* Bartel & Shevock, Aliso 12(4): 701-704, ills. 1990. Typus: *Bartel* 1223 (RSA, CAS).
- × **Greenonium laxiflora** Macarrón & Bañares, Vieraea 18: 71, ill. (p. 84). 1990. Typus: *Macarrón* s.n. (TFC 25003). [= *Greenovia diplocycla* × *Aeonium decorum*.]
- × **Greenonium riosjordanii** Bañares, Vieraea 18: 71-72, ill. (p. 85). 1990. Typus: *Rios Jordana et Bañares* s.n. (TFC 25042). [= *Greenovia aurea* × *Aeonium simsii*.]
- Hylotelephium sordidum** var. *oishii* (Ohwi) Ohba & Amano, J. Phytogeogr. Taxon. 38: 4. 1990. Basionym: *Sedum oishii*.
- Jovibarba globifera** (Linne) Tjaden ex Parnell, Bot. J. Linn. Soc. 103(3): 219. 1990. Basionym: *Sempervivum globiferum*. [First proposed invalidly (Art. 34) by W. Tjaden in Bull. Afr. Succ. Pl. Soc. 4: 170, 1969 (erroneously included as valid in RPS 20).]
- Jovibarba globifera** ssp. *allionii* (Jordan & Fourrier) Parnell, Bot. J. Linn. Soc. 103(3): 219. 1990. Basionym: *Diopogon allionii*.
- Jovibarba globifera** ssp. *arenaria* (Koch) Parnell, Bot. J. Linn. Soc. 103(3): 219. 1990. Basionym: *Sempervivum arenarium*.
- Jovibarba globifera** ssp. *hirta* (Linne) Parnell, Bot. J. Linn. Soc. 103(3): 219. 1990. Basionym: *Sempervivum hirtum*.
- Jovibarba hirta** ssp. *arenaria* (Koch) Parnell in Moriarty, Taxonomy: putting plants & animals in their places, 38. 1988. Basionym: *Sempervivum arenarium*. [Not seen, cited from secondary source. Validity of name not assessed.]
- Jovibarba hirta** ssp. *borealis* (H. Huber) Parnell in Moriarty, Taxonomy: putting plants & animals in their places, 38. 1988. Basionym: *Diopogon hirtus* ssp. *borealis*. [Not seen, cited from secondary source. Validity of name not assessed.]
- Monanthes × chamorgensis** Bañares, Vieraea 18: 70. 1990. Typus: *Bañares* s.n. (TFC 25009). [= *M. brachycaulon* var. *adenopetala* × *M. laxiflora* var. *laxiflora*. Validity of name not assessed; probably contravening ICBN H.5.]
- Monanthes × gomerensis** Bañares, Vieraea 18: 70, ill. (p. 82). 1990. Typus: *Bañares* s.n. (TFC 25030). [= *M. amydro* × *M. laxiflora* var. *laxiflora*.]
- Monanthes wildpretii** Bañares & Scholz, Stud. Bot. 9: 129-138, ills., map. 1990. Typus: *Bañares* s.n. (TFC 27454).
- Orostachys malacophyllum** ssp. *lioutchenngoi* H.
- Ohba, J. Jap. Bot. 65(7): 198-199. 1990. Typus: *Liou* 8595 (PE).
- Sedum dongzhiense** Wang & Shi in Wang & al., Bull. Bot. Res. North-East Forest Inst. 10(3): 48-40, ill. 1990. Typus: *Wang et Shi* 8745 (Herb. Anhui Tradit. Medic. College herb.).
- Sedum ekimianum** Metzger & Duman, Bauhinia 9(3): 231-232. 1990. Typus: *Duman* 4433 (ANK).
- Sedum hernandezii** Meyran, Cact. Suc. Mex. 35(2): 27-29, 48, ills. 1990. Typus: *Otero* 199 (MEXU, ENCB, IZTA) [Ex cult. J. Meyran].
- Sedum jiaodongense** Zhang & Chen, Bull. Bot. Res. North-East Forest Inst. 10(1): 43. 1990. Typus: *Zhang* 885131 (Herb. Forest School Shandong Prov. herb.).
- Sedum kiangnanense** Wang & Wu, Bull. Bot. Res. North-East Forest Inst. 10(3): 45-47, ill. 1990. Typus: *Wang* 9229 (Herb. Anhui Tradit. Medic. College herb.).
- Sedum ursi** 't Hart, Acta Bot. Neerl. 39(2): 203-206, chrom. ills. 1990. Typus: *Eggli* 729a (Z, U).
- Sempervivum wulfenii** ssp. *juvanii* (Strgar) Favarger & Parnell, Bot. J. Linn. Soc. 103(3): 217. 1990. Basionym: *Sempervivum juvanii*.
- Tylecodon cremnophilus** Bruyns, South Afr. J. Bot. 56(1): 130-132, ills. 1990. Typus: *Bruyns* 3238 (BOL, K, PRE). [= *T. ellaphiae* van Jaarsveld, cf. l.c. p. 506.]
- Tylecodon × fergusoniae** (L. Bolus pro sp.) Rowley, Kakt. and. Sukk. 41(12): 282. 1990. Basionym: *Cotyledon fergusoniae*. [= *Tylecodon papillaris* × *T. paniculatus*.]
- Tylecodon papillaris** ssp. *ecklonianus* (Harvey) Rowley, Kakt. and. Sukk. 41(12): 282. 1990. Basionym: *Cotyledon eckloniana*.
- Tylecodon papillaris** ssp. *wallichii* (Harvey) Rowley, Kakt. and. Sukk. 41(12): 282. 1990. Basionym: *Cotyledon wallichii*.
- Villadia aristata** Moran, Cact. Succ. J. (US) 62(4): 177-182, ills. 1990. Typus: *Moran* 10006 (SD, CAS, CU, K, MEXU, NY, US).

DRACAENACEAE

- Nolina hookeri** (Lemaire) G. Rowley, Cact. Aventures No. 5: 3. 1990. Basionym: *Dasyliion hookeri*.

EUPHORBIACEAE

- Euphorbia adenochila** S. Carter, Kew Bull. 45: 656. 1990. Typus: *Lavrano* et al. 24929 (K).
- Euphorbia appariciana** Rizzini, Rev. Bras. Biol. 49(4): 992-996, ills. 1990. Typus: *Duarte* 14097 (RB). [Dated 1989, published 1990.]
- Euphorbia attastoma** Rizzini, Rev. Bras. Biol. 49(4): 987-991, ills. 1990. Typus: *Duarte* 13254 (RB). [Dated 1989, published 1990.]
- Euphorbia attastoma** var. *xanthochlora* Rizzini, Rev. Bras. Biol. 49(4): 992. 1989. Typus: *Duarte* 9290 (RB).
- Euphorbia ephedroides** var. *debilis* Leach, South

- Afr. J. Bot. 56(1): 73. 1990. Typus: *Leach et Brunton* 15893 (NBG, K, MO, PRE).
- Euphorbia ephedroides** var. *imminuta* Leach & Williamson, South Afr. J. Bot. 56(1): 72-73. 1990. Typus: *Williamson* 3652 (NBG, K, PRE).
- Euphorbia exilis** Leach, South Afr. J. Bot. 56(1): 76-77, illus. 1990. Typus: *Leach et Bayer* 17129 (NBG, K, PRE).
- Euphorbia glandularis** Leach & Williamson, South Afr. J. Bot. 56(1): 75-76, illus. 1990. Typus: *Leach et Hilton-Taylor* 17019 (NBG, K, MO, PRE, etc.).
- Euphorbia globulicaulis** S. Carter, Kew Bull. 45: 655. 1990. Typus: *Lavrano et al.* 23439 (K).
- Euphorbia holochlorina** Rizzini, Rev. Brasil. Biol. 49(4): 983, illus. 1990. Typus: *Duarte* 3987 (RB). [Dated 1989, published 1990.]
- Euphorbia officinarum** var. *hernandezpachecoi* (A. Caballero) Oudejans, World Cat. Spec. Names Euphorbieae, 5. 1990. Basionym: *Euphorbia hernandezpachecoi*.
- Euphorbia orbiculifolia** S. Carter, Kew Bull. 45: 653. 1990. Typus: *Miller* 6160 (K, E).
- Euphorbia rugosiflora** Leach, Kirkia 13(2): 319-322, illus. 1990. Typus: *Richards & Thornton* sub *Leach* 17712 (SRGH, BM, K, MO, NBG).
- Euphorbia scyphadena** S. Carter, Kew Bull. 45: 657. 1990. Typus: *Thulin et Dahir* 6522 (K, UPS).
- Euphorbia suffulta** Bruyns, South Afr. J. Bot. 56(1): 128-130, illus., map. 1990. Typus: *Bruyns* 2902 (BOL, K, PRE).
- Monadenium clarae** Malaisse & Lecron, Bull. Jard. Bot. Belg. 59(3/4): 478-479. 1990. Typus: *Schaijes* 3055 (BR).
- Monadenium cupricola** Malaisse & Lecron, Bull. Jard. Bot. Belg. 66(3-4): 301-306. 1990. Typus: *Malaisse* 10356 (BR).
- Monadenium hedigerianum** Malaisse, Bull. Jard. Bot. Belg. 66(3-4): 295-299. 1990. Typus: *Malaisse* 13804 (BR).
- Monadenium shebeliense** M. G. Gilbert, Bradleya 8: 45-46, ill. 1990. Typus: *Gilbert* 2128 (K).

GERANIACEAE

- Pelargonium antidysertericum** ssp. *inerme* Scheltema, South Afr. J. Bot. 56(3): 292-293, ill. 1990. Typus: *Scheltema* 1 (PRE, K, STEU).
- Pelargonium antidysertericum** ssp. *zonale* Scheltema, South Afr. J. Bot. 56(3): 293-294, ill. 1990. Typus: *Scheltema* 11 (PRE, K, STEU).
- Pelargonium torulosum** E. M. Marais, J. South Afr. Bot. 56(5): 565-570, illus., SEM-ills., map. 1990. Typus: *Marais* 230 (STE, BOL, K, MO, PRE).

PORTULACACEAE

- Anacampserinae** Nyananyo, Feddes Repert. 101(5-6): 239. 1990. *Nom. inval.* (Art. 33, 36, 37). [Given as 'stat. nov.' but without basionym, and likewise without type or Latin diagnosis.]
- Anacampseros kurtzii** Bacigalupo, Bol. Soc. Argent. Bot. 26(3-4): 197-199, illus., SEM-ills. 1990. Typus: *Kiesling et al.* 6350 (SI).
- Cistanthe sect. Amarantoideae** (A. Reiche) Hershkovitz, Phytologia 68(4): 269. 1990. Basionym: *Calandrinia* sect. *Amarantoideae*.
- Cistanthe sect. Strophiolum** (B. Mathew) Hershkovitz, Phytologia 68(4): 268. 1990. Basionym: *Lewisia* subgen. *Strophiolum*.
- Cistanthe ambigua** (S. Watson) Carolin *ex* Hershkovitz, Phytologia 68(4): 269. 1990. Basionym: *Calandrinia ambigua*.
- Cistanthe grandiflora** (Lindley) Carolin *ex* Hershkovitz, Phytologia 68(4): 269. 1990. Basionym: *Calandrinia grandiflora*.
- Cistanthe guadalupensis** (Dudley) Carolin *ex* Hershkovitz, Phytologia 68(4): 269. 1990. Basionym: *Talinum guadalupense*.
- Cistanthe maritima** (Nuttall) Carolin *ex* Hershkovitz, Phytologia 68(4): 269. 1990. Basionym: *Calandrinia maritima*.
- Cistanthe salsolooides** (Baméoud) Carolin *ex* Hershkovitz, Phytologia 68(4): 269. 1990. Basionym: *Calandrinia salsolooides*.
- Cistanthe tweedyi** (A. Gray) Hershkovitz, Phytologia 68(4): 268. 1990. Basionym: *Calandrinia tweedyi*.
- Lewisia glandulosa** (Rydberg) Dempster, Phytologia 68(3): 170. 1990. Basionym: *Oreobroma glandulosa*.

BIBLIOGRAPHIA

- [1] Akeroyd, J. R. & Preston, C. D. (1990). Notes on some *Aizoaceae* naturalized in Europe. In: Flora Europaea: Notulae Systematicae ad Floram Europaeam spectantes, ser. 2, no. 3. Bot. J. Linn. Soc. 103(3): 197-200. [On *Carpobrotus*, *Drosanthemum*, *Erepsia*.]
- [2] Alexander, J. C. M. et al. (1989). *Aizoaceae*. European Garden Flora 3: 133-171.
- [3] Alvarez de Zayas, A. (1988). Morfología y anatomía floral de las *Agavaceae*. Rev. Jard. Bot. Nacion. Univ. Habana 9(3): 37-57, illus.
- [4] Alvarez de Zayas, A. (1990). El complejo estomático en la familia *Agavaceae*. II. Epidermis adulta. Feddes Repert. 101: 113-134.
- [5] Amano, M. (1990). Biosystematic study of *Sedum* L. subgenus *Aizoon* (*Crassulaceae*). I. Cytological and morphological variations of *Sedum aizoon* L. var. *floribundum* Nakai. Bot. Mag. Tokyo 103(1069): 67-85, map, illus., chromos. nos.
- [6] Amano, M. & Ohba, H. (1990). Chromosome number of *Sedum sikokianum* Maxim. (*Crassulaceae*). J. Jap. Bot. 65(6): 167-170, illus., map. [Alternative pagination: pp. 7-10.]
- [7] Appenzeller, O. (1990). Die Samentesta von *Mammillaria* *candida* – ein "Dauerbrenner"? Mitteilungsbl. AfM 14(5): 204-209, illus.
- [8] Arreola Nava, H. J. (1990). inventario de las Cactaceas de Jalisco y su distribución. Cact. Suc. Mex. 35(1): 3-12, illus., map. [Abstract in 10. Congr. Mex. Bot. 1987.]
- [9] Augustin, K. (1990). Die HS-Sulcorebutien und Weingartien. Auswertung der Feldaufzeichnungen. Kakt. and. Sukk. 41(8): 178-179, illus., map. [Continued from vol. 40. This is instalment 11.]
- [10] Bacigalupo, N. M. (1990). El genero *Anacampseros* (*Portulacaceae*) en la flora Argentina. Bol. Soc. Argent. Bot. 26(3-4): 197-203, illus., SEM-illus.
- [11] Bañares Baudet, A. (1990). Hibridos de la familia *Crassulaceae* en las Islas Canarias. Novedades y datos corológicos: 2. Vieraea 18: 65-85, illus., maps.
- [12] Bañares Baudet, A. & Scholz, S. (1990). *Monanthes wildpretii* sp. nov. (*Crassulaceae*), nuevo endemismo de Tenerife (Isla Canarias). Stud. Bot. 129-138, illus., maps.
- [13] Barad, G. S. (1990). Pollination of the stapeliads. Cact. Succ. J. (US) 62(3): 130-140, illus. [Includes illustrations and mention of a number of intergeneric hybrids.]
- [14] Barker, N. (1990). *Pelargonium schizopetalum*. Flow. Pl. Afr. 51(1): t. 2019 +
- text, map.
- [15] Bercht, L. & Brederoo, N. (1990). *Melocactus* species HU 156. Succulenta 69(7-8): 155-158, illus.
- [16] Bergner, S. (1990). Weitere Pflanzen aus dem Formenkreis um *Notocactus mammulosus*. Internat. 11(4): 143-146, illus.
- [17] Berthet, P. (1990). Les deux espèces d'*Opuntia* naturalisées dans le bassin moyen du Rhône. Succulentes 13(4): 7-11, illus.
- [18] Bittrich, V. (1990). Systematic studies in *Aizoaceae*. Mitt. Inst. Allg. Bot. Hamburg 23b: 491-507, diags., illus.
- [19] Bittrich, V. (1990). A new species of *Trianthema* (*Aizoaceae*) from the Kimberley region and a note on *T. triquetra*. Nuytsia 7(2): 117-122, illus.
- [20] Boele, C. (1990). *Brachystelma* Sims (*Asclepiadaceae*); introduction and case study of the 13 Zimbabwean species. Excelsa 14: 45-53, illus., maps.
- [21] Brachet, C. et al. (1990). Mexican fieldnotes (1). J. Mammillaria Soc. 30(4): 44-47, illus. [Reports on the distribution and variability of *Mammillaria humboldtii*.]
- [22] Brandham, P. E. & Carter, S. (1990). A revision of the *Aloe tidmarshii* / *A. ciliaris* complex in South Africa. Kew Bull. 45(4): 637-645.
- [23] Braun, P. J. (1990). Arquipélago de Fernando de Noronha (Brasilien) – Eindrücke von einer Reise zu einem der letzten Inselparadiese und zum Standort von *Cereus insularis* Hemsl. Kakt. and. Sukk. 41(11): 254-258, illus., maps.
- [24] Braun, P. J. (1990). Zur Haarkranzbildung in *Discocactus*-Blüten und einem eventuellen Bezug zur Standortökologie. Kakt. and. Sukk. 41(10): 226-229, diags.
- [25] Braun, P. J. (1990). Over de taxonomie van *Discocactus zehntneri* Britton & Rose emend. Buining & Brederoo. Succulenta 69(10): 215-221, illus.
- [26] Braun, P. J. & Esteves Pereira, E. (1990). The *Opuntia inamoena* complex in Brazil. 2. *Opuntia estevesii* P. J. Braun, a new species from Bahia. Cact. Succ. J. (US) 62(4): 165-169, illus. [Continued from vol. 61.]
- [27] Breckwoldt, K. (1990). *Echinocereus engelmannii* (Parry) Engelmann. Kaktusbüte 1990: 40-44, illus. [Included on account of the habitat illustrations.]
- [28] Bregman, R. et al. (1990). Het geslacht *Matucana* Br. & R. Succulenta 69(1): 12-15, (3): 59-63, (4): 89-92, (5): 110-116, (6): 139-142,

- (7/8): 166-167, (12): 256-264, illus., key. [Concluded from last vol. The last part includes a field-number list and the bibliography.]
- [29] Brummitt, R. K. & Taylor, N. P. (1990). To correct or not to correct? *Taxon* 39(2): 298-306. [Includes several examples from succulent plants.]
- [30] Bruyns, P. V. (1990). A note on *Tridentea virescens* (N. E. Br.) Leach. *Aloe* 27(1): 19-20, illus.
- [31] Bruyns, P. V. (1990). Notes on *Cotyledon*. *Aloe* 27(2): 44-47, illus.
- [32] Bruyns, P. V. (1990). *Stapeliopsis* figures. Asklepios No. 51: 48-51, illus.
- [33] Bruyns, P. V. (1990). Miscellaneous notes on *Stapeliaceae* (*Asclepiadaceae*). 9. A review of *Pseudolithos*. 10. A note on *Caralluma dodsoniana* Lavranos. *Bradleya* 8: 33-38, illus.
- [34] Bruyns, P. V. (1990). New taxa from arid regions of southern Africa. *South Afr. J. Bot.* 56(1): 125-132, (4): 506, illus., map. [Includes new taxa of *Euphorbia* and *Tylecodon*.]
- [35] Büscher, D. et al. (1990). *Crassula helmsii* (T. Kirk) Cockayne in Westfalen. *Flor. Rundbrief* 24(1): 8-9.
- [36] Burton, C. M. (1990). *Hoya latifolia* G. Don. *Hoyan* 12(1): 12-14, ill.
- [37] Carter, S. (1990). *Euphorbia* species of East Africa. *Excelsa* 14: 29-38, illus. [Dated 1989, received Oct. 1990.]
- [38] Carter, S. (1990). New *Euphorbia* species related to *E. longituberculosa* Boiss. *Kew Bull.* 45: 653-659, illus.
- [39] Carter, S. & Reynolds, T. (1990). *Aloe penduliflora* and *Aloe confusa*. *Kew Bull.* 45(4): 647-651.
- [40] Cartier, A. (1990). Een herziening van het geslacht *Wilcoxia*. *Maandbl. Liefhebb. Cact. Vetpl.* 3(6): 94-96, (8): 120-123, (10): 146-147, (11): 162-164, illus. [Continued in vol. 4.]
- [41] Cerrate, E. (1990). *Euphorbia weberbaueri* Mansfeld, suculenta peruviana. *Quepo* 3/4: 22-26, illus.
- [42] Cházaro Basáñez, M. J. (1990). *Crassulaceae* del centro de Veracruz y zona limítrofe de Puebla. *Cact. Suc. Mex.* 35(3): 63-67, (4): 83-90, illus.
- [43] Cole, D. T. (1990). *Lithops naureeniae*. *Lithops optica*. *Flow. Pl. Afr.* 51(1): t. 2005 (A-B) + text.
- [44] Cota, H. (1990). The cacti of Cedros Island, Baja California, Mexico. *Cact. Succ. J. (US)* 62(6): 294-301, illus., map.
- [45] Craib, C. (1989). *Pelargonium* species found adjacent to the southern Namibian coastline. *Hystrix* 1(3): 7-13, illus.
- [46] Craib, C. (1990). Some rare haworthias in South Africa. *Aloe* 27(1): 23-26, illus. [Includes data on conservation status of *Haworthia woolleyi*, *H. sordida* and *H. wittebergensis*.]
- [47] Craib, C. (1990). A study of *Sarcocaulon vanderietiae* adjacent to the Fist River in the eastern Cape. *Hystrix* 1(4): 32-37, ill.
- [48] Cullen, J. & Maxwell, H. S. (1989). *Portulacaceae*. *European Garden Flora* 3: 171-176.
- [49] Davidson, B. L. (1990). Lewisias of the Sierra Nevada. *Bull. Amer. Rock Gard. Soc.* 48(1): 13-18, ill.
- [50] Davis, M. (1990). *Faucarias*. *Anacampseros* 6(4): 74-79, illus., map. [Synopsis of species.]
- [51] Delaveau, P. & Boiteau, P. (1990). Huiles de *Moringa oleifera* Lamk. et de *M. drouhardii* Jumelle. *Succulentes* 13(4): 3-6, ill. [Included on account of some chemical data. Reprinted from *Pl. Med. Phytother.* 14, 1980.]
- [52] Distefano, F. V. (1990). The effect of temperature and chemicals on the germination of some *Conophytums*. *Cact. Succ. J. (US)* 62(2): 60-64, diags.
- [53] Fitz Maurice, W. A. (1990). Fieldnotes. A *Mammillaria* "common about San Luis Potosí". *Cact. Succ. J. (US)* 62(4): 199-202, illus., map. [On a plant from the relationship of *Mammillaria kunzeana*, *M. longicoma*, *M. bocasana*.]
- [54] Fitz Maurice, W. A. (1990). Fieldnotes. A successful search for *Mammillaria aurihamata*. *Cact. Succ. J. (US)* 62(1): 10-12, illus. [German translation in *Mitteilungsbl. AfM* 15(1): 6-11, ill., 1991.]
- [55] Forster, P. I. (1990). *Brachystelma glabriflorum* (F. Muell.) Schltr. (*Asclepiadaceae*). *Asklepios* No. 49: 77-84, illus. map.
- [56] Forster, P. I. (1990). Correction and further notes to "Studies on the Australasian *Asclepiadaceae*. I. *Brachystelma* Sims in Australia". *Nuytsia* 7(2): 123-124. [*Brachystelma glabriflorum* has priority over *B. microstemma*.]
- [57] Forster, P. I. (1990). Notes on *Asclepiadaceae* 2. *Dischidia*. *Austrobaileya* 3(2): 286-289, illus., maps.
- [58] Forster, P. I. & Liddle, D. J. (1989). The genus *Dischidia* (*Asclepiadaceae*) in Australia. *Anacampseros* 6(1): 7-12, illus., maps, key.
- [59] Forster, P. I. & Liddle, D. J. (1990). *Hoya* R. Br. (*Asclepiadaceae*) in Australia – an alternative classification. *Austrobaileya* 3(2): 217-234, key, illus., maps.
- [60] Fritz, G. (1990). Einige Bemerkungen zu *Sulcorebutia* "Lau 389" (*Weingertia calceolensis* Brandt). *Kakt. and. Sukk.* 41(7): 126-128, illus., map.
- [61] Fritz, G. (1990). Enige notities betreffende *Sulcorebutia frankiana* Rausch. *Maandbl.*

- Liefhebb. Cact. Vetpl. Kamerpl. 3(9): 132-134, ill.
- [62] Galván Villanueva, R. (1990). El genero *Agave* en el Valle de Mexico. Cact. Suc. Mex. 35(2): 30-34, ill., key.
- [63] Gandhi, R. (1990). Indian Euphorbias. Euphorbiaceae Study Group Bull. 1990(1): 4-8, (2): 10-14, ill.
- [64] Gerbaulet, M. & Ihlenfeldt, H.-D. (1990). Lectotypification of *Thysrasperma* N. E. Br. (*Mesembryanthemaceae*). Taxon 39(3): 511-512.
- [65] Gerloff, N. (1990). *Notocactus villa-velhensis* (Backeberg et Voll) Slaba. Internoto 11(4): 129-136, ill.
- [66] Gerloff, N. (1990). Wurde *Notocactus arechavaletai* var. *horstii* Ritter wiedergefunden? Rundbrief Internoto Arbeitskr. 1a 1990(4): 2-4, ill.
- [67] Gibson, A. C. (1990). The systematics and evolution of subtribe *Stenocereinae*. 8. Organ Pipe Cactus and its closest relatives. Cact. Succ. J. (US) 62(1): 13-24, ills., SEM-ills. [On *Stenocereus thurberi*, *S. martinezii*, *S. quevedonis* and *S. beneckeii*.]
- [68] Gibson, A. C. (1990). The systematics and evolution of subtribe *Stenocereinae*. 9. *Stenocereus queretaroensis* and its closest relatives. Cact. Succ. J. (US) 62(4): 170-176, ills., SEM-ills.
- [69] Giess, W. (1990). Bibliography of South West African botany Windhoek (Namibia): SWA Wissenschaftliche Gesellschaft. 236 pp.
- [70] Gilbert, M. G. (1990). A review of *Caralluma* R. Br. and its segregates. Bradleya 8: 1-32, ill., key.
- [71] Gilbert, M. G. (1990). Notes on *Monadenium* in Ethiopia. Bradleya 8: 45-47, ill.
- [72] Gilbert, M. G. (1990). The true identity of *Euphorbia obovalifolia* A. Rich. Kew Bull. 45(1): 195-197, ill.
- [73] Glen, H. F. et al. (1990). *Aloe hariana*. Flow. Pl. Afr. 51(1): t. 2009 + text, map.
- [74] Glen, H. F. & Hardy, D. S. (1990). *Aloe gerstneri*. *Aloe albida*. *Aloe cameronii* var. *bondana*. *Aloe dumetorum*. Flow. Pl. Afr. 51(5): tt. 2008, 2010-2012 + text, ill., maps.
- [75] Goyder, D. (1990). *Pachypodium rosulatum* var. *gracilius*. Kew Mag. 7(4): 169-173, ill., t. 159.
- [76] Haage, H.-F. & Schade, P.-J. (1990). Aporokakteen. Kakt. and. Sukk. 41(7): 150-151, ill., key.
- [77] Hammer, S. (1990). Warts and tubercles. Aloe 27(1): 10-13, ill. [On *Titanopsis*.]
- [78] Hammer, S. (1990). A note on *Fenestraria*. Mesemb Study Group Bull. 5(4): 84.
- [79] Hammer, S. (1990). *Schwantesia*. Mesemb Study Group Bull. 5(3): 49-52, ill.
- [80] Hammer, S. (1990). Some odd Conophytums. Mitt. Inst. Allg. Bot. Hamburg 23b: 525-533, ill.
- [81] Hammer, S. & Hartmann, H. E. K. (1990). Shedding light on windows – in *Conophyllum*. Cact. Succ. J. (US) 62(1): 35-42, ill., map.
- [82] Hammer, S. & Liede, S. (1990). Natural and artificial hybrids in *Mesembryanthemaceae*. South Afr. J. Bot. 56(3): 356-362, ill.
- [83] Hammer, S. (1990). *Conophyllum*: an annotated checklist (L-R). Bradleya 8: 53-84, ill. [Continued from vol. 7, to be completed in vol. 9.]
- [84] Hargreaves, B. J. (1990). Botswana's Euphorbias – adding and subtracting species. Euphorbiaceae Study Group Bull. 1990(2): 15-20, maps. [Including distribution maps for many species.]
- [85] Harold, K. (1990). Unpredictable Ceropegias. Asklepios No. 51: 38-44, ill.
- [86] Hart, H. 't (1990). The arrangement of the leaves in *Sedum* 2. Sedum Soc. Newslett. No. 12: 16-21, diags. [Continued from No. 11.]
- [87] Hart, H. 't (1990). Variation in the structure of the flowers of *Sedum*. Sedum Soc. Newslett. No. 13: 11-17, ill.
- [88] Hart, H. 't & Alpinar, K. (1990). The *Sedum* flora of Turkey. Part 1. Sedum Soc. Newslett. No. 15: 10-15, ill. [Continued in No. 16.]
- [89] Hartmann, H. E. K. & Bittrich, V. (1990). Nomenclature in *Mesembryanthema* (*Aizoaceae*): the generic names by Rappa and Camarrone. Bothalia 20(2): 153-157, ill.
- [90] Hassberg, H. (1990). *Lithops marmorata* and *Lithops optica* – An odd pair on the borderline? Mesemb Study Group Bull. 5(1): 9-10.
- [91] Hassberg, H. (1990). *Lithops* corner: The YWC group – a bounteous batch of beautiful bastards? Mesemb Study Group Bull. 5(4): 71-72.
- [92] He, S. et al. (1986?). Flora Hebeiensis. Tom. 1. Hebei (China): Typis *Popularis Hebeiensis*. ills. [*Aizoaceae* (Z. Yin, 379); *Portulacaceae* (Q. Wu, 382); *Crassulaceae* (C. Y. Cheng, 555-576).]
- [93] He, S. et al. (1989). Flora Hebeiensis, Tom. 2. Hebei (China): Hebei Science & Technology Publishing House. ills. [*Cactaceae* (J. Chen & D. X. Tian, 177-193).]
- [94] Heath, P. V. (1990). On typifying names validated by text accompanied by a plate. Taxon 39(3): 492-498. [Includes many examples from *Cactaceae* (*Cactus*, *Cereus*, *Echinocactus*, *Epiphyllum*, *Mammillaria*, *Opuntia*).]
- [95] Heine, R. (1990). Was ist *Lithops optica* (Marloth) N. E. Brown cv. *Rubra*? Kakt. and. Sukk. 41(4): 62-64, ill.

- [96] Heine, R. (1990). *Lithops lesliei* (N. E. Brown) N. E. Brown ssp. *burchellii* Cole. Kakt. and. Sukk. 41(12): 265, map.
- [97] Heine, R. (1990). *Lithops fulleri* N. E. Brown var. *ochracea* De Boer oder *Lithops hallii* De Boer var. *ochracea* (De Boer) Cole? Kakt. and. Sukk. 41(8): 167-168, ills.
- [98] Heinig, H. (1990). Bemerkungen zum Basionym *Pelecyphora pectinata*. Mitteilungsbl. AfM 14(3): 114-117.
- [99] Heitz, B. & Zeller, J. (1990). Comment s'appelle cette Sansevière? Succulent 13(1): 12-24, ills., key.
- [100] Herskovitz, M. A. (1990). Phylogenetic and morphological studies in *Portulacaceae*. Davis (USA: CA): Ph. D. thesis, University of California. [not effectively published in the sense of ICBN].
- [101] Herskovitz, M. A. (1990). Nomenclatural changes in *Portulacaceae*. Phytologia 68(4): 267-270. [Placement of taxa of *Calyptidium*, *Calandrinia*, *Claytonia*, *Lewisia* and *Talinum* under *Cistanthe*.]
- [102] Herzog, E. (1990). Arten der Gattung *Lobivia*. 6. *Lobivia wrightiana* Backeb. 7. *Lobivia zecheri* Rausch. Kakt. / Sukk. 24(3/4): 101-108, 135-138 (ills.).
- [103] Heyer, W. (1990). Auswertung des Ringbriefes "Islaya". Kakt. and. Sukk. 41(4): 72-75, ills.
- [104] Hils, M. (1990). Begegnung mit *Mammillaria craigii* Lindsay in den Schluchten des Rio Urique. Kakt. and. Sukk. 41(12): 266-267, ills.
- [105] Hochstätter, F. (1990). Een herziening van de onderverdeling van *Pediocactus simpsonii* (Engelmann) Britton & Rose. Succulenta 69(7/8): 169-175, (12): 266-268, maps, ills.
- [106] Hoen, P. P. & Punt, W. (1989). Pollen morphology of the tribe *Dorstenieae* (*Moraceae*). Rev. Palaeobot. Palynol. 57: 187-220.
- [107] Hofacker, A. (1990). *Notocactus scopula* (Sprengel) Berger ex Backeberg und seine Varietäten. Internoto 11(2/3): 68-74, ills.
- [108] Hofacker, A. (1990). Ein neuer Standort von *Notocactus arechavaletai* (Speg.) Herter var. *horsti* Ritter. Internoto 11(4): 124-128, ills.
- [109] Hofstee, K. H. et al. (1990). Een herplaatsing van de *Longiflorae* in de systematiek van het geslacht *Mammillaria*. Succulenta 69(5): 103-105, (11): 248 [erratum].
- [110] Hogan, S. (1990). Het geslacht *Lewisia*. Maandbl. Liefhebber Cact. Vetpl. Kamerpl. 3(2): 29-32, ill. [A condensed overview.]
- [111] Hoock, H. (1990). The Myriostigmas of San Antonio. Brit. Cact. Succ. J. 8(3): 68-73, ills., map, diagrs.
- [112] Hoock, H. (1990). *Astrophytum capricorne* var. *senile* (Fric) Okumura. Kakt. and. Sukk. 41(2): 28-30, (3): 56-60, ills.
- [113] Horich, C. K. (1990). Die Wiederentdeckung eines Urwaldkobolds: *Disocactus acuminatus* (Cufodontis) Kimnach. Kakt. and. Sukk. 41(8): 174-176, ills.
- [114] Hunt, D. R. et al. (1989). *Cactaceae*. European Garden Flora 3: 202-301.
- [115] Hunt, D. R. (1990). The Mammillarias of Werner Reppenhagen (1). An evaluation of the new taxa described by Reppenhagen in his book Die Gattung *Mammillaria* (1987). Mammillaria Postscripts 2: 9-20.
- [116] Hunt, D. R. & Taylor, N. P. (1990). The genera of *Cactaceae*: progress towards consensus. Bradleya 8: 85-107. [Report of the IOS Working Party 1987-1990, compiled on behalf of the participants.]
- [117] Ihlenfeldt, H.-D. & Gerbaulet, M. (1990). Untersuchungen zum Merkmalsbestand und zur Taxonomie der Gattungen *Apatesia* N. E. Br., *Carpanthea* N. E. Br., *Conicosia* N. E. Br., *Herrea* Schwantes und *Hymenogyne* Haw. (*Mesembryanthemaceae* Fenzl). Bot. Jahrb. Syst. 111(4): 457-498, maps, key, chromos. nos., ills.
- [118] Il'yinskaya, A. F. (1990). [In Russian:] Anatomical peculiarities of *Sempervivum ruthenicum* Schnittsp. et C. B. Lehmr. and *Rhodiola rosea* L. (*Crassulaceae*). Ukr. Bot. Zhum. 47(3): 24-28.
- [119] Il'yinskaya, A. F. (1990). [In Ukrainian:] Anatomical studies of the vegetative organs of species of the genus *Sedum* L. from the section *Aizoon* Koch. Ukr. Bot. Zhum. 47(6): 23-27.
- [120] Il'yinskaya, A. F. (1990). [In Russian:] Anatomical studies of the species *Sedum ewersii* Ledb. and *S. ruprechtii* (Jalas) Omelcz. (*Crassulaceae*). Ukr. Bot. Zhum. 47(4): 14-16.
- [121] Itow, S. & Nakanishi, H. (1990). On the number of petals and flowering season of *Sedum formosanum* N. E. Br. in the Danjo Islands, Nagasaki. J. Phytogeogr. Tax. 38(1): 42.
- [122] Jaarsveld, E. van (1990). *Tylecodon kritzingeri*. Flow. Pl. Afr. 51(1): t. 2006 + text.
- [123] Jaarsveld, E. van (1990). *Gasteria pulchra*, *Gasteria pillansii*, *Gasteria baylissiana*. Flow. Pl. Afr. 51(1): t. 2013 - 2015 + text.
- [124] Jindal, R. (1990). *Euphorbia acaulis* Roxb. - *Euphorbia fusiformis*. Euphorbiaceae Study Group Bull. 1990(2): 30-35, ills.
- [125] Johnston, P. (1990). *Carpobrotus edulis* in Guernsey. Excelsa 14: 109-114, map. [Also published in a French translation in Cact. Aventures No. 8: 8-11, 1990]
- [126] Jonkers, B. (1990). *Asclepiadaceae* in Oman. Hoya Nieuwsbrief No. 8: 8-24, ills.

- [127] Jürgens, N. (1990). Remarks on the biogeography of *Mesembryanthemaceae* and their possible use in other arid regions. Mitt. Inst. Allg. Bot. Hamburg 23b: 1047-1060, maps, tab., diag.
- [128] Kiesling, R. & Ferrari, O. (1990). *Parodia* sensu strictu in Argentina. Cact. Succ. J. (US) 62(4): 194-198, (5): 244-250, ills., key.
- [129] Killick, D. J. B. (1990). *Pachypodium horombense*. *Pachypodium densiflorum* var. *densiflorum*. Flow. Pl. Afr. 51(1): t. 2001 - t. 2002 + text.
- [130] Kim, I. & Carr, G. D. (1990). Reproductive biology and uniform culture of *Portulaca* in Hawaii. Pacif. Sci. 44(2): 123-129.
- [131] Kim, I. & Carr, G. D. (1990). Cytogenetics and hybridization of *Portulaca* in Hawaii. Syst. Bot. 15(3): 370-377, ills., diags., chromos. nos.
- [132] Kimberley, M. J. (1990). The miniature aloes of Zimbabwe. Cact. Succ. J. (US) 62(5): 222-229, ills.
- [133] Kimberley, M. J. (1990). Succulent plant families in Zimbabwe. Excelsa 14: 95-99, ills.
- [134] Kloppenburg, D. (1990). New Philippine *Hoya* species. Fraterna No. 3: 15 pp. insert.
- [135] Knees, S. G. (1989). *Didiereaceae*. European Garden Flora 3: 301-302.
- [136] Krähenbühl, F. (1990). *Encephalocarpus strobiliformis* (Werdermann) Berger im Staat Nuevo Leon. Kakt. and. Sukk. 41(6): 116-117, ill. [New distribution record.]
- [137] Kunze, H. (1990). Morphology and evolution of the corona in *Asclepiadaceae* and related families. Trop. subtrop. Pfl. Welt 76: 51 pp., ills.
- [138] Laferrière, J. E. (1990). The taxonomy and ethnobotany of *Yucca madrensis*. Cact. Succ. J. (US) 62(2): 95-96, ills.
- [139] Land, M. P. (1990). *Huernia* papillae and associated structures – some observations. Asklepios No. 49: 84-89, ills.
- [140] Leach, L. C. & Williamson, G. (1990). The identities of two confused species of *Euphorbia* (*Euphorbiaceae*) with descriptions of two closely related new species from Namaqualand. South Afr. J. Bot. 56(1): 71-78, ills.
- [141] Leuenberger, B. E. (1989). Lectotypification of *Cereus hexagonus* (L.) Miller (*Cactaceae*) and taxonomic notes on related taxa from South America. Bot. Jahrb. Syst. 111(2): 145-164, ills., SEM-ills.
- [142] Leuenberger, B. E. (1990). Eine schnelle Methode zur Dokumentation von Blütenmerkmalen bei Cactaceen. Kakt. and. Sukk. 41(11): 241-243, ills.
- [143] Li, D. Z. et al. (1990). [In Chinese:] The chemotaxonomy of *Cynanchum* and its allied genera. Acta Phytotax. Sin. 28(6): 461-466, keys.
- [144] Li, P. T. (1990). New materials of *Asclepiadaceae* from Chinese Hengduanshan region. Acta Bot. Yunnanica 12(1): 19-21. [Distribution records for *Hoya polyneura* and *H. siamica*.]
- [145] Liede, S. (1990). Untersuchungen zum Merkmalsbestand und zur Taxonomie der "Erepsiinae" (*Mesembryanthemaceae*). Beitr. Biol. Pfl. 64(3): 391-479, maps, ills., diags., key.
- [146] Liede, S. (1990). Untersuchungen zur Ökologie der Gattung *Erepsia* N. E. Br. (*Mesembryanthemaceae*). Beitr. Biol. Pfl. 65(1): 1-98, maps, diags., ills.
- [147] Liede, S. (1990). Studies in the genus *Erepsia* – on the ecology of a fynbos succulent. Mitt. Inst. Allg. Bot. Hamburg 23b: 759-766, map, ills.
- [148] Liede, S. & Meve, U. (1990). What is *Lampranthus scaber* (L.) N. E. Br.? Bradleya 8: 39-44, ills., map.
- [149] Linzen, T. et al. (1990). Ist *Mammillaria ignota* Reppenhagen mit *Mammillaria kunthii* Ehrenberg identisch? Mitteilungsbl. AfM 14(1): 27-37, ills.
- [150] Lodé, J. (1990). Le genre *Arrojadoa*. Cact. Aventuras No. 6: 14-16, ills., map. [Geographical synopsis.]
- [151] Lösch, R. (1990). Funktionelle Voraussetzungen der adaptiven Nischenbesetzung in der Evolution makaronesischer Semperviven. Diss. Bot. 146. vi + 482 pp., ills., maps.
- [152] Lombardi, J. A. (1990). Aspectos taxonomicos do genero *Rhipsalis* Gaertner (*Cactaceae*) no Estado de São Paulo. Campinas (Brazil: SP): Dissertation, Univ. Estadual de Campinas. 219 pp., ills., key.
- [153] Lovelius, O. L. & Stoiko, S. M. (1990). *Rhodiola rosea* L. v ukrayins'kykh Karpatakh. Ukr. Bot. Zhurn. 47(1): 90-93, map.
- [154] Lüthy, J. (1990). Beitrag zur Kenntnis der Verbreitung und Zusammensetzung von Latex in der Gattung *Mammillaria* Haw., Untergattung *Mammillaria*, und dessen Bedeutung für die Systematik. Mitteilungsbl. AfM 14(4): 136-153, ills.
- [155] Luz Arreguin-Sánchez, M. de la et al. (1990). Morfología de los granos de polen de los géneros *Echeveria*, *Sedum* y *Villadia* (*Crassulaceae*) del Valle de México. Cact. Suc. Mex. 35(3): 51-61, ills., SEM-ills.
- [156] Marais, E. M. (1990). *Pelargonium chelidonium*. Flow. Pl. Afr. 51(1): t. 2018 + text, map.
- [157] Mauseth, J. D. (1990). Continental drift, climate and the evolution of cacti. Cact. Succ. J. (US) 62(6): 302-308, ills., diags. [German]

- translation in Kakt. and. Sukk. 42(1): 10-13, 40-44, 1991.]
- [158] McFarland, J. D. et al. (1989). Pollination biology of *Opuntia imbricata* (Cactaceae) in southern Colorado. Canad. J. Bot. 67: 24-28.
- [159] McMillan, A. J. S. (1990). Bibliography of the genus *Schlumbergera*. Great Crosby (GB): Epiphytic Plant Study Group. 16 pp.
- [160] McMillan, A. J. S. (1990). Plants described as *Schlumbergera russelliana*. Bradleya 8: 48-52, illus.
- [161] Meier, E. (1990). Über *Nopalochia ackermannii* (Haworth) Knuth und ihre Formen. Kakt. und. Sukk. 41(3): 45-49, (4): 76-80, illus.
- [162] Metzger, J. (1990). Sedum seen in Mallorca. Sedum Soc. Newslett. No. 14: 18, map.
- [163] Meve, U.P et al. (1990). The outer epidermal wall structure of African *Stapeliaeae* (Asclepiadaceae). Nord. J. Bot. 9: 519-523, SEM-illus.
- [164] Meve, U. & Albers, F. (1990). The species concept in *Duvalia* (Asclepiadaceae) – a preliminary revision of the genus. Mitt. Inst. Allg. Bot. Hamburg 23b: 595-604, illus., map.
- [165] Meve, U. & Albers, F. (1990). Die Stipularrudimente der *Stapeliaeae* (Asclepiadaceae). Beitr. Biol. Pflanzen 65(1): 99-107, REM-illus.
- [166] Milt, I. (1990). *Gymnocalycium glaucum, bozingianum a ferrarii*. Gymnofil 19(2): 1-8, illus.
- [167] Moffett, R. O. (1990). *Sarcocaulon peniculinum*. *Sarcocaulon ciliatum*. Flow. Pl. Afr. 51(1): t. 2016 - 2017 + text, maps.
- [168] Moody, J. (1990). Stomates and the taxonomy of *Lithops*. Brit. Cact. Succ. J. 8(4): 113-114, illus.
- [169] Moran, R. (1990). *Graptopetalum pachyphyllum* Rose (Crassulaceae). Cact. Succ. J. (US) 62(1): 29-34, illus.
- [170] Moran, R. (1990). *Pachyphytum hookeri* (Salm-Dyck) Berger (Crassulaceae). Cact. Succ. J. (US) 62(5): 236-241, illus.
- [171] Moran, R. (1990). *Villadia aristata* (Crassulaceae), a new species from northeast Mexico. Cact. Succ. J. (US) 62(4): 177-182, illus. [Includes general remarks on the genus.]
- [172] Mottram, R. (1990). A contribution to a new classification of the cactus family and index to suprageneric and supraspecific taxa. Thirsk (GB): Whitestone Gardens. 88 pp.
- [173] Munster, R. (1990). Angolluma, a new genus. Part 1. Cact. Succ. J. New South Wales 17(4): 63-65. [Includes key to and discussion of *Caralluma*, *Desmidorchis* and *Angolluma*.]
- [174] Neut, P. (1990). Gibt es Selbstfertilität bei *Notocactus concinnus* (Monville) Berger ex Backeberg? Internoto 11(1): 12-14, ill.
- [175] Newton, L. E. (1990). Notes on *Ceropogia powysii*. East Afr. Nat. Hist. Soc. Bull. 20(1): 2-3.
- [176] Newton, L. E. (1990). *Huernia archeri* – an interesting rediscovery. East Afr. Nat. Hist. Soc. Bull. 20(3): 37.
- [177] Newton, L. E. & Hartmann, H. E. K. (1990). *Delosperma* in East Africa. East Afr. Nat. Hist. Soc. Bull. 20(2): 21-23.
- [178] Newton, L. E. & Lavranos, J. J. (1990). Two new aloes from Kenya, with notes on the identity of *Aloe turkanensis*. Cact. Succ. J. (US) 62(5): 215-221, illus., map.
- [179] Nilsson, M. (1990). En handfull Argentinska *Rebutia*-arter – ett urval intressanta och bonvilliga dvärgkakteer. Kaktus (Odense) 25(3): 66-69, (4): 75-79, illus. [Continued in vol. 26.]
- [180] Nyananyo, B. L. (1990). Tribal and generic relationship in the *Portulacaceae* (Centrospermae). Feddes Repert. 101(5-6): 237-241, key.
- [181] Nyananyo, B. L. & Okoli, B. E. (1987). Cytological and morphological studies on Nigerian species of *Portulaca* (Portulacaceae) in relation to their taxonomy. Feddes Repert. 98(11-12): 583-587. [So far erroneously omitted.]
- [182] Ohba, H. (1990). Notes towards a monograph of the genus *Orostachys* (Crassulaceae). J. Jap. Bot. 65(7): 193-203, illus., key.
- [183] Ohba, H. & Amano, M. (1990). Notes on the taxonomic status of *Sedum oishii* Ohwi (Crassulaceae). J. Phytogeogr. Taxon. 38: 1-5, illus.
- [184] Ohba, H. & Tagawa, H. (1990). A note of *Orostachys malacophyllus* (Pallas) Fischer and its related taxa from northern Japan. Notes towards a monograph of the genus *Orostachys* (Crassulaceae): 2. J. Jap. Bot. 65(10): 302-308, SEM-illus., keys.
- [185] Oster, G. (1990). *Notocactus mammulosus* – eine Benennungshilfe. Internoto 11(2/2): 93-97, illus. [Includes several *nomina nuda* at varietal level.]
- [186] Ostolaza, C. (1990). *Haageocereus tenuis* Ritt. emend. Rauh et Ostolaza. Quepo 3/4: 76-80, illus.
- [187] Ostolaza, C. & Rauh, W. (1990). Bemerkungen zur Kakteenvegetation der peruanischen Küstenwüste, insbesondere zu *Haageocereus tenuis* Ritter, einer wenig bekannten Art. Kakt. and. Sukk. 41(2): 40-44, illus.
- [188] Oudejans, R. C. H. M. (1990). World catalogue of species names published in the tribe *Euphorbieae* (Euphorbiaceae) with their geographical distribution. Utrecht (NL):

published by the author. viii + 444 pp.

- [189] Pagliarini, M. S. (1990). Meiotic behaviour and pollen fertility in *Aptenia cordifolia* (Aizoaceae). *Caryologia* 43: 157-162.
- [190] Parnell, J. & Favarger, C. (1990). Notes on *Sempervivum* L. and *Jovibarba* Opiz. In: Flora Europaea: Notulae Systematicae ad Floram Europaeam spectantes, ser. 2, no. 3. Bot. J. Linn. Soc. 103(3): 216-220.
- [191] Percy-Lancaster, A. (1990). Succulents in habitat in the northern and eastern Transvaal. *Excelsa* 14: 115-116. [A checklist.]
- [192] Pichler, G. (1990). *Echinocereus sciurus* var. *floresii* (Backeberg) Taylor aus Sinaloa und die Spur zum vielgesuchten, bisher aber nicht wiedergefundenen *E. subterraneus* Backeberg. *Echinocereenfreund* 1990(3): 65-74, illus.
- [193] Pichler, G. (1990). *Echinocereus 'rectispinus'* nom. prov. *Echinocereenfreund* 1990(2): 31-39, illus.
- [194] Pilbeam, J. (1990). *Mammillaria dioica* – een bijzonder variabele en wijd-verbreide soort. *Succulenta* 69(2): 40-42, illus.
- [195] Piña Lujan, I. (1990). Nuevas aportaciones a *Yucca queretaroensis* Piña sp. nov. *Cact. Suc. Mex.* 35(3): 61-62, illus.
- [196] Plowes, D. C. H. (1990). On the identity of *Caralluma cicatricosa* and *C. quadrangula*. *Asklepios* No. 50: 3-20, illus., map.
- [197] Plowes, D. C. H. (1990). An introduction to stapeliad genera. *Cact. Succ. J. (US)* 62(3): 111-129, illus.
- [198] Plowes, D. C. H. (1990). The succulents of Sudan. *Excelsa* 14: 57-69, illus., map.
- [199] Plowes, D. C. H. (1990). Succulents in Botswana. *Excelsa* 14: 85-93, illus., map.
- [200] Pokras, R. & Lennartz, D. (1990). A *Sarcostemma* from Siam. *Brit. Cact. Succ. J.* 8(2): 40-42, illus.
- [201] Pokras, R. & Lennartz, D. (1990). Where the wild *Sarcostemma* grows. *Brit. Cact. Succ. J.* 8(4): 99-102, ill., maps.
- [202] Prauser, W. (1990). Die Pflanzengruppe um *Notocactus tabularis*. *Internoto* 11(2/3): 75-88, illus.
- [203] Ramakers, L. (1990). Meinungen zum *M[ammillaria] barbata* / *wilcoxii* / *wrightii*-Komplex. *Mitteilungsbl. AfM* 14(4): 153-164, illus.
- [204] Rausch, W. (1990). Notiz zu *G. alboareolatum* Rausch – *G. kieslingii* Ferrari. AG *Gymnocalycium* 3(2): iv.
- [205] Rausch, W. & Till, H. (1990). *Gymnocalycium alboareolatum* Rausch. AG *Gymnocalycium* 3(2): 29-31, illus., map.
- [206] Reid, C. & Müller-Doblies, D. & U.

(1990). *Bowiea gariepensis*. *Flow. Pl. Afr.* 51(1): t. 2007 + text, map.

- [207] Repenhausen, W. (1990). *Mammillaria laui* D. Hunt – *Mammillaria dasyacantha* (D. Hunt) Repenhausen. Eine Berichtigung. *Kakt. and. Sukk.* 41(2): 38-39, illus.
- [208] Repenhausen, W. (1990). *Mammillaria beneckeae* Ehrenberg and its variety *multiceps* Repenhausen. *Cact. Succ. J. (US)* 62(6): 286-288, illus.
- [209] Repenhausen, W. (1990). Berichtigung: *Mammillaria laui* – *Mammillaria dasyacantha* Mitteilungsbl. AfM 14(1): 37-39.
- [210] Retief, E. (1990). *Stapelia immelmaniae*. *Flow. Pl. Afr.* 51(1): t. 2003 + text.
- [211] Retief, E. & Hardy, D. S. (1990). *Quaqua mammillaris*. *Flow. Pl. Afr.* 51(1): t. 2004 + text.
- [212] Reyna Bustos, O. F. (1990). Cactaceas y Agavaceas de las barrancas aledañas a Guadalajara, Jalisco. *Cact. Suc. Mex.* 35(2): 35-42, illus., map.
- [213] Rico-Gray, V. (1990). *Aizoaceae* de la Península de Yucatán, México. *Phytologia* 68(2): 102-107. [*Sesuvium*, *Trianthema*.]
- [214] Riha, J. (1990). *Discocactus woutersianus* Brederoo et Van de Broek. *Kaktusy* 26(3): 57-59, illus. [The taxon has been found to be a hybrid.]
- [215] Riha, J. & Subik, R. (1990). Vylet za *Mammillaria tlalocii*. *Kaktusy* 26(1): 12-16, illus. [German translation in Frankfurter Kakt.-Freund 1991(1): 6-10.]
- [216] Rizzini, C. T. (1990). Cactiform species of *Euphorbia* from Brazil (Euphorbiaceae). *Rev. Bras. Biol.* 49(4): 979-997, illus., key. [Dated 1989, published 1990.]
- [217] Rodman, J. E. (1990). *Centrospermae* revisited, part I. *Taxon* 39(3): 383-393, tabs. [Discusses paraphyly in various families of the group.]
- [218] Rogozinski, H. (1990). Vergleich bekannter Lau-Nummern mit Repenhausen-Nummern. Einige Gedanken ... insbesondere zu den Neubeschreibungen *Mammillaria apozolensis*, *M. huiguensis* und *M. crassa* Repenhausen. *Mitteilungsbl. AfM* 14(2): 79-84, illus.
- [219] Rogozinski, H. (1990). Was ist *Mammillaria brauneana* Bödeker? *Mitteilungsbl. AfM* 14(5): 183-194, illus.
- [220] Rogozinski, H. (1990). An den Standorten von *Mammillaria bombycina* und *Mammillaria perezdelarosae*. *Mitteilungsbl. AfM* 14(6): 236-241, 244-245, illus.
- [221] Rovida, G. (1990). Il genere *Rebutia*. *Piante Grasse* 10(2): 42-50, illus. [Outlines various classifications.]
- [222] Rowley, G. D. (1990). *Fockea capensis*

- Endl. – The correct name for the 'Old Lady of Schönbrunn'. Asklepios No. 50: 25-26.
- [223] Rowley, G. D. (1990). Daisy-flowered succulents with name revisions in *Othonna* and *Senecio*. Cact. Succ. J. (US) 62(6): 279-283, ills.
- [224] Rowley, G. D. (1990). Die Gattung *Tylecodon* Tölken mit besonderer Berücksichtigung von *Tylecodon papillaris* (Linné) Rowley. Kakt. and. Sukk. 41(12): 278-282, ills.
- [225] Rutow, J. (1990). *Echinocereus cinerascens* (DC.) Lemaire. Echinocereenfreund 1990(3): 75-81, ills.
- [226] Sánchez Martínez, E. & Galindo Sotelo, G. (1990). *Stenocactus heteracanthus*, un nuevo registro para el Estado de Queretaro. Cact. Suc. Mex. 35(4): 91-95, ills.
- [227] Schätzle, P. (1990). *Echinocereus subterraneus* Backeberg, was ist das? Kakt. and. Sukk. 41(11): 259-260, ills.
- [228] Schätzle, P. (1990). Die Formen von *Echinocereus reichenbachii* (Terschek) Haage jr. aus der Umgebung von Saltillo. Kakt. and. Sukk. 41(2): 34-37, ills.
- [229] Schätzle, P. (1990). *Echinocereus spinibarbis* Haage jr. non K. Schumann. Kakt. and. Sukk. 41(3): 54-55, ills.
- [230] Schätzle, P. (1990). *Astrophytum myriostigma* Lemaire var. *columnare* (K. Schumann) Tsuda – Varietät oder Form? Kakt. and. Sukk. 41(5): 94-97, ills.
- [231] Scheltema, A. G. & Walt, J. J. A. van der (1990). Taxonomic revision of *Pelargonium* sect. *Jenkinsonia* (Geraniaceae) in southern Africa. South Afr. J. Bot. 56(3): 285-302, ills., maps, key.
- [232] Sedivy, V. (1990). Rod *Escobaria* Britton et Rose. Rod *Ortegocactus* Alexander. Atlas Kakt. 1990: Supplement, 16 pp., ills., maps, key. [Probably only effectively published in 1991.]
- [233] Sedivy, V. (1990). Echinomastus jihozápadních pouští. Azteka 11: 34-38, map. [Dated 1988, received 1990.]
- [234] Seshagiri Rao, K. & Prasad, M. N. V. (1990). *Monadenium heteropodium* N. E. Br. (Euphorbiaceae) – an exotic in the process of naturalization in India. Excelsa 14: 135-137, ills.
- [235] Singh, M. (1990). *Euphorbia fusiformis* Buch.-Ham. ex D. Don. Euphorbiaceae Study Group Bull. 1990(2): 25-29, ills.
- [236] Smale, T. (1990). *Calamophyllum* – The lost genus. Mesemb. Study Group Bull. 5(3): 53-54.
- [237] Smith, G. F. (1990). Neotypification of *Bowiea myriacantha*, basionym of *Aloe myriacantha* (Asphodelaceae: Alooideae). Bot. Bull. Acad. Sin. 31: 315-320, ill.
- [238] Smith, G. F. (1990). The correct author citation of *Aloe bowiea* and *A. myriacantha* (Alooideae). Bothalia 20: 80-82.
- [239] Smith, G. F. (1990). *Liliaceae / Asphodelaceae*: the type of *Chortolirion bergerianum* (Alooideae). Bothalia 20(2): 213-214.
- [240] Smith, G. F. (1990). A multi-disciplinary approach to a revision of *Chortolirion* (Asphodelaceae: Alooideae). Mitt. Inst. Allg. Bot. Hamburg 23b: 593-594. [Abstract only, paper published in South Afr. J. Sci. 84: 428-430.]
- [241] Smith, G. F. (1990). Nomenclatural notes on the subsection *Bowiea* in *Aloe* (Asphodelaceae). South Afr. J. Bot. 56(3): 303-308.
- [242] Smith, G. F. (1990). Neotypification of *Aloe bowiea* (Asphodelaceae: Alooideae). South Afr. J. Bot. 56(4): 415-418, ill.
- [243] Smith, G. F. (1990). The correct publication date of *Chamaeleo Berger* (Asphodelaceae: Alooideae). Taxon 39(2): 332-334.
- [244] Smith, G. F. & Greyling, H. P. (1990). Neotypification of *Aloe glabrata*, basionym of *Haworthia glabrata* (Asphodelaceae: Alooideae). Taxon 39(2): 331-332.
- [245] Smith, G. F. & Marx, G. (1990). Notes on the vegetation and succulent flora of the eastern Cape Province, South Africa. Aloe 27(3): 56-66, ills., maps.
- [246] Smith, G. F. & Wyk, A. E. van (1990). Notes on the distribution and habitat of *Aloe bowiea* (Liliaceae / Asphodelaceae: Alooideae), an endangered and little known species from the Eastern Cape. Bothalia 20(1): 123-125, map.
- [247] Spearing, J. K. (1990). A contribution to the study of stapeliad seedling morphology. I. The genus *Caralluma* sensu lato. Part II. Asklepios No. 49: 63-72, ills. [Continued from No. 48.]
- [248] Stephenson, R. (1990). *Sedum caespitosum* (Cav.) DC. and *S. andegavense* (DC.) Desv. Sedum Soc. Newslett. No. 15: 18-20, ills.
- [249] Stephenson, R. (1990). *S[edum] wrightii* ssp. *densiflorum* Clausen. Sedum Soc. Newslett. No. 14: 20-21, ills.
- [250] Straka, H. & Friedrich, B. (1989). Palynologia Madagassica et Mascarenica. Trop. subtrop. Pfl.-welt 67: 225 pp., SEM-ills. [This installment covers the Euphorbiaceae (pp. 56-98).]
- [251] Stuchlik, S. (1990). Známe brasiliakatusy? Kaktusy 26(2): 36-41, ills. [German translation in Frankfurter Kakt.-Freund 1991(1): 21-25.]
- [252] Stuchlik, S. (1990). *Notocactus ottonis* var. *paraguayensis* a jeho formy. Minimus 21(3): 45-52, ills., map.

- [253] Süpple, F. (1990). *Rhipsalidinae*. Venray (NL): Interbook. 100 pp., ills.
- [254] Suri, O. P. et al. (1990). An ent-secoatisane skeleton diterpene from a natural source, rhizomes of *Euphorbia acaulis*. J. Nat. Prod. 53: 470-473. [Cited from Excerpta Botanica 54(4): 244.]
- [255] Syeda, S. T. & Carolin, R. C. (1990). Phylogeny and origin of Australian *Calandrinia* (*Portulacaceae*). Pakistan J. Bot. 22(1): 75-78.
- [256] Taylor, N. P. & Zappi, D. C. (1990). Brief notes on *Leocereus* Britton & Rose. Bradleya 8: 107-108, ills.
- [257] Theunissen, S. (1990). Die Feldnummern von Hugo Schlosser. Internoto 11(2/3): 102-111, ills. [List of field-numbers referring to *Notocactus*, descriptions and illustrations of some collections.]
- [258] Till, H. (1990). Bemerkungen zur Verwandtschaft um *Gymnocalycium alboareolatum* Rausch. AG Gymnocalycium 3(2): 32.
- [259] Till, H. (1990). Eine schöne, aber oft verkannte Art: *Gymnocalycium monvillei*. AG Gymnocalycium 3(3): 33-40, ills., map.
- [260] Till, H. (1990). *Gymnocalycium kieslingii* Ferrari. AG Gymnocalycium 3(1): 25-28, ills., map.
- [261] Till, H. (1990). *Gymnocalycium stellatum* (Speg.) Speg. und Überlegungen zur Neuordnung der Sektion *Trichomosemineum*. Gymnos 6(12): 64-71, maps.
- [262] Tjaden, W. (1990). *Epiphyllum jenkinsonii* (Hort.). Epiphytes 14(56): 97-101, ill. [To be continued.]
- [263] Tripathi, A. K. (1988). A taxonomic study of *Aizoaceae* and *Molluginaceae* of Madhya Pradesh. Proc. Nation. Acad. Sci. India, B 58(3): 431-436, keys. [Dated 1988 but probably published later.]
- [264] Trocha, W. (1990). *Echinocereus triglochidiatus* G. Engelmann 1848. Echinocereenfreund 1990(1): 5-8, (2): 48-52, (3): 59-64, ills. [Continued from vol. for 1989, continued in vol. for 1991.]
- [265] Ullrich, B. (1990). *Agave obscura* Schiede y *Agave horrida* Lemaire ex Jacobi ssp. *perotensis* Ullrich ssp. nov. Cact. Suc. Mex. 35(4): 75-82, ills.
- [266] Ullrich, B. (1990). Ein neuer Standort für *Agave dasylirioides* Jacobi & Bouché in Oaxaca. Kakt. and. Sukk. 41(8): 164-166, ills., map.
- [267] Ullrich, B. (1990). Ein neuer Standort für *Agave atrovirens* Karwinski ex Salm-Dyck in Guerrero. Kakt. and. Sukk. 41(5): 98-99, ill., map.
- [268] Ullrich, B. (1990). Anmerkungen zu *Agave parviflora* Torrey und *Agave hartmanii* S. Watson. Kakt. and. Sukk. 41(7): 133-136, ills.
- [269] Ullrich, B. (1990). *Agave attenuata* Salm-Dyck op haar natuurlijke groeiplaatsen. Succulenta 69(6): 121-127, ills., map.
- [270] Ullrich, B. (1990). *Agave macrocylum* Todaro en *Agave gentryi* Ullrich spec. nov. Succulenta 69(9): 190-193, (10): 210-214, ills.
- [271] Veverka, M. (1990). Orientace v rodu *Parodia*. Kaktusy 26(6): 123-126, map. [Map with distribution of sections and series.]
- [272] Vogel, S. (1990). Ölblumen und ölsammelnde Bienen. Dritte Folge. *Momordica*, *Thladiantha* und die *Ctenoplectridae*. Trop. subtrop. Pfl. Welt 73: 186 pp., ills., diags.
- [273] Vosa, C. G. & Bennett, S. T. (1990). Chromosome studies in the southern African flora: chromosome evolution in the genus *Gasteria* Duval. Caryologia 43(3-4): 235-247, ills., chromosome nos.
- [274] Wallace, R. S. (1990). Systematic significance of allozyme variation in the genus *Lithops* (*Mesembryanthemaceae*). Mitt. Inst. Allg. Bot. Hamburg 23b: 509-524, map, ills., diags., tabs.
- [275] Walt, J. J. A. van der et al. (1990). Delimitation of *Pelargonium* sect. *Glaucocephalum* (*Geraniaceae*). Pl. Syst. Evol. 171: 15-26, SEM-ills., map.
- [276] Walters, S. M. et al. (1989). The European Garden Flora. Vol. 3. Cambridge (GB): Cambridge University Press. 474 pp. [This volume contains the succulent families *Aizoaceae*, *Portulacaceae*, *Cactaceae* and *Didiereaceae* (see individual entries).]
- [277] Wane, S. & Pinion, G. (1990). Substrate adaptation in rock outcrop plants: Eastern United States *Talinum* (*Portulacaceae*). Bull. Torrey Bot. Club 117(3): 284-290, diags.
- [278] Wang, D. Q. et al. (1990). New taxa of *Sedum* from Anhui. Bull. Bot. Res. North-East Forest. Inst. 10(3): 45-50, ills.
- [279] Watson, E. M. (1989). Cytoevolution in *Bulbine*. Evol. Trends Plants 3: 3-6.
- [280] Weber, R. (1990). *Rebutia villazonensis* Brandt. Kakt. / Sukk. 24(3/4): 78-85, ills.
- [281] Weedin, J. F. et al. (1989). Chromosome numbers in Chihuahuan Desert *Cactaceae*. II. Transpecos Texas. Southwest. Natural. 34: 160-164. [Chromosome number for 39 taxa, including first reports for *Coryphantha*, *Escobaria* and *Opuntia* species.]
- [282] Wohlschlager, M. (1990). Beobachtungen zur Morphologie von *Mammillaria deherdtiana* Farwig. Kakt. and. Sukk. 41(7): 138-139, ill.
- [283] Wolbis, M. & Krolikowska, M. (1988). Flavonol glycosides from *Sedum acre*. Phytochemistry 27: 3941-3943.

- [284] Woldu, Y. et al. (1988). Styrenes from *Dorstenia barnimiana*. *Phytochemistry* 27: 1227-1228.
- [285] Wolf, R. (1990). *Mammillaria beneckeii* Ehrenberg. *Mitteilungsbl. AfM* 14(6): 246-256, illss., SEM-ills.
- [286] Wolf, R. (1990). *Mammillaria cowperae* - *Mammillaria moelleriana*? *Mitteilungsbl. AfM* 14(5): 196-201, illss.
- [287] Yadav, S. R. et al. (1990). Two new records of *Asclepiadaceae* from Maharashtra. *J. Bombay Nat. Hist. Soc.* 86(3): 480-482, pl. 1, figs. 1-12. [Dated 1989, published 1990. On *Brachystelma* and *Ceropegia*.]
- [288] Zahra, R. (1990). Why not hybrid cacti? *Brit. Cact. Succ. J.* 8(2): 43-46, illss. [Includes information on a number of intergeneric hybrids.]
- [289] Zboril, M. (1990). Rod *Tylecodon* Toelken se zvláštním zamerením na *Tylecodon hallii*. *Adenium* 1990(2): 18-23.

Demnächst erhältlich

IOS Index of Cactaceae Names 1950 – 1990

Dieser Index wird im Oktober 1991 von den Royal Botanic Gardens, Kew, in Zusammenarbeit mit der Internationalen Organisation für Sukkulanten-Forschung und der Städtischen Sukkulanten-Sammlung Zürich publiziert werden.

Der *Index* umfasst weit über 200 Seiten und fasst alle im Zeitraum 1950 – 1990 für die *Cactaceae* publizierten Namensänderungen zusammen wie sie in den jährlichen Ausgaben des *Repertorium Plantarum Succulentarum* nachgewiesen werden und umfasst viele Ergänzungen und Korrekturen.

Bestellen Sie jetzt zum günstigen Subskriptionspreis:

£ 10 / CHF 26.–

Diese Subskriptionspreise gelten bis zum **30. September 1991** und schliessen Porto und Verpackung ein. Bestellungen können nur zu diesen günstigen Preisen ausgeführt werden, wenn sie samt Zahlung bis zum 30. September 1991 bei uns eintreffen. Ab 1. Oktober 1991 kostet der *Index* £ 11.50 (inkl. Porto und Verpackung).

Senden Sie Ihre Zahlung

- in Englischen £ (Scheck in £ lautend auf David Hunt und auf eine Englische Bank gezogen; oder Banknoten) an David Hunt, 54 Priory Road, Richmond, Surrey TW9 3DH, England; oder
- in Schweizer Franken (Scheck in Schweizer Franken lautend auf D. Supthut und auf eine Schweizer Bank in Zürich gezogen; oder Banknoten) an D. J. Supthut, IOS-Kassierer, Städtische Sukkulanten-Sammlung, Mythenquai 88, CH-8002 Zürich, Schweiz; oder durch Giro-Überweisung in Schweizer Franken auf das Postscheck-Konto 80-8960-7 der IOS.

Falls Sie in einer anderen Währung zahlen möchten, addieren Sie bitte zum Zahlungsbetrag den Gegenwert von £ 10 bei Zahlung nach England bzw. den Gegenwert von CHF 10.– bei Zahlung nach der Schweiz zur Deckung der Bankunkosten.

Coming soon

IOS Index of *Cactaceae Names* 1950 – 1990

This Index will be published in October 1991 by the Royal Botanic Gardens, Kew, in cooperation with the International Organization for Succulent Plant Study, and the Municipal Succulent Collection, Zürich. The *Index* comprises well over 200 pages and summarises all name changes in *Cactaceae* in the period 1950 – 1990, as published in the annual issues of *Repertorium Plantarum Succulentarum*, with numerous additions and corrections.

Order now at the special pre-publication price:

£ 10 / CHF 26.–

These **pre-publication prices are valid until September 30, 1991** and include postage and packing. Please ensure that your order and payment is received before this deadline. As from October 1, 1991, the price of the *Index* will be £ 11.50 (including p&p).

Send your payment

- in British £ (cheque in £ made out to David Hunt and drawn on a British Bank, or cash) to David Hunt, 54 Priory Road, Richmond, Surrey TW9 3DH, England; or
- in Swiss Francs (cheque in Swiss Francs made out to D. Supthut and drawn on a Swiss Bank, or cash) to D. J. Supthut, IOS Treasurer, Städtische Sukkulanten-Sammlung, Mythenquai 88, CH-8002 Zürich, Switzerland; or by giro transfer in Swiss Francs to the IOS postal giro account 80-8960-7.

If you want to pay in another currency, please add the equivalent of £ 10 if paying to England, or the equivalent of CHF 10.– if paying to Switzerland, to cover bank charges.