



**Repertorium  
Plantarum  
Succulentarum  
XLII (1991)**



# **Repertorium Plantarum Succulentarum XLII (1991)**

*Index nominum novarum plantarum succulentarum anno MCMXCI editorum nec non bibliographia taxonomica ab U. Eggli et N. P. Taylor compositus.*

International Organization for Succulent Plant Study  
Internationale Organisation für Sukkulantenforschung

September 1992

ISSN 0480-4271

## Conventions used in Repertorium Plantarum Succulentarum

- Repertorium Plantarum Succulentarum attempts to list, under separate headings, newly published names of succulent plants and relevant literature on the systematics of these plants, on an annual basis. New names noted after the issue for the relevant year has gone to press are included in later issues. Specialist periodical literature is scanned in full (as available at the libraries of K, Z, ZSS or received by the compilers). Also included is information supplied to the compilers direct. It is urgently requested that any reprints of papers not published in readily available botanical literature be sent to one of the compilers.
- Validly published names are given in **bold face** type, accompanied by an indication of the nomenclatural type (name or specimen dependent on rank), followed by the herbarium acronyms of the herbaria where the holotype and possible isotypes are said to be deposited (first acronym for holotype), according to Index Herbariorum, ed. 8 and supplements as published in Taxon. Invalid, illegitimate, or incorrect names are given in *italic* type face. In either case a full bibliographic reference is given. For new combinations, the basionym is also listed. For invalid, illegitimate or incorrect names, the articles of the ICBN which have been contravened are indicated in brackets.
- The compilers would like to point out that they do not accept any names that might be inadvertently validated in this volume of RPS.
- Bibliographic details of papers dealing only with the description of one or two new taxa are given in the nomenclatural section and not repeated in the bibliographic section.
- Abbreviations for periodicals are those suggested in 'A Bibliography of Succulent Plant Periodicals' (U. Eggli in Bradleya 3: 103-119, 1985, and supplements in l.c. 5: 101-104, 1987) for specialized periodicals, or those of Bibliographia Periodicorum Huntianum for other periodicals.

## Konventionen im Zusammenhang mit dem Repertorium Plantarum Succulentarum

- Das Repertorium Plantarum Succulentarum ist eine jährlich herausgegebene Zusammenstellung neuer Namen für sukkulente Pflanzen und der relevanten systematischen Literatur. Neue Namen, die nach der Drucklegung der Ausgabe des betreffenden Jahres bekannt werden, erscheinen in der nächsten erreichbaren Ausgabe. Spezialisierte Zeitschriften werden umfassend durchgesehen, soweit sie in den Bibliotheken von K, Z und ZSS vorhanden sind oder den Herausgebern privat vorliegen. Die Herausgeber bitten alle Autoren dringend, Separata relevanter Publikationen zur Verfügung zu stellen, vor allem wenn es sich um Beiträge in schwer zugänglichen Serien handelt.
- Gültig veröffentlichte Namen werden in **Fettschrift** wiedergegeben unter Angabe des nomenklatortischen Typs (Name oder Belegexemplar je nach Rangstufe; gefolgt von den Herbarakürzungen [entsprechend Index Herbariorum, ed. 7, und in Taxon publizierten Supplementen] der publizierten Hintereinandersortung für Holotyp [1. Abkürzung] und Isotypen). Ungültige oder illegitime Namen erscheinen in *Kursivschrift* unter Angabe (in Klammer) derjenigen Artikel des ICBN, die verletzt worden sind. In allen Fällen folgen die kompletten bibliographischen Angaben. Für Umkombinationen wird auch das Basionym angegeben.
- Die Herausgeber weisen mit aller Deutlichkeit darauf hin, dass sie keinen Namen anerkennen, der zufälligerweise in dieser Ausgabe des RPS validiert worden sein könnte.
- Beiträge, welche nur Beschreibungen eines oder zweier Taxa enthalten, werden in der bibliographischen Liste nicht separat aufgeführt.
- Die Abkürzungen für spezialisierte Sukkulanten-Zeitschriften richten sich nach 'A Bibliography of Succulent Plant Periodicals' (U. Eggli in Bradleya 3: 103-119, 1985, sowie Supplementen in l.c. 5: 101-104, 1987), für allgemeine botanische Zeitschriften nach Bibliographia Periodicorum Huntianum.

Compiled by / Zusammengestellt von:

U. Eggli, Städtische Sukkulanten-Sammlung, Mythenquai 88, CH-8002 Zürich, Switzerland; and  
N. P. Taylor, The Herbarium, Royal Botanic Gardens Kew, Richmond, Surrey TW9 3AE, U.K.

Available from (incl. all back issues) / Erhältlich durch (inkl. alle bereits erschienenen Hefte):

IOS, c/o Städtische Sukkulanten-Sammlung (address above / Adresse siehe oben).

© by IOS, Zürich (Switzerland) 1992.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the copyright holder.

Alle Rechte vorbehalten. Kein Teil dieser Publikation darf ohne das vorherige schriftliche Einverständnis des Copyright-Inhabers in irgendeiner Form reproduziert, photokopiert oder auf Datenträgern bzw. in Datenbanken gespeichert oder verbreitet werden.

# NOMINA NOVA

## AGAVACEAE

- Agave** subgen. **Nizandensae** Ullrich, Succulenta 70(4): 91, 1991. Typus: *Agave nizandensis* Cutak.
- Dasyllirion wheeleri** var. **durangense** (Trelease) J. E. Laferrière, Ann. Missouri Bot. Gard. 78(2): 519, 1991. Basionym: *Dasyllirion durangense*. *Furcraea longaeva* ssp. *bedinghausii* (Koch) Ullrich, Cact. Suc. Mex. 36(2): 35, in adnot. ad fig. 19, 1991. *Nom. inval.* (Art. 33.2), based on *Furcraea bedinghausii*.
- Manfreda chameleensis** E. Lott & S. Verhoek, Phytologia 70(5): 366-370, illus., 1991. Typus: *Lott et Wendt* 1663 (MICH, BH, CAS, MEXU).

## AIZOACEAE

- Cleretum lyratifolium** Ihlenfeldt & Struck, Beitr. Biol. Pfl. 61: 437-438, 1987. Typus: *Bayer* 2596 (HBG). [So far omitted from RPS.]
- Cleretum papulosum** ssp. *schlechteri* (Schwantes) Ihlenfeldt & Struck, Beitr. Biol. Pfl. 61: 440, 1987. Basionym: *Micropterus schlechteri*. [So far omitted from RPS.]
- Conophytum ratum** S. Hammer, Cact. Succ. J. (US) 63(2): 67-69, illus., 1991. Typus: *Fritz* 534 (BOL).
- Conophytum smorenskaduense** ssp. *hermarium* S. Hammer, Bradleya 9: 112-113, ill., 1991. Typus: *Kennedy* s.n. (N BG, WAG).
- Conophytum tantillum** ssp. *helenae* (Rawe) S. Hammer, Cact. Succ. J. (US) 63(3): 140, 1991. Basionym: *Conophytum helenae*.
- Conophytum tantillum** ssp. *inexpectatum* S. Hammer, Cact. Succ. J. (US) 63(3): 140-142, ill., 1991. Typus: *Hartmann et Dehn* 19336 (HBG, NBG).
- Conophytum tantillum** ssp. *lindenianum* (Lavis & S. Hammer) S. Hammer, Cact. Succ. J. (US) 63(3): 140, 1991. Basionym: *Conophytum lindenianum*.
- Delosperma schimperi** (Engler) H. E. K. Hartmann & Niesler, Cact. Succ. J. (US) 63(3): 148, 1991. Basionym: *Mesembryanthemum schimperi*.
- Dorotheanthus bellidiformis** ssp. *hestermalensis* Ihlenfeldt & Struck, Beitr. Biol. Pfl. 61: 445-446, 1987. Typus: *Ihlenfeldt et Struck* 13315 (HBG). [So far omitted from RPS.]

## ALOACEAE

- Aloe amicorum** Newton, Cact. Succ. J. (US) 63(2): 80-81, illus., 1991. Typus: *Newton* 3217 (K, EA).
- Gasteria** cv. **Little Warty** Kimnach & Trager, Cact. Succ. J. (US) 63(2): 75-76, ill., 1991. [A vigorous variegate of the hybrid *Gasteria*

*batesiana* × *G. gracilis*; = Huntington BG 61 936, distributed as ISI 91-45 in 1991.]

- Gasteria ellaphiae** van Jaarsveld, Cact. Succ. J. (US) 63(1): 3-7, illus., 1991. Typus: *van Jaarsveld et al.* 9904 (NBG).
- Gasteria glomerata** van Jaarsveld, Bradleya 9: 100-104, illus., SEM-ills., 1991. Typus: *van Jaarsveld et Sardien* 11054 (NBG).

## ARALIACEAE

- Cussonia paniculata** ssp. *sinuata* (Reyneke & Kok) De Winter, Flow. Pl. Afr. 51(2): t. 2024 + 6 pp. of text & illus., 1991. Basionym: *Cussonia paniculata* var. *sinuata*.

## ASCLEPIADACEAE

- Caralluma vaduliae** Lavranos, Cact. Succ. J. (US) 63(4): 170-172, illus., 1991. Typus: *Lavranos et al.* 23275 (UPS).
- Ceropegia lindenii** Lavranos, Cact. Succ. J. (US) 63(4): 168-171, illus., 1991. Typus: *Lavranos* 23222 (UPS, K, MO).
- Cynanchum gerrardii** (Harvey) Liede, Taxon 40(1): 117, 1991. Basionym: *Sarcocyphe gerrardii*.
- Hoya australis** ssp. *oramicola* P. I. Forster & Liddle, Austrobaileya 3(3): 516, 1991. Typus: *Russell-Smith et Lucas* 5812 (DNA).
- Hoya australis** ssp. *rupicola* (K. Hill) P. I. Forster & Liddle, Austrobaileya 3(3): 514, 1991. Basionym: *Hoya rupicola*.
- Hoya australis** ssp. *tenuipes* (K. Hill) P. I. Forster & Liddle, Austrobaileya 3(3): 512, 1991. Basionym: *Hoya oligotricha* ssp. *tenuipes*.
- Hoya edanoi** C. M. Burton, Hoyan 13(1: Part 2): 3, 1991. Typus: *Edaño* 11655 (A). [First invalidly (Art. 37.1, cf. RPS 41) published in l.c. 12(2: part 2): i, illus., 1990.]
- Hoya el-nidicus** Kloppenburg, Fraterna 1991(4): Appendix I, illus., 1991. Typus: *Pancho* 41931 (CAHUP). [The spelling of the specific epithet is open to debate and reproduced here exactly as in the protologue. First invalidly (Art. 37.5) published l.c. (3): Appendix I.]
- Hoya endauensis** Kiew, Malayan Nat. J. 42: 261-265, 1989. Typus: *Kiew* 2746 (UPM). [Received at K 13. 5. 1991. Reprinted in Hoyan 13(1: Part 2): 16, 1992.]
- Hoya golamcoana** Kloppenburg, Fraterna 1991(3): Appendix II, illus., 1991. Typus: *Pancho* 41930 (CAHUP). [Sphalm. 'golamcoiana'.]
- Hoya kentiana** C. M. Burton, Hoyan 12(3: Part II): iv, illus., 1991. Typus: *Ramos et Edaño* 28531 (US).
- Hoya latifolia** ssp. *kinabaluensis* C. M. Burton, Hoyan 12(3: Part II): iii-iv, 1991. Typus: *Clemens* 26727 (BO).

- Hoya lili** Burton, Hoyan 12(4): Part II: 98, 1991.  
 [Nom. nov. pro *Centrostemma yunnanense* P. T. Li (*non Hoya yunnanensis* Handel-Mazzetti).]  
**Hoya loheri** Kloppenburg, Fraterna 1991(3): Appendix III, ill., 1991. Typus: *Loher* s.n. (UC). [Sp. 'loherii'.]  
**Hoya rizaliana** Kloppenburg, Fraterna 1991(3): Appendix IV, ill., 1991. Typus: *Loher* s.n. (UC). [Correction sheet issued with l.c. (4) as Appendix IV.]  
**Hoya tsangii** C. M. Burton, Hoyan 13(1: part 2): 5, 1991. Typus: *Elmer* 13372 (US). [First invalidly published (Art. 7.3, 37.1, cf. RPS 39) in l.c. 9(4: part II): i-ii, ill., 1988.]  
**Rhytidocaulon richardianum** Lavranos, Cact. Succ. J. (US) 63(4): 167-169, ill., 1991. Typus: *Lavranos et al.* 24895 (UPS).  
**Sarcostemma arabicum** Bruyns & P. I. Forster, Edinburgh J. Bot. 48(3): 333-335, 1991. Typus: *Nasher* IH137 (E).

### ASPHODELACEAE

- Bulbine cepacea** (N. L. Burman) Wijnands, Bothalia 21(2): 157, 1991. Basionym: *Ornithogalum cepaceum*.

### CACTACEAE

- Arrojadoa dinae** var. *nana* P. J. Braun & E. Esteves Pereira, Kakt. and. Sukk. 42(8): 190-195, ill., SEM-ills., 1991. Typus: *Braun* 415 (ZSS).  
**Arthrocereus glaziovii** (Schumann) N. P. Taylor & Zappi, Bradleya 9: 85, 1991. Basionym: *Cereus glaziovii*.  
**Browningia caineana** (Cardenas) D. Hunt, Bradleya 9: 85, 1991. Basionym: *Castellaniosia caineana*.  
**Cereus haageanus** (Backeberg) N. P. Taylor, Bradleya 9: 85, 1991. Basionym: *Monvillea haageana*.  
**Cereus mirabellae** N. P. Taylor, Bradleya 9: 85, 1991. Typus: *Ritter* 1238 loc. 3 (U). [Nom. nov. pro *Mirabella minensis* Ritter (*non Cereus minensis* Werdermann).]  
**Cereus mortensenii** (Croizat) D. Hunt & N. P. Taylor, Bradleya 9: 85, 1991. Basionym: *Pilocereus mortensenii*.  
**Cipocereus bradei** (Backeberg & Voll) Zappi & N. P. Taylor, Bradleya 9: 86, 1991. Basionym: *Pilocereus bradei*.  
**Cipocereus crassisepalus** (Buining & Brederoo) Zappi & N. P. Taylor, Bradleya 9: 86, 1991. Basionym: *Cereus crassisepalus*.  
**Cipocereus minensis** ssp. *pleurocarpus* (Ritter) N. P. Taylor & Zappi, Bol. Bot. (São Paulo) 12: 48, 1991. Basionym: *Cipocereus pleurocarpus*. [Dated 1990, received July 1991.]  
**Cipocereus pusilliflorus** (Ritter) Zappi & N. P. Taylor, Bradleya 9: 86, 1991. Basionym: *Floribunda pusilliflora*.

- Cleistocactus sextonianus** (Backeberg) D. Hunt, Bradleya 9: 86, 1991. Basionym: *Cereus sextonianus*.  
**Coleocephalocereus** subgen. **Simplex** N. P. Taylor, Bradleya 9: 18, 1991. Typus: *Coleocephalocereus goebelianus* (Vaupel) Buining.  
**Coleocephalocereus aureus** ssp. *brevicylindricus* (Buining) P. J. Braun, Kakt. and. Sukk. 42(4): centre page pullout 1991/9, 1991. Basionym: *Buiningia brevicylindrica*.  
**Coleocephalocereus aureus** ssp. *elongatus* (Buining) P. J. Braun, Kakt. and. Sukk. 42(4): centre page pullout 1991/9, 1991. Basionym: *Buiningia brevicylindrica* var. *elongata*.  
**Coleocephalocereus aureus** var. *longispinus* (Buining) P. J. Braun, Kakt. and. Sukk. 42(4): centre page pullout 1991/9, 1991. Basionym: *Buiningia brevicylindrica* var. *longispina*.  
**Coleocephalocereus fluminensis** var. *paulensis* (Ritter) P. J. Braun, Kakt. and. Sukk. 42(8): centre page pullout 1991/23, 1991. Basionym: *Coleocephalocereus paulensis*.  
**Coryphantha salinensis** (Poselger) Bravo, Cact. Mexico 3: 461, 1991. Nom. inval. (Art. 34.1a), based on *Echinocactus salinensis*.  
**Discocactus heptacanthus** ssp. *magnimammus* (Buining & Brederoo) N. P. Taylor & Zappi, Bradleya 9: 86, 1991. Basionym: *Discocactus magnimammus*.  
**Discocactus pseudoinsignis** N. P. Taylor & Zappi, Bradleya 9: 86, 1991. Typus: *Zappi* & al. in CFCR 12045 (SPF). [= *Discocactus insignis* sensu Buining, Gen. Discocactus, 81-82, 1980, non Pfeiffer 1837.]  
**Discocactus zehntneri** ssp. *boomianus* (Buining & Brederoo) N. P. Taylor & Zappi, Bradleya 9: 86, 1991. Basionym: *Discocactus boomianus*.  
**Disocactus** subgen. **Ackermannia** (Schumann) Barthlott, Bradleya 9: 87, 1991. Basionym: *Phyllocactus* sect. *Ackermannia*.  
**Disocactus** subgen. **Aporocactus** (Lemaire) Barthlott, Bradleya 9: 87, 1991. Basionym: *Aporocactus*.  
**Disocactus** subgen. **Nopalxochia** (Britton & Rose) Barthlott, Bradleya 9: 88, 1991. Basionym: *Nopalxochia*.  
**Disocactus** subgen. **Wittia** Barthlott, Bradleya 9: 88, 1991. Typus: *Wittia amazonica* Schumann. Based on *Wittia* Schumann 1903 (nom. illeg., Art. 64.1).  
**Disocactus ackermannii** (Lindley) Barthlott, Bradleya 9: 87, 1991. Basionym: *Cactus ackermannii*.  
**Disocactus ackermannii** fa. *candidus* (Alexander) Barthlott, Bradleya 9: 87, 1991. Basionym: *Epiphyllum ackermannii* fa. *candidum*.  
**Disocactus ackermannii** var. *conzattianus* (T. MacDougall) Barthlott, Bradleya 9: 87, 1991. Basionym: *Nopalxochia conzattiana*.  
**Disocactus aurantiacus** (Kimnach) Barthlott, Bradleya 9: 87, 1991. Basionym: *Helicocereus aurantiacus*.  
**Disocactus cinnabarinus** (Eichlam ex Weingart)

- Barthlott, Bradleya 9: 87, 1991. Basionym: *Cereus cinnabarinus*.
- Disocactus flagelliformis** (Linné) Barthlott, Bradleya 9: 87, 1991. Basionym: *Cactus flagelliformis*.
- Disocactus × hybridus** (van Géel) Barthlott, Bradleya 9: 88, 1991. Basionym: *Cactus hybridus*. [= *D. speciosus* × *D. phyllanthoides*.]
- Disocactus macdougallii** (Alexander) Barthlott, Bradleya 9: 88, 1991. Basionym: *Lobeira macdougallii*.
- Disocactus martianus** (Zuccarini) Barthlott, Bradleya 9: 88, 1991. Basionym: *Cereus martianus*.
- Disocactus phyllanthoides** (De Candolle) Barthlott, Bradleya 9: 88, 1991. Basionym: *Cactus phyllanthoides*.
- Disocactus schrankii** (Zuccarini ex Seitz) Barthlott, Bradleya 9: 87, 1991. Basionym: *Cereus schrankii*.
- Disocactus speciosus** (Cavanilles) Barthlott, Bradleya 9: 87, 1991. Basionym: *Cactus speciosus*.
- Disocactus speciosus** fa. **amecamensis** (Heese) Barthlott, Bradleya 9: 87, 1991. Basionym: *Cereus amecamensis*.
- Disocactus × violaceus** (F. & T. Smith ex Anonymus) Barthlott, Bradleya 9: 88, 1991. Basionym: *Phyllocactus violaceus*. [= *D. speciosus* × *D. ackermannii*.]
- Echinocactus gibbosus** var. **platensis** (Spegazzini) Lambert, Gymnos 8(15): 18, 1991. *Nom. inval.* (Art. 34.1(a)), based on *Echinocactus platensis*.
- Echinocereus dasyacanthus** var. **rectispinus** Trocha & Fethke, Echinocereenfreund 1991(2): 31-40, ills., 1991. Typus: *Trocha* s.n. (HBG). [First invalidly (Art. 36.1, 37.1) published in l.c. 1989(4): 89-99, ills.]
- Echinocereus pectinatus** var. **ctenoides** (Engelmann) Weniger ex G. R. W. Frank, Kakt. and. Sukk. 42(6): 140, 1991. *Nom. inval.* (Art. 33.2). [First published as cryptic new combination without basionym by Weniger, Cacti of the Southwest, 31, 1970.]
- Echinocereus triglochidiatus** var. **toroweapensis** P. C. Fischer, Cact. Succ. J. (US) 63(4): 194-195, ills., 1991. Typus: *Fischer* 7196 (ARIZ).
- Echinopsis caineana** (Cardenas) D. Hunt, Bradleya 9: 88, 1991. Basionym: *Lobivia caineana*.
- Echinopsis haematantha** (Spegazzini) D. Hunt, Bradleya 9: 88, 1991. Basionym: *Echinocactus haematanthus*.
- Echinopsis hertrichiana** (Backeberg) D. Hunt, Bradleya 9: 88, 1991. Basionym: *Lobivia hertrichiana*. [First used as nude combination in Walther et al., European Gard. Fl. 3: 242, 1989.]
- Echinopsis pampana** (Britton & Rose) D. Hunt, Bradleya 9: 88, 1991. Basionym: *Lobivia pampana*.
- Echinopsis sanguiniflora** (Backeberg) D. Hunt, Bradleya 9: 88, 1991. Basionym: *Lobivia sanguiniflora*.
- Echinopsis tiegeliana** (Wessner) D. Hunt, Bradleya 9: 88, 1991. Basionym: *Lobivia tiegeliana*.
- Echinopsis yuquina** D. Hunt, Bradleya 9: 88, 1991. [Nom. nov. pro *Lobivia rauschii* Zecher (non *Echinopsis rauschii* Friedrich).]
- Epiphyllum phyllanthus** var. **schnetteri** Peukert, Kakt. and. Sukk. 42(11): 252-255, (12): 276-281, ills., SEM-ills., 1991. Typus: *Schnetter* s.n. (COL 256856, GI 6007).
- Glandulicactus mathssonii** (Berge ex Schumann) D. J. Ferguson, Cact. Succ. J. (US) 63(2): 91, 1991. Basionym: *Echinocactus mathssonii*.
- Glandulicactus wrightii** (Engelmann) D. J. Ferguson, Cact. Succ. J. (US) 63(2): 89, 1991. Basionym: *Echinocactus uncinatus* var. *wrightii*.
- Gymnocalycium damsii** var. **multiproliferum** P. J. Braun, Kakt. and. Sukk. 42(10): 228-231, ills., 1991. Typus: *Braun* 230 (ZSS, B, ZSS).
- Gymnocalycium riojense** Fric ex H. & W. Till, AG Gymnocalycium 4(2): 47-49, ills., 1991. Typus: *Till* 88-122 (WU). [First used as name only by Fric, Kakteenjäger zu Hause, c. 1928; then invalidly published by Pazout in Pazout, Valnicky & Subik, Kakty, 132, 1960 (sp. 'riojense'; and erroneously reported as valid in RPS 12).]
- Gymnocalycium riojense** ssp. **kozelskyanum** B. Schütz ex H. & W. Till, AG Gymnocalycium 4(3): 52-53, ills., 1991. Typus: *Till* 87-90 (WU). [First invalidly published as *G. kozelskyanum* B. Schütz (1966).]
- Gymnocalycium riojense** ssp. **paucispinum** Backeberg ex H. & W. Till, AG Gymnocalycium 4(4): 55-56, ills., 1991. Typus: *Till* 87-8 (WU). [First invalidly described as *G. asterium* var. *paucispinum* Backeberg (1966).]
- Gymnocalycium riojense** ssp. **piltziorum** Schütz ex H. & W. Till, AG Gymnocalycium 4(3): 51-52, ills., 1991. Typus: *Till* 88-174 (WU). [*G. piltziorum* Schütz is interpreted as invalidly published.]
- Gymnocalycium riojense** var. **guasayanense** Strigl, AG Gymnocalycium 4(4): 57, 1991. Typus: *Strigl* 89-273 (WU).
- Gymnocalycium riojense** var. **guthianum** H. & W. Till, AG Gymnocalycium 4(2): 49-50, ills., 1991. Typus: *Till* 87-16 (WU).
- Gymnocalycium riojense** var. **mirandae** H. & W. Till, AG Gymnocalycium 4(3): 53, ills., 1991. Typus: *Till* 87-89 (WU). [Varietal epithet probably correctable to 'mirandense'.]
- Gymnocalycium riojense** var. **pipanacoense** H. & W. Till, AG Gymnocalycium 4(2): 50, ills., 1991. Typus: *Till* 87-43 (WU).
- Gymnocalycium riojense** var. **platygonum** B. Schütz ex H. & W. Till, AG Gymnocalycium 4(4): 56-57, ills., 1991. Typus: *Till* 87-7 (WU). [First mentioned as *G. platygonum* B. Schütz (1988).]
- Gymnocalycium riojense** var. **sanjuanense** H. & W. Till, AG Gymnocalycium 4(3): 54, ills.,

1991. Typus: *Neuhuber* 88/14 (WU).
- Harrisia donae-antoniae** M. L. Hooten, Cact. Succ. J. (US) 63(2): 64-66, ill., map, 1991. Typus: *Hooten* s.n. (US, FTG).
- Harrisia serruliflora** (Haworth) Lourteig, Braudea 5(44): 408, 1991. Basionym: *Cereus serruliflorus*.
- Hylocereus plumieri** (Roland-Gosselin) Lourteig, Braudea 5(44): 406, 1991. Basionym: *Cereus plumieri*.
- Lepismium boliviannum** (Britton) Barthlott, Bradleya 9: 89, 1991. Basionym: *Hariota bolivianna*. [First invalidly (Art. 33.2) published by Ewald in *Epiphytes* 7(28): 79, 93, 1983 (cf. RPS 34).]
- Lepismium lineare** (Schumann) Barthlott, Bradleya 9: 89, 1991. Basionym: *Rhipsalis linearis*.
- Leptocereus paniculatus** (Lamarck) D. Hunt, Bradleya 9: 89, 1991. Basionym: *Cactus paniculatus*.
- Lobivia backebergii* var. *capinotensis* Hort. ex Herzog, Kakt. / Sukk. 25: 80-81, 1991. *Nom. inval.* (Art. 36.1, 37.1). [Vol. for 1990. Published as provisional name.]
- Lobivia prestoana* var. *draxleriana* (Rausch) Sida, Atlas Kaktusu 4: 26, ill., 1990. Basionym: *Lobivia draxleriana*. [Dated 1989, published c. mid-1990. Erroneously omitted from RPS so far.]
- Mammillaria** ser. *Guelzowiana* Keizer, Succulenta 70(6): 125-126, 1991. Typus: *Mammillaria guelzowiana* Werdermann. Placed in subgen. *Cryptocarpa* (*nom. illeg.*, cf. RPS 41).
- Mammillaria** ser. *Napinae* Keizer, Succulenta 70(6): 125, 1991. Typus: *Mammillaria napina* J. A. Purpus. Placed in subgen. *Cryptocarpa* (*nom. illeg.*, cf. RPS 41).
- Mammillaria amajacensis** Brachet, Lacoste & Otero, J. Mammillaria Soc. 31(1): 6-7, ill., 1991. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Mammillaria antesbergeriana** A. Lau, Cact. Succ. J. (US) 63(1): 17-19, ill., SEM-ills., 1991. Typus: *Lau* 1163 (ZSS). [Type erroneously cited as 'Lau 1136' instead of 'Lau 1163'; cf. Appenzeller, Mitteilungsbl. AfM 15(6): 251, 1991 [publ. 1992].]
- Mammillaria bocasana** cv. *Michael Peachey G. Barker*, Cact. Succ. J. (Australia) 17(12): [page unknown], 1989. [Cited from the German translation published in Mitteilungsbl. AfM 15(2): 78-79, 1991. A form with rose-red coloured epidermis.]
- Mammillaria carmenae** cv. *Roseiflora* Dehn, Kakt. / Sukk. 25(1/2): 13-15, ill., 1991. *Nom. inval.* (Art. 34.1). [Dated 1990, published c. May 1991. Here treated as cultivar. Published as "catalogue name" and probably relating to plants showing introgression (in cult.) from *Mammillaria laui* Hunt fa. *dasyacantha* Hunt.]
- Mammillaria decipiens** var. *albescens* (Tiegel) Reppenhagen, Gattung Mammillaria, 66, 1987. Basionym: *Mammillaria albescens*. [Omitted previously.]
- Mammillaria drogeana** Hildmann ex Reppenhagen, Gattung Mammillaria, 62, 1987. Based on *Reppenhagen* 1819. *Nom. inval.* (Art. 36.1). [Omitted from RPS so far. Based on a catalogue name by Hildmann; the status of the name is uncertain; Schumann published *M. rhodantha* var. *drogeana*, which was elevated to species rank by Borg.]
- Mammillaria fuscohamata** Backeberg ex Reppenhagen, Gattung Mammillaria 1: 182-183, ill., 1991. Typus: *Reppenhagen* 638 (KL) [The holotype is erroneously given as 'neotype']. [First invalidly (Art. 9.5) published by Backeberg, Die Cact. 6: 3897, 1962, and erroneously included as valid in RPS 13.]
- Mammillaria hutchisoniana** var. *bullardiana* (Gates) Reppenhagen, Gattung Mammillaria, 1: 134, 1991. Basionym: *Neomammillaria hutchisoniana*.
- Mammillaria microcarpa** cv. *Oliviae* (Orcutt) Mottram, J. Mammillaria Soc. 31(2): 26, 1991. Basionym: *Mammillaria oliviae*. [Binomial has been treated as invalid under Art. 34.]
- Mammillaria microcarpa** ssp. *grahamii* (Engelmann) Mottram, J. Mammillaria Soc. 31(2): 26, 1991. Basionym: *Mammillaria grahamii*. [Binomial has been treated as invalid under Art. 34.]
- Mammillaria mystax** var. *huajuapensis* (Bravo) Linzen, Mitteilungsbl. AfM 15(2): 62, 1991. *Nom. inval.* (Art. 33.2, 34.1?), based on *Mammillaria huajuapensis*.
- Mammillaria rayonesensis** Reppenhagen, Gattung Mammillaria, 1: 260-261, ill., 1991. Typus: *Reppenhagen* 1290 (KL). [Sphalm. 'rayonensis'.]
- Mammillaria schelhasei** var. *aurihamata* (Bödeker) Reppenhagen, Gattung Mammillaria 1: 246, 1991. Basionym: *Mammillaria aurihamata*. [Sphalm. 'schelhasii'.]
- Mammillaria spinosissima** fa. *tepoztlanensis* Bravo, Cact. Mex., ed. 2, 3: 196, 1991. *Nom. inval.* (Art. 34.1, 36.1). [Published as provisional name.]
- Mammillaria tepexcicensis** Meyrán, Cact. Suc. Mex. 36(3): 62-64, 72, ill., 1991. Typus: *Otero* 177 (MEXU 515426, ENCB). [Mottram (J. Mammillaria Soc. 32: 27, 1992) suggests a correction of the specific epithet to 'tepexcii'.]
- Mammillaria wrightii** var. *wolfii* (D. Hunt) Reppenhagen, Gattung Mammillaria, 1: 99, 1991. Basionym: *Mammillaria wrightii* fa. *wolfii*.
- Melocactus andinus** Gruber ex N. P. Taylor, Bradleya 9: 63-65, ill., 1991. Typus: *Taylor* 600A (MY, K).
- Melocactus azureus** ssp. *ferreophilus* (Buining & Brederoo) N. P. Taylor, Bradleya 9: 40, 1991. Basionym: *Melocactus ferreophilus*.
- Melocactus bahiensis** fa. *acispinosus* (Buining &

- Brederoo) N. P. Taylor, Bradleya 9: 28, 1991. Basionym: *Melocactus acispinosus*.
- Melocactus bahiensis** fa. *inconcinus* (Buining & Brederoo) N. P. Taylor, Bradleya 9: 30, 1991. Basionym: *Melocactus inconcinus*.
- Melocactus bahiensis** ssp. *amethystinus* (Buining & Brederoo) N. P. Taylor, Bradleya 9: 30, 1991. Basionym: *Melocactus amethystinus*.
- Melocactus bellavistensis** ssp. *onychacanthus* (Ritter) N. P. Taylor, Bradleya 9: 66, 1991. Basionym: *Melocactus onychacanthus*.
- Melocactus caroli-linnaei** N. P. Taylor, Bradleya 9: 78-79, 1991. Neotypus: *Proctor* 37757 (K). [Nom. nov. pro *Cactus melocactus* Linné.]
- Melocactus curvispinus** fa. *caesius* (Wendland) N. P. Taylor, Bradleya 9: 75, 1991. Basionym: *Melocactus caesius*.
- Melocactus curvispinus** fa. *lobelii* (Suringar) N. P. Taylor, Bradleya 9: 76, 1991. Basionym: *Melocactus lobelii*.
- Melocactus curvispinus** ssp. *caesius* (Wendland) N. P. Taylor, Bradleya 9: 75, 1991. Basionym: *Melocactus caesius*.
- Melocactus curvispinus** ssp. *dawsonii* (Bravo) N. P. Taylor, Bradleya 9: 77, 1991. Basionym: *Melocactus dawsonii*.
- Melocactus ernestii** ssp. *longicarpus* (Buining & Brederoo) N. P. Taylor, Bradleya 9: 26, 1991. Basionym: *Melocactus longicarpus*.
- Melocactus laui** Antesberger, Cact. Succ. J. (US) 63(5): 241-243, ills., 1991. Typus: *Antesberger* 40 (SZU).
- Melocactus pachyacanthus** ssp. *viridis* N. P. Taylor, Bradleya 9: 40-41, t. 16, 1991. Typus: *Taylor & Zappi* in Harley 27400 (CEPEC, K, SPF).
- Melocactus roraimensis** P. J. Braun & E. Esteves Pereira, Cact. Succ. J. (US) 63(1): 12-16, ills., 1991. Typus: *Esteves Pereira* 280 (UFG 12389).
- Melocactus violaceus** ssp. *margaritaceus* N. P. Taylor, Bradleya 9: 57-58, 1991. Typus: *Rizzini et Mattos* s.n. (RB 215018). [Based on *Melocactus margaritaceus* Rizzini 1982 (nom. inval. Art. 37.1).]
- Melocactus violaceus** ssp. *ritteri* N. P. Taylor, Bradleya 9: 57, ill., 1991. Typus: *Ritter* 1209a (U 531256). [Nom. nov. pro *Melocactus macrodiscus* var. *minor* Ritter.]
- Micranthocereus** subgen. **Austrocephalocereus** (Backeberg) P. J. Braun & E. Esteves Pereira, Succulenta 70(3): 65, 1991. Basionym: *Austrocephalocereus*.
- Micranthocereus** subgen. **Siccobaccatus** (P. J. Braun & Esteves Pereira) N. P. Taylor, Bradleya 9: 89, 1991. Basionym: *Siccobaccatus*.
- Neochilenia monte-amargensis** Backeberg ex Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 146, 1991. Typus: [icono] Backeberg, Kakt.-Lex., p. 632, fig. 259. Nom. inval. (Art. 32.3, 34.1). [First published invalidly (Art. 9.5) by Backeberg in Descr. Cact. Nov. 3: 8, 1963, and erroneously included as valid in RPS 14.]
- Neopoteria atroviridis** (Ritter) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 140, 1991. Basionym: *Pyrrhocactus atroviridis*.
- Neopoteria echinus** (Ritter) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 142, 1991. Basionym: *Pyrrhocactus echinus*.
- Neopoteria echinus** var. *floccosa* (Ritter) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 142, 1991. Basionym: *Pyrrhocactus floccosus*.
- Neopoteria eriosyzoides** var. *domeykoensis* (Ritter) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 142, 1991. Basionym: *Pyrrhocactus eriosyzoides* var. *domeykoensis*.
- Neopoteria garaventae** (Ritter) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 143, 1991. Basionym: *Horridocactus garaventae*. [Sphalm. 'garaventai'. The name given as basionym was itself a combination and is here corrected.]
- Neopoteria heinrichiana** (Backeberg) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 143, 1991. Basionym: *Horridocactus heinrichianus*. [Name first used by K. Knize in catalogues.]
- Neopoteria limariensis** (Ritter) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 144, 1991. Basionym: *Pyrrhocactus limariensis*.
- Neopoteria neohankeana** (Ritter) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 145, 1991. Basionym: *Pyrrhocactus neohankeanus*.
- Neopoteria odieri** var. *malleolata* (Ritter) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 146, 1991. Basionym: *Chileorebutia malleolata*.
- Neopoteria odieri** var. *monte-amargensis* (Backeberg) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 146, 1991. Nom. inval., based on *Neochilenia monte-amargensis*, nom. inval. (Art. 32.3, 34.1).
- Neopoteria omasensis** (Ostolaza & Mischler) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 147, 1991. Basionym: *Islaya omasensis*.
- Neopoteria pulchella** (Ritter) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 147, 1991. Basionym: *Pyrrhocactus pulchellus*.
- Neopoteria reichei** var. *aerocarpa* (Ritter) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 147, 1991. Basionym: *Chileorebutia aerocarpa*.
- Neopoteria subgibbosa** var. *castanea* (Ritter) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 148, 1991. Basionym: *Neopoteria castanea*.
- Neopoteria totoralensis** var. *carrizalensis* (Ritter) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 149, 1991. Basionym: *Pyrrhocactus carrizalensis*.
- Neopoteria transiens** (Ritter) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 149, 1991. Basionym: *Pyrrhocactus transiens*.
- Neopoteria transitensis** (Ritter) Ferryman, in R. & K. Preston-Mafham, Cacti Ill. Dict., 149, 1991. Basionym: *Pyrrhocactus transitensis*.

- [Name first used by A. Hofer in catalogues.]
- Notocactus** subgen. *Gymnocephalus* Backeberg ex Sida, Minimus 1991(1-3): 30, 1991. Typus: *Notocactus ottonis* (Lehmann) A. Berger ex Backeberg. Name first used by Backeberg 1935 (*nom. inval.* Art. 36.1).
- Notocactus carambeiensis** var. *villa-velhensis* (Backeberg & Voll) Sida, Internoto 12(1): 32, 1991. *Nom. inval.* (Art. 33.2), based on *Notocactus ottonis* var. *villa-velhensis*.
- Notocactus concinnus** var. *yerbalitensis* Prauser, Internoto 12(2): 58-62, ills., 1991. Based on *van Vliet* 9/m/68. *Nom. inval.* (Art. 36.1). [Published as nude name.]
- Notocactus eurypleurus** Prestlé, Minimus 1991(1-3): 43-46, ills., 1991. Based on *Prestlé* 255. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Notocactus glomeratus** Gerloff, Internoto 12(1): 3-10, ills., 1991. Typus: *Stockinger* 249 (ZSS). [First mentioned invalidly (Art. 36.1, 37.1) in I.c. 10(1): 8, 1989 by Menges (cf. RPS 40).]
- Notocactus megapotamicus** var. *flavispinus* (Buining & Brederoo) Abraham & Büneker, Kakt. und. Sukk. 43(1): 21, 1991. Basionym: *Notocactus linkii* var. *flavispinus*. [Dated 1992 but published mid-December 1991.]
- Notocactus megapotamicus** var. *multicolorispinus* Abraham & Büneker, Kakt. und. Sukk. 43(1): 20-22, ills., 1991. Typus: Büneker 202 (KOELN [Succulentarium]). [Dated 1992 but published mid-December 1991.]
- Opuntia saxatilis** (Ritter) P. J. Braun & E. Esteves Pereira, Cact. Succ. J. (US) 63(2): 82, 1991. Basionym: *Platyopuntia saxatilis*.
- Opuntia saxatilis** var. *occibahiensis* P. J. Braun & E. Esteves Pereira, Cact. Succ. J. (US) 63(6): 311-315, ills., 1991. Typus: Esteves Pereira 188 (UFG 12.376).
- Opuntia saxatilis** var. *pomosa* P. J. Braun & E. Esteves Pereira, Cact. Succ. J. (US) 63(3): 124-129, ills., 1991. Typus: Esteves Pereira 156 (UFG 12.368, ZSS).
- Oreocereus pseudofossulatus** D. Hunt, Bradleya 9: 89, 1991. Typus: *Ritter* 100 (K) [Ex cult. R. Mottram RM 4.1.]. [*Nom. nov. pro Cleistocactus fossulatus* Mottram.]
- Pachycereus fulviceps** (F. A. C. Weber ex Schumann) D. Hunt, Bradleya 9: 89, 1991. Basionym: *Pilocereus fulviceps*.
- Pachycereus gatesii** (M. E. Jones) D. Hunt, Bradleya 9: 89, 1991. Basionym: *Lophocereus gatesii*.
- Parodia aconquijaensis** Weskamp, Kakt. und. Sukk. 42(4): 90-91, ill., 1991. Typus: *Herzog* 123 (WU).
- Pelecyphora pulcherrima** Sabatini, Piante Grasse 11(1): 26, ill., 1991. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Peniocereus hirschtianus** (Schumann) D. Hunt, Bradleya 9: 90, 1991. Basionym: *Cereus hirschtianus*.
- Peniocereus lazaro-cardenasi** (J. Contreras & al.) D. Hunt, Bradleya 9: 90, 1991. Basionym: *Neoevansia lazaro-cardenasi*.
- Peniocereus oaxacensis** (Britton & Rose) D. Hunt, Bradleya 9: 90, 1991. Basionym: *Nyctocereus oaxacensis*.
- Pilosocereus robinii** var. *deerlingii* (Small) Kartesz & Gandhi, Phytologia 71(4): 276, 1991. Basionym: *Cephalocereus deerlingii*.
- Pseudorhipsalis horichii** (Kimmach) Barthlott, Bradleya 9: 90, 1991. Basionym: *Disocactus horichii*.
- Pseudorhipsalis lankesteri** (Kimmach) Barthlott, Bradleya 9: 90, 1991. Basionym: *Disocactus lankesteri*.
- Pseudorhipsalis ramulosa** (Salm-Dyck) Barthlott, Bradleya 9: 90, 1991. Basionym: *Cereus ramulosus*.
- Pseudorhipsalis ramulosa** fa. *angustissima* (F. A. C. Weber) Barthlott, Bradleya 9: 90, 1991. Basionym: *Rhipsalis angustissima*.
- Rhipsalidopsis rosea** var. *riograndensis* Prestlé, Succulenta 70(5): 104-108, ills., 1991. Typus: *Prestlé et Stockinger* 427 (U).
- Schlumbergera kautskyi** (Horobin & McMillan) N. P. Taylor, Bradleya 9: 90, 1991. Basionym: *Schlumbergera truncata* ssp. *kautskyi*.
- Schlumbergera truncata** ssp. *kautskyi* Horobin & McMillan, Epiphytes 15(57): 8-9, SEM-ills., 1991. Typus: *Kausky* s.n. (BONN 67558) [preserved ?]. [First described as *S. truncata* var. *kautskyi* Horobin & McMillan in I.c. 14(56): 111-115, ill., 1990 (*nom. inval.*, Art. 37.1)]
- Sclerocactus brevihamatus** (Engelmann) D. Hunt, Bradleya 9: 91, 1991. Basionym: *Echinocactus brevihamatus*.
- Selenicereus chontalensis** (Alexander) Kimmach, Bradleya 9: 91, 1991. Basionym: *Nyctocereus chontalensis*.
- Selenicereus chrysocardium** (Alexander) Kimmach, Bradleya 9: 91, 1991. Basionym: *Epiphyllum chrysocardium*.
- Stenocereus fimbriatus** (Lamarck) Lourteig, Braudea 5(44): 408, 1991. Basionym: *Cactus fimbriatus*.
- Stephanocereus** subgen. *Lagenopsis* (Buxbaum) N. P. Taylor & Eggli, Bradleya 9: 91, 1991. Basionym: *Coleocephalocereus* subgen. *Lagenopsis*.
- Stephanocereus luetzelburgii** (Vaupel) N. P. Taylor & Eggli, Bradleya 9: 91, 1991. Basionym: *Cereus luetzelburgii*.
- Sulcorebutia breviflora** subvar. *viridior* Diers, Kakt. und. Sukk. 42(4): 101, ills. (pp. 98-99), 1991. Typus: *Lau* 313 (KOELN [Succulentarium ?]).
- Sulcorebutia breviflora** var. *haseltonii* (Cardenas) Diers, Kakt. und. Sukk. 42(4): 98, 1991. Basionym: *Rebutia haseltonii*.
- Sulcorebutia breviflora** var. *laui* Diers, Kakt. und. Sukk. 42(4): 100-101, ills., 1991. Typus: *Lau* 314 (KOELN [Succulentarium ?]).
- Sulcorebutia canigueralii** fa. *applanata* (Donald & Krahm) Gertel, Kakt. und. Sukk. 42(7): 175, 1991. *Nom. inval.* (Art. 34.1), based on

- Sulcorebutia verticillacantha* var. *applanata*.  
*Sulcorebutia canigueralii* fa. *perplexiflora* (F. Brandt) Gertel, Kakt. and. Sukk. 42(7): 175, 1991. *Nom. inval.* (Art. 34.1), based on *Weingartia perplexiflora*.
- Sulcorebutia pasopayana** (F. Brandt) Pilbeam ex Gertel, Kakt. and. Sukk. 42(7): 176, 1991. Basionym: *Weingartia pasopayana*. [First invalidly (Art. 34.1a) proposed by Pilbeam in *Sulcorebutia* & *Weingartia*, 68, 1985 (cf. RPS 36).]
- Sulcorebutia steinbachii* fa. *violaciflora* (Backeberg) Sida, Atlas Kaktusu 5: 57, ill., 1991. *Nom. inval.*, based on *Sulcorebutia steinbachii* var. *violaciflora*, *nom. inval.* (Art. 37.1). [Dated 1990, published early in 1991.]
- Thelocactus leucacanthus** fa. *kraenzianus* (Oehme) Nagl, Kakt. and. Sukk. 42(8): 183, ill., 1991. Basionym: *Thelocactus kraenzianus*.
- Turbinicarpus gautii** (L. Benson) A. Zimmerman, Bradleya 9: 91, 1991. Basionym: *Neolloydia gautii*. [Syn. *Echinocactus beguinii* Schumann, p.p. typ. excl.]
- Turbinicarpus hoferi** Lüthy & A. Lau, Kakt. and. Sukk. 42(2): 34-37, (3): 62-65, ill., SEM-ills., 1991. Typus: Hofer 434 (ZSS).
- Turbinicarpus mandragora** (Fric ex A. Berger) A. Zimmerman, Bradleya 9: 92, 1991. Basionym: *Echinocactus mandragora*.
- Turbinicarpus pseudomacrochele** var. *lausseri* Diers & G. Frank, Kakt. and. Sukk. 42(5): 106-109, ill., SEM-ills., 1991. Typus: *Lausser* s.n. (KOELN). [No collection is actually given as type, which is cited for KOELN, the information given here is extracted "by inference".]
- Turbinicarpus subterraneus** (Backeberg) A. Zimmerman, Bradleya 9: 92, 1991. Basionym: *Echinocactus subterraneus*. [Basionym incorrectly given and here corrected.]

## CRASSULACEAE

- Crassula** cv. *Pink Pyramid* Kimnach & Trager, Cact. Succ. J. (US) 63(2): 75, ill., 1991. [= *Crassula falcata* × *C. 'Starburst'*; = Huntington BG 60000, distributed as ISI 91-41 in 1991.]
- Echeveria bakeri** Kimnach, Cact. Succ. J. (US) 63(5): 254-257, ill., 1991. Typus: Baker 5159 (HNT, LP, MO, US).
- Echeveria olivacea** Moran, Cact. Suc. Mex. 36(3): 51-55, ill., 1991. Typus: SD 129113 [Ex cult. San Diego 1963 / 1964].
- × **Graptosedum** cv. *Francesco Baldi* Stephenson, Sedum Soc. Newslett. 19: 19, ill., 1991. [= *Graptopetalum paraguayense* × *Sedum* sp.; parentage not ascertained.]
- Hylotelephium verticillatum** var. *lithophilos* H. Ohba, J. Jap. Bot. 66(2): 63-65, ill., 1991. Typus: Ohashi et al. s.n. (II).
- Orostachys iwarenge** cv. *Natsu Fuji* Kimnach & Trager, Cact. Succ. J. (US) 63(2): 77, 1991. [A

- spontaneous sporadic mutation of *Orostachys iwarenge* 'Fuji'; = Huntington BG 68821, distributed as ISI 91-54 in 1991.]
- Orostachys jiuhuaensis** X.-H. Guo & X.-L. Liu, Bull. Bot. Res. North-East Forestry Inst. 11(1): 29-31, 1991. Typus: Liu 85986 (Herb. Wuhu School Trad. Chin. Med.).
- Rhodiola gannanica** K.-T. Fu, Acta Bot. Bor.-Occid. Sin. 11(2): 170, ill., 1991. Typus: Fu 1311 (NW Inst. Bot. Shaanxi).
- Sedum** cv. *Pearson's Puzzle* D. Jackson, Sedum Soc. Newslett. 20: 16-22, 1992. [Probably a vigorous form of *Sedum tortuosum*.]
- Sedum** ser. *Aithales* (Webb & Berthelot) 't Hart, Fl. Medit. 1: 54, 1991. Basionym: *Aithales*.
- Sedum** ser. *Anglica* 't Hart, Fl. Medit. 1: 53, 1991. Typus: *Sedum anglicum* Hudson.
- Sedum** ser. *Confertiflora* 't Hart, Fl. Medit. 1: 55, 1991. Typus: *Sedum confertiflorum* Boissier.
- Sedum** ser. *Dasyphylla* 't Hart, Fl. Medit. 1: 55, 1991. Typus: *Sedum dasypyllum* Linné.
- Sedum** ser. *Magellensis* 't Hart, Fl. Medit. 1: 58-59, 1991. Typus: *Sedum magellense* Tenore.
- Sedum** ser. *Melanantha* 't Hart, Fl. Medit. 1: 53, 1991. Typus: *Sedum melanatherum* De Candolle.
- Sedum** ser. *Monregalensis* 't Hart, Fl. Medit. 1: 56, 1991. Typus: *Sedum monregalense* Balbis.
- Sedum** ser. *Pedicellata* 't Hart, Fl. Medit. 1: 56, 1991. Typus: *Sedum pedicellatum* Boissier & Reutiner.
- Sedum** ser. *Samia* 't Hart, Fl. Medit. 1: 54, 1991. Typus: *Sedum samium* Runemark & Greuter.
- Sedum** ser. *Sedella* (Fourreau) 't Hart, Fl. Medit. 1: 57, 1991. *Nom. inval.* (Art. 32.1, 64.1). [Non **Sedum** ser. *Sedella* (Britton & Rose) A. Berger. Based on *Sedella* Fourreau, *nom. inval.*]
- Sedum** ser. *Stefco* 't Hart, Fl. Medit. 1: 58, 1991. Typus: *Sedum stefco* Stefanoff.
- Sedum** ser. *Subrosea* 't Hart, Fl. Medit. 1: 59, 1991. Typus: *Sedum villosum* Linné. *Nom. nov. pro Sedum* ser. *Villosa* Clausen 1975 non Borissova 1969.
- Sedum** ser. *Subulata* 't Hart, Fl. Medit. 1: 58, 1991. Typus: *Sedum subulatum* (C. A. Meyer) Boissier.
- Sedum** *aizoon* fa. *latifolium* (Maximowicz) Y. C. Zhu, Pl. Medic. Chinae Bor.-Orient., 484, 1989. Basionym: *Sedum aizoon* var. *latifolium*.
- Sedum chrysocalyx** J. A. McDonald, Sida 14(3): 315-319, 1991. Typus: McDonald et Mayfield 2556 (TEX, MEXU, NY, UAT).
- Sedum erici-magnusii** ssp. *chilianense* K.-T. Fu, Acta Bot. Bor.-Occid. Sin. 11(2): 170, ill., 1991. Typus: Wang 12865 (NW Inst. Bot. Shaanxi).
- Sedum euxinum** 't Hart & Alpinar, Acta Bot. Neerl. 40: 357-361, 1991. Typus: *Alpinar* et 't Hart AH504 (ISTE, U).
- Sedum ocellense** Meyran, Cact. Suc. Mex. 36(4): 92-96, ill., 1991. Typus: *Bonilla* s.n. in Meyran 5061 (MEXU, ENCB).
- Sedum samium** ssp. *micranthum* 't Hart & Alpinar, Willdenowia 21: 150-152, 1991.

- Typus: 't Hart AH60 (ISTE, U).  
**Villadia acuta** Moran & Uhl, Cact. Succ. J. (US) 63(4): 200-202, ill., 1991. Typus: *Kimnach* 296 (BH 372699, HNT, SD) [Ex cult.].  
**Villadia patula** Moran & Uhl, Cact. Succ. Mex. 36(2): 27-30, ill., 1991. Typus: *Moran et Kimnach* 7655 (SD 56962, CU, HNT, etc.).

### DIOSCOREACEAE

- Dioscorea basiclavicaulis** Rizzini & Mattos-Filho, Rev. Brasil. Biol. 46(2): 317-319, ill., 1986. Typus: *Rizzini et Mattos-Filho* s.n. (RB 215.073). [Previously omitted.]

### EUPHORBIACEAE

- Euphorbia annamarieae** Rauh, Euphorbia J. 7: 20-23, ill., 1991. Typus: *Rauh et Buchloh* 7557 (HEID).  
**Euphorbia bulbispina** Rauh & Razafindratsira, Euphorbia J. 7: 31-33, ill., 1991. Typus: *Razafindratsira* s.n. in BG Heidelberg 68664 (HEID).  
**Euphorbia cremersii** Rauh & Razafindratsira, Euphorbia J. 7: 23-26, ill., 1991. Typus: *Razafindratsira* s.n. in BG Heidelberg 68506 (HEID).  
**Euphorbia cremersii** fa. *viridifolia* Rauh, Euphorbia J. 7: 25-27, ill., 1991. Typus: *Razafindratsira* s.n. in BG Heidelberg 68506/a (HEID).  
**Euphorbia herman-schwartzii** Rauh, Cact. Succ. J. (US) 63(5): 246-249, ill., 1991. Typus: *Rauh* 72125 (HEID, P).  
**Euphorbia lophogona** var. *tenuicaulis* Rauh, Euphorbia J. 7: 23-24, ill., 1991. Typus: *Rauh* 68607 (HEID).  
**Euphorbia millii** var. *tenuispina* Rauh & Razafindratsira, Euphorbia J. 7: 34-35, ill., 1991. Typus: *Razafindratsira* s.n. in BG Heidelberg 68736 (HEID).  
**Euphorbia moratii** var. *multiflora* Rauh, Euphorbia J. 7: 27-30, ill., 1991. Typus: *Anonymus* s.n. in Specks 602 (HEID).  
**Euphorbia umfoloziensis** Peckover, Aloe 28(2): 36-39, ill., 1991. Typus: *Peckover* s.n. (PRE).  
**Euphorbia vajravelui** Binojkumar & Balakrishnan, Cact. Succ. J. (US) 63(5): 229-231, ill., 1991. Typus: *Binojkumar* 93914 (CAL, MH).

### FOUQUIERIACEAE

- Fouquieria splendens* fa. *albiflora* Lodé, Cact. Aventures No. 11: 6-7, ill., 1991. Based on *Lodé* 91066. *Nom. inval.* (Art. 9.5).

### LAMIACEAE

- Plectranthus fruticosus** cv. *Ellaphie* van Jaarsveld & T. J. Edwards, Veld & Flora 77(2): 42-43, ill., 1991.

- Plectranthus reflexus** van Jaarsveld & T. J. Edwards, Flow. Pl. Afr. 51(2): t. 2034 + 2 pp. of text, map, 1991. Typus: *van Jaarsveld et al.* 10156 (NBG).

### PIPERACEAE

- Peperomia** cv. *Cactusville* Rowley, Brit. Cact. Succ. J. 9(4): 98, ill., 1991. [Probably *P. nivalis* × *P. columella*.]

### POTULACACEAE

- Calandrinia** sect. **Monocosmia** (Fenzl) Hershkovitz, Phytologia 70(3): 223, 1991. Basionym: *Monocosmia*.  
**Cistanthe** sect. **Calyptridium** (Nuttall) Hershkovitz, Phytologia 68(4): 267, 1990. Basionym: *Calyptridium*. [Previously omitted.]  
**Cistanthe** sect. **Philippiamra** (Kuntze) Hershkovitz, Phytologia 68: 269, 1990. Basionym: *Philippiamra*. [Omitted previously.]  
**Cistanthe amarantoides** (Philippi) Carolin ex Hershkovitz, Phytologia 70(3): 221, 1991. Basionym: *Silvaea amarantoides*.  
**Cistanthe arenaria** (Chamisso) Carolin ex Hershkovitz, Phytologia 70(3): 211, 1991. Basionym: *Calandrinia arenaria*.  
**Cistanthe calycina** (Philippi) Carolin ex Hershkovitz, Phytologia 70(3): 220, 1991. Basionym: *Calandrinia calycina*.  
**Cistanthe celosioides** (Philippi) Carolin ex Hershkovitz, Phytologia 68(4): 269, 1990. Basionym: *Silvaea celosioides*. [Omitted previously.]  
**Cistanthe cephalophora** (I. M. Johnston) Carolin ex Hershkovitz, Phytologia 70(3): 212, 1991. Basionym: *Calandrinia cephalophora*.  
**Cistanthe coquimbensis** (Barnéoud) Carolin ex Hershkovitz, Phytologia 70(3): 212, 1991. Basionym: *Calandrinia coquimbensis*.  
**Cistanthe cymosa** (Philippi) Hershkovitz, Phytologia 70(3): 213, 1991. Basionym: *Calandrinia cymosa*.  
**Cistanthe densiflora** (Burmud) Hershkovitz, Phytologia 70(3): 220, 1991. Basionym: *Calandrinia densiflora*.  
**Cistanthe fenzlii** (Barnéoud) Carolin ex Hershkovitz, Phytologia 70(3): 213, 1991. Basionym: *Calandrinia fenzlii*.  
**Cistanthe lingulata** (Ruiz & Pavón) Hershkovitz, Phytologia 70(3): 214, 1991. Basionym: *Talinum lingulatum*.  
**Cistanthe longiscapa** (Barnéoud) Carolin ex Hershkovitz, Phytologia 70(3): 215, 1991. Basionym: *Calandrinia longiscapa*.  
**Cistanthe macrocalyx** (Hauman) Carolin ex Hershkovitz, Phytologia 70(3): 216, 1991. Basionym: *Calandrinia macrocalyx*.  
**Cistanthe monandra** (Nuttall) Hershkovitz, Phytologia 68(4): 267, 1990. Basionym: *Calyptridium monandrum*. [Previously omitted.]

- omitted.]
- Cistanthe monosperma** (E. Greene) Hershkovitz,  
Phytologia 68(4): 267, 1990. Basionym:  
*Calyptridium monospermum*. [Previously  
omitted.]
- Cistanthe paniculata** (Ruiz & Pavón) Carolin ex  
Hershkovitz, Phytologia 70(3): 216, 1991.  
Basionym: *Calandrinia paniculata*.
- Cistanthe parryi** (A. Gray) Hershkovitz,  
Phytologia 68(4): 268, 1990. Basionym:  
*Calyptridium parryi*. [Omitted previously.]
- Cistanthe parryi** var. *arizonica* (J. T. Howell)  
Kartesz & Gandhi, Phytologia 71(1): 62, 1991.  
Basionym: *Calyptridium parryi* var.  
*arizonicum*.
- Cistanthe parryi** var. *hesseae* (Thomas) Kartesz  
& Gandhi, Phytologia 71(1): 62, 1991.  
Basionym: *Calyptridium parryi* var. *hesseae*.
- Cistanthe parryi** var. *nevadensis* (J. T. Howell)  
Kartesz & Gandhi, Phytologia 71(1): 62, 1991.  
Basionym: *Calyptridium parryi* var.  
*nevadense*.
- Cistanthe picta** (Gillies ex Arnott) Carolin ex  
Hershkovitz, Phytologia 70(3): 217, 1991.  
Basionym: *Calandrinia picta*.
- Cistanthe picta** var. *frigida* (Barnéoud)  
Hershkovitz, Phytologia 70(3): 218, 1991.  
Basionym: *Calandrinia frigida*.
- Cistanthe pulchella** (Eastwood) Hershkovitz,  
Phytologia 68(4): 268, 1990. Basionym:  
*Spraguea pulchella*. [Omitted previously.]
- Cistanthe pygmaea** (Parish ex Rydberg)  
Hershkovitz, Phytologia 68(4): 268, 1990.  
Basionym: *Calyptridium pygmaeum*. [Omitted  
previously.]
- Cistanthe quadripetala** (S. Watson) Hershkovitz,  
Phytologia 68(4): 268, 1990. Basionym:  
*Calyptridium quadripetalum*. [Omitted  
previously.]
- Cistanthe rosea** (S. Watson) Hershkovitz,  
Phytologia 68(4): 268, 1990. Basionym:  
*Calyptridium roseum*. [Omitted previously.]
- Cistanthe umbellata** (Torrey) Hershkovitz,  
Phytologia 68(4): 268, 1990. Basionym:  
*Spraguea umbellata*. [Omitted previously.]
- Cistanthe umbellata** var. *caudicifera* (A. Gray)  
Kartesz & Gandhi, Phytologia 71(1): 62, 1991.  
Basionym: *Spraguea umbellata* var.  
*caudicifera*.
- Cistanthe weberbaueri** (Diels) Carolin ex  
Hershkovitz, Phytologia 70(3): 218, 1991.  
Basionym: *Calandrinia weberbaueri*.
- Portulaca molokiniensis** Hobdy, Pac. Sci. 41:  
64-67, 1988. Typus: Hobdy 1244 (BISH).  
[Dated 1987, published 1988. Previously  
omitted.]
- Talinum galapagosum** (H. St. John) Hershkovitz,  
Phytologia 70(3): 223, 1991. Basionym:  
*Calandrinia galapagosa*.

## BIBLIOGRAPHIA

- [1] Albers, F. et al. (1990). *Asclepiadaceae*. In: IOPB chromosome data 2. IOPB Newslett. 15: 11-14.
- [2] Albers, F. & Meve, U. (1991). Mixoploidy and cytotypes: a study of possible vegetative species differentiation in stapeliads (*Asclepiadaceae*). *Bothalia* 21(1): 67-72, illus., tabs.
- [3] Anonymous (1991). *Hoya* sections. *Hoyan* 12(3): 67-69.
- [4] Augustin, K. (1991). Die HS-Sulcorebutien und Weingartien. Auswertung der Feldaufzeichnungen. Fortsetzung 12. Kakt. and. Sukk. 42(8): 198-200, illus., map. [Continued from previous volume.]
- [5] Bercht, L. (1991). *Gymnocalycium* subserie *Mihanovichiana*. *Succulenta* 70(12): 252-256, illus., map. [Continued in vol. 71.]
- [6] Berg, R. Y. (1990). Seed dispersal relative to population structure, reproductive capacity, seed predation, and distribution in *Euphorbia balsamifera* (*Euphorbiaceae*), with a note on sclerodochory. *Sommerfeltia* 11: 35-63.
- [7] Binoj Kumar, M. S. & Balakrishnan, N. P. (1991). Notes on a giant *Euphorbia antiquorum* L. from India. *Euphorbia J.* 7: 98-100, illus., map.
- [8] Bisserset, P. (1991). A green flowering *Euphorbia fusiformis*? *Euphorbia Study Group Bull.* 1991(3): 7-10, ill.
- [9] Bittrich, V. & Struck, M. (1989). What is primitive in *Mesembryanthemaceae*? An analysis of evolutionary polarity of character states. *South Afr. J. Bot.* 55(3): 321-331. [Omitted previously.]
- [10] Blum, W. (1991). Kritisch betrachtet: Erstbeschreibung des *Echinocereus monsbergerianus* G. R. W. Frank in *KuaS* 11/1989. *Echinocereenfreund* 1991(4): 101-107, ill.
- [11] Blum, W. & Ruthow, J. (1991). Der *Echinocereus fendleri* (Engelm.) Rümpler-Komplex. *Echinocereenfreund* 1991(4): 87-100, ill.
- [12] Brachet, C. et al. (1991). Mexican field notes. *J. Mammillaria Soc.* 31(1): 6-9, (2): 18-21, (3): 32-35, (4): 46-50, ill.
- [13] Braun, P. J. (1991). Kakteen auf der "Varadero"-Halbinsel (Kuba). *Kakt. and. Sukk.* 42(12): 273-275, ill.
- [14] Braun, P. J. & Esteves Pereira, E. (1991). The *Opuntia inamoena* complex in Brazil. *Cact. Succ. J. (US)* 63(2): 82-85, (3): 124-129, (6): 311-318, ill.
- [15] Braun, P. J. & Esteves Pereira, E. (1991). *Arrojadoa dinae* Buining & Brederoo var. *nana* Braun & Esteves. Eine neue *Arrojadoa*-Sippe aus Minas Gerais / Brasilien. *Kakt. and. Sukk.* 42(8): 190-195, illus. [Includes a key to all taxa of the genus.]
- [16] Braun, P. J. & Esteves Pereira, E. (1991). *Micranthocereus* Backeberg subgenus *Austrocephalocereus* (Backeberg) Braun & Esteves. Een nieuw ondergeslacht (*Cactaceae*) uit Brazilië. *Succulenta* 70(3): 62-67, ill.
- [17] Breckwoldt, K. (1991). *Echinocereus engelmannii* (Parry) Engelmann. Ergänzende Angaben zu unserem 1. Bericht von 1990. *Kaktusblüte* 1991: 56-57, ill.
- [18] Breckwoldt, S. & K. (1991). Überblick und Einteilung zu den rotblühenden nordamerikanischen Echinocereen. *Echinocereenfreund* 1991(2): 41-55, ill.
- [19] Bruyns, P. V. (1991). A note on *Quaqua acutiloba* (N. E. Br.) Bruyns. *Aloe* 28(1): 24-24, ill.
- [20] Bruyns, P. V. & Forster, P. I. (1991). Circumscription of the *Stapeliae* (*Asclepiadaceae*). *Taxon* 40(3): 381-391, ill.
- [21] Carter, S. (1991). *Euphorbia heterochroma* and its relatives in East Africa. *Euphorbia J.* 7: 117-128, ill.
- [22] Carter, S. (1991). Peter Bally and the spiny euphorbias: Euphorbias from East Africa, part 7. *Euphorbia J.* 7: 46-59, ill.
- [23] Cartier, A. (1991). Een herziening van het geslacht *Wilcoxia*. *Maandbl. Liefhebb. Cact. Vetpl.* 4(1): 8-9, (2): 31-32, ill. [Continued from vol. 3.]
- [24] Castorena Sanchez, I. et al. (1991). New cytological determinants recognized in six taxa of *Agave* in the sections *Rigidae* and *Sisalanae*. *Canad. J. Bot.* 69: 1257-1265, ill., chromosome nos.
- [25] Castroviejo, S. et al. (1990). Flora Iberica. Vol. 2, *Platanaceae - Plumbaginaceae* (partim). Madrid (E): Real Jardín Botánico, CSIC. lli + 897 pp., illus., keys. [*Cactaceae* (P. Berthet, pp. 62-70, *Opuntia* only); *Aizoaceae* (M. L. Gonçalves, pp. 71-92); *Portulacaceae* (*Portulaca*: A. Danin, pp. 465-469).]
- [26] Chalet, J.-M. (1991). Intéressante découverte d'un *Melocactus* dans le Bassin de l'Orénoque, Vénézuela. *Succulentes* 14(4): 11-14, ill.
- [27] Cházaro B., M. & Viveros Colorado, C. (1991). Nota sobre *Sedum nussbaumerianum* Bitter (*Crassulaceae*). *Cact. Suc. Mex.* 36(2): 43-47, ill.
- [28] Chvastek, J. & Zwak, J. (1991).

- Poznámky ke komplexu *Neolloydia conoidea* Br. et R. Kaktusy 27(2): 39-41, illus.
- [29] Collenette, S. (1991). Ceropegias in Saudi Arabia. Kew Mag. 8(1): 24-37, illus., map.
- [30] Craib, C. (1991). *Pelargonium hystrix*: Habitat studies and cultivation. Brit. Cact. Succ. J. 9(1): 6-10, illus.
- [31] Dannenbaum, C. & Schill, R. (1991). Die Entwicklung der Pollentetraden und Pollinien bei den *Asclepiadaceae*. Biblioth. Bot. 141: 138 pp., illus.
- [32] Davies, K. G. (1991). The *Mesembryanthemaceae* of Gwynedd. Mesemb Study Group Bull. 6(3): 51-57, illus., map.
- [33] Deil, U. & Müller-Hohenstein, K. (1991). Euphorbias from Arabia Felix. Part II: Succulent associations and phytogeographical aspects. Euphorbia J. 7: 72-97, illus., diag., map. [Continued from vol. 5.]
- [34] Diers, L. (1991). Zur Taxonomie der Sulcorebutien aus dem Rio Caine-Gebiet. Kakt. and. Sukk. 42(3): 74-77, (4): 98-101, illus., SEM-ills.
- [35] Dimmitt, M. A. & Hanson, C. (1991). The genus *Adenium* in cultivation. Cact. Succ. J. (US) 63(5): 223-225, illus.
- [36] Doek, R. (1991). *Notocactus muricatus* (Otto in Pfeiffer) Berger ex Backeberg der am häufigsten verwechselte Notokaktus. Internoto 12(3): 83-86, illus. [Dutch version in *Succulenta* 70(6): 139-140, ill., 1991.]
- [37] Dornberger, W. (1991). *Ariocarpus trigonus* (Weber) K. Schumann mit rötlichen Blüten. Kakt. and. Sukk. 43(1): 16-17, illus. [Vol. for 1992, issue already published mid-December 1991.]
- [38] Dreyer, L. L. & Walt, J. J. A. van der (1991). *Geraniaceae*. The correct author citation for *Pelargonium* section *Cortusina*. Bothalia 21(2): 157.
- [39] Eggli, U. (1991). Notokakteen in Kolumbien – Doch keine Sage? Internoto 12(1): 11-13, illus.
- [40] Eggli, U. & Taylor, N. P. (1991). IOS Index of names of *Cactaceae* published 1950 - 1990 from Repertorium Plantarum Succulentarum. Richmond (GB): Royal Botanic Gardens Kew. 222 pp.
- [41] Ferguson, D. J. (1991). In defense of the genus *Glandulicactus* Backeb. Cact. Succ. J. (US) 63(2): 87-91, illus.
- [42] FitzMaurice, W. A. & B. (1991). Fieldnotes. *Mammillaria leucantha* Bödeker. Cact. Succ. J. (US) 63(1): 40-44, illus. [German translation published in Mitteilungsbl. AfM 16(1): 28-36, 1992.]
- [43] FitzMaurice, W. A. & B. (1991). Fieldnotes. A look at San Gil and *Mammillaria gilensis* Boedeker. Cact. Succ. J. (US) 63(5): 226-228, 231, illus.
- [44] FitzMaurice, W. A. & B. (1991). Fieldnotes. *Mammillaria eschauzieri* (Coulter) Vaupel. Cact. Succ. J. (US) 63(6): 301-304, illus.
- [45] FitzMaurice, W. A. & B. (1991). Fieldnotes. *Mammillaria rettigiana* Bödeker. Cact. Succ. J. (US) 63(3): 135-138, illus., map.
- [46] Forster, P. I. (1991). The correct publication dates for some genera and species of *Asclepiadaceae* described by Robert Brown. Asklepios No. 52: 78-79.
- [47] Forster, P. I. (1991). Clarification of the author citations, publication places and types for recently described *Hoya* species (*Asclepiadaceae*) from the Philippines. Asklepios No. 52: 100-101.
- [48] Forster, P. I. (1991). Variation in *Hoya australis* R. Br. ex Trail (*Asclepiadaceae*). Austrobaileya 3(3): 503-521, illus., maps.
- [49] Forster, P. I. (1991). A taxonomic revision of *Cynanchum* L. (*Asclepiadaceae*: *Asclepiadoideae*) in Australia. Austrobaileya 3(3): 443-466.
- [50] Forster, P. I. (1991). *Euphorbia plumerioides* (*Euphorbiaceae*): A rarely encountered stem-succulent from northern Australia and Malesia. Euphorbia J. 7: 15-19, illus., map.
- [51] Forster, P. I. & Bruyns, P. V. (1991). *Folotsia grandiflorum* (*Asclepiadaceae*), an unusual aphyllous stem-succulent from Madagascar. Asklepios No. 53: 3-5, illus.
- [52] Fourie, S. P. (1991). An introduction to the succulent euphorbias of the Transvaal: Part four: "Spineless dwarfs". Euphorbia J. 7: 104-116, illus., maps. [Continued from previous vol.]
- [53] Frank, G. R. W. (1991). Ergänzende Bemerkungen zur Erstbeschreibung von *Echinocereus barthelowianus* Britton & Rose. Kakt. and. Sukk. 42(1): 2-5, illus., SEM-ills.
- [54] Friis, I. (1989). *Moraceae: Dorstenia*. Fl. Ethiopia. 275-279, illus., key. [Omitted previously.]
- [55] Fritz, G. (1991). Enige notities betreffende *Sulcorebutia rauschii* Frank. Maandbl. Liefhebbs. Cact. Vetpl. 4(11): 172-174, ill.
- [56] Fritz, G. (1991). Enige notities betreffende *Sulcorebutia tarabucoensis* Rausch. Maandbl. Liefhebbs. Cact. Vetpl. 4(10): 152-154, ill., map.
- [57] Fritz, G. et al. (1991). *Sulcorebutia oenantha* Rausch. Einige Bemerkungen zum Karteiblatt 28/1990. Kakt. and. Sukk. 42(2): 54-56, illus., map.
- [58] Fu, K.-T. (1991). New taxa of *Sedoideae* from Gansi [in Chinese]. Acta Bot. Bor.-Occ. Sin. 11: 170-172.

- [59] Funamoto, T. & Yuasa, S. (1989). Chromosome studies in the genus *Echeveria* (*Crassulaceae*). Part. I. Somatic chromosome numbers of 30 species and cultivars. *Sci. Rep. Res. Inst. Evol. Biol. (Japan)* 6: 1-15.
- [60] Funamoto, T. & Yuasa, S. (1989). Chromosome studies in the genus *Echeveria* (*Crassulaceae*). Part. II. Somatic chromosome numbers of the remaining taxa. *Sci. Rep. Res. Inst. Evol. Biol. (Japan)* 6: 16-29.
- [61] Galván V., R. & González E., M. (1991). Notas sobre el genero *Agave* en el Estado de Durango. *Cact. Suc. Mex.* 36(1): 3-7, illus.
- [62] García Casanova, J. (1991). Sobre la presencia d'*Aeonium sedifolium* (*Crassulaceae*) en la isla de La Gomera. *Vieraea* 19: 139-140. [Dated 1990, published 1991.]
- [63] Gebauer, A. (1991). Der Formenkreis des *Notocactus werdermannianus* Herter. *Kakt. / Sukk.* 25: 97-106, ill. [Vol. for 1990.]
- [64] Gerloff, B. (1991). *Notocactus tetracanthus* n.n. gehört zu *Notocactus sessiliflorus* (Hook.) Kainz. *Internoto* 12(3): 80-83, illus.
- [65] Gerloff, N. (1991). *Notocactus ottonis* (Lehm.) Berger var. *paraguayensis* Haage jr. *Frankfurter Kakt.-Freund* 1991(3): 76-80, illus.
- [66] Gerloff, N. (1991). *Notocactus kovarikii* (Fric ex Berger) Kainz gehört nicht zu *Echinocactus neoarechavaletai* K. Schumann ex Spegazzini. *Internoto* 12(4): 107-117, illus.
- [67] Gerloff, N. (1991). Internoto VI. Rækken af *Mammulosi*. *Kaktus* (Odense) 26(4): 79-85, illus.
- [68] Gerloff, N. (1991). Auf der Suche nach *Notocactus oxycostatus* Buining & Brederoo. *Rundbrief Internoto Arbeitskr. 1a* 1991(2): 2-11, illus.
- [69] Gerloff, N. (1991). *Notocactus laetevirens* Ritter. *Rundbrief Internoto Arbeitskr. 1a* 1991(4): 2-8, illus., map.
- [70] Gerloff, N. (1991). Einige Gedanken und Belege zum Formenkreis von *Notocactus ottonis*. *Rundbrief Internoto Arbeitskr. 1a* 1991(1): 1, 3-11, illus., map.
- [71] Gerloff, N. (1991). Op de groeiplaats van *Notocactus polyacanthus* (Link & Otto) Theunissen. *Succulenta* 70(2): 27-30.
- [72] Gertel, W. (1991). Neues zu *Sulcorebutia pulchra* (Cardenas) Donald. *Kakt. and. Sukk.* 42(7): 174-178, illus.
- [73] Ghazanfar, S. A. (1991). Flora of Nigeria: *Caryophyllales*. Monogr. Syst. Bot. 34: 39 pp., illus. [Includes *Aizoaceae* (*Sesuvium*, *Zaleya*, *Trianthema*); *Cactaceae*; *Portulacaceae* (*Portulaca*, *Talinum*).]
- [74] Gibson, A. C. (1991). The systematics and evolution of subtribe *Stenocereinae*. 10. The species group of *Stenocereus griseus*. *Cact. Succ. J. (US)* 63(2): 92-99, illus.
- [75] Gibson, A. C. (1991). The systematics and evolution of subtribe *Stenocereinae*. 11. *Stenocereus dumortieri* versus *Isolatocereus dumortieri*. *Cact. Succ. J. (US)* 63(4): 184-190, illus.
- [76] Gilbert, M. G. (1989). *Crassulaceae*. In: Hedberg, I. & Edwards, S. (eds.): *Flora of Ethiopia*, Vol. 3: 5-26, illus., key. Addis Ababa / Asmara (Ethiopia) / Uppsala (S): National Herbarium Ethiopia / Dept. Syst. Bot. Uppsala.. [Omitted previously.]
- [77] Gilmer, K. (1991). *Tephrocactus geometricus* (Castellanos) Backeberg. Am Standort einer seltenen Art im Westen Argentinien. *Kakt. and. Sukk.* 42(11): 268-270, illus.
- [78] Glen, H. F. & Hardy, D. S. (1991). *Liliaceae* (*Asphodelaceae*). The type specimen of *Aloe soutpansbergensis*. *Bothalia* 21(2): 151-152, illus.
- [79] González Medrano, F. (1991). Nota sobre la tipificación de *Manfreda guerrerensis* Matuda (*Agavaceae*). *Cact. Suc. Mex.* 36(1): 16.
- [80] Guillaumet, J. L. & Marais, W. (1990). 103. Cactacées. In: Bosser, J. et al.: *Flore des Mascareignes*, 90. Rhizophoracées à 106. Araliacées. Paris (F): ORSTOM, etc. : 8 pp., illus., key. [Includes the genera *Rhipsalis*, *Pereskia*, *Opuntia* and *Hylocereus*.]
- [81] Haas, R. (1991). *Thelocactus ysabelae*. *Kakt. and. Sukk.* 42(6): 148-149, illus.
- [82] Hammer, S. (1991). *Faucaria bosscheana* and its relatives *Aloe* 28(1): 4-5, ill.
- [83] Hammer, S. (1991). New wine in old bottles. *Aloe* 28(2): 32-35, illus. [On *Conophytum gracilistylum*, etc.]
- [84] Hammer, S. (1991). *Conophytum*: an annotated checklist (S-Z). *Bradleya* 9: 105-128, illus. [Concluded from vol. 8.]
- [85] Hammer, S. (1991). Speaking of tongues. *Brit. Cact. Succ. J.* 9(4): 103-104, illus. [On *Glottiphyllum*.]
- [86] Hammer, S. (1991). Pro- and Anti-Mima. *Mesemb Study Group Bull.* 6(4): 84-85, ill.
- [87] Hammer, S. & Liede, S. (1991). Hybridisation in the Mesembs. *Veld and Flora* 77: 4-15, illus.
- [88] Hargreaves, B. J. (1990). The succulents of Botswana: an annotated checklist. Gaborone (Botswana): National Museum, Monuments and Art Gallery. 20 pp., illus.
- [89] Hargreaves, B. J. (1991). Red-flowered euphorbias of Malawi. *Euphorbia J.* 7: 138-142, illus.
- [90] Hargreaves, B. J. (1991). *Euphorbia ingens* E. Meyer ex Boiss. in Malawi plus two

- relatives and a non-relative. *Euphorbia* J. 7: 65-71, ills., map.
- [91] Hargreaves, B. J. (1991). Further notes on *Euphorbia* species in Botswana. *Euphorbiaceae Study Group Bull.* 1991(1): 8-15, ills.
- [92] Harold, K. (1991). *Ceropogia aristolochioides* and section *Phalaena*. *Asklepios No.* 53: 18-23, ills.
- [93] Hart, H. 't (1991). Evolution and classification of the European *Sedum* species (*Crassulaceae*). *Fl. Medit.* 1: 31-61, key to series. [Includes several new series names.]
- [94] Hart, H. 't & Alpinar, K. (1991). Biosystematic studies in *Sedum* of Turkey (*Crassulaceae*). 3. *Sedum euxinum*, a new species from north-eastern Anatolia. *Acta Bot. Neerl.* 49: 357-361, ills., chromosome nos.
- [95] Hart, H. 't & Alpinar, K. (1991). Biosystematic studies in *Sedum* (*Crassulaceae*) of Turkey: Morphological and cytological variation in *S. pallidum* and *S. rubens*. *Bot. Chron.* 10: 641-649, ills., maps, chromos. nos.
- [96] Hart, H. 't & Alpinar, K. (1991). The *Sedum* flora of Turkey. Part 2. *Sedum Soc. Newslett.* No. 16: 10-13, maps.
- [97] Hart, H. 't & Alpinar, K. (1991). Biosystematic studies in *Sedum* (*Crassulaceae*) of Turkey. 1. Notes on four hitherto little known species collected in the western part of Anatolia. *Willdenowia* 21: 143-156, ills., maps, chromosome nos.
- [98] Hart, H. 't & Ham, C. H. J. van (1991). Cytotaxonomic notes on *Sedum* (*Crassulaceae*) species of Israel. *Israel J. Bot.* 40: 323-329, ills., chromosome nos.
- [99] Hartmann, H. E. K. (1991). *Mesembryanthema*. *Contr. Bolus Herb.* 13: 75-157. [Includes an alphabetical list of accepted genera.]
- [100] Hartmann, H. E. K. (1991). Keys to the genera of *Mesembryanthema*. *South Afr. J. Bot.* 57(2): 95-104, keys.
- [101] Hartmann, H. E. K. & Bittrich, V. (1991). Typification of suprageneric names - some nomenclatural changes in *Aizoaceae*. *South Afr. J. Bot.* 57(2): 73-75.
- [102] Hartmann, H. E. K. & Newton, L. E. (1991). *Delosperma oehleri* - an interesting mesemb from East Africa. *Cact. Succ. J. (US)* 63(4): 191-193, ills.
- [103] Hartmann, H. E. K. & Niesler, I. (1991). On the identity of *Trichodiadema schimperi* (Engler) Herre (*Mesembryanthema*). *Cact. Succ. J. (US)* 63(3): 143-149, ills.
- [104] Haun, R. (1991). Rebutien ans Licht gerückt. 15. *Rebutia oculata* Werdermann. *Kakt. / Sukk.* 25: 72-75, ills. [Vol. for 1990.]
- [105] Haun, R. (1991). Rebutien - ans Licht gerückt. 14. *Rebutia einsteinii* Fric. *Kakt. / Sukk.* 25(1-2): 4-8, ills. [Dated 1990, published 1991.]
- [106] Havlicek, R. (1988). A new conspectus generis of the genus *Notocactus* Fric 1928 and its classification into subgenera and seria. *Kakt. Vilag* 1988(4): 71-81 pp., ills. [Published probably 1990, received at ZSS in July 1991.]
- [107] Heath, P. V. (1991). The orthography of *Mammillaria esperanzensis* Bödeker (*Cactaceae*). *Taxon* 40(2): 321.
- [108] Heath, P. V. (1991). The type of *Mediocactus* Britton & Rose (*Cactaceae*). *Taxon* 40(4): 627-628.
- [109] Heek, W. van & Strecker, W. (1991). Kakteen bei Caetité. *Kakt. and. Sukk.* 42(8): 186-188, ills. [Included on account of the illustrations of *Micranthocereus polyanthus*.]
- [110] Heine, R. (1991). *Lithops bella* (Dinter) N. E. Brown. *Kakt. and. Sukk.* 42(2): 46-48, ills., map.
- [111] Herm, K. (1991). *Notocactus neohorstii* var. *juvenaliformis* Ritter. *Internoto* 12(2): 67-70, ills.
- [112] Hernandez Garcia, G. & Garcia Villanueva, E. (1991). Anatomia comparada de ovulos y semillas de dos especies del genero *Mammillaria* (*Cactaceae*). *Bol. Soc. Bot. Mex.* No. 51: 25-38, ills.
- [113] Hershkovitz, M. A. (1991). Leaf morphology of *Cistanthe* Spach (*Portulacaceae*). *Ann. Missouri Bot. Gard.* 78(4): 1022-1060.
- [114] Hershkovitz, M. A. (1991). Phylogenetic assessment and revised circumscription of *Cistanthe* Spach (*Portulacaceae*). *Ann. Missouri Bot. Gard.* 78(4): 1009-1021.
- [115] Hershkovitz, M. A. (1991). Taxonomic notes on *Cistanthe*, *Calandrinia*, and *Talinum* (*Portulacaceae*). *Phytologia* 70(3): 209-225.
- [116] Herzog, E. (1991). Arten der Gattung *Lobivia*. 8. *Lobivia (Echinopsis) backebergii* (Werd.) Backeb. *Kakt. / Sukk.* 25: 75-85, ills. [Vol. for 1990.]
- [117] Heyer, W. (1991). Kann auf *Acanthocalycium* Backeberg verzichtet werden? *Kakt. and. Sukk.* 42(4): 85-88, ills.
- [118] Hochstätter, F. (1991). *Pediocactus simpsonii* Br. & R. *Kaktusblüte* 1991: 14-29, ills., SEM-ills.
- [119] Hoevens, L. van der (1991). *Notocactus spec.* Entre Ríos - Ein interessanter Fund aus der Gruppe um *Notocactus submammulosus* (Lem.) Backeberg. *Internoto* 12(1): 18-22, ills.
- [120] Hofacker, A. (1991). *Notocactus fuscus* var. *longispinus* Ritter - oder: es gibt ihn doch! *Internoto* 12(2): 62-67, ills.
- [121] Hofacker, A. (1991). Zur Verbreitung

- einiger scharfrippiger [*Notocactus* ser.] *Paucispini*. *Internoto* 12(1): 22-31, ills., map.
- [122] Hofacker, A. (1991). Eine neue Varietät der *Frailea buenekeri* Abraham? *Internoto* 12(3): 91-96, ills.
- [123] Hoock, H. & Baumann, H. (1991). In der Heimat von *Astrophytum coahuilense* (Möller) Kayser. Kakt. and. Sukk. 42(9): 214-218, ills., map, diags.
- [124] Horich, C. K. (1991). Auf der Suche nach *Hylocereus monacanthus* (Lemaire) Britton & Rose. Kakt. and. Sukk. 43(1): 10-12, ills., map. [Vol. for 1992, issue already published mid-December 1991.]
- [125] Horich, C. K. (1991). Auf der Spur von *Rhipsalis simmleri* Beauverd. Kakt. and. Sukk. 42(8): 177-179, ills. [The plant illustrated is not *R. simmleri* - NPT.]
- [126] Horich, C. K. (1991). Ein weiteres Vorkommen von *Sedum mexicanum* Britton. Kakt. and. Sukk. 42(5): 113-115, ills.
- [127] Humphries, C. J. & Blackmore, S. (1989). A review of the classification of the *Moraceae*. Syst. Assoc. Special Vol. 40B: 267-277.
- [128] Hunt, D. R. (1991). The mammillarias of Werner Reppenhagen (2). Continuing an evaluation of the new taxa described by Reppenhagen in his book Die Gattung Mammillaria (1987). *Mammillaria Postscripts* 3: 7-14.
- [129] Hunt, D. R. & Taylor, N. P., eds. (1991). Notes on miscellaneous genera of *Cactaceae*. Bradleya 9: 81-92.
- [130] Ilyinskaya, A. F. (1991). Anatomical study of vegetative organs of the species of *Sedum* L. from the section *Sedum* [in Ukrainian]. Ukr. Bot. Zhum. 48: 29-34.
- [131] Jaarsveld, E. van (1991). The conservation status of *Gasteria baylissiana* Rauh, a rare endemic of the Zuurberg (Eastern Cape). Brit. Cact. Succ. J. 9(4): 99-101, ills.
- [132] Jaarsveld, E. van (1991). The subfamily *Asphodeloideae* with specific reference to *Trachyandra tortilis*. Cact. Succ. J. (US) 63(4): 196-199, ills.
- [133] Jebb, M. (1991). Cavity structure and function in the tuberous epiphytic *Rubiaceae*. In: Huxley, C. R. & Cutler, D. F. (eds.): Ant-plant interactions, pp. 374-389, map, ills. Oxford (GB), etc.: Oxford University Press.:
- [134] Jonkers, B. (1991). Op zoek naar *Caralluma penicillata* in Oman. *Succulenta* 70(7/8): 165-169, ills.
- [135] Joschko, H. (1991). *Lobivia jajoiana* var. *paucicostata* Rausch. Betrachtungen zu einer Lobiviengruppe um Purmamarca. Kakt. and. Sukk. 42(2): 50-52, ills., map.
- [136] Kümmeler, H. (1991). Der Formenkreis um *Mammillaria wagneriana* / *petterssonii*. Mitteilungsbl. AfM 15(2): 55-59, ills.
- [137] Kartesz, J. T. & Gandhi, K. N. (1991). Nomenclatural notes for the North American flora. VI. *Phytologia* 71: 58-65. [Includes new combinations in *Cistanthe* (*Portulacaceae*).]
- [138] Kloppenburg, D. (1991). Phillipine [sic] *Hoya* species. A monograph. Medford (USA: OR): Orca Publishing Co. 103 pp., ills., key.
- [139] Koutnik, D. (1991). *Euphorbia trigona* Miller ... or is it *E. hermentiana* Lemaire? *Euphorbia* J. 7: 11-14, ills.
- [140] Krähenbühl, F. (1991). Gedanken zu zwei grünen Mammillarien: *Mammillaria centricirrha* Lemaire 1839 und *Mammillaria magnimamma* Haworth 1824. Kakt. and. Sukk. 42(12): 284-287, ills.
- [141] Kümmeler, H. (1991). Die zwei Formen der *Mammillaria humboldtii* Ehrenberg. Mitteilungsbl. AfM 15(1): 12-15, ills.
- [142] Kunze, H. & Liede, S. (1991). Observations on pollination in *Sarcostemma* (*Asclepiadaceae*). Pl. Syst. Evol. 178: 95-105.
- [143] LaFon, R. (ed.) (1991). The succulent *Euphorbiaceae*. Photographic collection and descriptions. *Euphorbia* J. 7: 143-162, ills. [Continued from previous vol.]
- [144] Lambert, J. (1991). Een merkwaardig trio. *Succulenta* 70(2): 33-38, ills. [On *Opuntia spegazzinii*, *O. salmiana*, *O. schickendantzii*.]
- [145] Land, M. P. (1991). A note on a *Duvalia*. Asklepios No. 52: 88-92, ills. [*Duvalia caespitosa*.]
- [146] Leach, L. C. (1991). Comment on a review of the revision of *Huernia* R. Br. Asklepios No. 52: 83-85, chromosome nos.
- [147] Leach, L. C. (1991). *Euphorbia griseola* Pax: its subspecies and relationships. *Euphorbia* J. 7: 131-137, ills.
- [148] Leclron, J.-M. et al. (1991). *Monadenium* Pax: des *Euphorbiaceae* succulentes méconnues. Rev. Hort. Suisse 64(6): 139-146, ills. [Short synopsis.]
- [149] Leon de la Luz, J. L. & Cadena, R. D. (1991). Evaluación de la reproducción por semilla de la pitaya agria (*Stenocereus gummosus*) en Baja California Sur, Mexico. Acta Bot. Mex. 14: 75-87. [Appears to reproduce mainly by asexual means.]
- [150] Leuenberger, B. E. (1991). Xerocopy a cactus flower - a quick method of documentation of flower characters in *Cactaceae*. Brit. Cact. Succ. J. 9(4): 105-106, ills.
- [151] Leuenberger, B. E. (1991). Interpretation and typification of *Cactus ficus-indica* L. and *Opuntia ficus-indica* (L.) Miller (*Cactaceae*).

- Taxon 40(4): 621-627, illus.
- [152] Li, P. T. (1991). *Hoya lasiogynostegia*. Hoyan 13(1: part 2): 5-6, ill.
- [153] Liddle, D. J. (1991). *Hoya nicholsoniae* F. Mueller. *Hoya caudata* Hooker f. Hoyan 13(2: Part 2): 8-11, illus.
- [154] Liede, S. (1991). *Cynanchum gerrardii* – a new combination for a well-known African species (Asclepiadaceae). Taxon 40(1): 113-117, illus.
- [155] Liede, S. & Hammer, S (1991). Aspects of floral structure and phenology in the genus *Conophytum* (Mesembryanthemaceae). Pl. Syst. Evol. 172: 229-240. [Dated 1990, published 1991.]
- [156] Liede, S. & Whitehead, V. (1991). Studies in the pollination biology of *Sarcostemma viminale* R. Br. *sensu lato*. South Afr. J. Bot. 57(2): 115-122, illus., map.
- [157] Liede, S. et al. (1991). Observations on pollination and hybridization in the genus *Conophytum* (Mesembryanthemaceae). Bradleya 9: 93-99, illus., map, tabs.
- [158] Linzen, T. et al. (1991). Die Reihe *Elegantes*. *Mammillaria haageana* Pfeiffer und die mit ihr verwandten Arten. Mitteilungsbl. AfM 15(5): 189-207, illus. [To be continued.]
- [159] Linzen, T. (1991). *Mammillaria mystax* Martius und ihre nächsten Verwandten. Mitteilungsbl. AfM 15(1): 17-32, (2): 61-73, (3): 98-105, (4): 138-145, illus.
- [160] Lodé, J. (1991). Opuntias du Brésil. Cact. Aventures No. 12: 13-15, illus.
- [161] Lomelí Sención, J. A. (1991). Nota sobre la distribución de *Disocactus ramulosus* en Mexico. Cact. Suc. Mex. 36(3): 69-71, ill.
- [162] Lourteig, A. (1991). Nomenclatura plantarum Americanum. 16. *Cactaceae*. Bradea 5(44): 400-411.
- [163] Lüthy, J. M. (1991). Ein neues chemisches Merkmal für die Gattung *Copiapoa* Britton & Rose. Kakt. and. Sukk. 42(8): 196-197, ill.
- [164] Lüthy, J. M. (1991). Illustrierter Führer für die Arten der Gattungen *Aeonium* Webb & Berthelot und *Greenovia* Webb & Berthelot (Crassulaceae) auf den Inseln Teneriffa und Gomera. Mit einem neuen Schlüssel nach vegetativen Merkmalen. Kakt. and. Sukk. 42(6): 129-134, (7): 158-163, illus., key, (10): 227, erratum.
- [165] Lux, A. & Stanik, R. (1991). Poznámky k rodu *Thelocactus*. Cactaceae etc. 1(1): 8-12, (2): 30-36, (3): 4-7, illus.
- [166] Lux, A. et al. (1991). Zur Kenntnis des Verwandtschaftskreises von *Thelocactus rinconensis* (Poselger) Britton & Rose. Kakt. and. Sukk. 42(11): 264-267, illus.
- [167] Lyons, J.-L. & Solichon, J.-M. (1991). Étude phénologique du genre *Lithops*. Observations – applications pratiques. Succulentes 14(3): 21-26, illus.
- [168] Marais, E. M. (1989). Delimitation and typification of the section *Hoarea* of *Pelargonium* (Geraniaceae). South Afr. J. Bot. 55: 240-242. [Omitted from RPS so far.]
- [169] Marais, W. (1990). 104. Aizoacées. In: Bosser, J. et al.: Flore des Mascareignes, 90. Rhizophoracées à 106. Araliacées. Paris (F): ORSTOM, etc. : 13 pp., illus., keys.
- [170] Matis, J. (1990). (In Czech:) Desert species of the genus *Islaya* (Cactaceae). Ziva (Praha) 38: 165-168.
- [171] Matthews, J. F. et al. (1991). *Portulaca biloba* Urban (Portulacaceae), a species new to the United States. Syst. Bot. 16(4): 736-740, illus., chromosome nos. [Previously only known from Cuba.]
- [172] Mellen, G. (1991). The *Echinocereus fendleri* controversy. Cact. Succ. J. (US 63(4): 208-212, illus.
- [173] Metzing, D. (1991). Was ist *Gymnocalycium leeanum*? Gymnos 8(16): 63-65.
- [174] Metzing, D. (1991). Die Gattung *Notocactus* in Paraguay. Internoto 12(2): 35-52, illus., maps.
- [175] Mihatsch, H.-J. (1991). Ein neuer Standort von *Mammillaria perezdelarosae* H. Bravo & Scheinvar. Kakt. and. Sukk. 43(1): 1-2, ill. [Volume for 1992, issue already published in late December 1991.]
- [176] Milt, I. (1991). *Gymnokalychia* podrodu *Pirisemineum*. Kaktusy 27(4): 76-81, (5): 99-106, illus.
- [177] Moran, R. (1991). *Pachyphytum compactum* Rose (Crassulaceae). Cact. Succ. J. (US) 63(1): 30-34, illus.
- [178] Moran, R. (1991). Note on relationships of *Bergerocactus*. Cact. Succ. J. (US) 63(5): 265.
- [179] Moran, R. (1991). *Pachyphytum longifolium* Rose. Cact. Succ. J. (US) 63(5): 261-265, illus.
- [180] Moreno, J. J. (1991). Euphorbias in Pakistan. Euphorbia J. 7: 101-103, illus.
- [181] Mottram, R. (1991). The *Mammillariae* of Emory (1848). J. Mammillaria Soc. 31(2): 22-26.
- [182] Navarro, G. & Galán de Mera, A. (1991). Notas sobre *Opuntia* Miller (Cactaceae) de Bolivia. Rivasgodoya 6: 111-114, maps. [Includes neotypification of *Opuntia armata* Backeberg.]
- [183] Neumann, K. (1991). *Echinocereus parkeri* N. P. Taylor. An Standorten in Tamaulipas und Nuevo Leon. Kaktusblüte 1991: 51-55, illus.

- [184] Newton, L. E. (1991). *Euphorbia baioensis* in its natural habitat. *Euphorbia* J. 7: 36-41, illus., map.
- [185] Newton, L. E. (1991). On the identity of *Aloe penduliflora* Baker (*Liliaceae / Aloaceae*). *Taxon* 40(1): 53-60, illus.
- [186] Nilsson, M. (1991). En handfull Argentinska Rebutia-arter. III. *Kaktus* (Odense) 26(1): 3-7, illus. [Continued from vol. 25.]
- [187] Ostolaza, C. et al. (1991). *Epiphyllum phyllanthus* var. *phyllanthus*. *Quepo* 5: 52-57, illus.
- [188] Parnell, J. (1988). Revision of the genus *Jovibarba* and consideration of the *Sempervivum tectorum* / *S. marmoreum* complex and *S. montanum* ssp. *carpathicum*. *Acta Bot. Hung.* 34(1-2): 209-224. [Includes several lectotypifications. Omitted so far.]
- [189] Parnell, J. (1991). Pollen morphology of *Jovibarba* Opiz and *Sempervivum* L. (*Crassulaceae*). *Kew Bull.* 46: 733-738, illus.
- [190] Pavlicek, P. (1991). *Atlas Kaktusu. VI.* Chrudim (CSSR): Chrudimsky Kaktusas. : 64 pp., illus.
- [191] Peukert, D. E. (1991). *Epiphyllum phyllanthus* (Linné) Haworth var. *schnetteri* Peukert var. nov. (*Cactaceae*). Eine neue *Epiphyllum*-Sippe aus dem Departamento de Cundinamarca / Kolumbien. *Kakt. and. Sukk.* 42(11): 252-255, (12): 276-281, illus., key. [Includes an analysis of and key to all infraspecific taxa of the species.]
- [192] Pichler, G. (1991). *Echinocereus engelmannii* (Parry) Lemaire und seine Nachbarn am Standort Guaymas in Sonora. *Echinocereenfreund* 1991(1): 4-10, illus.
- [193] Pilbeam, J. (1991). The complex *Adromischus marianae* complex. *Cact. File* 1(2): 4-8, illus.
- [194] Pilbeam, J. & Weightman, B. (1991). Will the real *Echeveria subrigida* please stand up? *Cact. File* 1(3): 18-19, illus.
- [195] Ponce, M. & Trujillo, B. (1991). Distribución de las Cactáceas silvestres en Venezuela según diferentes tipos de formaciones vegetales. *Ernstia* 1(2): 79-88, tabs.
- [196] Powell, A. M. et al. (1991). Experimental documentation of natural hybridization in *Cactaceae*: origin of Lloyd's hedgehog cactus, *Echinocereus × lloydii*. *Pl. Syst. Evol.* 178: 107-122, illus., chromosome nos. [*E. dasycanthus* and *E. coccineus* recognized as species.]
- [197] Prestlé, K.-H. (1991). Het geslacht *Gymnocalycium* in Zuid-Brazilië en Uruguay. *Succulenta* 70(3): 55-60, (6): 128-130, (7): 172-174, (10): 215-218, (11): 227-230, illus., map.
- [198] Puff, C. (1991). *Euphorbia amplophylla*: a striking tree from the montane evergreen forests of northeast and east Africa. *Euphorbia* J. 7: 60-64, illus., map.
- [199] Raudonat, U. (1991). *Echinocereus palmeri* – ein Zwerg unter den Echinocereen. *Kakt. / Sukk.* 25: 60-65, illus. [Vol. for 1990, published 1991.]
- [200] Reppenhagen, W. (1991). A visit to the habitat of *Mammillaria craigii*. *J. Mammillaria Soc.* 31(1): 2-3, illus.
- [201] Retief, J. A. (1991). *Gibbaeum album*. *Aloe* 27(4): 93, illus. [Dated 1990, published 1991.]
- [202] Reynolds, T. & Herring, C. (1991). Chromatographic evidence of the geographical origin of *Aloe arborescens* introduced into Gibraltar. *Brit. Cact. Succ. J.* 9(4): 77-79, illus.
- [203] Rogozinski, H. (1991). Die Verbreitung der *Mamillopsis senilis* Loddiges ex Salm-Dyck. *Mitteilungsbl. AfM* 15(5): 186-188, illus.
- [204] Rogozinski, H. (1991). Sind *Mammillaria tesopacensis* var. *papasquairensis* Bravo Hollis und *M. papasquairensis* (Bravo Hollis) Reppenhagen identisch? *Mitteilungsbl. AfM* 15(2): 73-77, illus.
- [205] Rossouw, J. & D. (1991). *Haworthia maughanii* / *Haworthia truncata* or vice-versa. *Haworthiad* 5(4): 18-23, illus.
- [206] Rutow, J. (1991). *Echinocereus pacificus* auch in Arizona? *Echinocereenfreund* 1991(1): 21-24, illus.
- [207] Sajeva, M. & Mauseth, J. D. (1991). Leaf-like structure in the photosynthetic, succulent stems of cacti. *Ann. Bot.* 68: 405-411, illus.
- [208] Sarkaria, J. S. (1991). *Caralluma stalagmifera* C. E. C. Fischer. *J. Nation. Cact. Succ. Soc. India* 8(1): 2-5, illus. [Volume dated 1990.]
- [209] Schätzle, P. (1991). *Echinocereus salm-dyckianus* Scheer und ähnliche Arten. *Kakt. and. Sukk.* 42(1): 30-32, illus. [Included on account of the illustrations.]
- [210] Scheinvar, L. (1990?). *Cactus triangularis* Linné, *Cereus ocamponis* Salm-Dyck, *Cactus triangularis* Vellozo, *Cereus undatus* Haworth és *Cereus trigonus* Haworth. *Kakt. Világ* 1988(4): 63-69, illus. [Includes neo- and lectotypifications. Probably published 1990, received at ZSS in July 1991.]
- [211] Sedivy, V. (1991). Rod *Ariocarpus* Scheidw. *Atlas Kakt.* 6(Suppl.): 20 pp., illus., key.
- [212] Singh, M. (1991). More on *Euphorbia fusiformis* Buch.-Ham. *Euphorbia Study Group Bull.* 1991(3): 21-25.
- [213] Smith, G. F. (1991). Additional notes on the taxonomic status and habitat of *Aloe bowiea* (*Asphodelaceae: Alooideae*). *Aloe* 28(1): 9-17,

ills.

- [214] Smith, G. F. (1991). The chromosomes of *Chortolirion* and *Poellnitzia* (Asphodelaceae: Alooideae). *Bothalia* 21(2): 171-175, ills.
- [215] Smith, G. F. (1991). Studies on the reproductive biology and palynology of *Chortolirion* Berger (Asphodelaceae: Alooideae) in southern Africa. *Taxon* 40(1): 61-73, ills.
- [216] Smith, G. F. & Tiedt, L. R. (1991). A rapid, non-destructive osmium tetroxide technique for preparing pollen for scanning electron microscopy. *Taxon* 40(2): 195-200, SEM-ills. [Included on account of the examples of *Chortolirion* and *Poellnitzia*.]
- [217] Smith, G. F. & Wyk, B.-E. van (1991). Generic relationships in Alooideae (Asphodelaceae). *Taxon* 40(4): 557-581, ills., maps.
- [218] Solli, S. (1991). Le Mammillarie della Bassa California (Baja California). *Piante Grasse* 11(3): 67-74, ills., map.
- [219] Stephenson, R. (1991). *Sedum trollii* E. Werdermann. *Sedum Soc. Newslett.* 19: 10-12, ills.
- [220] Stephenson, R. (1991). Sedum hunting in southern Portugal. *Sedum Soc. Newslett.* No. 18: 16-18, map.
- [221] Stephenson, R. (1991). Notes on *Sedum decumbens* Clausen and *Sedum confusum* Hemsley. *Sedum Soc. Newslett.* No. 16: 4.
- [222] Stephenson, R. (1991). *Sedum dendroideum* A. P. DC. and *S. praealtum* A. DC. *Sedum Soc. Newslett.* No. 16: 5, ill.
- [223] Stephenson, R. (1991). *S[edum] adolphii* Hamet and *S. nussbaumerianum* Bitter. *Sedum Soc. Newslett.* No. 18: 13, ills.
- [224] Stephenson, R. (1991). *Sedum* in central Portugal. *Sedum Soc. Newslett.* No. 16: 14-16, ills., map.
- [225] Stephenson, R. (1991). *Sedum obtusatum*. *Sedum Soc. Newslett.* 19: 20-22, ills.
- [226] Stuchlik, S. (1991). Rozmanitost variet a forem *Notocactus concinnus* (Monville) Berger ex Backeberg. *Kaktusy* 27(1): 12-16, ills.
- [227] Stuppy, W. & Huber, H. (1991). Samenmerkmale und Gattungsgliederung der *Opuntioideae*. *Kakt. and. Sukk.* 42(5): 122-126, (6): 144-147, (7): 165-167, (9): 208-211, ills.
- [228] Swart, D. (1991). Sukkulente Heilpflanzen und ihre Inhaltsstoffe. *Sempervivum* Linné. *Kakt. and. Sukk.* 42(1): 20-23.
- [229] Sylla, T. & Albers, F. (1989). Samenentwicklung und Samenmorphologie krautiger und sukkulenter Asclepiadaceae. *Bot. Jahrb. Syst.* 110(4): 479-492. [Omitted previously.]
- [230] Taylor, A. R. (1991). Unusual form of *Opuntia ramosissima* Engelmann. *Great Basin Natural.* 51(4): 414-415, ill.
- [231] Taylor, N. P. (1991). The genus *Melocactus* (Cactaceae) in Central and South America. *Bradleya* 9: 1-80, ills., key, maps. [Reprint with own cover published separately by RBG Kew.]
- [232] Taylor, N. P. (1991). (1014) Proposal to conserve 5401a *Arthrocereus* A. Berger (Cactaceae) with a new type. *Taxon* 40(4): 660-662.
- [233] Till, H. (1991). *Gymnocalycium uebelmannianum* Rausch. *AG Gymnocalycium* 4(1): 43-45, ills.
- [234] Till, H. & W. (1991). *Gymnocalycium riojense*: Validierung, Beschreibung neuer Taxa und systematische Gruppierung nach morphologischen und arealmässigen Kriterien. *AG Gymnocalycium* 4(2): 47-50, (3): 51-54, (4): 55-58, ills., key.
- [235] Toledo Martinez, J. (1991). *Pilosocereus polygonus* (Lamk.) Byl. et Rowl. - eine weitere Kakteenart der kubanischen Provinz Holguín. *Kakt. / Sukk.* 25(1-2): 16-17, ill. [Dated 1990, published 1991.]
- [236] Trocha, W. (1991). *Echinocereus triglochidiatus* G. Engelmann 1848. *Echinocereifreund* 1991(1): 11-15, (3): 77-82, ills., map.
- [237] Turrisi, E. R. (1991). Contributo a una migliore conoscenza delle Crassulacee spontanee di alcune località dell'Etna. *Piante Grasse* 11(2): 33-46, ills., map.
- [238] Ullrich, B. (1991). Notas sobre la publicación del genero *Furcraea* Ventenat (Agavaceae). *Cact. Suc. Mex.* 36(1): 8-9.
- [239] Ullrich, B. (1991). El complejo *Furcraea longaeva* Karwinski et Zuccarini. *Cact. Suc. Mex.* 36(2): 30-36, (3): 56-61, (4): 79-83, ills., map.
- [240] Ullrich, B. (1991). Zum Verbreitungsgebiet von *Agave victoriae-reginae* T. Moore. *Kakt. and. Sukk.* 42(11): 262-263, ill., map.
- [241] Ullrich, B. (1991). *Agave colimana* Gentry oder *Agave ortgiesiana* Roezl? *Kakt. and. Sukk.* 42(1): 24-28, ills., map.
- [242] Ullrich, B. (1991). Notiz zu *Agave breviscapa* Berger ex Roster und *Agave verna* Berger. *Kakt. and. Sukk.* 42(10): 242-243, ill.
- [243] Ullrich, B. (1991). De taxonomische rangschikking van *Agave nizandensis* Cutak. *Succulenta* 70(4): 89-92, ills.
- [244] Ullrich, B. (1991). Aantekeningen bij *Agave guiengola* Gentry. *Succulenta* 70(12): 257-260, ills.
- [245] Ullrich, B. (1991). De systematische positie van *Agave felgeri* Gentry. *Succulenta*

- 70(7/8): 147-150, ills., map.
- [246] Venter, K. (1991). *Euphorbia lydenburgensis* Schweickerdt & Letty and a population of distinct plants. *Euphorbia J.* 7: 42-45, ills.
- [247] Vijayavalli, B. & Mathew, P. M. (1991). Studies in South Indian *Liliaceae*: 3. Cytology of twelve species of *Aloe*. *New Bot.* 17(3-4): 255-266. [Dated 1990, most probably only published 1991.]
- [248] Vollesen, K. (1989). *Vitaceae*. In: HEDberg, I. & Edwards, S. (eds.): *Flora of Ethiopia*, Vol. 3: 399-418, ills., key. Addis Ababa / Asmara (Ethiopia) / Uppsala (S): National Herbarium Ethiopia & Dept. Syst. Bot. Uppsala.. [Previously omitted.]
- [249] Vosa, C. G. & Bassi, P. (1991). Cromosome (sic !) studies in the Southern African flora: 95-102. The basic karyotype of eight species of succulent *Euphorbia* L. *Caryologia* 44: 27-33.
- [250] Wagenaar Hummelinck, P. (1991). Over *Opuntia curassavica* en *Opuntia repens*. *Succulenta* 70(11): 231-234, ills.
- [251] Walker, C. C. (1991). *Aloe dumetorum* – a dwarf Kenyan endemic. *Brit. Cact. Succ. J.* 9(2): 28-31, ills., map.
- [252] Walker, C. C. & Thorburn, M. (1991). *Kleinia (Senecio) anteuphorbium* (L.) Haw. – A Moroccan endemic. *Aloe* 28(1): 18-22, ills., map.
- [253] Weber, R. (1990). Bemerkungen zu einigen feindornigen Formen aus dem *Rebutia fiebrigii* (Gürke) Br. & R. -Komplex. Teil 1. Inform.-Brief ZAG Echinopseen No. 15: 19-23, ills.
- [254] Weber, R. (1990). Der *Rebutia heliosa* Rausch-Formenkreis. Inform.-Brief ZAG Echinopseen No. 14: 5-10, ills., map. [Concluded from no. 13.]
- [255] Weskamp, W. (1991). *Parodia taratensis* Cardenas. *Kakt. and. Sukk.* 42(2): 53, ill.
- [256] Zappi, D. C. (1991). Flora da Serra do Cipó, Minas Gerais: *Cactaceae*. *Bol. Bot. Univ. São Paulo* 12: 43-59. [Dated 1990, received at K 29. 7. 1991.]

## BIBLIOGRAPHIA - Cross-References of Author Names

- Albers, F.: → Sylla, T.  
 Alpinar, K.: → Hart, H. 't  
 Balakrishnan, N. P.: → Binoj Kumar, M. S.  
 Bassi, P.: → Vosa, C. G.  
 Baumann, H.: → Hoock, H.  
 Bittrich, V.: → Hartmann, H. E. K.  
 Blackmore, S.: → Humphries, C. J.  
 Bruyns, P. V.: → Forster, P. I.  
 Cadena, R. D.: → Leon de la Luz, J. L.  
 Esteves Pereira, E.: → Braun, P. J.  
 Forster, P. I.: → Bruyns, P. V.  
 Galán de Mera, A.: → Navarro, G.  
 Gandhi, K. N.: → Kartesz, J. T.  
 Garcia Villanueva, E.: → Hernandez Garcia, G.  
 González E., M.: → Galván V., R.  
 Ham, C. H. J. van: → Hart, H. 't  
 Hammer, S.: → Liede, S.  
 Hanson, C.: → Dimmitt, M. A.  
 Hardy, D. S.: → Glen, H. F.  
 Herring, C.: → Reynolds, T.  
 Huber, H.: → Stuppy, W.  
 Liede, S.: → Hammer, S.  
 Liede, S.: → Kunze, H.  
 Müller-Hohenstein, K.: → Deil, U.  
 Marais, W.: → Guillaumet, J. L.  
 Mathew, P. M.: → Vijayavalli, B.  
 Mauseth, J. D.: → Sajeva, M.  
 Meve, U.: → Albers, F.  
 Newton, L. E.: → Hartmann, H. E. K.  
 Niesler, I.: → Hartmann, H. E. K.  
 Ruthow, J.: → Blum, W.  
 Schill, R.: → Dannenbaum, C.  
 Solichon, J.-M.: → Lyons, J.-L.  
 Stanik, R.: → Lux, A.  
 Strecker, W.: → Heek, W. van  
 Struck, M.: → Bittrich, V.  
 Taylor, N. P.: → Eggli, U.  
 Taylor, N. P., eds.: → Hunt, D. R.  
 Thorburn, M.: → Walker, C. C.  
 Tiedt, L. R.: → Smith, G. F.  
 Trujillo, B.: → Ponce, M.  
 Viveros Colorado, C.: → Cházaro B., M.  
 Walt, J. J. A. van der: → Dreyer, L. L.  
 Weightman, B.: → Pilbeam, J.  
 Whitehead, V.: → Liede, S.  
 Wyk, B.-E. van: → Smith, G. F.  
 Yuasa, S.: → Funamoto, T.  
 Zwak, J.: → Chvastek, J.

