



**Repertorium  
Plantarum  
Succulentarum  
XLIV (1993)**

## What is IOS ?

The International Organization for Succulent Plant Study (IOS) was established to promote the study of succulent and allied plants and to encourage international cooperation amongst those interested in them. The IOS is a Commission of the International Union of Biological Sciences and seeks to achieve its goal through biennial international congresses, working sessions, and its annual *Bulletin* and the *Repertorium Plantarum Succulentarum*. The IOS also is a strong advocate of conservation and has an extensive *Code of Conduct*.

Annual membership dues are currently 60 Swiss Francs, and members receive the *IOS Bulletin* and the *Repertorium*, and can take part in the congresses and other activities of IOS.

If you would like to get more information, please write for our information leaflet and the application for membership: International Organization for Succulent Plant Study, Secretary, Dr. Edward F. Anderson, Desert Botanical Garden, 1201 N. Galvin Parkway, Phoenix, AZ 85008, USA (FAX: +1 602 481 8124).

## Wer ist die IOS ?

Die Internationale Organisation für Sukkulanten-Forschung (IOS) wurde gegründet mit dem Ziel, die Erforschung der Sukkulanten und verwandter Pflanzen sowie die internationale Zusammenarbeit zwischen den beteiligten Personen zu fördern. Die IOS bildet eine Kommission der Internationalen Union der Biologischen Wissenschaften. Sie versucht, ihr Ziel durch die Organisation zweijährlich stattfindender internationaler Kongresse, Arbeits-Tagungen sowie durch Publikation des *IOS Bulletin* und des *Repertorium Plantarum Succulentarum* zu erreichen. Die IOS unterstützt seit langem auch die Anliegen des Naturschutzes und erarbeitete detaillierte Verhaltensregeln.

Der Jahresbeitrag beträgt zurzeit 60 Schweizer Franken. Die Mitglieder der IOS erhalten das *IOS Bulletin* sowie das *Repertorium* und haben die Möglichkeiten, an den Kongressen und anderen Aktivitäten der Organisation teilzunehmen.

Möchten Sie weitere Informationen ? Verlangen Sie unser Informationsblatt und einen Antrag auf Mitgliedschaft: Internationale Organisation für Sukkulanten-Forschung, Stellvertretender Sekretär, Dr. Urs Eggli, c/o Städtische Sukkulanten-Sammlung, Mythenquai 88, CH-8002 Zürich, Schweiz (FAX: +41 1 201 55 40).

# **Repertorium Plantarum Succulentarum XLIV (1993)**

*Index nominum novarum plantarum succulentarum anno MCMXCIII  
editorum nec non bibliographia taxonomica ab U. Eggli et N. P. Taylor  
compositus.*

International Organization for Succulent Plant Study  
Internationale Organisation für Sukkulantenforschung

October 1994

ISSN 0486-4271

## Conventions used in Repertorium Plantarum Succulentarum

- Repertorium Plantarum Succulentarum attempts to list, under separate headings, newly published names of succulent plants and relevant literature on the systematics of these plants, on an annual basis. New names noted after the issue for the relevant year has gone to press are included in later issues. Specialist periodical literature is scanned in full (as available at the libraries of K, Z, ZSS or received by the compilers). Also included is information supplied to the compilers direct. It is urgently requested that any reprints of papers not published in readily available botanical literature be sent to one of the compilers.
- Validly published names are given in **bold face** type, accompanied by an indication of the nomenclatural type (name or specimen dependent on rank), followed by the herbarium acronyms of the herbaria where the holotype and possible isotypes are said to be deposited (first acronym for holotype), according to Index Herbariorum, ed. 8 and supplements as published in Taxon. Invalid, illegitimate, or incorrect names are given in *italic* type face. In either case a full bibliographic reference is given. For new combinations, the basionym is also listed. For invalid, illegitimate or incorrect names, the articles of the ICBN which have been contravened are indicated in brackets.
- The compilers would like to point out that they do not accept any names that might be inadvertently validated in this volume of RPS.
- Bibliographic details of papers dealing only with the description of one or two new taxa are given in the nomenclatural section and not repeated in the bibliographic section.
- Abbreviations for periodicals are those suggested in 'A Bibliography of Succulent Plant Periodicals' (U. Eggli in Bradleya 3: 103-119, 1985, and supplements in l.c. 5: 101-104, 1987) for specialized periodicals, or those of Bibliographia Periodicorum Huntianum for other periodicals.

## Konventionen im Zusammenhang mit dem Repertorium Plantarum Succulentarum

- Das Repertorium Plantarum Succulentarum ist eine jährlich herausgegebene Zusammenstellung neuer Namen für sukkulente Pflanzen und der relevanten systematischen Literatur. Neue Namen, die nach der Drucklegung der Ausgabe des betreffenden Jahres bekannt werden, erscheinen in der nächsten erreichbaren Ausgabe. Spezialisierte Zeitschriften werden umfassend durchgesehen, soweit sie in den Bibliotheken von K, Z und ZSS vorhanden sind oder den Herausgebern privat vorliegen. Die Herausgeber bitten alle Autoren dringend, Separata relevanter Publikationen zur Verfügung zu stellen, vor allem wenn es sich um Beiträge in schwer zugänglichen Serien handelt.
- Gültig veröffentlichte Namen werden in **Fettschrift** wiedergegeben unter Angabe des nomenklatorischen Typs (Name oder Belegexemplar je nach Rangstufe; gefolgt von den Herbarakürzungen [entsprechend Index Herbariorum, ed. 8, und in Taxon publizierten Supplementen] der publizierten Hintellegungsorte für Holotyp [1. Abkürzung] und Isotypen). Ungültige, illegitime oder falsch angewandte Namen erscheinen in *Kursivschrift* unter Angabe (in Klammer) derjenigen Artikel des ICBN, die verletzt worden sind. In allen Fällen folgen die kompletten bibliographischen Angaben. Für Umkombinationen wird auch das Basionym angegeben.
- Die Herausgeber weisen mit aller Deutlichkeit darauf hin, dass sie keinen Namen anerkennen, der zufälligerweise in dieser Ausgabe des RPS validiert worden sein könnte.
- Beiträge, welche nur Beschreibungen eines oder zweier Taxa enthalten, werden in der bibliographischen Liste nicht separat aufgeführt.
- Die Abkürzungen für spezialisierte Sukkulanten-Zeitschriften richten sich nach 'A Bibliography of Succulent Plant Periodicals' (U. Eggli in Bradleya 3: 103-119, 1985, sowie Supplementen in l.c. 5: 101-104, 1987), für allgemeine botanische Zeitschriften nach Bibliographia Periodicorum Huntianum.

Compiled by / Zusammengestellt von:

U. Eggli, Städtische Sukkulanten-Sammlung, Mythenquai 88, CH-8002 Zürich, Switzerland; and  
N. P. Taylor, The Herbarium, Royal Botanic Gardens Kew, Richmond, Surrey TW9 3AE, U.K.

Available from (incl. back issues) / Erhältlich durch (inkl. bereits erschienenen Hefte):

IOS, c/o Städtische Sukkulanten-Sammlung (address above / Adresse siehe oben).

© by IOS, Zürich (Switzerland) 1994. ISSN 0486-4271.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the copyright holder.

Alle Rechte vorbehalten. Kein Teil dieser Publikation darf ohne das vorherige schriftliche Einverständnis des Copyright-Inhabers in irgendeiner Form reproduziert, photokopiert oder auf Datenträgern bzw. in Datenbanken gespeichert oder verbreitet werden.

## Preface

Unfortunately, a number of errors have crept into the last volume of RPS (vol. 42). These are partly due to editorial oversights, partly based on the fact the Repertorium database is not all-inclusive when it comes to pre-1950 names. Accordingly, names published prior to 1950 are not always automatically taken into consideration when the validity of a new name is evaluated, e.g., for homonymy, or as to the validity of the basionym. This situation will only be rectified once the Repertorium database is completed back to 1753, but this will take many more years.

## Acknowledgments

R. Mottram and W. Till have kindly pointed out some errors in the last issue of RPS, and their contributions are kindly acknowledged. J. Thiede has helped with literature references and photocopies of various contributions which otherwise would have gone by unnoticed. R. Nyffeler has again helped in similar matters, and the editors are grateful for all this cooperation.

## Vorwort

Leider sind auch im letzten Band des *Repertoriums* wiederum einige Fehler stehen geblieben. Teilweise handelt es sich um Dinge, die von den Redaktoren übersehen wurden, z.T. ist das Problem darin begründet, dass die Repertoriums-Datenbank nicht umfassend über die vor 1950 publizierten Namen orientiert. Dadurch kann es passieren, dass bei der Evaluation des Status' eines neuen Namens z.B. ein älteres Homonym nicht aufgespürt werden kann, oder dass die Gültigkeit des Basionyms nicht überprüft wird. Diese Probleme werden erst aus der Welt geschafft werden können, wenn die Datenbank einmal alle seit 1753 publizierten Namen enthält. Bis es soweit ist, werden allerdings noch zahlreiche Jahre vergehen.

## Dank

Auch im vergangenen Jahr wurden wir von Benutzern des *Repertorium* in unserer Arbeit unterstützt. R. Mottram und W. Till haben uns freundlicherweise auf Fehler aufmerksam gemacht, und J. Thiede unterstützte uns mit Literaturhinweisen und Photokopien schwer zugänglicher Publikationen. Ohne diese verdankenswerte Hilfe hätten einige Literaturhinweise den Weg in die Bibliographie nicht gefunden. Auch R. Nyffeler hat die Herausgeber wiederum in ähnlicher Weise unterstützt, und wir sind für alle diese Mitarbeit herzlich dankbar.

### Corrections to previous volumes

- *Gymnocalycium ochoterenae* ssp. *herbsthoferianum* H. Till & Neuhuber was incorrectly given as 'var. *herbsthoferianum*' in RPS 43: 13 due to an editorial oversight.
- *Lobivia* subgen. *Neolobivia* (Y. Ito) Ullmann 1992 (RPS 43: 13) is a later homonym of *Lobivia* subgen. *Neolobivia* Backeberg 1941 (Cactaceae (Jahrb. DKG) 1941(2): 33, 76), and is thus illegitimate.
- *Echinocereus pectinatus* var. *ctenoides* (Engelmann) Weniger ex G. R. W. Frank was incorrectly given as invalid in RPS 42: 5, but was in fact validly published.
- *Copiapoa cinerea* ssp. *longistaminea* was erroneously given as having been published without rank in RPS 43: 11. The corrected entry is repeated in this issue of RPS, together with two additional subspecific names for this species.
- The ISSN number given on the cover of previous issues ('0480-4271') is erroneous; the correct ISSN is 0486-4271.

### Korrekturen zu früheren Bänden

- *Gymnocalycium ochoterenae* ssp. *herbsthoferianum* H. Till & Neuhuber wurde in RPS 43: 13 durch ein redaktionelles Versehen fälschlich als 'var. *herbsthoferianum*' aufgeführt.
- *Lobivia* subgen. *Neolobivia* (Y. Ito) Ullmann 1992 (RPS 43: 13) ist ein späteres Homonym von *Lobivia* subgen. *Neolobivia* Backeberg 1941 (Cactaceae (Jahrb. DKG) 1941(2): 33, 76) und deshalb illegitim.
- *Echinocereus pectinatus* var. *ctenoides* (Engelmann) Weniger ex G. R. W. Frank wurde in RPS 42: 5 fälschlich als ungültig bezeichnet; die Kombination wurde jedoch gültig veröffentlicht.
- *Copiapoa cinerea* ssp. *longistaminea* wurde in RPS 43: 11 fälschlicherweise als ohne Rangstufe publiziert angegeben. Der korrigierte Eintrag wird in diesem RPS-Heft wiederholt, zusammen mit zwei weiteren Unterart-Namen für diese Art.
- Die auf den Umschlägen der letzten Ausgaben genannte ISSN-Nummer ('0480-4271') ist falsch; die richtige ISSN-Nummer lautet 0486-4271.

# NOMINA NOVA

## AGAVACEAE

- Agave** sect. **Crenatae** (A. Berger) B. Ullrich, *Piante Grasse* 13(2): 53, 56, 1993. Basionym: *Agave subser. Crenatae*.
- Agave isthmensis** García-Mendoza & Palma Cruz, *Sida* 15(4): 565-568, ills., 1993. Typus: *García-Mendoza et al.* 4177 (MEXU, BRIT/SMU, DES, ENCB).
- Agave mitis** var. **albidior** (Salm-Dyck) Ullrich, *Succulentae* 16(1): 32, 1993. Basionym: *Agave micrantha* var. *albidior*.

## AIZOACEAE

- Antimima hantamensis** (Engler) H. E. K. Hartmann & Stüber, *Contr. Bolus Herb.* 15: 68, 1993. Basionym: *Mesembryanthemum hantamense*.
- Carpobrotus edulis** ssp. **parviflorus** Wisura & Glen, *Contr. Bolus. Herb.* 15: 90, 1993. Typus: *Wisura* 2790 (NBG, PRE).
- Conophytum** sect. **Barbata** Schwantes ex S. A. Hammer, Genus *Conophytum*, 230, 1993. Typus: *Conophytum stephanii* Schwantes.
- Conophytum** sect. **Cataphracta** Schwantes ex S. A. Hammer, Genus *Conophytum*, 230, 1993. Typus: *Conophytum calculus* (A. Berger) N. E. Brown.
- Conophytum** sect. **Cheshire-feles** S. A. Hammer, Genus *Conophytum*, 230, 1993. Typus: *Conophytum maughanii* N. E. Brown.
- Conophytum** sect. **Costata** Schwantes ex S. A. Hammer, Genus *Conophytum*, 230, 1993. Typus: *Conophytum angelicae* (Dinter & Schwantes) N. E. Brown.
- Conophytum** sect. **Cylindrata** Schwantes ex S. A. Hammer, Genus *Conophytum*, 230, 1993. Typus: *Conophytum cylindratum* Schwantes.
- Conophytum** sect. **Herreanthus** (Schwantes) S. A. Hammer, Genus *Conophytum*, 230, 1993. Basionym: *Herreanthus*.
- Conophytum** sect. **Subfenestrata** Tischer ex S. A. Hammer, Genus *Conophytum*, 230, 1993. Typus: *Conophytum subfenestratum* Schwantes.
- Conophytum** sect. **Verrucosa** Schwantes ex S. A. Hammer, Genus *Conophytum*, 230, 1993. Typus: *Conophytum fulleri* L. Bolus.
- Conophytum albiflorum** (Rawé) S. A. Hammer, *Haseltonia* 1: 26, 1993. Basionym: *Conophytum edwardsiae* var. *albiflorum*.
- Conophytum angelicae** ssp. **tetragonum** Rawé & S. A. Hammer, Genus *Conophytum*, 232, 190-191, ills., 1993. Typus: *Hammer et Kirsten* 1327/91 (BOL). [Equals the unpublished manuscript name *C. angelicae* var. *quadratum* Rawé (*nom. inval.*).]
- Conophytum auriformum** ssp. **turbiniforme** (Rawé) S. A. Hammer, Genus *Conophytum*, 266, 1993. Basionym: *Conophytum*

*turbiniforme*.

- Conophytum bachelorum** S. A. Hammer, Genus *Conophytum*, 233, 71-72, ills., 1993. Typus: *Mitchell* s.n. (HNT).
- Conophytum bilobum** ssp. **altum** (L. Bolus) S. A. Hammer, Genus *Conophytum*, 231-232, 1993. Basionym: *Conophytum altum*.
- Conophytum bilobum** ssp. **gracilistylum** (L. Bolus) S. A. Hammer, Genus *Conophytum*, 242, 1993. Basionym: *Conophytum gracilistylum*.
- Conophytum bolusiae** ssp. **primavernum** S. A. Hammer, Genus *Conophytum*, 234, 73-74, ills., 1993. Typus: *Hammer et Williamson* 1435 (BOL, NBG).
- Conophytum calculus** ssp. **vanzyliae** (Lavis) S. A. Hammer, Genus *Conophytum*, 267, 1993. Basionym: *Conophytum vanzyliae*.
- Conophytum chauviniae** (Schwantes) S. A. Hammer, Genus *Conophytum*, 235, 1993. Basionym: *Mesembryanthemum chauviniae*.
- Conophytum ectypum** ssp. **cruciatum** S. A. Hammer, Genus *Conophytum*, 239, 105, ill., 1993. Typus: *Hammer et Mitchell* 245/82 (BOL).
- Conophytum ectypum** ssp. **sulcatum** (L. Bolus) S. A. Hammer, Genus *Conophytum*, 239, 264, 1993. Basionym: *Conophytum sulcatum*.
- Conophytum ernstii** ssp. **cerebellum** S. A. Hammer, Genus *Conophytum*, 240, 75, ills., 1993. Typus: *Bruyns* 5154 (BOL).
- Conophytum flavum** ssp. **novicium** (N. E. Brown) S. A. Hammer, Genus *Conophytum*, 252-253, 1993. Basionym: *Conophytum novicium*.
- Conophytum gratum** ssp. **marlothii** (N. E. Brown) S. A. Hammer, Genus *Conophytum*, 249, 1993. Basionym: *Conophytum marlothii*.
- Conophytum herreanthus** S. A. Hammer, Genus *Conophytum*, 243, 1993. Typus: *Meyer* 32 (BOL). [*Nom. nov. pro Herreanthus meyeri* Schwantes 1928 (*non Conophytum meyeri* N. E. Brown 1925).]
- Conophytum herreanthus** ssp. **rex** S. A. Hammer, Genus *Conophytum*, 243, 61-62, ills., 1993. Typus: *Hammer* 1245/91 (BOL).
- Conophytum klinghardtense** ssp. **baradii** (Rawé) S. A. Hammer, Genus *Conophytum*, 243, 1993. Basionym: *Conophytum hirtum* var. *baradii*.
- Conophytum limpidum** S. A. Hammer, Genus *Conophytum*, 247, 149, ill., 1993. Typus: *Hammer* 386/85 (BOL).
- Conophytum lithopsoides** ssp. **arturoifago** S. A. Hammer, Genus *Conophytum*, 247, 135-136, ills., 1993. Typus: *Rawé et Kennedy* 864 (BOL).
- Conophytum lithopsoides** ssp. **boreale** (L. Bolus) S. A. Hammer, Genus *Conophytum*, 234, 1993. Basionym: *Conophytum boreale*.
- Conophytum lithopsoides** ssp. **koubergense** (L. Bolus) S. A. Hammer, Genus *Conophytum*,

- 245, 1993. Basionym: *Conophytum koubergense*.
- Conophytum maughanii** ssp. **armeniacum** S. A. Hammer, Genus Conophytum, 249, 167-168, ill., 1993. Typus: Hammer 365/86 (BOL). [Sphalm. 'armenianum' in the caption on p. 168.]
- Conophytum maughanii** ssp. **latum** (Tischer) S. A. Hammer, Genus Conophytum, 249, 1993. Basionym: *Ophthalmophyllum latum*.
- Conophytum minusculum** ssp. **leipoldtii** (N. E. Brown) S. A. Hammer, Haseltonia 1: 26, 1993. Basionym: *Conophytum leipoldtii*.
- Conophytum obcordellum** ssp. **rolfii** (de Boer) S. A. Hammer, Genus Conophytum, 260, 1993. Basionym: *Conophytum rolfi*.
- Conophytum obcordellum** ssp. **stenandrum** (L. Bolus) S. A. Hammer, Genus Conophytum, 263, 1993. Basionym: *Conophytum stenandrum*.
- Conophytum obcordellum** var. **ceresianum** (L. Bolus) S. A. Hammer, Genus Conophytum, 235, 1993. Basionym: *Conophytum ceresianum*.
- Conophytum obscurum** ssp. **vitreopapillum** (Rawé) S. A. Hammer, Genus Conophytum, 268, 1993. Basionym: *Conophytum vitreopapillum*.
- Conophytum pellucidum** ssp. **cupreatum** (Tischer) S. A. Hammer, Genus Conophytum, 237, 1993. Basionym: *Conophytum cupreatum*.
- Conophytum pellucidum** var. **lilianum** (Littlewood) S. A. Hammer, Genus Conophytum, 247, 1993. Basionym: *Conophytum lilianum*.
- Conophytum pellucidum** var. **neohallii** S. A. Hammer, Cact. Succ. J. (US) 65(3): 113-114, ill., 1993. Typus: Hammer et Brack 628 (BOL).
- Conophytum pellucidum** var. **neohallii** cv. Makin's Plum S. A. Hammer, Cact. Succ. J. (US) 65(3): 113-114, ill., 1993.
- Conophytum pellucidum** var. **terrestre** (Tischer) S. A. Hammer, Genus Conophytum, 265, 1993. Basionym: *Conophytum terrestre*.
- Conophytum phoeniceum** S. A. Hammer, Genus Conophytum, 256, 194-195, ill., 1993. Typus: Hammer et Dixon 1212/91 (BOL, PRE).
- Conophytum piluliforme** ssp. **edwardii** (Schwantes) S. A. Hammer, Genus Conophytum, 239, 1993. Basionym: *Conophytum edwardii*.
- Conophytum quaeatum** ssp. **densipunctum** (L. Bolus) S. A. Hammer, Genus Conophytum, 238, 1993. Basionym: *Conophytum densipunctum*.
- Conophytum quaeatum** var. **rostratum** (Tischer) S. A. Hammer, Genus Conophytum, 261, 1993. Basionym: *Conophytum rostratum*.
- Conophytum reconditum** ssp. **buisyanum** (Mitchell & S. A. Hammer) S. A. Hammer, Genus Conophytum, 235, 1993. Basionym: *Conophytum buisyanum*.
- Conophytum stephanii** ssp. **abductum** S. A. Hammer, Genus Conophytum, 263, 197-198, ill., 1993. Typus: Hammer et Brack 1120 (BOL).
- Conophytum swanepoelianum** ssp. **proliferans** S. A. Hammer, Haseltonia 1: 27-28, fig. 9 (p. 24), 1993. Typus: Mitchell 121 (NBG).
- Conophytum taylorianum** ssp. **ernianum** (Lösch & Tischer) de Boer ex S. A. Hammer, Genus Conophytum, 240, 1993. Basionym: *Conophytum ernianum*.
- Conophytum taylorianum** ssp. **rosynense** S. A. Hammer, Genus Conophytum, 265, 92-93, ill., 1993. Typus: van Jaarsveld 5518 (NBG, BOL).
- Conophytum truncatum** ssp. **viridicatum** (N. E. Brown) S. A. Hammer, Genus Conophytum, 267, 1993. Basionym: *Mesembryanthemum viridicatum*.
- Conophytum uviforme** ssp. **decoratum** (N. E. Brown) S. A. Hammer, Genus Conophytum, 238, 1993. Basionym: *Conophytum decoratum*.
- Conophytum uviforme** ssp. **rauhii** (Tischer) S. A. Hammer, Genus Conophytum, 260, 1993. Basionym: *Conophytum rauhii*.
- Conophytum uviforme** ssp. **subincanum** (Tischer) S. A. Hammer, Genus Conophytum, 264, 1993. Basionym: *Conophytum subincanum*.
- Conophytum velutinum** ssp. **polyandrum** (Lavis) S. A. Hammer, Genus Conophytum, 258, 1993. Basionym: *Conophytum polyandrum*.
- Conophytum wettsteinii** ssp. **fragile** (N. E. Brown) S. A. Hammer, Genus Conophytum, 241, 1993. Basionym: *Conophytum fragile*.
- Conophytum wettsteinii** ssp. **francoiseae** S. A. Hammer, Genus Conophytum, 268, 95-96, ill., 1993. Typus: Williamson 4465 (BOL).
- Conophytum wettsteinii** ssp. **ruschii** (Schwantes) S. A. Hammer, Genus Conophytum, 261, 1993. Basionym: *Conophytum ruschii*.
- Delosperma sphalmanthoides** S. A. Hammer, Cact. Succ. J. (US) 65(3): 123-125, ill., 1993. Typus: Hammer et Vlok 1413 (BOL, K, NBG).
- Gibbaeum** sect. **Mentocalyx** (N. E. Brown) P. V. Heath, Calyx 4(1): 27, 1993. Basionym: *Mentocalyx*.
- Gibbaeum** subsect. **Labarreum** P. V. Heath, Calyx 4(1): 27, 1993. Typus: *Gibbaeum pubescens* (Haworth) N. E. Brown.
- Leipoldia** **alborosea** (L. Bolus) H. E. K. Hartmann & Stüber, Contr. Bolus Herb. 15: 70, 1993. Basionym: *Mesembryanthemum alboroseum*.
- Ruschia** **centrocapsula** H. E. K. Hartmann & Stüber, Contr. Bolus Herb. 15: 62, 1993. Typus: Hartmann et al. 25672 (HBG).
- Ruschia** **cradockensis** (Kuntze) H. E. K. Hartmann & Stüber, Contr. Bolus Herb. 15: 63, 1993. Basionym: *Mesembryanthemum cradockense*.
- Ruschia** **cradockensis** ssp. **triticiformis** (L. Bolus) H. E. K. Hartmann & Stüber, Contr. Bolus Herb. 15: 64, 1993. Basionym:

*Mesembryanthemum triticiforme*.

**Ruschia intricata** (N. E. Brown) H. E. K. Hartmann & Stüber, Contr. Bolus Herb. 15: 65, 1993. Basionym: *Mesembryanthemum intricatum*.

**Tetragonia retusa** Thulin, Nordic J. Bot. 13(2): 165-167, 1993. Typus: Hemming 3423 (FT).

## ALOACEAE

✗ **Alamaeloe** P. V. Heath, Calyx 3(4): 153, 1993. [= *Aloe* × *Chamaeloe* (sub Asphodelaceae).]

✗ **Allemeea** P. V. Heath, Calyx 3(4): 153, 1993. [= *Aloe* × *Lemeea* (sub Asphodelaceae).]

**Aloe cv. Baby Grand** J. Bleck ex S. Riley, Cact. File 1(11): 22, 1993. [= (*Aloe bakeri* × *A. parvula*) × ((*A. descoingsii* × *A. parvula*) × *A. boiteaui*).]

**Aloe cv. Brass Hat** J. Bleck ex S. Riley, Cact. File 1(11): 22, 1993. [= (*Aloe haworthioides* × *A. bakeri*) × ((*A. descoingsii* × *A. calcairophila*) × *A. bakeri*).]

**Aloe cv. Caramba** J. Bleck ex S. Riley, Cact. File 1(11): 22, 1993. [= ((*Aloe descoingsii* × *A. calcairophila*) × (*A. descoingsii* × *A. boiteaui*)).]

**Aloe cv. Cha Cha** J. Bleck, Cact. Succ. J. (US) 65(2): 74, 1993. [= (*Aloe descoingsii* × *A. jucunda*) × (*A. descoingsii* × [*A. parvula* × *A. boiteaui*]).]

**Aloe cv. Cha-Cha** J. Bleck ex S. Riley, Cact. File 1(11): 22, 1993. [= (*Aloe descoingsii* × *A. jucunda*) × ((*A. descoingsii* × *A. parvula*) × *A. boiteaui*).]

**Aloe cv. Festa** J. Bleck ex S. Riley, Cact. File 1(11): 22, 1993. [= (*Aloe bakeri* × *A. parvula*) × *A. parvula*.]

**Aloe cv. Grande** J. Bleck ex S. Riley, Cact. File 1(11): 22, 1993. [= (*Aloe descoingsii* × *A. parvula*) × ((*A. albiflora* × *A. bellatula*) × (*A. descoingsii* × *A. parvula*)).]

**Aloe cv. Hey Babe** J. Bleck ex S. Riley, Cact. File 1(11): 22, 1993. [= *Aloe descoingsii* × (*A. bakeri* × *A. parvula*).]

**Aloe cv. Macho Pink** J. Bleck ex S. Riley, Cact. File 1(11): 22, 1993. [= (*Aloe descoingsii* × *A. parvula*) × (*A. albiflora* × *A. bellatula*).]

**Aloe cv. Midnight** J. Bleck ex S. Riley, Cact. File 1(11): 22, 1993. [= (*Aloe descoingsii* × *A. calcairophila*) × (*A. descoingsii* × *A. rauhii*).]

**Aloe cv. Olé** J. Bleck ex S. Riley, Cact. File 1(11): 22, 1993. [= (*Aloe bakeri* × *A. parvula*) × ((*A. descoingsii* × *A. parvula*) × *A. boiteaui*).]

**Aloe cv. Olympic Star** J. Bleck ex S. Riley, Cact. File 1(11): 22, 1993. [= ((*Aloe descoingsii* × *A. calcairophila*) × *A. bellatula*) × *A. rauhii*.]

**Aloe cv. Prime Time** J. Bleck ex S. Riley, Cact. File 1(11): 22, 1993. [= (*Aloe descoingsii* × *A. calcairophila*) × *A. bakeri*.]

**Aloe cv. Quicksilver** J. Bleck ex S. Riley, Cact. File 1(11): 22, 1993. [= ((*Aloe descoingsii* × *A. calcairophila*) × *A. bellatula*) × *A. rauhii*.]

**Aloe cv. Sparkling Burgundy** J. Bleck ex S. Riley, Cact. File 1(11): 22, 1993. [= (*Aloe*

*albiflora* × (*A. descoingsii* × *A. rauhii*)) × *A. glauca*.]

**Aloe aageodonta** L. E. Newton, Cact. Succ. J. (US) 65(3): 138-140, ills., 1993. Typus: Newton 3643 (K, EA).

✗ **Alopalo** P. V. Heath, Calyx 3(4): 153, 1993. [= *Aloe* × *Leptaloe* (sub Asphodelaceae).]

✗ **Gasteraloe** cv. **Firefly** Kimnach & Trager, Cact. Succ. J. (US) 65(2): 80, 1993. [Sub *Gastrolea*. Based on *Aloe* cv. *Firefly*.]

✗ **Gasteraloe** cv. **Pink Lace** Kimnach & Trager, Cact. Succ. J. (US) 65(2): 80, 1993. [Sub *Gastrolea*. Based on *Aloe* cv. *Pink Lace*.]

**Lemea** P. V. Heath, Calyx 3(4): 153, 1993. Typus: *Aloe haworthioides* Baker. [Based on *Aloe* sect. *Aloinella* A. Berger 1908; = *Aloinella* (A. Berger) Lemée non *Aloinella* Cardot.]

**Lemea haworthioides** (Baker) P. V. Heath, Calyx 3(4): 153, 1993. Basionym: *Aloe haworthioides*.

## ANTHERICACEAE

**Chlorophytum graniticola** Kativu, Nord. J. Bot. 13(5): 501-502, map, 1993. Typus: *Kativu* 285 (SRGH, K).

**Chlorophytum minor** Kativu, Nord. J. Bot. 13(5): 502-503, ills., 1993. Typus: *Richards* 22872 (K).

**Chlorophytum perfoliatum** Kativu, Nord. J. Bot. 13(5): 503-505, ills., 1993. Typus: *Robinson* 4344 (K).

**Chlorophytum velutinum** Kativu, Nord. J. Bot. 13(5): 503-505, ills., 1993. Typus: *Fanshawe* 9628 (K, NDO).

## ASCLEPIADACEAE

**Angolluma decaisneana** (Lemaire) Munster ex L. E. Newton, Cact. Succ. J. (US) 65(4): 198, 1993. Basionym: *Boucerosia decaisneana*. [First proposed invalidly (Art. 33.2; cf. RPS 41) by Munster, Cact. Succ. J. New South Wales 17(4): 64, 1990.]

**Angolluma semitubiflora** L. E. Newton, Cact. Succ. J. (US) 65(4): 197-199, ills., 1993. Typus: *Newton* 3419 (K, EA).

**Anomalluma** Plowes, Cact. Succ. J. (US) 65(2): 167, 1993. Typus: *Caralluma dodsoniana* Lavranos.

**Anomalluma dodsoniana** (Lavranos) Plowes, Cact. Succ. J. (US) 65(4): 167-168, ills., 1993. Basionym: *Caralluma dodsoniana*.

**Brachystelma christianeae** Peckover, Aloe 29(3/4): 56-57, ills., 30(1): 13 [erratum], 1993. Typus: *Peckover* 0141 (PRE). [Dated 1992, publ. autumn 1993.]

**Brachystelma lutea** Peckover, Aloe 29(3/4): 66, ills., 1993. Typus: *Peckover* 0157 (GMT). [Dated 1992, publ. autumn 1993.]

**Brachystelma malwanense** Yadav & N. P. Singh, Kew Bull. 48(1): 59-61, ills., 1993. Typus: *Yadav* 4678A (CAL).

- Caralluma baradii** Lavranos, Cact. Succ. J. (US) 65(5): 246-247, ill., 1993. Typus: *Lavranos et al.* 23338 (UPS).
- Ceropegia** group *Atubuliflorae* Rauh, Trop. subtrop. Pfl.-welt 85: 28, 1993. *Nom. inval.* (Art. 36.1, 37.1).
- Ceropegia** group *Tubuliflorae* Rauh, Trop. subtrop. Pfl.-welt 85: 28, 1993. *Nom. inval.* (Art. 36.1, 37.1).
- Ceropegia hofstaetteri** Rauh, Trop. subtrop. Pfl.-welt 85: 17-20, ill., 1993. Typus: *Hofstätter s.n. in BG Heidelberg* 73340 (HEID).
- Ceropegia petignatii** Rauh, Trop. subtrop. Pfl.-welt 85: 8-17, ill., 1993. Typus: *Rauh* 72226 (HEID).
- Ceropegia razafindratsirana** (Rauh & Buchloh) Rauh, Trop. subtrop. Pfl.-welt 85: 25, ill. (p. 27), 1993. Basionym: *Ceropegia bosseri* var. *razafindratsirana*.
- Ceropegia simoneae** Rauh, Trop. subtrop. Pfl.-welt 85: 20-25, ill., 1993. Typus: *Rauh* 73113 (HEID).
- Cynanchum absconditum** Liede, Bull. Mus. Nation. Hist. Nat. Paris, ser. 4, sect. B, Adansonia 14(3-4): 430-432, ill., 1993. Typus: *Decary* 13298 (P).
- Cynanchum bosseri** Liede, Bull. Mus. Nation. Hist. Nat. Paris, ser. 4, sect. B, Adansonia 14(3-4): 432-434, ill., 1993. Typus: *Humbert et Cours* 23686 (P).
- Cynanchum chouxii** Liede, Bull. Mus. Nation. Hist. Nat. Paris, ser. 4, sect. B, Adansonia 14(3-4): 434-436, ill., 1993. Typus: *Descoings* 1821 (P).
- Cynanchum descoingsii** Rauh, Trop. subtrop. Pfl.-welt 85: 37-41, ill., 1993. Typus: *Rauh* 68639 (HEID).
- Cynanchum itremense** Liede, Bull. Mus. Nation. Hist. Nat. Paris, ser. 4, sect. B, Adansonia 14(3-4): 436-438, ill., 1993. Typus: *Bosser* 18799 (P).
- Cynanchum junciforme** (Decaisne) Liede, Bull. Mus. Nation. Hist. Nat. Paris, ser. 4, sect. B, Adansonia 14(3-4): 449, 1993. Basionym: *Pycnourum junciforme*.
- Cynanchum leucanthum** ssp. *elongatum* Liede, Bull. Mus. Nation. Hist. Nat. Paris, ser. 4, sect. B, Adansonia 14(3-4): 445-447, ill., 1993. Typus: *Humbert et Capuron* 25670 (P).
- Cynanchum moratii** Liede, Bull. Mus. Nation. Hist. Nat. Paris, ser. 4, sect. B, Adansonia 14(3-4): 438-440, ill., 1993. Typus: *Morat* 2291 (P).
- Cynanchum sessiliflorum** (Decaisne) Liede, Bull. Mus. Nation. Hist. Nat. Paris, ser. 4, sect. B, Adansonia 14(3-4): 449, 1993. Basionym: *Pycnourum sessiliflorum*.
- Cynanchum subtile** Liede, Bull. Mus. Nation. Hist. Nat. Paris, ser. 4, sect. B, Adansonia 14(3-4): 440-442, ill., 1993. Typus: *Liede et Conrad* 2827 (P, MO, TAN). [Sphalm. 'subtilis'].
- ✗ **Dernia** Kimnach, Trager & Tufenkian, Cact. Succ. J. (US) 65(2): 75, 1993. [= *Duvalia* × *Huernia*.]
- ✗ **Dernia** cv. *Surprise* Kimnach, Trager & Tufenkian, Cact. Succ. J. (US) 65(2): 75, ill., 1993. [= *Huernia nouhuysii* × *Duvalia* sp. (probably *D. reclinata*); spontaneous hybrid which occurred at Huntington Bot. Gard. (61 686).]
- Echidnopsis chrysantha** ssp. *filipes* (Lavranos) Plowes, Haseltonia 1: 75, 1993. Basionym: *Echidnopsis chrysantha* var. *filipes*.
- Echidnopsis flavicorona** Plowes, Haseltonia 1: 72-74, ill., 1993. Typus: *Lavranos* 6722 (SRGH, ZSS) [Ex cult. sub *Plowes* 3872].
- Echidnopsis hirsuta** Plowes, Haseltonia 1: 74, ill. (p. 73), 1993. Typus: *Lavranos et Newton* 13178 (SRGH, ZSS) [Ex cult. sub *Plowes* 5054].
- Echidnopsis jacksonii** P. R. O. Bally ex Plowes, Haseltonia 1: 78, 1993. Typus: *Jackson* in *Bally* S112 (K). [First mentioned (as invalid name, Art. 36.1) by P. R. O. Bally, Cact. Succ. J. Gr. Brit. 18: 108, in clavi, 1956.]
- Echidnopsis lavraniana** Plowes, Haseltonia 1: 79-80, ill., 1993. Typus: *Gilbert* 2497 (SRGH) [Ex cult. sub *Plowes* 4263].
- Echidnopsis milleri** Lavranos, Cact. Succ. J. (US) 65(6): 294-295, ill., 1993. Typus: *Miller et al.* 10145 (E).
- Echidnopsis modesta** P. R. O. Bally ex Plowes, Haseltonia 1: 77, 1993. Typus: *Ritchie in Bally* S47 (K). [First mentioned by Bally in J. East Afr. Nat. Hist. Soc. 16: 164, fig. 29, 1942 and published invalidly in Cact. Succ. J. Gr. Brit. 18: 108, in clavi, 1956 (Art. 36.1).]
- Echidnopsis rubrolutea** Plowes, Haseltonia 1: 76, ill. (p. 73), 1993. Typus: *Lavranos et Horwood* 10421 p.p. (SRGH, ZSS) [Ex cult. sub *Plowes* 4762].
- Echidnopsis similis** Plowes, Haseltonia 1: 82, 1993. Typus: *Bally* 11726 (K).
- Echidnopsis socotrana** Lavranos, Cact. Succ. J. (US) 65(6): 293-294, ill., 1993. Typus: *Miller et al.* 10139 (E).
- Echidnopsis virchowii** var. *stellata* (Lavranos) Plowes, Haseltonia 1: 69, 1993. Basionym: *Echidnopsis stellata*.
- Echidnopsis yemensis** Plowes, Haseltonia 1: 71, 1993. Typus: *Plowes et Barad* 7764 (SRGH).
- ✗ **Gonodentea** P. V. Heath, Calyx 3(1): 3, 1993. [= *Gonostemon* × *Tridenteaa*.]
- ✗ **Gonodentea bijliae** (Pillans) P. V. Heath, Calyx 3(1): 3, 1993. Basionym: *Stapelia bijliae*. [= *Gonostemon pillansii* × *Tridenteaa gemmiflora*.]
- Gonostemon** nsubgen. **Kerstonia** P. V. Heath, Calyx 3(1): 9, 1993. Typus: = *Gonostemon* subgen. *Stapeltonia* × *G.* subgen. *Kersia*.
- Gonostemon** subgen. **Clavicorona** P. V. Heath, Calyx 3(1): 8, 1993. Typus: *Stapelia clavicorona* Verdoorn (given as 'autotype').
- Gonostemon** subgen. **Kersia** P. V. Heath, Calyx 3(1): 9, 1993. Typus: *Stapelia kwebensis* N. E. Brown (given as 'prototype').
- Gonostemon** subgen. **Massonia** P. V. Heath, Calyx 3(1): 9, 1993. Typus: *Stapelia concinna* Masson (given as 'prototype').
- Gonostemon** subgen. **Nella** P. V. Heath, Calyx

- 3(1): 9, 1993. Typus: *Stapelia fissirostris* Jacquin (given as 'autotype'). Based on *Stapelia* sect. *Fissirostrum* A. Berger 1910 (first published version) or *Stapelia* sect. *Fissirostes* N. E. Brown 1891 (erratum sheet received at ZSS).
- Gonostemon** subgen. *Stapeltonia* (Endlicher) P. V. Heath, Calyx 1(3): 7, 1993. Basionym: *Stapelia* group *Stapeltonia*.
- Gonostemon acuminatus** var. *brevicuspis* (N. E. Brown) P. V. Heath, Calyx 3(1): 8, 1993. Basionym: *Stapelia acuminata* var. *brevicuspis*.
- Gonostemon asterias** var. *gibbus* (N. E. Brown) P. V. Heath, Calyx 3(1): 8, 1993. Basionym: *Stapelia asterias* var. *gibba*.
- Gonostemon asterias** var. *lucidus* (De Candolle) P. V. Heath, Calyx 3(1): 8, 1993. Basionym: *Stapelia lucida*.
- Gonostemon deflexus** var. *atropurpureus* (A. Berger) P. V. Heath, Calyx 3(1): 8, 1993. Basionym: *Stapelia deflexa* var. *atropurpurea*.
- Gonostemon flavopurpureus** var. *fleckii* (A. Berger & Schlechter) P. V. Heath, Calyx 3(1): 8-9, 1993. Basionym: *Stapelia fleckii*.
- Gonostemon fuscopurpureus** (N. E. Brown) P. V. Heath, Calyx 3(1): 8, 1993. Basionym: *Stapelia fuscopurpurea*.
- Gonostemon giganteus** nvar. *pallidus* (Phillips) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia gigantea* var. *pallida*. [= *G. giganteus* var. *giganteus* × *G. giganteus* var. *nobilis*.]
- Gonostemon giganteus** var. *marlothii* (N. E. Brown) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia marlothii*.
- Gonostemon giganteus** var. *nobilis* (Hooker) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia nobilis*.
- Gonostemon giganteus** var. *youngii* (N. E. Brown) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia youngii*.
- Gonostemon glabricaulis** var. *forcipis* (Phillips & Letty) P. V. Heath, Calyx 3(1): 8, 1993. Basionym: *Stapelia forcipis*.
- Gonostemon glanduliflorus** var. *ambiguus* (Masson) P. V. Heath, Calyx 3(1): 9, 1993. Basionym: *Stapelia ambigua*. [Combination erroneously made under *G. grandiflorus*.]
- Gonostemon glanduliflorus** var. *emarginatus* (N. E. Brown) P. V. Heath, Calyx 3(1): 9, 1993. Basionym: *Stapelia glanduliflora* var. *emarginata*.
- Gonostemon grandiflorus** var. *apicalis* (N. E. Brown) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia desmetiana* var. *apicalis*.
- Gonostemon grandiflorus** var. *arnotii* (N. E. Brown) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia arnotii*.
- Gonostemon grandiflorus** var. *desmetianus* (N. E. Brown) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia desmetiana*.
- Gonostemon grandiflorus** var. *fergusoniae* (R. A. Dyer) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia desmetiana* var. *fergusoniae*. [Basionym incorrectly given as *Stapelia fergusoniae*, here treated as bibliographical error and corrected.]
- Gonostemon grandiflorus** var. *fulvus* (Sweet) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia ambigua* var. *fulva*.
- Gonostemon grandiflorus** var. *lineatus* (N. E. Brown) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia grandiflora* var. *lineata*. [Basionym incorrectly given, here treated as bibliographical error and corrected.]
- Gonostemon grandiflorus** var. *pallidus* (N. E. Brown) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia desmetiana* var. *pallida*.
- Gonostemon grandiflorus** var. *senilis* (N. E. Brown) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia senilis*.
- Gonostemon grandiflorus** var. *sororius* (Masson) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia sororia*.
- Gonostemon hirsutus** var. *affinis* (N. E. Brown) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia affinis*.
- Gonostemon hirsutus** var. *comatus* (Jacquin) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia comata*.
- Gonostemon hirsutus** var. *depressus* (Jacquin) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia depressa*.
- Gonostemon hirsutus** var. *gratus* (N. E. Brown) P. V. Heath, Calyx 3(1): 7, 1993. Basionym: *Stapelia hirsuta* var. *grata*.
- Gonostemon hirsutus** var. *longirostris* (N. E. Brown) P. V. Heath, Calyx 3(1): 7-8, 1993. Basionym: *Stapelia patula* var. *longirostris*.
- Gonostemon hirsutus** var. *luteus* (N. E. Brown) P. V. Heath, Calyx 3(1): 8, 1993. Basionym: *Stapelia hirsuta* var. *lutea*.
- Gonostemon maccabeanae** (White & Sloane) P. V. Heath, Calyx 3(1): 8, 1993. Basionym: *Stapelia maccabeanae*.
- Gonostemon macowanii** var. *abrasus* (N. E. Brown) P. V. Heath, Calyx 3(1): 8, 1993. Basionym: *Stapelia conformis* var. *abrasa*.
- Gonostemon × marginatus** P. V. Heath, Calyx 3(1): 8, 1993. Nom. inval. (Art. 33.2). [Bracket author cited as 'White & Sloane', and basionym given as *Stapelia marginata* White & Sloane 1933. While *S. marginata* is a name attributed variously to Willdenow and Rüst, the page reference cited refers to *Stapelia margarita* White & Sloane. Because of the errors involved and the consequent uncertainty, the combination cannot be regarded as being based on a bibliographical error.]
- Gonostemon pillansii** var. *attenuatus* (N. E. Brown) P. V. Heath, Calyx 3(1): 8, 1993. Basionym: *Stapelia pillansii* var. *attenuata*.
- Gonostemon × plantii** (Hooker) P. V. Heath, Calyx 3(1): 8, 1993. Basionym: *Stapelia plantii*.
- Gonostemon rufus** var. *attenuatus* (N. E. Brown) P. V. Heath, Calyx 3(1): 9, 1993. Basionym: *Stapelia rufa* var. *attenuata*.

- Gonostemon rufus** var. *fissirostris* (Jacquin) P. V. Heath, Calyx 3(1): 9, 1993. Basionym: *Stapelia fissirostris*.
- Gonostemon similis** var. *juttae* (Dinter) P. V. Heath, Calyx 3(1): 9, 1993. Basionym: *Stapelia juttae*.
- Gonostemon similis** var. *portae-taurinae* (Dinter) P. V. Heath, Calyx 3(1): 9, 1993. Basionym: *Stapelia portae-taurinae*.
- Gonostemon surrectus** var. *primosii* (Luckhoff) P. V. Heath, Calyx 3(1): 8, 1993. Basionym: *Stapelia surrecta* var. *primosii*.
- Hoodia** sect. **Trichocaulon** (N. E. Brown) Bruyns, Bot. Jahrb. Syst. 115(2): 210, 1993. Basionym: *Trichocaulon*.
- Hoodia currorii** ssp. *lugardii* (N. E. Brown) Bruyns, Bot. Jahrb. Syst. 115(2): 205, 1993. Basionym: *Hoodia lugardii*.
- Hoodia grandis** (N. E. Brown) Plowes, Asklepios No. 56: 9, 1992. Basionym: *Trichocaulon grande*. [Previously overlooked.]
- Hoodia longispina** Plowes, Brit. Cact. Succ. J. 11(2): 56-58, ills., 1993. Typus: Plowes 5321 (SRGH).
- Hoodia officinalis** ssp. *delaetiana* (Dinter) Bruyns, Bot. Jahrb. Syst. 115(2): 216, 1993. Basionym: *Trichocaulon delaetianum*.
- Hoodia pilifera** ssp. *annulata* (N. E. Brown) Bruyns, Bot. Jahrb. Syst. 115(2): 235, 1993. Basionym: *Trichocaulon annulatum*.
- Hoodia pilifera** ssp. *pillansii* (N. E. Brown) Bruyns, Bot. Jahrb. Syst. 115(2): 238, 1993. Basionym: *Trichocaulon pillansii*.
- Hoodia triebneri** (Nel) Bruyns, Bot. Jahrb. Syst. 115(2): 222, 1993. Basionym: *Trichocaulon triebneri*. [Non *Hoodia triebneri* H. Schultdt, Desert 1933: 92 (nom. nud., cf. P. V. Bruyns, South Afr. J. Bot. 59(3): 342, 1993, where the combination is concurrently published).]
- Hoya** sect. **Ambyostemma** Kloppenburg, Hoya Sections, 17, 1993. Typus: *Hoya meliflua* (Blanco) Merrill. Undated, received Dec. 1993.
- Hoya** sect. **Rudimentalis** Kloppenburg, Hoya Sections, 15, 1993. Typus: *Hoya darwinii* Loher. Undated, received Dec. 1993..
- Hoya** sect. **Skenostemma** Kloppenburg, Hoya Sections, 12, 1993. Typus: *Hoya heuschkeliana* Kloppenburg. Undated, received Dec. 1993.
- Hoya** subsect. **Angusticarinatae** Kloppenburg, Hoya Sect. Sperlingia, 3, 1993. Typus: *Hoya diptera* Seemann.
- Hoya** subsect. **Ventralilobatae** Kloppenburg, Hoya Sect. Sperlingia, 3, 1993. Typus: *Hoya parvifolia* Schlechter.
- Hoya dennisii** P. I. Forster & Liddle, Austrobaileya 4(1): 51-53, ills., 1993. Typus: Whitmore RSS6073 (L, A, BSIP, K, LAE).
- Hoya flavida** P. I. Forster & Liddle, Austrobaileya 4(1): 53-55, ills., 1993. Typus: Liddle IML118 (BRI [sheet & spirit]) [Ex cult.].
- Hoya wayetii** Kloppenburg, Frateria 1993(2): 9-10, ills., 1993. Typus: Wayet 1989 (CHUP, UC [status ?]).
- Huernia rosea** L. E. Newton & Lavranos, Cact. Succ. J. (US) 65(6): 279-280, ills., 1993. Typus: *Lavranos et Newton* 13071 (E, ZSS).
- Lavraria** sect. **Cactoidea** (White & Sloane) Bruyns, Bot. Jahrb. Syst. 115(2): 245, 1993. Basionym: *Trichocaulon* sect. *Cactoidea*.
- Lavraria cactiformis** (Hooker) Bruyns, Bot. Jahrb. Syst. 115(2): 257, 1993. Basionym: *Stapelia cactiformis*. [Concurrently published in South Afr. J. Bot. 59(3): 342, 1993.]
- Lavraria marlothii** (N. E. Brown) Bruyns, Bot. Jahrb. Syst. 115(2): 246, 1993. Basionym: *Trichocaulon marlothii*. [Concurrently published in South Afr. J. Bot. 59(3): 342, 1993.]
- Lavraria perlata** (Dinter) Bruyns, Bot. Jahrb. Syst. 115(2): 261, 1993. Basionym: *Trichocaulon perlatum*. [Concurrently published in South Afr. J. Bot. 59(3): 342, 1993.]
- Lavraria picta** (N. E. Brown) Bruyns, Bot. Jahrb. Syst. 115(2): 250, 1993. Basionym: *Trichocaulon pictum*. [Concurrently published in South Afr. J. Bot. 59(3): 342, 1993.]
- Lavraria picta** ssp. *parvipuncta* Bruyns, Bot. Jahrb. Syst. 115(2): 256-257, ills., 1993. Typus: Heunis 6 (BOL).
- Leachiella tiasmontana** Plowes, Brit. Cact. Succ. J. 11(2): 57-59, ills., 1993. Based on *Plowes 4306*. Incorrect name (Art. 11.3).
- Sarcostemma viminale** ssp. *orangeanum* Liede & Meve, Bot. J. Linn. Soc. 112: 7-10, ills., map, 1993. Typus: *Liede et Meve* 579 (K, Bot. Inst. Münster).
- Sarcostemma viminale** ssp. *thunbergii* (Don) Liede & Meve, Bot. J. Linn. Soc. 112: 10, ills., 1993. Basionym: *Sarcostemma thunbergii*.
- Stapelia** subgen. **Diplocyatha** (N. E. Brown) P. V. Heath, Calyx 3(1): 37, 1993. Basionym: *Diplocyatha*.
- Stapelia** subgen. **Heurnelia** P. V. Heath, Calyx 3(1): 38, 1993. Typus: *Stultitia paradoxa* Verdoorn. *Nom. nov. pro Orbea* sect. *Codonidium* (sphalm. 'Cononidium') Leach 1978.
- Stapelia** subgen. **Ruestago** P. V. Heath, Calyx 3(1): 38, 1993. Typus: *Stapelia prognatha* P. R. O. Bally. *Nom. nov. pro Orbea* subsect. *Librilobae* Leach 1978.
- Stapelia** subgen. **Stisserina** P. V. Heath, Calyx 3(1): 38, 1993. Typus: *Caralluma maculata* N. E. Brown. *Nom. nov. pro Orbea* subsect. *Carentilobae* Leach 1978.
- Stapelia** subgen. **Stultitia** (Phillips) P. V. Heath, Calyx 3(1): 38, 1993. Basionym: *Stultitia*.
- Stapelia ciliata** var. *cristata* P. V. Heath, Calyx 3(1): 37, 1993. Typus: [icono] Verbeek-Wolthuys, Raadsel Ontstaan Monstr. Crst. Succ., ed. 2, fig. 4, 1948.
- Stapelia fergusoniae** (R. A. Dyer) P. V. Heath, Calyx 3(1): 7, in synon., 1993. *Nom. inval.* (Art. 34.1), based on *Stapelia desmetiana* var. *fergusoniae*.
- Stapelanthus insignis** ssp. *tongoboryensis* Rauh, Trop. subtrop. Pfl.-welt 85: 33-36, ills., 1993. Typus: Rauh 21874 (HEID).

- Tridentea gemmiflora** var. **densa** (N. E. Brown) P. V. Heath, Calyx 3(1): 6, 1993. Basionym: *Stapelia hircosa* var. *densa*.
- Tridentea gemmiflora** var. **hircosa** (Jacquin) P. V. Heath, Calyx 3(1): 6, 1993. Basionym: *Stapelia hircosa*.
- Tridentea herrei** var. **neliana** (White & Sloane) P. V. Heath, Calyx 3(1): 6, 1993. Basionym: *Stapelia neliana*.
- Tridentea jucunda** var. **deficiens** (N. E. Brown) P. V. Heath, Calyx 3(1): 6, 1993. Basionym: *Stapelia jucunda* var. *deficiens*.
- Tridentea longipes** var. **namaquensis** (Lückhoff) P. V. Heath, Calyx 3(1): 6, 1993. Basionym: *Stapelia longipes* var. *namaquensis*.
- Tridentea marientalensis** var. **albibiplosa** (Giess) P. V. Heath, Calyx 3(1): 6, 1993. Basionym: *Stapelia albiplosa*.
- Tridentea marientalensis** var. **auobensis** (Nel) P. V. Heath, Calyx 3(1): 6, 1993. Basionym: *Stapelia auobensis*.
- Tridentea pusilla** R. Frandsen, Aloe 29(2): 40, ills., 1993. Typus: *Frandsen* 5 (PRE). [Dated 1992, received at ZSS April 1993.]
- ✗ **Tromostapelia mutabilis** var. **americana** P. V. Heath, Calyx 3(1): 34, 1993. [*Nom. nov. pro Stapelia comparabilis* White & Sloane 1933.]
- ✗ **Tromostapelia mutabilis** var. **angulata** (Todaro) P. V. Heath, Calyx 3(1): 34, 1993. Basionym: *Stapelia angulata*.
- ✗ **Tromostapelia mutabilis** var. **incomparabilis** (N. E. Brown) P. V. Heath, Calyx 3(1): 34, 1993. Basionym: *Stapelia incomparabilis*.
- Tromotriche revoluta** var. **fuscata** (Jacquin) P. V. Heath, Calyx 3(1): 33, 1993. Basionym: *Stapelia fuscata*.
- Tromotriche revoluta** var. **tigrida** (Decaisne) P. V. Heath, Calyx 3(1): 33, 1993. Basionym: *Stapelia tigrida*.

## ASTERACEAE

- Kleinia schwartzii** L. E. Newton, Cact. Succ. J. (US) 65(6): 287-288, ills., 1993. Typus: *Schwartz et Powys* 73K (K, EA).

## CACTACEAE

- Acanthocalycium klimpelianum** var. **macranthum** (Rausch) J. G. Lambert, Cact. Argentine, 7, 1993. *Nom. inval.* (Art. 33.2), based on *Lobivia spiniflora* var. *macrantha*.
- Acanthocalycium thionanthum** var. **munitum** (Rausch) J. G. Lambert, Cact. Argentine, 14, 1993. *Nom. inval.* (Art. 33.2, 34.1a), based on *Lobivia thionantha* var. *munita*.
- Arrojadoa eriocaulis** var. **rosenbergeriana** van Heek & Strecker, Kakt. and. Sukk. 44(12): 258-262, ills., SEM-ills., 1993. Typus: *Anonymous* 85/216 (KOELN [Succulentarium ?]).
- Cereus artificiosus** var. **lanzarotensis** G. R. W. Frank, Echinocereenfreund 6(2: Beilage): 1a-3a, ill., 1993. *Nom. inval.* (Art. 43.1). [Name

- published as April joke.]
- Coleocephalocereus pluricostatus** ssp. **uebelmanniorum** P. J. Braun & E. Esteves Pereira, Kakt. and. Sukk. 44(7): 150-154, ills., SEM-ills., 1993. Typus: *Horst et Uebelmann* HU 1502 (UFG 13.011).
- Copiapoa cinerea** ssp. **columna-alba** (F. Ritter) Meregalli, Piante Grasse 11(4): 20, 1992. *Nom. inval.* (Art. 24, 32), based on *Copiapoa column-a-alba*. [Dated 1991, publ. 1992. Rank cryptically indicated l.c. p. 2.]
- Copiapoa cinerea** ssp. **gigantea** (Backeberg) Meregalli, Piante Grasse 11(4): 19, 1992. *Nom. inval.* (Art. 24, 32), based on *Copiapoa gigantea*. [Dated 1991, publ. 1992. Rank cryptically indicated l.c. p. 2. Combination attributed to N. P. Taylor.]
- Copiapoa cinerea** ssp. **longistaminea** (F. Ritter) Meregalli, Piante Grasse 11(4): 19, 1992. *Nom. inval.* (Art. 24, 32), based on *Copiapoa longistaminea*. [Dated 1991, publ. 1992. Rank cryptically indicated l.c. p. 2; erroneously given as rank-less in RPS 43.]
- Discocactus bahiensis** ssp. **subviridigriseus** (Buining & Brederoo) P.J.Braun & E.Esteves Pereira, Kakt. and. Sukk. 44(3): 63, 1993. Basionym: *Discocactus subviridigriseus*.
- Discocactus cattingicola** ssp. **rapirhizus** (Buining & Brederoo) P.J.Braun & E.Esteves Pereira, Kakt. and. Sukk. 44(6): 112, 1993. Basionym: *Discocactus rapirhizus*.
- Discocactus cattingicola** var. **griseus** (Buining & Brederoo) P.J.Braun & E.Esteves Pereira, Kakt. and. Sukk. 44(6): 112, 1993. Basionym: *Discocactus griseus*.
- Discocactus cattingicola** var. **nigrisaetosus** (Buining & Brederoo) P.J.Braun & E.Esteves Pereira, Kakt. and. Sukk. 44(6): 112, 1993. Basionym: *Discocactus nigrisaetosus*.
- Discocactus diersianus** var. **goianus** (Diers & E. Esteves) P.J.Braun & E.Esteves Pereira, Kakt. and. Sukk. 44(6): 113, 1993. Basionym: *Discocactus goianus*.
- Discocactus heptacanthus** ssp. **melanochlorus** (Buining & Brederoo) P.J.Braun & E.Esteves Pereira, Kakt. and. Sukk. 44(4): 103, 1993. Basionym: *Discocactus melanochlorus*.
- Discocactus heptacanthus** var. **semicanpaniflorus** (Buining & Brederoo) P.J.Braun & E.Esteves Pereira, Kakt. and. Sukk. 44(4): 103, 1993. Basionym: *Discocactus semicanpaniflorus*.
- Discocactus latispinus** ssp. **pseudolatispinus** (Diers & E. Esteves) P.J.Braun & E.Esteves Pereira, Kakt. and. Sukk. 44(4): 105, 1993. Basionym: *Discocactus pseudolatispinus*.
- Discocactus latispinus** ssp. **pulvinicapitatus** (Buining & Brederoo) P.J.Braun & E.Esteves Pereira, Kakt. and. Sukk. 44(4): 105, 1993. Basionym: *Discocactus pulvinicapitatus*.
- Discocactus placentiformis** ssp. **multicolorispinus** (Buining & Brederoo) P.J.Braun & E.Esteves Pereira, Kakt. and. Sukk. 44(4): 105, 1993. Basionym: *Discocactus multicolorispinus*.

- Discocactus placentiformis** var. **alteolens** (Lemaire) P. J. Braun & E. Esteves Pereira, Kakt. and. Sukk. 44(4): 105, 1993. Basionym: *Discocactus alteolens*.
- Discocactus placentiformis** var. **pugionacanthus** (Buining & Brederoo) P.J.Braun & E.Esteves Pereira, Kakt. and. Sukk. 44(4): 105, 1993. Basionym: *Discocactus pugionacanthus*.
- Discocactus zehntneri** ssp. **buenekeri** (Abraham) P. J. Braun & E. Esteves Pereira, Kakt. and. Sukk. 44(3): 64, 1993. Basionym: *Discocactus buenekeri*.
- Disocactus sect. Macranthi** Kimnach, Haseltonia 1: 106, 1993. Typus: *Pseudorhipsalis macrantha* Alexander.
- Disocactus sect. Pseudorhipsalis** (Britton & Rose) Kimnach, Haseltonia 1: 106, 1993. Basionym: *Pseudorhipsalis*.
- Disocactus sect. Wittia** (K. Schumann) Kimnach, Haseltonia 1: 106, 1993. Basionym: *Wittia*.
- Disocactus ramulosus** fa. **angustissimus** (F. A. C. Weber) Kimnach, Haseltonia 1: 127-128, 1993. Basionym: *Rhipsalis angustissima*.
- Disocactus ramulosus** var. **jamaicensis** (Britton & Harris) Kimnach, Haseltonia 1: 128, 1993. Basionym: *Rhipsalis jamaicensis*.
- Echinocereus chloranthus* ssp. *cylindricus* (Engelmann) Fürsch, Kakt. and. Sukk. 44(7): 137, 1993. Nom. inval. (Art. 33.2, 34.1), based on *Cereus viridiflorus* var. *cylindricus*. [Published as provisional name.]
- Echinocereus chloranthus* ssp. *neocapillus* (Weniger) Fürsch, Kakt. and. Sukk. 44(7): 137, 1993. Nom. inval. (Art. 33.2, 34.1), based on *Echinocereus chloranthus* var. *neocapillus*. [Published as provisional name.]
- Echinocereus parkeri* var. *mazapilensis* K. Neumann, Kaktusblüte 1993: 55, 53 (ill.), 1993. Nom. inval. (Art. 36.1, 37.1). [Published as provisional name.]
- Echinocereus torowapensis* (P. C. Fischer) Fürsch, Kakt. and. Sukk. 44(12): 266-268, ills., 1993. Basionym: *Echinocereus triglochidiatus* var. *torowapensis*.
- Echinocereus waldeisii* Haugg, Kakt. and. Sukk. 45(1): 6-7, ills., 1993. Typus: *Waldeis* s.n. (WU). [Dated 1994, publ. late Dec. 1993.]
- Echinopsis densispina* var. *amblayensis* (Rausch) J. G. Lambert, Cact. Argentine, 44, 1993. Nom. inval. (Art. 33.2), based on *Lobivia amblayensis*.
- Echinopsis densispina* var. *pectinifera* (Wessner) J. G. Lambert, Cact. Argentine, 45, 1993. Nom. inval. (Art. 33.2), based on *Lobivia pectinifera*.
- Echinopsis fallax* var. *cylindrica* (Backeberg) J. G. Lambert, Cact. Argentine, 47, 1993. Nom. inval. (Art. 33.2), based on *Lobivia cylindrica*.
- Echinopsis haematantha* var. *elongata* (Backeberg) J. G. Lambert, Cact. Argentine, 49, 1993. Nom. inval. (Art. 33.2), based on *Lobivia elongata*.
- Echinopsis haematantha* var. *hualfinensis* (Rausch) J. G. Lambert, Cact. Argentine, 49, 1993. Nom. inval. (Art. 33.2), based on *Lobivia hualfinensis*.
- Echinopsis haematantha* var. *kuehnrichii* (Fric) J. G. Lambert, Cact. Argentine, 49, 1993. Nom. inval. (Art. 33.2), based on *Lobivia kuehnrichii*.
- Echinopsis saltensis* var. *nealeana* (Backeberg) J. G. Lambert, Cact. Argentine, 55, 1993. Nom. inval. (Art. 33.2), based on *Lobivia nealeana*.
- Echinopsis saltensis* var. *pseudocachensis* (Backeberg) J. G. Lambert, Cact. Argentine, 56, 1993. Nom. inval. (Art. 33.2), based on *Lobivia pseudocachensis*.
- Echinopsis stiloiana* (Backeberg) J. G. Lambert, Cact. Argentine, 59, 1993. Nom. inval. (Art. 33.2), based on *Lobivia stiloiana*.
- Floribunda bahiensis** P. J. Braun & E. Esteves Pereira, Pabstia 4(3): 11-16, ill., 1993. Typus: Esteves Pereira 337 (UFG 13007).
- Gymnocalycium roseiflorus** G. Frank, Succulenta 72(1): 40-42, ill., SEM-ill., 1993. Typus: WU [Ex cult. coll. G. Frank sub T.16]. [Based on *Turbinicarpus roseiflorus* Backeberg 1963 (nom. inval.).]
- Gymnocalycium baldianum* fa. *sanguiniflorum* (Werdermann) J. G. Lambert, Cact. Argentine, 78, 1993. Nom. inval. (Art. 33.2), based on *Echinocactus sanguiniflorus*.
- Gymnocalycium baldianum* fa. *venturianum* (Fric ex Backeberg) J. G. Lambert, Cact. Argentine, 78, 1993. Nom. inval., based on *Gymnocalycium venturianum*, nom. inval. (Art. 36.1).
- Gymnocalycium bodenbenderianum** ssp. **intertextum** (Backeberg ex Till) H. Till, Gymnocalycium 6(1): 83, 1993. Basionym: *Gymnocalycium intertextum*.
- Gymnocalycium castellanosii** var. **armillatum** Piltz, Gymnos 9(18): 47-51, 42-43, 45, ills., SEM-ills., 1993. Typus: *Piltz* 217/2 (U).
- Gymnocalycium castellanosii** var. **bozingianum** (Schütz) Piltz, Gymnos 9(18): 43, ills., 1993. Basionym: *Gymnocalycium bozingianum*.
- Gymnocalycium monvillei** fa. **villamercedense** H. Till & Neuhuber, Gymnocalycium 6(3): 104-105, ills., 1993. Typus: *Neuhuber* 88-79/197 (WU).
- Gymnocalycium monvillei** ssp. **achirasense** (Till & Schatzl ex Till) H. Till, Gymnocalycium 6(3): 102, 1993. Basionym: *Gymnocalycium achirasense*.
- Gymnocalycium monvillei** ssp. **brachyanthum** (Gürke) H. Till, Gymnocalycium 6(3): 102, 1993. Basionym: *Echinocactus brachyanthus*.
- Gymnocalycium monvillei** ssp. **horridispinum** (G. Frank ex H. Till) H. Till, Gymnocalycium 6(3): 102, 1993. Basionym: *Gymnocalycium horridispinum*.
- Gymnocalycium monvillei** var. **chacrasense** Neuhuber, Gymnocalycium 6(3): 105-106, ills., 1993. Typus: *Neuhuber* 90-269/859 (WU).
- Gymnocalycium monvillei** var. **echinatum** Neuhuber, Gymnocalycium 6(4): 108, ills., 1993. Typus: *Neuhuber* 91-346/1186 (WU).
- Gymnocalycium monvillei** var. **gertrudae**

- Neuhuber, *Gymnocalycium* 6(4): 110, ill., 1993. Typus: *Neuhuber* 88-29/50 (WU).
- Gymnocalycium monvillei* var. *grandiflorum*** (Backeberg) Till ex Tománek & Procházka, *Gymnofil* 21(4): 17, 1993. Basionym: *Gymnocalycium grandiflorum*. [Dated 1992, received July 1993.]
- Gymnocalycium monvillei* var. *kainradiae*** Neuhuber, *Gymnocalycium* 6(4): 107-108, ill., 1993. Typus: *Neuhuber et Kainradl* 88-29/47 (WU).
- Gymnocalycium monvillei* var. *orientale*** Neuhuber, *Gymnocalycium* 6(3): 103-104, ill., 1993. Typus: *Neuhuber* 91-341/1157 (WU).
- Gymnocalycium monvillei* var. *steineri*** Till ex Tománek & Procházka, *Gymnofil* 21(4): 18-19, 1993. Based on *Till* 88-219. *Nom. inval.* (Art. 36.1). [Dated 1992, received July 1993.]
- Gymnocalycium ochoterenae* ssp. *vatteri*** (Buining) Papsch, *Gymnocalycium* 6(1): 79, 1993. Basionym: *Gymnocalycium vatteri*. [Sphalm. 'ochoterenai'].
- Gymnocalycium ochoterenae* var. *altautinense*** Papsch, *Gymnocalycium* 6(1): 79-81, ill., 1993. Typus: *Amerhauser et Strigl* STO90-412/6 (WU). [Sphalm. 'ochoterenai'].
- Gymnocalycium ochoterenae* var. *vatteri*** (Buining) Papsch, *Gymnocalycium* 6(1): 78-81, 1993. Basionym: *Gymnocalycium vatteri*. [Sphalm. 'ochoterenai'].
- Leptocereus carinatus*** Areces, *Moscosoa* 7: 243-248, ill., map, 1993. Typus: *Areces* 5489 (MNHN, HAC, HAJB, NY).
- Leptocereus scopulophilus*** Areces, *Brittonia* 45(3): 226-230, 1993. Typus: *Areces* 4601 (MNHN, HAC, HAJB, NY).
- Mammillaria haasii*** J. Meyrán, *Cact. Suc. Mex.* 38(2): 27-30, ill., cover-ill., 1993. Typus: *Haas* s.n. (MEXU) [Ex cult. J. Merán no. 5219].
- Mammillaria lindseyi* var. *cobreensis*** Reppenagen ex Hils, *Mitteilungsbl. AfM* 17(1): 21, 26-30, ill., SEM-ills., 1993. Typus: *Hils* M8/90 (ZSS). [Name first used as provisional name by A. B. Lau ex Reppenagen, *Gattung Mammillaria* 2: 667, 1992 (cf. RPS 43).]
- Mammillaria lindseyi* var. *rubriflora*** Hils, *Mitteilungsbl. AfM* 17(1): 23, 31-35, ill., SEM-ills., 1993. Typus: *Hils* M9/90 (ZSS).
- Mammillaria voburnensis* var. *gerhardii*** Diers, *Kakt. und. Sukk.* 44(11): 244-246, ill., 1993. Typus: *Freudenberger* s.n. (KOELN [Succulentarium]).
- Melocactus perezassoi*** Areces, *Phytologia* 74(6): 421-427, 1993. Typus: *Figueroedo et al.* 2366 (MNHN, HAC).
- Notocactus concinnoides*** Hort. Buining ex Prauser, *Internoto* 14(2): 53-58, ill., 1993. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name; first used in the late 1960s by Buining for *Horst & Uebelmann* HU 77, later also used by Stockinger for FS 196; also published as *Notocactus concinnus* var. *aceguensis*.]
- Notocactus horstii* fa. *muglianus*** Herm, *Internoto* 14(2): 63-64, ill., 1993. Based on *Horst et Uebelmann* HU 82. *Nom. inval.* (Art. 37.4).
- Notocactus horstii* fa. *purpureiflorus*** (F. Ritter) Herm, *Internoto* 14(2): 64, 1993. Basionym: *Notocactus horstii* var. *purpureiflorus*.
- Notocactus horstii* fa. *purpureus*** (F. Ritter) Herm, *Internoto* 14(2): 64, 1993. Basionym: *Notocactus purpureus*.
- Notocactus laetevirens* fa. *densispinus*** Bergner, *Internoto* 14(1): 3-12, ill., 1993. Typus: *Gerloff* 124 (STU).
- Notocactus langsdorffii* fa. *eddiewarassii*** Gerloff, *Internoto* 14(2): 77-78, ill., 1993. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Notocactus langsdorffii* fa. *prolifer*** (F. Ritter) Gerloff, *Internoto* 14(2): 76, 1993. Basionym: *Wigginsia prolifera*.
- Notocactus langsdorffii* var. *leprosorum*** (F. Ritter) Hofacker, *Internoto* 14(4): 124, ill., 1993. Basionym: *Wigginsia leprosorum*.
- Notocactus langsdorffii* var. *longispinus*** (F. Ritter) Gerloff, *Internoto* 14(2): 78, 1993. Basionym: *Wigginsia longispina*.
- Notocactus megapotamicus* fa. *multiflorus*** (Fric ex Buining) Stuchlík, *Rod Notocactus*, 85, 1993. *Nom. inval.*, based on *Notocactus ottonis* var. *multiflorus*, *nom. inval.* (Art. 36.1).
- Notocactus neohorstii* fa. *juvenaliformis*** (F. Ritter) Gerloff, *Internoto* 14(2): 73, 1993. Basionym: *Wigginsia horstii* var. *juvenaliformis*.
- Notocactus ottonis* cv. *Janousek*** Papousek ex Havlicek, *Internoto* 14(3): 106, 1993. [Based on *Notocactus ottonis* var. *janousekianus* Papousek 1975.]
- Notocactus oxycostatus* cv. *Venclu*** Schütz ex Havlicek, *Internoto* 14(3): 105-106, 1993. [Based on *Notocactus ottonis* var. *vencluanus* Schütz 1965.]
- Notocactus oxycostatus* fa. *acus*** (F. Ritter) Gerloff, *Internoto* 14(3): 93, 1993. Basionym: *Notocactus acutus*.
- Notocactus oxycostatus* fa. *miniatispinus*** (F. Ritter) Gerloff, *Internoto* 14(3): 93, 1993. Basionym: *Notocactus securituberculatus* var. *miniatispinus*.
- Notocactus oxycostatus* fa. *securituberculatus*** (F. Ritter) Gerloff, *Internoto* 14(3): 93, 1993. Basionym: *Notocactus securituberculatus*.
- Notocactus rufoffi*** Gerloff, *Internoto* 14(4): 115-119, ill., 1993. Typus: *Ruoff* 88 (STU).
- Notocactus rutilans* cv. *Stor*** Pazout ex Havlicek, *Internoto* 14(3): 106, 1993. [Based on *Notocactus rutilans* fa. *storianus* Pazout.]
- Notocactus sellowii* fa. *macracanthus*** (Archavaleta) Gerloff, *Internoto* 14(2): 72, 1993. Basionym: *Echinocactus sellowii* var. *macracanthus*.
- Notocactus sellowii* fa. *pauciareolatus*** (Archavaleta) Gerloff, *Internoto* 14(2): 72, 1993. Basionym: *Echinocactus pauciareolatus*.

- Notocactus sellowii** var. *courantii* (Lemaire) Gerloff, Internoto 14(2): 73, 1993. Basionym: *Echinocactus courantii*.
- Notocactus tephraeanthus** var. *depressus* (Spegazzini) Stuchlík, Rod Notocactus, 147, 1993. Basionym: *Echinocactus acuatus* var. *depressus*.
- Notocactus uebelmannianus** fa. *glibiflorus* Gerloff & Königs, Internoto 14(2): 70, 1993. Typus: Gerloff 52b (STU). [Nom. nov. pro *Notocactus uebelmannianus* fa. *flaviflorus* Gerloff & Königs (nom. illeg., non fa. *flaviflorus* Buining).]
- Opuntia** cv. *Rutlans* Jankalski, Hardy Cact. Succ. Bull. 2(1): 18, 1993. [Selection of apparent hybrid swarm *Opuntia erinacea* var. *utahensis* × *O. fragilis* var. *brachyarrhiza*, based on *Opuntia rutila* sensu Boissevain & Davidson 1940, quoad fig. 24.]
- Parodia amblayensis** F. H. Brandt, Letzeb. Cacteefren 2(4): 1, ill., 1981. Nom. inval. (Art. 36.1). [Attempted transfer of *Parodia tuberculosi-costata* var. *amblayana* F. H. Brandt (nom. inval., Art. 43.1).]
- Parodia aureicentra** var. *muhrii* (F. H. Brandt) J. G. Lambert, Cact. Argentine, 190, 1993. Nom. inval. (Art. 33.2), based on *Parodia muhrii*.
- Parodia aureicentra** var. *rauschii* (Backeberg) J. G. Lambert, Cact. Argentine, 192, 1993. Nom. inval., based on *Parodia rauschii*, nom. inval. (Art. 9.5).
- Parodia aureicentra** var. *varicolor* (F. Ritter) J. G. Lambert, Cact. Argentine, 193, 1993. Nom. inval. (Art. 33.2), based on *Parodia varicolor*.
- Parodia cabrarralensis** Piens, Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 6(4): 56-58, ill., 1993. Based on *Herzog* 128. Nom. inval. (Art. 36.1). [Published as provisional name.]
- Parodia candidata** F. H. Brandt, Letzeb. Cacteefren 2(2): 1-5, ill., 1982. Typus: HEID [Ex cult. F. H. Brandt Nr. 50/a.]. [Omitted previously.]
- Parodia catamarcensis** var. *riojensis* (F. Ritter & Weskamp) J. G. Lambert, Cact. Argentine, 208, 1993. Nom. inval. (Art. 33.2), based on *Parodia riojensis*.
- Parodia microserpma** var. *weberiana* (F. H. Brandt) J. G. Lambert, Cact. Argentine, 220, 1993. Nom. inval. (Art. 33.2), based on *Parodia weberiana*.
- Parodia nigresca** F. H. Brandt, Letzeb. Cacteefren 2(5): 1-6, ill., 1981. Typus: HEID [Ex cult. F. H. Brandt Nr. 63/a.]. [Omitted previously.]
- Parodia saltensis** F. H. Brandt, Letzeb. Cacteefren 2(1): 2-5, ill., 1981. Typus: HEID [Ex cult. F. H. Brandt Nr. 38/a.]. [Omitted previously. Further data in l.c. 2(2): 5-6, 1982.]
- Pseudopilocereus coeruleascens** (Lemaire) P. V. Heath, Calyx 2(2): 53, 1992. Nom. illeg. (Art. 63.1), based on *Pilocereus coeruleascens*. [Omitted previously.]
- Pseudopilocereus polyedrophorus** (Lemaire) P. V. Heath, Calyx 2(2): 53, 1992. Nom. illeg. (Art. 63.1), based on *Pilocereus polyedrophorus*. [Omitted previously.]
- Pyrrhocactus marayensis** (Backeberg) J. G. Lambert, Cact. Argentine, 245, 1993. Nom. inval., based on *Pyrrhocactus umadeave* var. *marayensis*, nom. inval. (Art. 9.5).
- Rebutia einsteini** var. *atrospinosa* (Rausch) Sida, Kaktusy 28(6): 124, 1993. Basionym: *Lobivia einsteinii* var. *atrospinosa*. [Dated 1992, received June 1993.]
- Rhipsalidopsis × graeseri** (D. R. Hunt) P. V. Heath, Calyx 3(1): 31, 1993. Basionym: *Hatiiora × graeseri*. [Name first used invalidly by Moran (Gentes Herbar. 8(4): 342, 1953) in a combination for *Rhipsalis × graeseri* Werdermann (nom. inval.) (cf. RPS 4).]
- Rhipsalis spinescens** Lombardi, Acta Bot. Bras. 5(2): 71-73, ill., 1993. Typus: *Hutchison et Matthes* 9039 (MO, SPF, UEC). [Dated 1991, received at ZSS Aug. 1993.]
- Schlumbergera** cv. *Hutherford Surprise* Horobin, Epiphytes 17(65): 14-15, ill., 1993. [= *Schlumbergera × buckleyi* × *S. orssichiana*.]
- Schlumbergera** cv. *Ruth Day* K. Petersen, EPIG 5(2): 32-33, ill., 1993. [= *Schlumbergera orssichiana* × *S. Delicata*.]
- Sclerocactus wetlandicus** var. *ilseae* Hochstätter, Succulenta 72(2): 86-89, ill., 1993. Typus: Hochstätter 0700 (HBG).
- Selenicereus rubineus** Kimnach, Cact. Succ. J. (US) 65(1): 16-18, ill., 1993. Typus: MacDougall A245 (HNT, MEXU).
- Stenocereus littoralis** (K. Brandegee) L. W. Lenz, Annot. Cat. Pl. Cape Reg. Baja Calif., 45, 1992. Nom. inval. (Art. 33.2), based on *Cereus thruberi* var. *littoralis*.
- Tephrocactus aoracanthus** var. *paediophilus* (A. Castellanos) J. G. Lambert, Cact. Argentine, 271, 1993. Nom. inval. (Art. 33.2), based on *Opuntia paedophila*.
- Trichocereus** cv. *Stern von Nürnberg* Rippe, Kaktusblüte 1993: 5-8, ill., 1993. [A hybrid with *Trichocereus thelegonus* as one of the parents.]
- Trichocereus walteri** (Kiesling) J. G. Lambert, Cact. Argentine, 295, 1993. Nom. inval. (Art. 33.2), based on *Lobivia walteri*.
- Turbinicarpus jauernigii** G. Frank, Succulenta 72(3): 113-115, ill., 1993. Typus: *Jauernig* 210 (WU).
- Turbinicarpus pseudomacrochele** var. *sphaelatus* Diers & G. Frank, Kakt. and. Sukk. 44(8): 158-161, ill., 1993. Typus: KOELN [Succulentarium ?] [Ex cult. ?]. Nom. inval. (Art. 37.3). [Sphalm. 'sphaelatus', 'spacellatus'.]
- Turbinicarpus schwarzii** var. *ruberiflorus* G. Frank, Succulenta 72(2): 77-79, ill., SEM-ills., 1993. Typus: Bonatz 1590 (WU).
- Weingartia calcecallensis** F. H. Brandt, Letzeb. Cacteefren 2(3): 1-6, ill., 1981. Typus: HEID [Ex cult. F. H. Brandt Nr. 82/a.]. [Omitted previously.]
- Weingartia flavidia** F. H. Brandt, Letzeb. Cacteefren 2(6): 3-9, ill., 1981. Typus: HEID [Ex cult. F. H. Brandt Nr. 83/a.]. [Omitted previously.]

## CRASSULACEAE

- Combesia campestris** (Ecklon & Zeyher) P. V. Heath, Calyx 3(4): 121, 1993. Basionym: *Tetraphyle campestris*.
- Combesia campestris** var. **pharnaceoides** (Fischer & C. A. Meyer) P. V. Heath, Calyx 3(4): 121, 1993. Basionym: *Crassula pharnaceoides*.
- Combesia campestris** var. **rhodesica** (Merxmüller) P. V. Heath, Calyx 3(4): 121, 1993. Basionym: *Crassula pharnaceoides* ssp. *rhodesica*.
- Combesia lanceolata** (Ecklon & Zeyher) P. V. Heath, Calyx 3(4): 122, 1993. Basionym: *Tetraphyle lanceolata*.
- Combesia lanceolata** ssp. **denticulata** (Brenan) P. V. Heath, Calyx 3(4): 122-123, 1993. Basionym: *Crassula pentandra* var. *denticulata*.
- Combesia lanceolata** ssp. **transvaalensis** (Kuntze) P. V. Heath, Calyx 3(4): 123, 1993. Basionym: *Sedum transvaalense*.
- Combesia muscosa** (Linné) P. V. Heath, Calyx 3(4): 121, 1993. Basionym: *Crassula muscosa*.
- Combesia muscosa** var. **acuminata** (G. D. Rowley) P. V. Heath, Calyx 3(4): 121, 1993. Basionym: *Crassula lycopodioides* fa. *acuminata*.
- Combesia muscosa** var. **anguinea** (Harvey) P. V. Heath, Calyx 3(4): 121, 1993. Basionym: *Crassula anguinea*.
- Combesia muscosa** var. **fragilis** (G. D. Rowley) P. V. Heath, Calyx 3(4): 121, 1993. Basionym: *Crassula lycopodioides* fa. *fragilis*.
- Combesia muscosa** var. **fulva** (G. D. Rowley) P. V. Heath, Calyx 3(4): 121, 1993. Basionym: *Crassula lycopodioides* fa. *fulva*.
- Combesia muscosa** var. **litoralis** (Ecklon & Zeyher) P. V. Heath, Calyx 3(4): 121, 1993. Basionym: *Tetraphyle litoralis*.
- Combesia muscosa** var. **obtusifolia** (Harvey) P. V. Heath, Calyx 3(4): 122, 1993. Basionym: *Crassula lycopodioides* var. *obtusifolia*.
- Combesia muscosa** var. **parvula** (Ecklon & Zeyher) P. V. Heath, Calyx 3(4): 122, 1993. Basionym: *Tetraphyle parvula*.
- Combesia muscosa** var. **polpodacea** (Ecklon & Zeyher) P. V. Heath, Calyx 3(4): 122, 1993. Basionym: *Tetraphyle polpodacea*.
- Combesia muscosa** var. **pseudolycopodioides** (Dinter) P. V. Heath, Calyx 3(4): 122, 1993. Basionym: *Crassula pseudolycopodioides*.
- Combesia muscosa** var. **purpusii** (G. D. Rowley) P. V. Heath, Calyx 3(4): 122, 1993. Basionym: *Crassula lycopodioides* fa. *purpusii*.
- Combesia muscosa** var. **variegata** (E. Lamb) P. V. Heath, Calyx 3(4): 122, 1993. *Nom. inval.*, based on *Crassula lycopodioides* [?] *variegata*, *nom. inval.* (Art. 36.1).
- Combesia phyturus** (Mildbraed) P. V. Heath, Calyx 3(4): 122, 1993. Basionym: *Crassula phyturus*.
- Crassula** cv. **Baby's Surprise** Rud. Schulz, Austral. Succ. Rev. Newslett. 3(1): 12, ill., 1993. [A spontaneous mutation produced from stock of *Crassula* cv. Baby's Necklace.]
- Crassula** cv. **Frosty** Rud. Schulz, Austral. Succ. Rev. Newslett. 3(2): 1, ill., 1993. [= *Crassula tecta* (thin-leaved form)  $\times$  *C. deceptor*.]
- Creusa** P. V. Heath, Calyx 3(3): 103, 1993. Typus: *Crassula acutifolia* Lamarck. [*Nom. nov. pro Crassula* group *Acutifolia* Schönland 1929.]
- Creusa biplanata** (Haworth) P. V. Heath, Calyx 3(3): 103, 1993. Basionym: *Crassula biplanata*.
- Creusa biplanata** var. **punctulata** (Schönland & Baker) P. V. Heath, Calyx 3(3): 103, 1993. Basionym: *Crassula punctulata*.
- Creusa corallina** (Thunberg) P. V. Heath, Calyx 3(3): 103, 1993. Basionym: *Crassula corallina*.
- Creusa corallina** ssp. **macrorrhiza** (Tölken) P. V. Heath, Calyx 3(3): 103, 1993. Basionym: *Crassula corallina* ssp. *macrorrhiza*.
- Creusa detoidea** (Thunberg) P. V. Heath, Calyx 3(3): 103, 1993. Basionym: *Crassula detoidea*.
- Creusa elizabethae** P. V. Heath, Calyx 3(3): 103, 1993. *Nom. illeg.* (Art. 55). [*Nom. nov. pro Crassula elisiae* Tölken 1975.]
- Creusa ericoides** (Haworth) P. V. Heath, Calyx 3(3): 103, 1993. Basionym: *Crassula ericoides*.
- Creusa ericoides** ssp. **tortuosa** (Tölken) P. V. Heath, Calyx 3(3): 103, 1993. Basionym: *Crassula ericoides* ssp. *tortuosa*.
- Creusa**  $\times$  **garciae** P. V. Heath, Calyx 3(3): 103, 1993. Typus: *Smith* 2758 (PRE). [= *Creusa biplanata*  $\times$  *C. ericoides*.]
- Creusa**  $\times$  **mixta** P. V. Heath, Calyx 3(3): 103, 1993. Typus: *Paterson* 27 (GRA). [= *Creusa ericoides*  $\times$  *C. tetragona* ssp. *acutifolia*.]
- Creusa planifolia** (Schönland) P. V. Heath, Calyx 3(3): 103, 1993. Basionym: *Crassula planifolia*.
- Creusa revolvens** (Haworth) P. V. Heath, Calyx 3(3): 104, 1993. Basionym: *Crassula revolvens*.
- Creusa revolvens** var. **harveyi** (Britten & Baker) P. V. Heath, Calyx 3(3): 104, 1993. Basionym: *Crassula harveyi*.
- Creusa revolvens** var. **intermedia** (Schönland) P. V. Heath, Calyx 3(3): 104, 1993. Basionym: *Crassula harveyi* var. *intermedia*.
- Creusa sarcocaulis** (Ecklon & Zeyher) P. V. Heath, Calyx 3(3): 104, 1993. Basionym: *Crassula sarcocaulis*.
- Creusa sarcocaulis** ssp. **elliptica** P. V. Heath, Calyx 3(3): 104, 1993. [*Nom. nov. pro Crassula parvisepala* Schönland 1897.]
- Creusa sarcocaulis** ssp. **rupicola** (Tölken) P. V. Heath, Calyx 3(3): 104, 1993. Basionym: *Crassula sarcocaulis* ssp. *rupicola*.
- Creusa tetragona** (Linné) P. V. Heath, Calyx 3(3): 104, 1993. Basionym: *Crassula tetragona*.
- Creusa tetragona** ssp. **acutifolia** (Lamarck) P. V. Heath, Calyx 3(3): 104, 1993. Basionym:

- Crassula acutifolia*.  
**Creusa tetragona** ssp. *connivens* (Schönland) P. V. Heath, Calyx 3(3): 104, 1993. Basionym: *Crassula connivens*.  
**Creusa tetragona** ssp. *lignescens* (Tölken) P. V. Heath, Calyx 3(3): 104, 1993. Basionym: *Crassula tetragona* ssp. *lignescens*.  
**Creusa tetragona** ssp. *robusta* (Tölken) P. V. Heath, Calyx 3(3): 104, 1993. Basionym: *Crassula robusta*.  
**Creusa tetragona** ssp. *rudis* (Schönland & Baker) P. V. Heath, Calyx 3(3): 104, 1993. Basionym: *Crassula rudis*.  
**Creusa vestita** (Thunberg) P. V. Heath, Calyx 3(3): 104, 1993. Basionym: *Crassula vestita*.  
**Echeveria setosa** var. *ciliata* (Moran) Moran, Cact. Succ. J. (US) 65(1): 32-33, 1993. Basionym: *Echeveria ciliata*.  
**Echeveria setosa** var. *minor* Moran, Cact. Succ. J. (US) 65(1): 33-35, ills., 1993. Typus: *Fittkau* s.n. (SD 93245, BH, CAS) [Ex cult. San Diego (R. Moran 19059)].  
**Echeveria setosa** var. *oteroi* Moran, Cact. Succ. J. (US) 65(1): 33-34, ills., 1993. Typus: *Otero* 26 (SD 93237, BH, CAS, HNT, SD).  
**Gomara pellucida** (Linné) P. V. Heath, Calyx 3(2): 73, 1993. Basionym: *Crassula pellucida*.  
**Hylotelephium ussuricense** var. *tsugaruense* (H. Hara) H. Ohba, J. Jap. Bot. 68(3): 150, 1993. Basionym: *Sedum tsugaruense*.  
**Kalanchoe bogneri** Rauh, Kakt. and. Sukk. 44(9): 181-185, ills.; 45(1): 11 [erratum], 1993. Typus: *Bogner* 2138 (M, HEID).  
**Kalanchoe subrosulata** Thulin, Nordic J. Bot. 13: 51-52, ills., 1993. Typus: *Thulin et al.* 7756 (UPS, K, MOG).  
× **Lenophytum** C. H. Uhl, Cact. Succ. J. (US) 65(6): 273, 1993. [= *Lenophyllum* × *Pachyphytum*.]  
× **Lenoveria** C. H. Uhl, Cact. Succ. J. (US) 65(6): 272, 1993. [= *Lenophyllum* × *Echeveria*.]  
**Pachyphytum caesium** Kimnach & Moran, Cact. Succ. J. (US) 65(2): 59-62, ills., 1993. *Nom. inval.* (Art. 37.1). [Based on 2 syntypes, W. Baker 7073 given in the Latin diagnosis, W. Minnich 12101 as holotype after the English description.]  
**Pyrgosea orbicularis** (Linné) P. V. Heath, Calyx 3(2): 44, 1993. Basionym: *Crassula orbicularis*.  
**Sarcocarpus strigosa** (Linné) P. V. Heath, Calyx 3(3): 114, 1993. Basionym: *Crassula strigosa*.  
**Sedum** cv. **Spiral Staircase** R. Stephenson, Brit. Cact. Succ. J. 11(2): 60-62, ills., 1993.  
**Sedum** × *lorenzoi* nssp. *hommelsii* ('t Hart)'t Hart, Sedum Soc. Newslett. No. 28: 20, 1993. Basionym: *Sedum* × *hommelsii*.  
**Sedum** × *luteolum* nssp. *hegnaueri* ('t Hart)'t Hart, Sedum Soc. Newslett. No. 28: 19, 1994. Basionym: *Sedum* × *hegnaueri*.  
**Sedum susannae** var. *subgaleatum* (K.-T. Fu) K.-T. Fu, Vasc. Pl. Hengduan Mount. 1: 668, 1993. Basionym: *Sedum subgaleatum*.  
**Sedum triactina** var. *leptum* (Fröderström) K.-T. Fu, Vasc. Pl. Hengduan Mount. 1: 662, 1993.  
Basionym: *Sedum triactina* ssp. *leptum*.  
**Sedum vuralianum** J. Metzger, Brit. Cact. Succ. J. 11(4): 100-102, ills., 1993. Typus: *Metzger* 2012.1 (GAZI, herb. J. Metzger) [Ex cult. J. Metzger].  
**Sempervivum minutum** fa. *glabrescens* Jankalski, SempWorld 1(4): 2, 1993. [*Nom. nov. pro Sempervivum nevadense* Wale 1941.]  
**Sempervivum tectorum** var. *andreaeum* (Wale) O. Bolòs & Vigo, Fl. Paisos Catalans 2: 821, 1990. Basionym: *Sempervivum andreaeum*.  
**Septas alcicornis** (Schönland) P. V. Heath, Calyx 3(3): 106, 1993. Basionym: *Crassula alcicornis*.  
**Septas capensis** var. *albertiniae* (Schönland) P. V. Heath, Calyx 3(3): 106, 1993. Basionym: *Crassula albertiniae*. [Spelling of the varietal epithet and of the basionym disputed by P. V. Heath.]  
**Septas capensis** var. *leipoldii* (Schönland) P. V. Heath, Calyx 3(3): 106, 1993. Basionym: *Crassula capensis* var. *leipoldii*.  
**Septas capensis** var. *promontorii* (Schönland & Baker) P. V. Heath, Calyx 3(3): 106, 1993. Basionym: *Crassula promontorii*. [Sphalm. 'promunturii'.]  
**Septas dentata** (Thunberg) P. V. Heath, Calyx 3(3): 106, 1993. Basionym: *Crassula dentata*.  
**Septas nemorosa** (Ecklon & Zeyher) P. V. Heath, Calyx 3(3): 106, 1993. Basionym: *Petrogeton nemorosum*.  
**Septas** × *putativa* P. V. Heath, Calyx 3(3): 106, 1993. Typus: *Barker* 4865 (NBG). [= *Septas capensis* var. *capensis* × *S. dentata*.]  
**Septas saxifraga** (Harvey) P. V. Heath, Calyx 3(3): 106, 1993. Basionym: *Crassula saxifraga*.  
**Septas simulans** (Schönland) P. V. Heath, Calyx 3(3): 106, 1993. Basionym: *Crassula simulans*.  
**Septas umbraticola** (N. E. Brown) P. V. Heath, Calyx 3(3): 106, 1993. *Nom. inval.* (Art. 33.2), based on *Crassula umbraticola*. [Sphalm. 'unbracticola'. The generic name of the basionym was erroneously omitted.]  
**Septimia** P. V. Heath, Calyx 3(3): 104, 1993. Typus: *Crassula spathulata* Thunberg. [*Nom. nov. pro Crassula* group *Spathulatae* Schönland 1929.]  
**Septimia crenulata** (Thunberg) P. V. Heath, Calyx 3(3): 104, 1993. Basionym: *Crassula crenulata*.  
**Septimia inandensis** (Schönland & Baker) P. V. Heath, Calyx 3(3): 105, 1993. Basionym: *Crassula inandensis*.  
**Septimia multicava** (Lemaire) P. V. Heath, Calyx 3(3): 105, 1993. Basionym: *Crassula multicava*.  
**Septimia multicava** var. *integrifolia* (Tölken) P. V. Heath, Calyx 3(3): 105, 1993. Basionym: *Crassula sarmentosa* var. *integrifolia*.  
**Septimia multicava** var. *multiflora* P. V. Heath, Calyx 3(3): 105, 1993. [*Nom. nov. pro Crassula multicava* ssp. *floribunda* Tölken.]  
**Septimia sarmentosa** (Harvey) P. V. Heath, Calyx

- 3(3): 105, 1993. Basionym: *Crassula sarmentosa*.
- Septimia spathulata** (Thunberg) P. V. Heath, Calyx 3(3): 105, 1993. Basionym: *Crassula spathulata*. [Sphalm. 'spatulata']
- Septimia spathulata** var. **cyclophylla** (Schönland & Baker) P. V. Heath, Calyx 3(3): 105, 1993. Basionym: *Crassula cyclophylla*. [Sphalm. 'spatulata' / 'cyclophylla']
- Septimia spathulata** var. **latifolia** P. V. Heath, Calyx 3(3): 105, 1993. [Sphalm. 'spatulata']. *Nom. nov. pro Crassula latispathulata* Schönland & Baker 1898.]
- Septimia streyi** (Tölken) P. V. Heath, Calyx 3(3): 105, 1993. Basionym: *Crassula streyi*.
- Sphaeritis ciliata** (Linné) P. V. Heath, Calyx 3(2): 41, 1993. Basionym: *Crassula ciliata*.
- Sphaeritis subulata** (Linné) P. V. Heath, Calyx 3(2): 45, 1993. Basionym: *Crassula subulata*.
- Tetraphyle alpestris** (Thunberg) P. V. Heath, Calyx 3(3): 107, 1993. Basionym: *Crassula alpestris*.
- Tetraphyle alpestris** nvar. **acocksi** P. V. Heath, Calyx 3(3): 107, 1993. Typus: Acocks 14899b (PRE). [= *Tetraphyle alpestris* var. *alpestris* × *T. alpestris* var. *massonii*.]
- Tetraphyle alpestris** var. **massonii** (Britten & Baker) P. V. Heath, Calyx 3(3): 107, 1993. Basionym: *Crassula massonii*.
- Tetraphyle barklyi** (N. E. Brown) P. V. Heath, Calyx 3(3): 107, 1993. Basionym: *Crassula barklyi*.
- Tetraphyle columnaris** (Thunberg) P. V. Heath, Calyx 3(3): 107, 1993. Basionym: *Crassula columnaris*.
- Tetraphyle columnaris** var. **mitrata** (H.-C. Friedrich) P. V. Heath, Calyx 3(3): 107, 1993. Basionym: *Crassula mitrata*.
- Tetraphyle columnaris** var. **prolifera** (H.-C. Friedrich) P. V. Heath, Calyx 3(3): 107, 1993. Basionym: *Crassula columnaris* ssp. *prolifera*. [Basionym erroneously cited as 'var. *prolifera*' and treated as bibliographical error.]
- Tetraphyle congesta** (N. E. Brown) P. V. Heath, Calyx 3(3): 107, 1993. Basionym: *Crassula congesta*.
- Tetraphyle congesta** var. **laticephala** (Schönland) P. V. Heath, Calyx 3(3): 107, 1993. Basionym: *Crassula laticephala*.
- Tetraphyle × hybrida** P. V. Heath, Calyx 3(3): 107, 1993. Typus: Compton 22897 (NBG). [= *Tetraphyle alpestris* var. *massonii* × *T. columnaris* var. *columnaris*.]
- Tetraphyle multiceps** (Harvey) P. V. Heath, Calyx 3(3): 107, 1993. Basionym: *Crassula multiceps*.
- Tetraphyle pyramidalis** var. **archeri** (Compton) P. V. Heath, Calyx 3(3): 107, 1993. Basionym: *Crassula archeri*.
- Tetraphyle pyramidalis** var. **cylindrica** (Schönland) P. V. Heath, Calyx 3(3): 107, 1993. Basionym: *Crassula cylindrica*.
- Tetraphyle pyramidalis** var. **quadrangula** (Ecklon & Zeyher) P. V. Heath, Calyx 3(3): 107, 1993. Basionym: *Tetraphyle quadrangula*.
- Thompsonella spathulata** Kimnach, Cact. Succ. J. (US) 65(1): 41-43, illus., 1993. Typus: Lau s.n. (HNT, MEXU).
- Tillaea longipes** (Rose) J. Meyrán, in M. A. Villavicencio et al. (eds.), Invest. recientes Fl. Fauna Hidalgo, Mexico, 14, 1993. Basionym: *Tillaeastrum longipes*.
- Toelkenia** P. V. Heath, Calyx 3(3): 105, 1993. Typus: *Cotyledon arborescens* Miller. [*Nom. nov. pro Crassula* group *Arborescens* Schönland 1929.]
- Toelkenia arborescens** (Miller) P. V. Heath, Calyx 3(3): 105, 1993. Basionym: *Cotyledon arborescens*.
- Toelkenia lactea** (Solander) P. V. Heath, Calyx 3(3): 105, 1993. Basionym: *Crassula lactea*.
- Toelkenia ovata** (Miller) P. V. Heath, Calyx 3(3): 105, 1993. Basionym: *Cotyledon ovata*.
- Tylecodon aurusburgensis** G. Williamson, Aloe 29(3/4): 60-62, illus., 1993. Typus: Williamson 4417 (NBG) [Ex cult. April 1991]. [Dated 1992, publ. autumn 1993.]
- Tylecodon buchholzianus** var. **fasciculatus** G. Williamson, Aloe 29(3/4): 62-63, illus., 1993. Typus: Williamson 4420 (NBG, BOL). [Dated 1992, publ. autumn 1993.]

## CUCURBITACEAE

**Kedrostis psammophila** Bruyns, Bothalia 23(2): 233-235, illus., map, 1993. Typus: Bruyns 4569 (BOL, K, M, PRE).

## EUPHORBIACEAE

- Euphorbia aureo-viridiflora** (Rauh) Rauh, Collect. Bot. 21: 207, 1993. Basionym: *Euphorbia neohumbertii* var. *aureo-viridiflora*. [Dated 1992, publ. 1993.]
- Euphorbia awashensis** M. G. Gilbert, Collect. Bot. 21: 76, 1993. Typus: Negri 1318 (FT). [Dated 1992, publ. 1993.]
- Euphorbia baleensis** M. G. Gilbert, Collect. Bot. 21: 75-76, 1993. Typus: Gilbert et al. 8001 (K, C, ETH, UPS). [Dated 1992, publ. 1993.]
- Euphorbia banae** Rauh, Kakt. and. Sukk. 44(1): 2-5, illus., 1993. Typus: Rauh 73031 (HEID).
- Euphorbia bitataensis** M. G. Gilbert, Collect. Bot. 21: 75, 1993. Typus: Gilbert et al. 7759 (K). [Dated 1992, publ. 1993.]
- Euphorbia bongolavensis** Rauh, Kakt. and. Sukk. 44(4): 70-75, illus., map, 1993. Typus: *Anonymus in BG Heidelberg* 73208 (HEID).
- Euphorbia burgeri** M. G. Gilbert, Collect. Bot. 21: 70-71, 1993. Typus: Burger 2481 (K, ETH). [Dated 1992, publ. 1993.]
- Euphorbia cedrorum** Rauh & Hebdung, Succulentae 16(4): 5-11, illus., 1993. Typus: *Anonymus in BG Heidelberg* 59367a (HEID).
- Euphorbia lamarcii** fa. **latibracteata** (G. Kunkel) Oudejans, World Cat. Spec. Names Euphorb. Suppl. I, 12, 1993. Basionym: *Euphorbia obiusifolia* fa. *latibracteata*.

- Euphorbia lamarckii** ssp. *regis-jubae* (J. Gay) Oudejans, World Cat. Spec. Names Euphorb. Suppl. I, 11, 1993. Basionym: *Euphorbia regis-jubae*.
- Euphorbia lamarckii** var. *berthelotii* (Bolle ex Boissier) Oudejans, World Cat. Spec. Names Euphorb. Suppl. I, 12, 1993. Basionym: *Euphorbia berthelotii*.
- Euphorbia lamarckii** var. *desfoliata* (Menezes) Oudejans, World Cat. Spec. Names Euphorb. Suppl. I, 12, 1993. Basionym: *Euphorbia obtusifolia* var. *desfoliata*.
- Euphorbia lamarckii** var. *pseudodendroides* (H. Lindberg) Oudejans, World Cat. Spec. Names Euphorb. Suppl. I, 12, 1993. Basionym: *Euphorbia pseudodendroides*.
- Euphorbia longifolia** var. *canariensis* (Boissier) Oudejans, World Cact. Spec. Names Euphorb. Suppl. I, 12, 1993. Basionym: *Euphorbia mellifera* var. *canariensis*.
- Euphorbia nigrispinoides** M. G. Gilbert, Collect. Bot. 21: 72-73, 1993. Typus: *Jonquil Ash* 1800 (K). [Dated 1992, publ. 1993.]
- Euphorbia sebsebei** M. G. Gilbert, Collect. Bot. 21: 74-75, 1993. Typus: *Gilbert et Sebsebe D.* 8740 (K, ETH, UPS). [Dated 1992, publ. 1993.]
- Euphorbia septentrionalis** ssp. *gamugofana* M. G. Gilbert, Collect. Bot. 21: 73-74, 1993. Typus: *Corradi 5743* (FT). [Dated 1992, publ. 1993.]
- Euphorbia serendipita** L. E. Newton, Cact. Succ. J. (US) 65(3): 111-112, ills., 1993. Typus: *Newton 3310* (K, EA).
- Euphorbia spinicapsula** Rauh & Petignat, Kakt. and. Sukk. 44(10): 208-211, ills., 1993. Typus: *Rauh 73329* (HEID).
- Euphorbia subpeltatophylla** Rauh, Kakt. and. Sukk. 44(2): 25-28, ills., 1993. Typus: *Rauh 73368* (HEID).
- Euphorbia susan-holmesiae** Binojkumar & Gopalan, Cact. Succ. J. (US) 65(6): 277-278, ills., 1993. Typus: *Gopalan 91628* (CAL, K, MH).
- Monadenium gilletti** S. Carter, Nord. J. Bot. 13(5): 541-542, ills., 1993. Typus: *Gilletti et al. 22265* (K, EA, FT, MOG, PRE).
- Monadenium lindenii** S. Carter, Nord. J. Bot. 13(5): 542-543, ills., 1993. Typus: *Lavranos et al. 24966* (K, EA, FT).
- Pedilanthus connatus** Dressler & Sacamano, Acta Bot. Mex. 18: 21-24, ills., 1992. Typus: *Sacamano s.n.* (MO) [Ex cult. April 1988].
- Pedilanthus diazlanus** J. Lomelí & Sahagún, Acta Bot. Mex. 25: 15-18, ills., 1993. Typus: *Lomelí Sención et Díaz s.n.* (GUADA, ENCB, F, G, GH, IEB, K, MEXU, MICH, US) [Ex cult. 1992].

## GERANIACEAE

- Pelargonium trifoliolatum** (Ecklon & Zeyher) E. M. Marais, South Afr. J. Bot. 59(2): 131, 1993. Basionym: *Hoarea trifoliolata*.

## LENTIBULARIACEAE

- Pinguicula crassifolia** Zamudio, Acta Bot. Mex. 3: 21-25, ills., 1988. Typus: *Medina C.* 1316 (ENCB, IEB, MEXU). [Omitted previously. Type erroneously cited as 'Medina 316' in the original (pers. comm., S. Zamudio).]
- Pinguicula debbertiana** Speta & Fuchs, Linzer Biol. Beitr. 24(1): 375-380, ills., 1992. Typus: *Debbert s.n.* (herb. Speta, M) [Ex cult. BG München.].
- Pinguicula immaculata** Zamudio & Lux, Acta Bot. Mex. 20: 40-44, ills., SEM-ills., 1992. Typus: *Zamudio et al. 6225* (IEB, CHAPA, ENCB, MEXU, TEX, UANL).
- Pinguicula jaumavensis** Debbert, Mitt. Bot. Staatsamml. München 30: 379-380, 1991. Typus: *Debbert 51* (M, B).

## OXALIDACEAE

- Oxalis oculifera** E. G. H. Oliver, Bothalia 23(1): 72-74, ills., map, 1993. Typus: *Oliver 9558* (STE, BOL, K, PRE).

## PORTULACACEAE

- Calandrinia carolinii** Hershkovitz & D. I. Ford, Phytologia 74(4): 282, 1993. [Nom. nov. pro *Baitaria acaulis* Ruiz & Pavón 1798 (non *Calandrinia acaulis* Kunth 1823).]
- Claytonia exigua** ssp. *glaucia* (Torrey & A. Gray) J. M. Miller & K. L. Chambers, Novon 3(3): 272, 1993. Basionym: *Claytonia parviflora* var. *glaucia*.
- Claytonia parviflora** ssp. *grandiflora* J. M. Miller & K. L. Chambers, Novon 3(3): 270-271, 1993. Typus: *Miller 666* (OSC, CAS, RSA, SD).
- Claytonia parviflora** ssp. *utahensis* (Ryderberg) J. M. Miller & K. L. Chambers, Novon 3(3): 271, 1993. Basionym: *Limnia utahensis*.
- Claytonia parviflora** ssp. *viridis* (Davidson) J. M. Miller & K. L. Chambers, Novon 3(3): 271, 1993. Basionym: *Montia spathulata* var. *viridis*.

- Claytonia perfoliata** ssp. *intermontana* J. M. Miller & K. L. Chambers, Novon 3(3): 269-270, 1993. Typus: *Sharshmith 4767* (OSC).
- Claytonia perfoliata** ssp. *mexicana* (Ryderberg) J. M. Miller & K. L. Chambers, Novon 3(3): 269, 1993. Basionym: *Limnia mexicana*.

- Claytonia rubra** ssp. *depressa* (A. Gray) J. M. Miller & K. L. Chambers, Novon 3(3): 270, 1993. Basionym: *Claytonia parviflora* var. *depressa*.

- Montiopsis** subgen. **Dianthoideae** (Reiche) D. I. Ford, Phytologia 74(4): 277, 1993. Basionym: *Calandrinia* sect. *Dianthoideae*.

- Montiopsis andicola** (Gillies ex Hooker) D. I. Ford, Phytologia 74(4): 277, 1993. Basionym: *Calandrinia andicola*.

- Montiopsis berteroana** (Philippi) D. I. Ford, Phytologia 74(4): 274, 1993. Basionym:

- Calandrinia berteroana.*
- Montiopsis capitata** (Hooker & Arnott) D. I. Ford, Phytologia 74(4): 274, 1993. Basionym: *Calandrinia capitata*.
- Montiopsis cistiflora** (Gillies ex Arnott) D. I. Ford, Phytologia 74(4): 277, 1993. Basionym: *Calandrinia cistiflora*.
- Montiopsis copiapina** (Philippi) D. I. Ford, Phytologia 74(4): 275, 1993. Basionym: *Calandrinia copiapina*.
- Montiopsis cumingii** (Hooker & Arnott) D. I. Ford, Phytologia 74(4): 275, 1993. Basionym: *Calandrinia cumingii*.
- Montiopsis demissa** (Philippi) D. I. Ford, Phytologia 74(4): 275, 1993. Basionym: *Calandrinia demissa*.
- Montiopsis gayana** (Barnéoud) D. I. Ford, Phytologia 74(4): 277, 1993. Basionym: *Calandrinia gayana*.
- Montiopsis gilliesii** (Hooker & Arnott) D. I. Ford, Phytologia 74(4): 275, 1993. Basionym: *Calandrinia gilliesii*.
- Montiopsis glomerata** (Philippi) D. I. Ford, Phytologia 74(4): 275, 1993. Basionym: *Calandrinia glomerata*.
- Montiopsis modesta** (Philippi) D. I. Ford, Phytologia 74(4): 275, 1993. Basionym: *Calandrinia modesta*.
- Montiopsis parviflora** (Philippi) D. I. Ford, Phytologia 74(4): 276, 1993. Basionym: *Calandrinia parviflora*.
- Montiopsis potentilloides** (Barnéoud) D. I. Ford, Phytologia 74(4): 276, 1993. Basionym: *Calandrinia potentilloides*.
- Montiopsis ramosissima** (Hooker & Arnott) D. I. Ford, Phytologia 74(4): 276, 1993. Basionym: *Calandrinia ramosissima*.
- Montiopsis sericea** (Hooker & Arnott) D. I. Ford, Phytologia 74(4): 276, 1993. Basionym: *Calandrinia sericea*.
- Montiopsis trifida** (Hooker & Arnott) D. I. Ford, Phytologia 74(4): 276, 1993. Basionym: *Calandrinia trifida*.
- Montiopsis umbellata** (Ruiz & Pavón) D. I. Ford, Phytologia 74(4): 276, 1993. Basionym: *Talinum umbellatum*.
- Montiopsis uspallatensis** (Philippi) D. I. Ford, Phytologia 74(4): 276, 1993. Basionym: *Calandrinia uspallatensis*.
- Talinum nocturnum** Bacigalupo, Candollea 48(2): 511-515, ills., SEM-ills., 1993. Typus: Schinini et Palacio 25731 (CTES, SI).

## VITACEAE

- Cissus adeyana** Masinde & L. E. Newton, in Verdcourt, Fl. Trop. East Afr.: Vitaceae, 44, 1993. Typus: Bally 8123 (K, EA, K) [Ex cult. Hort. Bally, Nairobi].
- Cissus albiporcata** Masinde & L. E. Newton, in Verdcourt, Fl. Trop. East Afr.: Vitaceae, 43-44, 1993. Typus: Mbugua 387a (EA, K).
- Cissus milnei** Verdcourt, Fl. Trop. East Afr.: Vitaceae, 28, 1993. Typus: Robson 920 (K,

- BM).
- Cissus phymatocarpa** Masinde & L. E. Newton, in Verdcourt, Fl. Trop. East Afr.: Vitaceae, 44-45, 1993. Typus: Masinde 320 (EA, K).
- Cissus quadrangularis** var. *aculeatangula* Verdcourt, Fl. Trop. East Afr.: Vitaceae, 43, 1993. Typus: Bally et Smith 14962 (K).
- Cissus rotundifolia** var. *ferrugineo-pubesca* Verdcourt, Fl. Trop. East Afr.: Vitaceae, 21, 1993. Typus: Verdcourt 2351 (K, EA).
- Cissus sylvicola** Masinde & L. E. Newton, in Verdcourt, Fl. Trop. East Afr.: Vitaceae, 18, 1993. Typus: Luke 3512 (EA, K).
- Cyphostemma grahamii** Verdcourt, Fl. Trop. East Afr.: Vitaceae, 82, 1993. Typus: Graham 2245 (K).
- Cyphostemma pseudoburgeri** Verdcourt, Fl. Trop. East Afr.: Vitaceae, 88, 1993. Typus: Richards 25373 (K).
- Cyphostemma zimmermannii** Verdcourt, Fl. Trop. East Afr.: Vitaceae, 124, 1993. Typus: Zimmermann s.n. (K, EA).

## BIBLIOGRAPHIA

- [1] Alabaster, R. (1993). *Echinocereus pulchellus* and its varieties. Cact. File 1(8): 22-23, illus. [Included on account of the illustrations.]
- [2] Alabaster, R. (1993). *Echinocereus ferreirianus* – a relative newcomer. Cact. File 1(9): 18-19, illus. [Included on account of the illustration.]
- [3] Albers, F. et al. (1993). Deviating chromosome numbers in *Asclepiadaceae*. Nord. J. Bot. 13(1): 37-39.
- [4] Allorge-Boiteau, L. (1993). Pachypodes. Succulentes 16(3): 21-27, illus. [Included on account of the illustrations.]
- [5] Anderson, E. F. (1993). *Cactaceae* [except *Opuntia*]. In: Hickman, J. C. (ed.): The Jepson Manual. Berkeley / Los Angeles (US), etc.: University of California Press. Pp. 450-452, 456-457, illus., key. [Includes *Bergerocactus*, *Carnegiea*, *Echinocactus*, *Echinocereus*, *Escobaria*, *Ferocactus*, *Mammillaria*, *Sclerocactus*.]
- [6] Anderson, E. F. (1993). Studi di conservazione delle *Cactaceae* in Cile. Cactus conservation studies in Chile. Piante Grasse 13(4): 103-113, illus., map.
- [7] Ardévol Gonzales, J. F. et al. (1993). Checklist of chromosome numbers counted in Canarian vascular plants. Sommerfelia 18: 1-59. [Includes *Crassulaceae*, etc.]
- [8] Bacigalupo, N. M. (1993). *Talinum nocturnum* N. M. Bacigal. (*Portulacaceae*), una nueva especie del Chaco paraguayo (Notulae ad Floram paraquaiensem, 43). Candollea 48(2): 511-516, illus., key. [Includes a key to 5 Paraguayan species of *Talinum*.]
- [9] Baijnath, H. & Cutler, D. F. (1993). A contribution to the anatomy and surface details of leaves in *Bulbine* (*Asphodelaceae*) in Africa. South Afr. J. Bot. 59(2): 109-115, illus.
- [10] Barad, G. S. (1993). Travels in Togo. Euphorbia J. 8: 32-39, illus. [Dated 1992, publ. early 1993.]
- [11] Bartel, J. A. (1993). *Crassulaceae: Dudleya*. In: Hickman, J. C. (ed.): The Jepson Manual. Berkeley / Los Angeles (US), etc.: University of California Press. Pp. 525-530, 533, illus., key.
- [12] Barthlott, W. & Hunt, D. R. (1993). *Cactaceae*. In: Kubitzki, K. et al. (eds.): The families and genera of vascular plants. Berlin (D), etc.: Springer-Verlag 2: 161-197, illus., diag., key.
- [13] Battaia, L. & Zanovello, C. (1993). Note Messicane. Il complesso di *Mammillaria picta* Meinhassen. Piante Grasse 13(3): 77-80, illus., map.
- [14] Battaia, L. & Zanovello, C. (1993). Note messicane. *Mammillaria carnea* Zuccarini ex Pfeiff. Piante Grasse 13(4): 115-117, ill., map.
- [15] Bauer, R. (1993). *Rebutia heliosa* Rausch und ihre Verwandten. Kakt. and. Sukk. 44(6): 122-125, (7): 138-141, illus.
- [16] Beaston, B. R. (1993). Pediocacti in the Pacific Northwest. Cact. Succ. J. (US) 65(3): 115-117, illus.
- [17] Bercht, L. (1993). Rosablühende Gymnos aus Nord-Uruguay – vorläufige Mitteilung. Gymnos 10(19): 26-29, map.
- [18] Bercht, L. (1993). Einige Bemerkungen zum rosablühenden *Gymnocalycium mesopotamicum* P 241. Gymnos 10(19): 30-32.
- [19] Berka, L. (1993). Opradovy konec pribehu *Frailea castanea*? Kaktusy 29(1): 5-9, ill., map.
- [20] Berka, L. (1993). *Frailea pygmaea* var. *dakakii* Fric emend. Prestlé. Kaktusy 29(2): 28-31, illus.
- [21] Bernardello, L. M. et al. (1993). Nectar, nectario y visitantes florales en *Phytolacca dioica* (*Phytolaccaceae*). Rev. Brasil. Bot. 16(1): 9-15, ill.
- [22] Betti, G. & Lodé, J. (1993). Succulentes du Sultanat d'Oman. Cact. Aventures No. 19: 17-19, illus., map.
- [23] Beyhl, F. (1993). Sukkulente Euphorbien der Kanarischen Inseln. Palmengarten 57(3): 171-176, illus.
- [24] Billet, K. (1993). *Gymnocalycium mesopotamicum* P 241 "rosablühend". Gymnos 9(18): 66-67, ill.
- [25] Binder, H. (1991). Familie der *Dioscoreaceae*. And. Sukk. No. 17: 7-15, illus.
- [26] Blum, W. (1993). *Echinocereus pectinatus* (Scheidw.) Engelm. im Grenzgebiet der USA und Mexiko. Echinocereenfreund 6(2): 31-37, illus. (3): 83 [erratum].
- [27] Blum, W. (1993). *Echinocereus bristolii* W. T. Marshall und *Echinocereus pseudopectinatus* (N. P. Taylor) N. P. Taylor "stat. nov.". Echinocereenfreund 6(4): 92-94, illus.
- [28] Brachet, C. & Lacoste, M. (1993). Wie steht's mit San Pedro Nolasco, Oax., *M. [mammillaria] otero* und *M. glochidiflora*? Mitteilungsbl. AfM 17(5): 163-172, 178, 180, illus.
- [29] Brachet, C. & Lacoste, M. (1993). "Blumentopf-Arten"? Ein "Ja" mit Einschränkungen. Mitteilungsbl. AfM 17(6): 206-216, illus. [On *Mammillaria rekoi* and related taxa.]
- [30] Brachet, C. et al. (1993). Wie steht's mit

- M.[ammillaria] voburnensis* var. *quetzalcoatl* Reppenhagen und *M. felicis* Schreier nom. prov.? Mitteilungsbl. AfM 17(1): 10-15, 18, ills.
- [31] Brachet, C. et al. (1993). Wie steht's mit *M.[ammillaria] chiapensis* Reppenhagen? Mitteilungsbl. AfM 17(3): 86-93, 98, 100, ills.
- [32] Brachet, C. et al. (1993). Könnte das nicht auch *M.[ammillaria] mundtii* K. Schumann sein? Mitteilungsbl. AfM 17(4): 124-129, 138, ills.
- [33] Brako, L. & Zarucchi, J. L. (1993). Catalogue of the Flowering Plants and Gymnosperms of Peru. Catálogo de las Angiospermas y Gimnospermas del Perú. St. Louis, Missouri (US): Missouri Botanical Garden. 1326 pp., maps. [= Monogr. Syst. Bot. 45.]
- [34] Braun, P. J. & Esteves Pereira, E. (1993). Aggregationen in *Discocactus* Pfeiffer (Cactaceae). Kakt. and. Sukk. 44(3): 62-65, (5): 103-105, (6): 112-117, ills., diag., map.
- [35] Breckwoldt, K. & S. (1993). Kakteensterne in San Luis Potosí. Kaktusblüte 1993: 4, ills. [On *Turbinicarpus macrochele* and *T. klinkerianus*.]
- [36] Breckwoldt, S. & K. (1993). Ein neuer *Echinocactus chloranthus* var. *russanthus* (Weniger) aus dem Big Bend National Park? Echinocereenfreund 6(2): 43-45, ills.
- [37] Brickwood, J. (1993). *Notocactus horstii* and close relatives. Cact. File 1(8): 13-15, ills.
- [38] Bruyns, P. V. (1993). Notes on *Euphorbia monteiroi*. Aloe 29(2): 36-38, ills. [Dated 1992, received at ZSS April 1993.]
- [39] Bruyns, P. V. (1993). New combinations in *Hoodia* and *Lavraria* (Asclepiadaceae - Stapeliae). South Afr. J. Bot. 59(3): 342.
- [40] Bruyns, P. V. (1993). A revision of *Hoodia* and *Lavraria* (Asclepiadaceae - Stapeliae). Bot. Jahrb. Syst. 115(2): 145-270, ills., maps, keys.
- [41] Burow, W. (1993). Ist *Mammillaria pseudocrucigera* Craig eine gute Art? Kakt. and. Sukk. 44(8): 162-163, ill.
- [42] Burr, B. & Barthlott, W. B. (1993). Untersuchungen zur Ultraviolettreflexion von Angiospermenblüten II. *Magnoliidae*, *Ranunculidae*, *Hamamelididae*, *Caryophyllidae*, *Rosidae*. Trop. subtrop. Pfl.-welt 87: 193 pp., ills. [Includes the succulent families *Aizoaceae*, *Cactaceae*, *Crassulaceae*, *Euphorbiaceae*, *Portulacaceae*.]
- [43] Burton, C. M. (1993). *Hoya cagayanensis* Schlechter ex C. M. Burton. *Hoya obscura* Elmer ex C. M. Burton. Hoyan 14(4: part 2): 23-25, ills.
- [44] Carolin, R. C. (1993). *Portulacaceae*. In: Kubitzki, K. et al. (eds.): The families and genera of vascular plants. Berlin (D), etc.: Springer-Verlag 2: 544-555, ills., key.
- [45] Carter, S. (1992). New pair-spined species of *Euphorbia* (Euphorbiaceae) from Somalia. Nord. J. Bot. 12(4): 403-421.
- [46] Carter, S. (1993). Some unresolved problems among Somali *Euphorbia* species. Collect. Bot. (Barcelona) 21: 57-66. [Dated 1992, publ. 1993.]
- [47] Carter, S. (1993). Three Monadeniums from Tanzania. Euphorbia J. 8: 14-20, ills. [Dated 1992, publ. early 1993.]
- [48] Carter, S. (1993). The Bally-Carter collaboration: Euphorbias from East Africa, part 8. Euphorbia J. 8: 60-71, ills.
- [49] Carter, S. (1993). Two new species of *Monadenium* (Euphorbiaceae) from Somalia. Nord. J. Bot. 13(5): 541-543, ills.
- [50] Cattabriga, A. (1993). Il genere *Conophytum* N. E. Brown. Piante Grasse 13(1): 3-10, (3): 67-75, (4): 123-130, map, ills.
- [51] Cattabriga, A. (1993). *Aztekium hintonii* Glass & Fitz Maurice e *Geohintonia mexicana* Glass & Fitz Maurice. Piante Grasse 13(2): 36-50, ills., SEM-ills.
- [52] Chahinian, B. J. (1993). Variegation in cultivated Sansevierias. Haseltonia 1: 45-54, ills.
- [53] Chahinian, B. J. (1993). *Sansevieria ehrenbergii* & *Sansevieria robusta*. Sansevieria J. 2(1): 7-8, ill.
- [54] Chaturvedi, S. K. (1993). Significance of light windows in the pollination of some Indian Ceropegias (Asclepiadaceae). Cact. Succ. J. (US) 65(3): 148-151, ills.
- [55] Cházaro Basañez, M. J. & Viveros Colorado, C. (1993). *Sedum nussbaumerianum* Bitter in its habitat. Sedum Soc. Newslett. No. 25: 10-11, ills.
- [56] Cházaro Basañez, M. J. et al. (1993). Muérdagos en los cactus: Tercer reporte para México. Cact. Suc. Mex. 38(2): 43-47, ills.
- [57] Cházaro Basañez, M. J. et al. (1993). *Sedum multiflorum* Clausen (Crassulaceae), a poorly known stoncrop. Cact. Succ. J. (US) 65(3): 152-154, ills.
- [58] Chichibu, Y. (1993). [In Japanese: Distribution and ecology of *Sedum drymariooides* Hance.] J. Phytogeogr. Taxon. 41(2): 91-93, ills., maps.
- [59] Chvastek, J. (1993). Mimorádny den aneb *Gymnocalycium ysabelae* opět objeven. Kaktusy 29(4): 77-82, ills., SEM-ills.
- [60] Clark, W. H. et al. (1993). A new locality for the Creeping Devil Cactus, *Stenocereus eruca* (T. S. Brandegee) Gibbs. and Horak (Cactaceae), in Baja California, Mexico, with notes on growth. Cact. Succ. J. (US) 65(1): 37-40, ills., maps.
- [61] Cochrane, T. S. (1993). Status and distribution of *Talinum rugospermum* Holz. (Portulacaceae). Nat. Areas J. 13(1): 33-41, maps.

- [62] Cole, D. T. (1993). Bechuanaland confusion. *Aloe* 29(2): 39. [Dated 1992, publ. spring 1993. Included on account of the geographical information.]
- [63] Cota, J. H. (1993). Pollination syndromes in the genus *Echinocereus*: a review. *Cact. Succ. J. (US)* 65(1): 19-26, ills.
- [64] Craib, C. (1993). The natural habitat and cultivation of some southern African geophytic pelargoniums. Part one. *Hystrix Nat. Hist. & Cult. Ser. 1(2)*: 1-28.
- [65] Cseh, T. A. (1993). In search of *Agave panamana* Trel. *Haseltonia* 1: 34-44, ills., map.
- [66] Dean, W. R. J. et al. (1992). An association between a stem succulent (*Euphorbia damaranus*) and a leaf succulent (*Aloe asperifolia*) in the Namib Desert. *J. Arid. Environm.* 22: 67-72.
- [67] Deil, U. (1991). Rock communities in tropical Arabia. *Fl. Veg. Mundi* 9: 175-187.
- [68] Delange, Y. (1993). La vieille Dame de Chèvreloup: *Sesamothamnus lugardii* N. E. Brown. *Succulentos* 16(4): 12-16, ills. [Included on account of the illustrations.]
- [69] Dempster, L. T. (1993). *Portulacaceae: Lewisia*. In: Hickman, J. C. (ed.): *The Jepson Manual*. Berkeley / Los Angeles (US), etc.: University of California Press. Pp. 900, 902-903, 907, ills., key.
- [70] Denton, M. F. (1993). *Crassulaceae: Parvisedum, Sedum*. In: Hickman, J. C. (ed.): *The Jepson Manual*. Berkeley / Los Angeles (US), etc.: University of California Press. Pp. 531-534, 537, ills., keys.
- [71] Dobignard, P. et al. (1992). Matériaux pour la connaissance floristique du Sahara occidental et de l'Anti-Atlas Méridional. II. *Leguminosae à Compositae*. *Candollea* 47: 397-481. [*Asclepiadaceae*: pp. 434-436. Cited from Asklepios No. 60: 17, 1993.]
- [72] Dreyer, L. L. (1991). Taxonomic studies in the genus *Pelargonium*: the section *Cortusina*. In: Vorster, P. (ed.): *Proceedings of the International Geraniaceae Symposium held at the University of Stellenbosch, RSA, 24 - 26 September 1990*. Stellenbosch (RSA): University of Stellenbosch. Pp. 309-329. [Omitted previously.]
- [73] Dupal, S. (1993). Brasiliaparodie – neresený problém I. *Cactaceae* etc. 3(1): 9-14, (2): 40-46, ills., SEM-ills.
- [74] Esler, K. J. et al. (1992). Seed biology of three species of *Mesembryanthema* in the southern succulent Karoo. *South Afr. J. Bot.* 58(5): 343-348. [Omitted previously.]
- [75] Espejo Serna, A. & Lopez Ferrari, A. R. (1993). Las monocotiledóneas Mexicanas, una sinopsis florística: 1. Lista de referencias: parte 1. *Agavaceae*, etc. México D.F. (MEX): Consejo Nacional de la Flora de México. 76 pp.
- [76] Esterhuizen, J. M. (1993). In search of *Haworthia heidelbergensis* G. G. Smith. *Aloe* 29(3/4): 64-65, ills. [Dated 1992, publ. autumn 1993.]
- [77] Esterhuizen, J. M. (1993). Some notes on *Haworthia magnifica* var. *magnifica* V. Poelln. and *Haworthia magnifica* var. *atrofusca* (Smith) Bayer. *Aloe* 29(3/4): 78-79, ills. [Dated 1992, publ. autumn 1993.]
- [78] Ewest, W. (1993). Geophytische Euphorbien (Teil 1). *And. Sukk.* 10(2 [=20]): 3-9, ills. [Dated 1992, received April 1993. Mainly on *Euphorbia ecklonii*.]
- [79] Faden, R. B. (1993). *Tradescantia crassifolia* Cav. (*Commelinaceae*), an overlooked species in the south-western United States. *Ann. Missouri Bot. Gard.* 80: 219-222.
- [80] Fitz Maurice, W. A. & B. (1993). Fieldnotes. A visit to *Mammillaria anniana*. *Cact. Succ. J. (US)* 65(3): 134-137, ills. [German translation in *Mitteilungsbl. AfM* 18(1): 17-23, ills., 1994.]
- [81] Fitz Maurice, W. A. & B. (1993). Fieldnotes. *Mammillaria limonensis* Reppenhagen. *Cact. Succ. J. (US)* 65(4): 200-203, ills. [German translation in *Mitteilungsbl. AfM* 18(2): 63-71, 86, ills., 1994.]
- [82] Fitz Maurice, W. A. & B. (1993). Comments on *Mammillaria brevicrinata*. *J. Mammillaria Soc.* 33(3): 35.
- [83] Flores Macías, A. & Cházaro Basáñez, M. (1993). El status de *Echeveria pringlei* y datos sobre su descubridor. *Cact. Suc. Mex.* 38(1): 7-10, ill.
- [84] Ford, D. I. (1993). New combinations in *Montiopsis* Kuntze (*Portulacaceae*). *Phytologia* 74(4): 273-278.
- [85] Forster, P. I. (1993). The succulent-stemmed taxa of *Sarcostemma* (*Asclepiadaceae*): diversity amongst apparent uniformity. *Aloe* 29(2): 41-45, ills., (3/4): 79 [erratum]. [Dated 1992, publ. spring 1993.]
- [86] Forster, P. I. (1993). *Bulbine vagans* E. M. Watson (*Asphodelaceae*), a restricted Australian endemic. *Aloe* 30(1): 23-24, ills.
- [87] Forster, P. I. (1993). *Sarcostemma socotranum* and an impostor. *Asklepios* No. 60: 35.
- [88] Forster, P. I. (1993). *Euphorbia tannensis* Spreng. in Australia. *Euphorbia J.* 8: 40-44, ills., map, key. [Dated 1992, publ. early 1993.]
- [89] Forster, P. I. (1993). A taxonomic revision of the genus *Peperomia* Ruiz & Pav. (*Piperaceae*) in mainland Australia. *Austrobaileya* 4(1): 93-104, ills., key.
- [90] Forster, P. I. & Liddle, D. J. (1993).

- Asclepiad profile. 3. *Hoya cumingiana* Decne. Asklepios No. 58: 17-19, ills.
- [91] Forster, P. I. & Liddle, D. J. (1993). Resurrection of *Dischidia littoralis* Schltr. (Asclepiadaceae). *Austrobaileya* 4(1): 113-116, ills., key. [Reprinted in Hoyan 15(3: Part 2): 10-12, 1994.]
- [92] Forster, P. I. & Liddle, D. J. (1993). Taxonomic studies on the genus *Hoya* R. Br. (Asclepiadaceae: Marsdenieae) in Papuasia, 6. *Austrobaileya* 4(1): 51-55, ills. [Reprinted in Fratema 1993(4): 5-8, ills., and in Hoyan 15(3: Part 2): 7-10, 1994.]
- [93] Frank, G. R. W. (1993). *Echinocereus barthelowianus* Britton et Rose. Blüherfolge mit wurzelechtem Pflanzenmaterial. *Echinocereenfreund* 1993(1): 4-7, ills. [Included on account of the illustrations.]
- [94] Fritz, G. (1993). Einige Bemerkungen zu *Sulcorebutia menesesi* (Cardenas) Backeberg var. *kamensis* Brederoo & Donald. Kakt. and. Sukk. 44(12): 270-273, ills.
- [95] Fritz, G. (1993). *Pediocactus despainii* Welsh & Goodrich. Kakt. and. Sukk. 44(3): 49-53, ills., map.
- [96] Fritz, G. (1993). Enige bedenkingen bij de problematiek rond het taxon *Sulcorebutia purpurea* (Donald et Lau) Brederoo et Donald. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 6(3): 39-44, ills., map.
- [97] Fürsch, H. (1993). Was ist *Echinocereus russanthus* Weniger? Kakt. and. Sukk. 44(7): 134-137, ills., map.
- [98] Gavilan, A. & Molina, A. (1992). Sobre *Opuntia phaeacantha* Engelmann en España. Anales Jard. Bot. Madrid 50(1): 118-119. [Omitted previously.]
- [99] Gerbaulet, M. (1993). The genus *Anacampseros* L. (Portulacaceae): corrections. Bot. Jahrb. Syst. 115(2): 293.
- [100] Gereau, R. E. (1993). The identity of *Tetragonia horrida* Britton. Taxon 42(2): 411-412.
- [101] Gerloff, N. (1992). Guaritas - druhově bohatá oblast kaktusu v Rio Grande do Sul. Minimus 1992(1): 1-6 + 4 pp. ills.
- [102] Gerloff, N. (1993). Am Heimatstandort von *Gymnocalycium denudatum* Pfeiffer ex Mittler. Gymnos 10(19): 11-19, ills., map.
- [103] Gerloff, N. (1993). Die Malacocarpen in Rio Grande do Sul. Intemoto 14(1): 27-39, ills.
- [104] Gerloff, N. (1993). Die Malacocarpen in Rio Grande do Sul (2). Versuch einer Reduzierung der Arten. Intemoto 14(2): 71-80, ills.
- [105] Gerloff, N. (1993). *Notocactus oxycostatus* Buining & Brederoo und seine Formen. Intemoto 14(3): 83-95, ills., SEM-ills., map.
- [106] Gerloff, N. (1993). *Notocactus leprosorum* (Ritter) Havlicek. Kakt. and. Sukk. 44(2): 34-36, ills.
- [107] Gerloff, N. (1993). Objasnéni jména *Wigginsia ravenditii* n.n. Minimus 1992(2): 16-21, ills., map. [Dated 1992, received July 1993. Issue unnumbered.]
- [108] Gerloff, N. (1993). *Notocactus mammulosus* und seine Varietäten. Rundbrief Intemoto AK Neonotocactus 1993(3): 1-6, ills., map.
- [109] Gerloff, N. (1993). Meine Sicht der *Mammulosi*. Rundbrief Intemoto AK Neonotocactus 1994(1): 3-7, ills. [Dated 1994, received 29. Dec. 1993.]
- [110] Gerloff, N. (1993). Auf der Suche nach *N.[notocactus] ritterianus* und *N. arnoldianus* Kolarik & Lisal. Rundbrief Intemoto Arbeitskr. Neonotocactus 1993(1): 1-7, ills.
- [111] Ghazanfar, S. A. (1992). Annotated catalogue of the vascular plants of Oman and their vernacular names. Scripta Bot. Belg. 2: 1-153. [Includes a key to 6 species of *Caralluma*.]
- [112] Gibby, M. (1991). Cytological and hybridization studies in *Pelargonium* and their application in taxonomy. In: Vorster, P. (ed.): Proceedings of the International *Geraniaceae* Symposium held at the University of Stellenbosch, RSA, 24 - 26 September 1990. Stellenbosch (RSA): University of Stellenbosch. Pp. 123-136. [Omitted previously.]
- [113] Gilbert, M. G. (1993). Notes on *Euphorbia* subgenus *Euphorbia* in Ethiopia. Collect. Bot. (Barcelona) 21: 67-77. [Dated 1992, publ. 1993.]
- [114] Gilbert, M. G. (1993). The genus *Hypagophyllum* (Crassulaceae). Opera Bot. 121: 47-50, ills.
- [115] Gillespie, L. J. (1993). *Euphorbiaceae* of the Guianas: annotated species checklist and key to genera. Brittonia 45(1): 56-94. [Includes several naturalized succulent and semi-succulent taxa.]
- [116] Gilmer, K. (1993). Über die zufällige Entdeckung eines Standortes von *Lobivia famatimensis* (Spegazzini) Britton & Rose (?). Kakt. and. Sukk. 44(11): 230-231, ills.
- [117] Glen, H. F. (1993). *Aloe ukambensis*. Flow. Pl. Afr. 52(2): t. 2064 + 2 pp. of text, map, key. [Includes a key to related taxa.]
- [118] Glen, H. F. & Craib, C. (1993). *Aloe haemanthifolia*. Flow. Pl. Afr. 52(2): t. 2063 + text, map.
- [119] Glen, H. F. & Hardy, D. S. (1993). *Aloe meyeri*, *Aloe veseyi*. Flow. Pl. Afr. 52(2): t. 2065-2066 + text, maps, key. [The text to t. 2065 includes a key to taxa related to *A. meyeri*.]
- [120] Green, T. (1993). *Hoya fraterna* versus *Hoya coriacea*. Fratema 1993(1): 8-13, ills.

- [121] Groen, L. E. (1992). Biogeography of the Eastern Cape Province in relation to the taxonomy and distribution of *Mesembryanthemoideae* (*Aizoaceae*). *Acta Bot. Neerl.* 41(3): 352. [Abstract only. Omitted previously.]
- [122] Ham, R. C. H. J. van et al. (1992). Clone bank and physical map of *Sedum album* (*Crassulaceae*) chloroplast DNA. *Biochem. Syst. Ecol.* 20(3): 243-254. [Omitted previously.]
- [123] Hammer, S. (1993). *Dorotheanthus rourkei*, an untamed beauty. *Aloe* 29(3/4): 80-81, illus. [Dated 1992, publ. autumn 1993.]
- [124] Hammer, S. (1993). Dwarf dwarfs: *Conophytum*, the section *Minuscula*. *Haseltonia* 1: 18-28, illus.
- [125] Hammer, S. (1993). Notes on some haworthioid Bulbines. *Haworthiad* 7(5): 6-8.
- [126] Hammer, S. (1993). *Minor* in fractions? Mesemb Study Group Bull. 8(3): 49-50, illus. [On *Pleiospilos minor*.]
- [127] Hammer, S. (1993). Further notes on *Lithops halenbergensis* Tischer. Mesemb Study Group Bull. 8(3): 51.
- [128] Hammer, S. (1993). Rediscovering *Rabiea difformis*. Mesemb Study Group Bull. 8(4): 80.
- [129] Hammer, S. (1993). The genus *Conophytum*. A conograph. Pretoria (RSA): Succulent Plant Publications. 286 pp., illus., maps.
- [130] Hammer, S. (1993). Mrs Bolus and the automatic sausage machine. *Aloe* 30(3/4): 88-91, illus. [On basic principles of systematics.]
- [131] Hansen, A. & Sunding, P. (1993). Flora of Macaronesia. Checklist of vascular plants. 4. revised edition. *Sommerfeltia* 17: 1-295.
- [132] Hanson, M. A. & Rieseberg, L. H. (1992). Dispersed unidirectional introgression between *Yucca schidigera* and *Yucca baccata*. *Amer. J. Bot.* 79(6: Suppl.): 147. [Abstract only. Omitted previously.]
- [133] Hargreaves, B. J. (1993). Volcanos and spurges: *Euphorbia clavarioides* in Lesotho. *Euphorbia J.* 8: 103-110, illus. [Dated 1992, publ. early 1993.]
- [134] Hargreaves, B. J. (1993). The other spurges of Lesotho (at least allegedly). *Euphorbia J.* 8: 126-132, illus. [Dated 1992, publ. early 1993.]
- [135] Hargreaves, B. J. (1993). The succulent Euphorbias of Botswana. *Euphorbia J.* 8: 45-50, illus., map. [Dated 1992, publ. early 1993.]
- [136] Hargreaves, B. J. (1993). *Euphorbia monteiri* [sic!] Hook. f. *Euphorbiaceae* Study Group Bull. 6(2): 71-79, illus., map.
- [137] Hart, H. 't (1993). About the name *Sedum sexangulare* L. *Sedum Soc. Newslett.* No. 27: 22-24, illus.
- [138] Hart, H. 't (1993). Relations between the Central Mediterranean and the Irano-Turanian and Hyrcano-Euxine *Sedum* flora. *Proc. 5. OPTIMA Meeting Istanbul 1986* : 583-589, diag., maps.
- [139] Hart, H. 't & Jarvis, C. E. (1993). Typification of Linnaeus's names for European species of *Sedum* subgen. *Sedum* (*Crassulaceae*). *Taxon* 42(2): 399-410, ill.
- [140] Hart, H. 't et al. (1993). Biosystematic studies in *Sedum* (*Crassulaceae*) from Turkey. 4. The cytology of *Sedum* subsect. *Spathulata* Boriss. *Acta Bot. Neerl.* 42(3): 289-298, ill.
- [141] Hart, H. 't et al. (1993). The allopolyploid origin of *Sedum rupestre* ssp. *rupestre* (*Crassulaceae*). *Pl. Syst. Evol.* 184: 195-206, diags.
- [142] Hartmann, H. E. K. (1993). *Aizoaceae*. In: Kubitzki, K. et al. (eds.): *The families and genera of vascular plants*. Berlin (D), etc.: Springer-Verlag 2: 37-69, illus., key.
- [143] Hartmann, H. E. K. (1993). The spiny mesembs. *Mesemb Study Group Bull.* 8(1): 15-17, key. [A key to some species of *Leipoldtia*, *Eberlanzia*, *Antimima*, *Ruschia*, etc.]
- [144] Hartmann, H. E. K. (1993). Notes on *Glottiphyllum*. *Mesemb Study Group Bull.* 8(3): 48, key.
- [145] Hartmann, H. E. K. & Stüber, D. (1993). On the spiny *Mesembryanthema* and the genus *Eberlanzia*. *Contr. Bolus Herb.* 15: 1-75, illus., chrom. nos., maps, keys.
- [146] Hassberg, H. J. (1992). Taxonomische Überlegungen zur Gattung *Lithops*. *And. Sukk.* 10(1 [= 19]): 3-7.
- [147] Hassberg, H. J. (1993). Taxonomische Überlegungen zur Gattung *Lithops* (Teil 2). *And. Sukk.* 10(2 [= 20]): 12-16. [Dated 1992, received April 1993.]
- [148] Havlicek, R. (1993). Die Untergattung *Notocactus* Buxbaum. Gruppierung der Formenkomplexe der Reihe *Setacei* Fric ser. prov. und der heutige Stand der Arten im Rahmen dieser Komplexe im Lichte der Funde der letzten Jahre. Studie V. *Rundbrief Setacei* 1993(1): 15-38, illus., map. [Translated from the Czech original which was published in the journal 'Minimus' (vol. 10 ?).]
- [149] Heath, P. V. (1993). The type of *Podanthes* Haworth. The type of *Tromotriche* Haworth. *Calyx* 3(1): 14-15.
- [150] Heath, P. V. (1993). Commentary on the proposal to conserve *Stapelia* Linné. *Calyx* 3(1): 16-25.
- [151] Heath, P. V. (1993). Commentary on the proposal to conserve *Sedum* Linné. *Calyx* 3(1): 26.
- [152] Heath, P. V. (1993). Salm-Dyck's *Mammillaria* sections. *Calyx* 3(1): 32.

- [153] Heath, P. V. (1993). The type of *Obesia* Haworth. The type of *Orbea* Haworth. Calyx 3(1): 35-36.
- [154] Heath, P. V. (1993). The subgenera of *Stapelia* Linné. Calyx 3(1): 37-38.
- [155] Heath, P. V. (1993). The type of *Piaranthus*. Calyx 3(1): 5.
- [156] Heath, P. V. (1993). The subgenera of *Gonostemon*. Calyx 3(1): 7-9.
- [157] Heath, P. V. (1993). Overlooked typifications (first instalment). Calyx 3(2): 49-71. [Includes notes on the typification of various succulent genera.]
- [158] Heath, P. V. (1993). The type of *Gomara* Adanson. Calyx 3(2): 72.
- [159] Heath, P. V. (1993). The validity of *Mamillopsis* Morren. Calyx 3(2): 77.
- [160] Heath, P. V. (1993). The type of *Crassula* Linné. Calyx 3(2): 78.
- [161] Heath, P. V. (1993). Three new generic names in the *Crassulaceae*. Calyx 3(3): 103-105.
- [162] Heath, P. V. (1993). The early generic names of Miller. Calyx 3(3): 81-99. [Includes notes on several names of genera of succulents.]
- [163] Heath, P. V. (1993). The type of *Crassula muscosa* Linné. Calyx 3(4): 124.
- [164] Heath, P. V. (1993). The type of *Psilocaulon* Brown. The type of *Vanzijlia* Bolus. The type of *Delosperma* Brown. The type of *Bijlia* Brown. Calyx 3(4): 125-130.
- [165] Heath, P. V. (1993). Brown's "*Mesembryanthemum* and some new genera separated from it". Calyx 3(4): 131-144.
- [166] Heath, P. V. (1993). The type of *Crassula ovallata* Linné. Calyx 3(4): 145.
- [167] Heath, P. V. (1993). Rowley's invalid plant names. Calyx 3(4): 150-152.
- [168] Heath, P. V. (1993). New generic names in the *Asphodelaceae*. Calyx 3(4): 153.
- [169] Heath, P. V. (1993). Additions and corrections to J. M. Evanich's "Index of Cactus illustrations (1988)" from T. Rümpler's "Handbuch der Kakteenkunde", 2nd. ed. (1884-86). Calyx 3(4): 158-160.
- [170] Heath, P. V. (1993). A counter proposal to conserve *Stapelia* Linné. Calyx 4(1): 19.
- [171] Heath, P. V. (1993). The dittography of *Mammillaria* Haworth. Calyx 4(1): 20-21.
- [172] Heath, P. V. (1993). The type of *Crassula pruinosa* Linné. The type of *Crassula scabra* Linné. Calyx 4(1): 3-4.
- [173] Heath, P. V. (1993). The type of *Crassula caffra* Linné. The type of *Crassula centauroides* Linné. The type of *Crassula flava* Linné. The type of *Crassula tetragona* Linné. Calyx 4(1): 33-37.
- [174] Heath, P. V. (1993). A superfluous proposal to conserve *Echinofossulocactus* Lawrence. Calyx 4(1): 38-40.
- [175] Heath, P. V. (1993). The history of *Aulacothele* (Lemaire) De Monville. Calyx 4(1): 5-8.
- [176] Heek, E. & W. van (1993). Melokakteen auf Kuba. Kakt. and. Sukk. 44(8): 174-177, illus. [Included on account of the illustrations.]
- [177] Heine, R. (1993). *Lithops olivacea* L. Bolus var. *nebrownii* Cole - Varietät oder Standortvariante? Kakt. and. Sukk. 44(9): 190-191, illus., map.
- [178] Herm, K. (1993). *Notocactus* oder *Parodia*? Internoto 14(1): 13-19, illus.
- [179] Herm, K. (1993). *Notocactus horstii* F. Ritter und Verwandte. Internoto 14(2): 59-64, illus.
- [180] Herm, K. (1994). Hybriden im Rincão da Bolsa? Internoto 15(2): 58-60, ill. [On *Notocactus rauschii* with differently coloured flowers.]
- [181] Hernández-Barrera, J. T. (1993). Distribución de *Obregonia denegrii* Fric. Cact. Suc. Mex. 38(3): 51-57, illus., maps.
- [182] Hernández-Barrera, J. T. et al. (1993). Contribución al conocimiento de *Mammillaria carmenae* Castañeda. Cact. Suc. Mex. 38(1): 3-7, back cover, illus.
- [183] Hershkovitz, M. A. (1993). Revised circumscriptions and subgeneric taxonomies of *Calandrinia* and *Montiopsis* (*Portulacaceae*) with notes on phylogeny of the Portulaceous alliance. Ann. Missouri Bot. Gard. 80: 333-365, illus., diagrs.
- [184] Hershkovitz, M. A. (1993). Leaf morphology of *Calandrinia* and *Montiopsis* (*Portulacaceae*). Ann. Missouri Bot. Gard. 80: 366-396, illus., diagrs.
- [185] Hershkovitz, M. A. & Ford, D. I. (1993). *Calandrinia carolinii*: new name for *Baitaria acaulis* Ruiz & Pavon (*Portulacaceae*). Phytologia 74(4): 279-283.
- [186] Hickman, J. C. (1993). The Jepson Manual. Higher plants of California. Berkeley / Los Angeles (US), etc.: University of California Press. xvii + 1400 pp., illus., keys. [Includes *Aizoaceae* (pp. 126-130), *Cactaceae* (pp. 450-456), *Crassulaceae* (pp. 524-534), *Portulacaceae* (pp. 895-905), and *Aloe*, *Agave*, *Nolina*, *Yucca* (covered under *Liliaceae*, pp. 1172, 1203, 1210). Major contributions covered separately in this bibliography.]
- [187] Ho, P.-H. (1992). Cáycô Viêtnam. An illustrated flora of Vietnam. Vol. 2(1): Tù *Eleagnaceae* [sic!] dên *Apiaceae*. Montreal (CAN): published by the author. [*Euphorbiaceae*: pp. 356-365. Cited from *Euphorbiaceae Study Group Bull.* 6(2: Suppl.): 33, 1993.]
- [188] Hochstätter, F. (1993). The genus

*Sclerocactus*. Revised. Magnificent, fascinating natural wonder. Description - Distribution - Cultivation. Mannheim (D): published by the author. 128 pp., ills., SEM-ills.

- [189] Hochstätter, F. (1993). Het geslacht *Sclerocactus*. Een revisie. 2-5. *Succulenta* 72(1): 19-34, (2): 82-92, (3): 137-140, (4): 187-191, key, ills., SEM-ills., maps. [Concluded from vol. 71.]
- [190] Hofacker, A. (1993). *Notocactus langsdorffii* (Lehmann) Krainz und Verwandte – eine kritische Betrachtung. *Internoto* 14(4): 120-129, ills.
- [191] Hofacker, A. (1993). Darf es auch einmal eine andere Farbe sein? *Internoto* 14(4): 144-146, ills. [On colour variants of *Notocactus* taxa.]
- [192] Hofacker, A. (1993). Kakteen auf Isla Margarita. *Kakt. and. Sukk.* 44(10): 220-223, ills.
- [193] Hofacker, A. & Hörnig, K. (1993). Die Gattung *Gymnocalycium* im Süden Brasiliens und in Uruguay. *Gymnocalycium* 6(4): xxxiv. [Continuing in vol. 7.]
- [194] Hohenester, A. & Weiss, W. (1993). Exkursionsflora für die Kanarischen Inseln mit Ausblicken auf ganz Makaronesien. Stuttgart (D): Verlag Eugen Ulmer. 374 pp. [Included on account of the keys to *Crassulaceae*, *Euphorbia*.]
- [195] Holguín, G. et al. (1993). The degeneration of Cardón populations in Baja California Sur, México. *Cact. Succ. J. (US)* 65(2): 64-67, ills.
- [196] Hoock, H. (1993). Entdeckt, verloren, wiedergefunden: *Astrophytum myriostigma* Lemaire bei der Mine von San Rafael, San Luis Potosí. *Kakt. and. Sukk.* 44(10): 212-215, ills., diag., map.
- [197] Hoock, H. (1993). Ist *Astrophytum coahuilense* (Moeller) Kayser ein Naturhybrid? *Kakt. and. Sukk.* 44(2): 37-44, ills., diags.
- [198] Huerta M., F. M. (1993). Crasuláceas y otras suculentas de la Barranca El Nogal, Tapalpa, Jalisco. *Cact. Suc. Mex.* 38(2): 38-43, ills.
- [199] Hummelinck, P. W. (1993). Agaven op Curaçao, Aruba en Bonaire. 1-3. *Succulenta* 72(1): 5-11, (3): 104-109, (5): 214-223, ills., key.
- [200] Hunt, D. R. (1993). *Commelinaceae*. In: McVaugh, R. (ed.): *Flora Nova-Galicianae*, 13: 130-201, ills. Ann Arbor (US: MI): University of Michigan Herbarium.
- [201] Insun, K. (1992). The ultrastructure of *Portulaca* species. *Amer. J. Bot.* 79(6: Suppl.): 37. [Abstract only. Omitted previously.]
- [202] Jaarsveld, E. van (1993). *Peperomia* species of South Africa. *Aloe* 29(3/4): 67-69, ills., key. [Dated 1992, publ. autumn 1993. 5 species reported.]
- [203] Jaarsveld, E. van (1993). The Baviaanskloof, Kougamad and *Aloe pictifolia* Hardy. *Brit. Cact. Succ. J.* 11(1): 22-27, ills.
- [204] Jaarsveld, E. van (1993). *Aloe gariepensis* Pillans. *Cact. Succ. J. (US)* 65(2): 88-89, ills.
- [205] Jaarsveld, E. van (1993). The remarkable Nama Plakkie. Another of Ernst's fascinating desert plants, *Tylecodon singularis*. *Veld & Flora* 79(2): 40-41, ill.
- [206] Jaarsveld, E. van & Nordenstam, B. (1993). *Pteronia heterocarpa*. *Aloe* 30(1): 10-12, ills.
- [207] Jankalski, S. (1993). *Opuntia 'Rutilans'* – a new name for an old cultivar. *Hardy Cact. Succ. Bull.* 2(1): 16-19.
- [208] Jankalski, S. (1993). *Hesperaloe*. *Hardy Cact. Succ. Bull.* 2(1): 9-11.
- [209] Jankalski, S. (1993). *Opuntia schweineriana* retums. *Hardy Cact. Succ. Bull.* 2(2): 38-39.
- [210] Jankalski, S. (1993). *Talinum sediforme*. *Hardy Cact. Succ. Bull.* 2(3): 61-67.
- [211] Jankalski, S. (1993). A closer look at the genus *Orostachys*. *SempWorld* 1(3): 1-4. [Includes a short synopsis.]
- [212] Jankalski, S. (1993). The names for the Spanish Sempervivums. *SempWorld* 1(4): 1-4, key.
- [213] Johnson, R. A. (1992). Pollination and reproductive ecology of acuña cactus, *Echinomastus erectocentrus* var. *acunensis*. *Int. J. Pl. Sci.* 153(3): 400-408. [Omitted previously.]
- [214] Johnston, T. (1993). *Austrocactus* and its neighbours from Patagonia / southern Argentina. *Brit. Cact. Succ. J.* 11(2): 36-38, ills. [Included on account of the illustrations.]
- [215] Jonkers, B. (1993). *Rhytidocaulon fulleri*, a secretive endemic from Dhofar (S Oman). *Asklepios No.* 60: 31-34, ills., map.
- [216] Jonkers, B. (1993). Marokko, een succulentenland om de hoek. *Succulenta* 72(2): 55-67, ills., map. [Included on account of the illustrations.]
- [217] Jonkers, B. & Walker, C. C. (1993). The asclepiads of Morocco – a short commentary. *Asklepios No.* 59: 14-21, ills., map, key.
- [218] Kativu, S. & Nordal, I. (1993). New combinations of African species in the genus *Chlorophytum* (*Anthericaceae*). *Nord. J. Bot.* 13(1): 59-65, ills.
- [219] Kattermann, F. (1993). A trip to the Chilean altiplano. *Cact. Succ. J. (US)* 65(6): 296-300, ills. [German translation in Frankfurter Kakt.-freund 1994(3): 52-58, ills.]
- [220] Kelley, W. A. (1993). *Portulacaceae*: *Calandrinia*, *Portulaca*. In: Hickman, J. C. (ed.): *The Jepson Manual*. Berkeley / Los Angeles (US),

- etc.: University of California Press. Pp. 895-896, 901, 904-905, 907, ills., key.
- [221] Kim, I. (1993). Biosystematics of *Portulaca* species in northeast Asia. Korean J. Pl. Taxon. 23(2): 71-96, ills., chrom. nos.
- [222] Kimnach, M. (1993). The genus *Disocactus*. Haseltonia 1: 95-139, ills., key.
- [223] Kirtley, J. R. et al. (1993). *Austrocylindropuntia verschaffeltii*. Chileans 15(49): 20-24, ills., cover-page.
- [224] Kloppenburg, D. (1993). *Hoya* Section *Sperlingia* (Vahl) Miquel. Fresno (US: CA): published by the author. [Cited from Asklepios No. 61: 20, 1994. Undated, copies received by some late in 1993.]
- [225] Kloppenburg, D. (1993). The *Hoya coracea* Bl., *H. fraterna* Bl. story. Fratema 1993(2): 11-13.
- [226] Koller, A. L. (1993). Leaf anatomy in *Sansevieria*. Sansevieria J. 2(2): 41-45, (3): 53-59, (4): 75-79, ills.
- [227] Konop, R. (1992). Die kaukasischen Arten der Gattung *Sempervivum*. Gartenpraxis 18(6): 24-26, ills., key. [Omitted previously.]
- [228] Kooij, S. (1993). *Thelocephala fankhauseri*. Succulenta 72(4): 183-187, ills. [Included on account of the illustrations.]
- [229] Kruijsen, B. & Weeda, E. J. (1992). *Herniaria glabra* L. en *Crassula tillaea* Lester-Garland op voetpaden in de duinen bij Bergen (N.-H.). Gorteria 18: 29-33. [Omitted previously.]
- [230] Kubitzki, K. (1993). *Didiereaceae*. In: Kubitzki, K. et al. (eds.): The families and genera of vascular plants Berlin (D), etc.: Springer-Verlag 2: 292-295, ills., key.
- [231] Kubitzki, K. et al. (eds.) (1993). The families and genera of flowering plants. Vol. 2. Flowering plants. Dicotyledons. Magnoliid, Hamamelid and Caryophyllid families. Berlin (D) etc.: Springer-Verlag. x + 653 pp., ills.
- [232] Kunze, H. (1993). Evolution of the translator in *Periplocaceae* and *Asclepiadaceae*. Pl. Syst. Evol. 185: 99-122.
- [233] Lambert, J. (1993). *Gymnocalycium quehlianum* (Haage jr. ex Quehl) Hosseus versus *Gymnocalycium leptanthum* (Speg.) Speg. Gymnos 10(20): 41-46, ill.
- [234] Lambert, J. (1993). Minder bekende Opuntia's uit Argentinie. Succulenta 72(4): 163-170, ills.
- [235] Lambert, J. G. (1993). Cactus d'Argentine. Passendale / Roeselare (B): published by the author. 314 pp., ills. [Includes a numerical list of collection numbers of the author.]
- [236] Lambrou, M. & Till, W. (1993). Zur Karyologie der Gattung *Gymnocalycium*. *Gymnocalycium* 6(1): 85-88, ills., chromos. nos.
- [237] Lange, M. (1993). Über die Grünen. Teil 3: *Echinocereus cinerascens* (DC.) Lemaire. Echinocereenfreund 6(2): 45-54, ills.
- [238] Lange, M. (1993). Über die Grünen. Teil 4: *Echinocereus berlandieri* (Engelm.) Hort. F. A. Haage und seine Formen. Echinocereenfreund 6(3): 81-83, (4): 101-106, ills.
- [239] Lavranos, J. J. (1993). Note on *Aloe brachystachys* Baker and a new synonym. Cact. Succ. J. (US) 65(4): 195.
- [240] Leach, L. C. (1993). *Euphorbia candelabrum* auct. Collect. Bot. (Barcelona) 21: 91-95. [Dated 1992, publ. 1993.]
- [241] Leach, L. C. (1993). *Euphorbia knuthii* Pax: Its distribution and other matters. Euphorbia J. 8: 72-73, ills. [Dated 1992, publ. early 1993.]
- [242] Leach, L. C. (1993). *Tavaresia* versus *Decabalone* (Asclepiadaceae). Taxon 42(3): 665-667.
- [243] Lechner, P. (1993). Die Schwierigkeiten bei der Art-Abgrenzung der *Stylothelae*-Mammillarien Mexikos. Mitteilungsbl. AfM 17(2): 61, 63, 69-75, ills. [On *Mammillaria pinnispinosa*, *M. gilensis*, *M. bombycina*, *M. perezdelarosae*, etc.]
- [244] Leclerc, J.-M. (1990). Contribution à la systématique du genre *Monadenium* Pax (Euphorbiaceae) et essais d'introduction en tant que plantes ornementales de certaines espèces de ce genre. Gembloux (F): Faculté des Sciences Agronomiques de l'État. 83 pp. + app. [Unpublished thesis. Not seen, cited from Euphorbiaceae Study Group Bull. 6(1): 22-23, 1993.]
- [245] Lenz, L. W. (1992). An annotated catalogue of the plants of the Cape region, Baja California Sur, Mexico. Claremont (US: CA): The Cape Press. 114 pp.
- [246] Lauenberger, B. E. (1993). The genus *Denmoza* Britton & Rose (Cactaceae): taxonomic history and typification. Haseltonia 1: 86-94, ills.
- [247] Lauenberger, B. E. (1993). Interpretation and typification of *Cactus opuntia* L., *Opuntia vulgaris* Mill., and *O. humifusa* (Rafin.) Rafin. (Cactaceae). Taxon 42(2): 419-429, ills.
- [248] Liede, S. (1993). A taxonomic revision of the genus *Cynanchum* L. (Asclepiadaceae) in southern Africa. Bot. Jahrb. Syst. 114: 503-550, ills., map, key.
- [249] Liede, S. (1993). New species and some important name changes in Malagasy leafy *Cynanchum* (Asclepiadaceae). Bull. Mus. Nation. Hist. Nat. Paris, ser. 4, sect. B, Adansonia 14(3-4): 429-453, ills. [Vol. for 1992, received at Z Nov. 1993.]
- [250] Liede, S. & Kunze, H. (1993). A

- descriptive system for corona analysis in *Asclepiadaceae* and *Periplocaceae*. Pl. Syst. Evol. 185(3-4): 275-284, ills.
- [251] Liede, S. & Meve, U. (1993). Towards an understanding of the *Sarcostemma viminale* (*Asclepiadaceae*) complex. Bot. J. Linn. Soc. 112: 1-15, ills.
- [252] Liede, S. et al. (1993). On the position of the genus *Karimbolea* (*Asclepiadaceae*). Amer. J. Bot. 80(2): 215-221, ills.
- [253] Lieutier, H. (1993). Tourisme Sedumania en Crète. Sedum Soc. Newslett. No. 27: 11-17, ills., map.
- [254] Linzen, T. (1993). Die zwei Standortformen der *M.[amillaria] haudeana* Lau et Wagner. Mitteilungsbl. AfM 17(5): 183, 188-190, ills.
- [255] Linzen, T. (1993). Eine weitere Beschreibung der *Pelecyphora pectinata*. Mitteilungsbl. AfM 17(6): 229-231.
- [256] Lodé, J. (1993). La clé d'un mystère ? Redécouverte d'*Opuntia pulchella* en Arizona. Cact. Aventures No. 17: 5-7, ills., map.
- [257] Lombardi, J. A. (1993). O gênero *Rhipsalis* Gärtner (*Cactaceae*), no Estado do São Paulo. 1. Espécies com ramos cilíndricos ou subcilíndricos. Acta Bot. Bras. 5(2): 53-76, ills. [Dated 1991, received at ZSS in August 1993.]
- [258] Lomeli-Mijes, E. & Pimienta-Barrios, E. (1993). Demografía reproductiva del Pitayo (*Stenocereus queretaroensis* (Web.) Buxbaum). Cact. Suc. Mex. 38(1): 13-20, ills., diags.
- [259] Ma, J. S. & Wu, C. Y. (1993). A synopsis of Chinese *Euphorbia* L. s.l. (*Euphorbiaceae*). Collect. Bot. (Barcelona) 21: 97-120. [Dated 1992, publ. 1993.]
- [260] Mahlberg, P. G. (1993). Laticifers: an historical perspective. Bot. Rev. 59: 1-23.
- [261] Malaisse, F. & Schaijies, M. (1993). Notes on the Ceropagias of South East Zaire. Asklepios No. 58: 21-30, ills., 2 col. pl.
- [262] Mangani, R. (1992). Early *Sansevieria* illustrations. Sansevieria J. 1(2): 19-24, ills. [Omitted previously.]
- [263] Mangani, R. (1993). *Euphorbia handiensis* Burchard in Fuerteventura. Euphorbia J. 8: 21-31, ills., map. [Dated 1992, publ. early 1993.]
- [264] Mangani, R. (1993). Inter-subgeneric hybrids in *Haworthia*. Haworthiad 7(2): 10-14, ill.
- [265] Mangutsch, P. (1993). Interessante Hybriden. Kakt. and. Sukk. 44(9): 188-189, ills. [Short mention of numerous hybrids with *Haworthia aureispina* as one parent.]
- [266] Marais, E. M. (1993). The *Pelargonium pinnatum* species complex. Geraniaceae Group News 1993(Summer): 12-17, ills.
- [267] Marais, E. M. (1993). A taxonomic revision of the *Pelargonium pinnatum* species complex (Geraniaceae). South Afr. J. Bot. 59(2): 123-134, ills., key.
- [268] Marais, E. W. (1991). The section *Hoarea* of the genus *Pelargonium*. In: Vorster, P. (ed.): Proceedings of the International Geraniaceae Symposium held at the University of Stellenbosch, RSA, 24 - 26 September 1990. Stellenbosch (RSA): University of Stellenbosch. Pp. 295-308. [Omitted previously.]
- [269] Marinissen, M. (1993). Het geslacht *Uebelmannia*. Succulenta 72(6): 245-250, ills. [Included on account of the illustrations.]
- [270] Marszewski, D. E. (1991). Chemotaxonomy of *Pelargonium*. In: Vorster, P. (ed.): Proceedings of the International Geraniaceae Symposium held at the University of Stellenbosch, RSA, 24 - 26 September 1990. Stellenbosch (RSA): University of Stellenbosch. Pp. 211-214. [Omitted previously.]
- [271] Martínez Avalos, J. G. et al. (1993). Aspectos ecológicos y demográficos de *Ariocarpus trigonus* (Weber) Schumann. Cact. Suc. Mex. 38(2): 30-38, ills.
- [272] Martínez Avalos, J. G. & Jiménez Pérez, J. L. (1993). Las Cactaceas del Valle de Jaumave, Tamaulipas. Cact. Suc. Mex. 38(4): 75-82, ills., map. [Includes a species list.]
- [273] Marx, G. (1993). The succulent Euphorbias of the southeastern Cape Province: Part one: Dwarf species and smaller shrubs. Euphorbia J. 8: 74-102, ills., map. [Dated 1992, publ. early 1993.]
- [274] Matthews, J. F. et al. (1992). *Portulaca umbraticola* Kunth (*Portulacaceae*) in the United States. Castanea 57: 202-208. [Previously omitted.]
- [275] Matthews, J. F. et al. (1993). The biology and taxonomy of the *Portulaca oleracea* L. (*Portulacaceae*) complex in North America. Rhodora 95(882): 166-183, ills., chrom. nos.
- [276] Mauseth, J. D. (1993). Medullary bundles and the evolution of cacti. Amer. J. Bot. 80(8): 928-932, ills.
- [277] Mauseth, J. D. (1993). Water-storing and cavitation-preventing adaptations in wood of cacti. Ann. Bot. 72(1): 81-89, ills.
- [278] Mauseth, J. D. & Sajeva, M. (1992). Cortical bundles in the persistent, photosynthetic stems of cacti. Ann. Bot. 70(4): 317-324, ills. [Omitted previously.]
- [279] McLaughlin, S. P. & Schuck, S. M. (1992). Intraspecific variation in fiber properties in *Yucca elata* and *Hesperaloe funifera* (Agavaceae). Econ. Bot. 46: 181-186. [Omitted previously.]

- [280] Meregalli, M. (1993). *Gymnocalycium quehlianum*: Ist ein taxonomischer Zweifel wichtiger als die Stabilität der Nomenklatur? *Gymnos* 9(18): 54-61.
- [281] Metzger, J. (1993). *Sedum longibracteatum* Fröd. *Sedum Soc. Newslett.* No. 24: 14-15.
- [282] Metzing, D. (1993). Zur korrekten Schreibweise von *Gymnocalycium capillaense*. *Gymnos* 10(19): 9-10.
- [283] Meve, U. (1993). A new Zimbabwean locality for the variable *Brachystelma gracile* E. A. Bruce. *Asklepios* No. 59: 22-25, ill., map.
- [284] Meve, U. & Porembski, S. (1993). *Brachystelma Sims (Asclepiadaceae)* in West Tropical Africa. *Bot. Jahrb. Syst.* 115(3): 315-324, ill., chrom. nos.
- [285] Meyrán G., J. (1993). La familia *Crassulaceae* en el Estado de Hidalgo. In: Villavicencio, M. A. et al. (eds.), *Investigaciones recientes sobre Flora y Fauna de Hidalgo, México. Pachuca (MEX): Universidad Autónoma de Hidalgo*: 11-36, ill., keys.
- [286] Middleitch, H. et al. (1993). *Sulcorebutia arenacea*. *Chileans* 15(49): 24-28, map. [Included on account of the discussion of its distribution.]
- [287] Mies, B. & Zimmer, H. (1993). Die Populationen von *Adenium socotranum* (Balfour) Vierhapper und *Dendrosicyos socotrana* Balfour bei Ras Hebak (Insel Sokotra, Jemen) und ihre Gefährdung. *Kakt. and. Sukk.* 45(1): 1-5, ill. [Dated 1994, publ. late Dec. 1993.]
- [288] Mihatsch, H.-J. (1993). Unterschiedliche Blüten an einer *Matucana auriflora* [sic!] Ritter. *Kakt. and. Sukk.* 44(5): 99, ill.
- [289] Miller, J. M. & Chambers, K. L. (1993). Nomenclatural changes and new taxa in *Claytonia (Portulacaceae)* in Western North America. *Novon* 3(3): 268-273.
- [290] Milt, I. (1993). *Gymnocalycium horstii* Buining a *Gymnocalycium buenekeri* Swales. *Kaktusy* 29(5): 103-106, ill.
- [291] Mistretta, O. & Liston, A. (1992). Genetic diversity, gene flow, and relictualism in *Claytonia lanceolata* var. *peirsonii* Munz et Johnston, a rare montane perennial from southern California. *South-west. Natural.* 37: 223-230. [Omitted previously.]
- [292] Moeller-Villar, G. (1993). Nota sobre la Sierra de la Paila (listado de cactáceas y otras suculentas). *Cact. Suc. Mex.* 38(3): 57-60, ill., map.
- [293] Moran, R. (1993). Variation and varieties in *Echeveria setosa* Rose & Purpus (*Crassulaceae*). *Cact. Succ. J. (US)* 65(1): 27-36, ill.
- [294] Moran, R. (1993). *Cotyledon orbiculata* in California. *Cact. Succ. J. (US)* 65(6): 284-285, ill.
- [295] Mostul, B. (1993). *Dieterlea fusiformis*: a new caudiciform from Western Mexico. *Cact. Succ. J. (US)* 65(4): 193-194, ill.
- [296] Mottram, R. (1993). The etymology of *Mammillaria fera rubra* [sic!] Craig. *J. Mammillaria Soc.* 33(3): 37-38. [Includes a note on the typification.]
- [297] Mottram, R. (1993). (1071) Proposal to change the conserved type of *Cactaceae, nom. cons.*, and the entries of the conserved names *Mammillaria* and *Melocactus*. *Taxon* 42(2): 457-464. [Additional arguments ('new evidence') were supplied by the author in a photocopy supplied together with separate prints.]
- [298] Neskyrabina, E. S. & Pechenyuk, E. V. (1991). [In Russian:] *Tillaea vaillantii* (*Crassulaceae*) in the Voronezh region. *Bot. Zhum.* 76(12): 1775-1776. [Omitted previously.]
- [299] Neuhuber, G. & Till, H. (1993). Das *Gymnocalycium monvillei* Aggregat: Neugliederung von *G. monvillei* s.l. Überarbeitung und Beschreibung neuer Taxa von *G. achirasense* und *G. brachyanthum*. 2. Teil. *Gymnocalycium* 6(4): 107-112, ill., key. [Includes a key to the *G. monvillei* group.]
- [300] Neumann, K. (1993). *Echinocereus parkeri*. An Standorten in Zacatecas und San Luis Potosí. *Kaktusblüte* 1993: 49-55, ill.
- [301] Neut, P. (1993). Is dit en spelletje 'Multiple-Choice'? *Parodia taratensis* Cardenas of *Parodia krahni* Weskamp. *Tijdschr. Liefheb. Cact. Vetpl. Kamerpl.* 6(5): 75-79, ill., map.
- [302] Neut, P. (1993). Wat dacht u van *Parodia amblayoensis* [sic!] Brandt? *Tijdschr. Liefheb. Cact. Vetpl. Kamerpl.* 6(9): 136-138, ill.
- [303] Newton, L. E. (1993). The Bayliss *Edithcolea* is alive and well. *Asklepios* No. 58: 20, ill. [On *Edithcolea grandis* var. *baylissiana*.]
- [304] Newton, L. E. (1993). An update on Kenyan Aloes. *Ballya* 1(1): 19-23.
- [305] Newton, L. E. (1993). A new stapeliad species from Tanzania, with comments on the status of the "ango group" of *Caralluma*. *Cact. Succ. J. (US)* 65(4): 196-199, ill.
- [306] Newton, L. E. (1993). Notes on some East African species of *Kleinia*, with description of a new species in Kenya. *Cact. Succ. J. (US)* 65(6): 286-289, ill.
- [307] Newton, L. E. (1993). An annotated and illustrated checklist of the succulent Euphorbias of West Tropical Africa. *Euphorbia J.* 8: 112-122, ill. [Dated 1992, publ. early 1993.]
- [308] Nicholas, A. (1993). *Ceropogia decidua* ssp. *pretoriensis*. *Flow. Pl. Afr.* 52(2): t. 2073 + 5 pp. text, map.

- [309] Nicholas, A. (1993). The Asclepiadaceous works of Rudolf F. Schlechter (1872 - 1925). *Willdenowia* 22(1/2): 215-264. [A bibliography of Schlechter's contributions on *Asclepiadaceae* with an alphabetical index of taxa covered.]
- [310] Niemeier, W. (1993). *Mammillaria halbingeri* Bödeker – doch mit gelben Blüten? *Mitteilungsbl. AfM* 17(4): 140, 145-148, illus.
- [311] Niemeier, W. (1993). *M.[am]millaaria lindsayi* Craig var. *rubriflora* Hils – nur ein neuer Name für *M. craigii* Lindsay? *Mitteilungsbl. AfM* 17(6): 216-217, 219.
- [312] Nunno, N. R. di (1993). The case of *Lithops steineckeana* (C388). *Mesemb Study Group Bull.* 8(2): 35-36.
- [313] Nyananyo, B. L. (1992). Pollen morphology in the *Portulacaceae* (*Centrospermae*). *Folia Geobot. Phytotax. (Praha)* 27: 387-400. [Abstract only. Omitted previously.]
- [314] Ohba, H. (1993). Notulae Crassulacearum Asiae Orientalis: 2. J. Jap. Bot. 68(3): 149-155. [Includes *Rhodiola* and *Hylotelephium*.]
- [315] Otero, F. (1993). Note sulla distribuzione e tecnica di moltiplicazione delle *Crassulaceae* messicane. *Le Echeveria. Piante Grasse* 13(4): 131-136, illus.
- [316] Oudejans, R. C. H. M. (1993). World catalogue of species names published in the tribe *Euphorbieae* (*Euphorbiaceae*) with their geographical distribution. Cumulative Supplement I. Scherpenzeel (NL): published by the author. 78 pp.
- [317] Oudejans, R. C. H. M. & Molero, J. (eds.) (1993). Current research in the taxonomy of the genus *Euphorbia* L. s.l. (*Euphorbiaceae*). *Collect. Bot. (Barcelona)* 21: 253 pp. [Dated 1992, published 1993.]
- [318] Palacios Chávez, R. et al. (1993). Morfología de los granos de polen de las *Cactaceae* de la Estación de Biología Chamela, Jalisco. *Cact. Suc. Mex.* 38(3): 61-72, illus.
- [319] Panarotto, P. (1993). *Turbinicarpus polaskii*. Si o no? *Piante Grasse* 13(4): 119-121, illus.
- [320] Papsch, W. (1993). Die Arten des *Gymnocalycium bodenbenderianum* Aggregates. 3. *Gymnocalycium vatteri* und seine Formen. *Gymnocalycium* 6(1): 77-81, illus. [Continued from Part 2, published 1992 by W. Till.]
- [321] Parfitt, B. D. & Baker, M. A. (1993). *Cactaceae: Opuntia*. In: Hickman, J. C. (ed.): *The Jepson Manual. Berkeley / Los Angeles (US), etc.: University of California Press.* Pp. 452-457, illus., key.
- [322] Parra, V. et al. (1993). Reproductive biology, pollen and seed dispersal, and neighbourhood size in the hummingbird-pollinated *Echeveria gibbiflora* (*Crassulaceae*). *Amer. J. Bot.* 80(2): 153-159.
- [323] Pavláček, P. (ed.) (1993). *Atlas Kaktusu 1993. VIII. Chrudim (CZ): Spolek pestitelu kaktusu.* 48 pl. with text, 24 pp.-supplement.
- [324] Peckover, R. G. (1993). The *Ceropegias* of the Makatini Flats. *Aloe* 30(1): 20-22, illus.
- [325] Peckover, R. G. (1993). *Ceropegia multiflora*: subspecies or natural variation? *Aloe* 30(1): 25, illus.
- [326] Peckover, R. G. (1993). Taxonomic questions within the genus *Brachystelma*: a few examples. *Aloe* 30(3/4): 114-115, illus.
- [327] Peralta, I. E. (1993). *Calandrinia minuscula* Añón (*Portulacaceae*), una nueva especie para la flora chilena. *Gayana Bot.* 49(1-4): 31-34, key, illus. [Volume for 1992, received at K Aug. 1993.]
- [328] Peukert, D. E. (1992). Die Schlüsselstellung von *Epiphyllum phyllanthus* var. *schnetzeri* Peukert (*Cactaceae*) bei der Entwicklung eines Modells des phylogenetischen Speziesprozesses der Taxa im *Epiphyllum phyllanthus* (L.) Haw.-Komplex. *Flora* 187: 109-119. [Omitted previously.]
- [329] Pilbeam, J. (1993). Mammillarias of Baja California (part 3 / part 4). *Cact. File* 1(8): 19-21, (10): 6-8, illus.
- [330] Piltz, J. (1993). Einige Beobachtungen an Früchten der Gattung *Gymnocalycium*. *Gymnos* 10(20): 73-79, illus.
- [331] Piltz, J. (1993). Beitrag zur Kenntnis der Gattung *Gymnocalycium*. *Gymnocalycium castellanosii* Backeberg. Teil 2. *Gymnos* 9(18): 33-52, illus., map. [Continued from no. 17.]
- [332] Pimienta-Barrios, E. (1993). Vegetable cactus (*Opuntia*). In: Williams, J. T. (ed.): *Pulses and vegetables*, pp. 177-180. London (GB): Chapman & Hall. [Includes notes on the taxonomy of *Opuntia*.]
- [333] Pitt, J. (1991). *Crassula helmsii* in Kent. *Bull. Kent Field Club* 36: 34-35. [Omitted previously.]
- [334] Plowes, D. C. H. (1993). A new account of *Echidnopsis* Hook. f. (*Asclepiadaceae: Stapelieae*). *Haseltonia* 1: 65-85, illus.
- [335] Pooley, E. (ed.) (1993). The complete field guide to trees of Natal, Zululand and Transkei. Durban (RSA): National Flora Publications Trust. 512 pp., illus., maps. [Included on account of the distribution maps. Succulents are covered as follows: *Aloe* pp. 54-59, *Euphorbia* pp. 232-237, *Synadenium* pp. 238-239.]
- [336] Porter, D. (1993). The case of *Lithops steineckeana*. *Mesemb Study Group Bull.* 8(4): 78.
- [337] Pot, J. (1993). *Sulcorebutia*, enkele overwegingen. *Succulenta* 72(3): 116-123, (4):

178-182, map, illus.

[338] Prauser, W. (1993). Zur Abgrenzung der *Scopanae* von *Notocactus tabularis* (Cels ex K. Schumann) Berger ex Backeberg und seinen Varietäten. *Internoto* 14(3): 99-104, illus.

[339] Prestlé, K. H. (1991). Die Gattung *Frailea*. Verkürzte und provisorische Ausgabe, Teil 1. Veghel (NL): published by the author. 41 pp., illus. [The numerous invalid names at all levels below genus have not been considered for the nomenclatural section of RPS; they all lack types and Latin diagnoses.]

[340] Prestlé, K. H. (1991?). Die Gattung *Frailea*. Teil 2. Veghel (NL): published by the author. [44 pp.], illus. [Undated and without publication place. The numerous invalid names and combinations have not been considered for the taxonomic section of RPS.]

[341] Prestlé, K. H. (1993). *Notocactus scopula* (Sprengel) Berger var. *murielii* n.n. *Internoto* 14(1): 40-42, illus.

[342] Procházka, J. & Tománek, J. (1993). *Gymnocalycium deesianum* Dölz. *Gymnofil* 21(3): 5-9, illus. [Dated 1992, received July 1993.]

[343] Rahman, M. A. & Wilcock, C. C. (1992). Morphology of the pollinaria of Bangladesh asclepiads. *Bangladesh J. Bot.* 21: 165-172.

[344] Rahman, M. A. & Wilcock, C. C. (1993). Typification of some tropical Asian Asclepiadaceae. *Bangladesh J. Bot.* 22: 7-13.

[345] Ramírez-Rodríguez, R. (1992). Las dioscóreas (*Dioscoreaceae*) del Estado de Morelos, México. *Anales Inst. Biol. UNAM, Ser. Bot.* 63: 67-99. [Omitted previously.]

[346] Rauh, W. (1993). The growth-form of *Euphorbia hedyotoides* N. E. Br. (syn. *E. decariana* Croiz.). *Collect. Bot. (Barcelona)* 21: 191-195. [Dated 1992, publ. 1993.]

[347] Rauh, W. (1993). Succulent Euphorbias of northern Madagascar. *Collect. Bot. (Barcelona)* 21: 197-210. [Dated 1992, publ. 1993.]

[348] Rauh, W. (1993). Neue Asclepiadaceen aus Madagaskar. *Trop. subtrop. Pfl.-welt* 85: 1-41, illus., map.

[349] Raymer, D. (1993). An interesting discovery from Uganda. *Ballya* 1(1): 25. [On the discovery of a possible population of *Aloe secundiflora* in Uganda.]

[350] Regnat, H. (1993). Die Pflanzenfamilie Crassulaceae. Gattungen des amerikanischen Kontinents. Eine Betrachtung. *Kakt. and. Sukk.* 44(2): 46-47, (7): 145-149, (11): 241-243, illus. [Continued from vol. 43.]

[351] Retief, E. (1993). *Cyphostemma uter*. *Flow. Pl. Afr.* 52(2): t. 2074 + 3 pp. of text, map.

[352] Richard, J.-F. (1993). Cactées de Patagonie. La Patagonie autour de Peninsula

Valdes. *Cact. Aventures* No. 18: 2-6, illus., map.

[353] Riley, S. (1993). New *Aloe* hybrids from John Bleck. *Cact. File* 1(11): 22-23, illus.

[354] Rischer, W. (1993). Welche Bedeutung hat das unterschiedliche Blühverhalten bei *Echinocereus polyacanthus* Engelm.? *Echinocereenfreund* 6(2): 38-43, illus.

[355] Rizzini, C. T. & Mattos Filho, A. de (1993). Contribuição ao conhecimento das floras do nordeste de Minas Gerais e da Bahia mediterrânea. Rio de Janeiro (BR): Ministério do Meio Ambiente, etc.: Série Estudos e Contribuições, No. 9. 95 pp., illus., maps. [Dated 1992, but published late in 1993 or even early in 1994.]

[356] Rodgerson, C. (1993). The genus *Adromischus* is variable to the extreme – but is it this variable? *Cact. File* 1(8): 4-5, illus. [Included on account of the illustration of a flowering *Adromischus phillipsiae*.]

[357] Römer, R. C. (1993). *Echinocereus barthelowianus* Britton & Rose im Süden der Baja California? *Kakt. and. Sukk.* 45(1): 18-19, illus. [Dated 1994, publ. late Dec. 1993.]

[358] Rogozinski, H. (1993). Der Verwandtschaftskreis um *M.[ammillaria] papasquariensis* sensu H. Bravo-Hollis und *M. papasquariensis* Reppenhagen. *Mitteilungsbl. AfM* 17(1): 15-17, 19-20, 22, 24-26, (2): 56-62, 64-65, illus., map.

[359] Rohwer, J. G. (1993). *Moraceae*. In: Kubitzki, K. et al. (eds.): *The families and genera of vascular plants*. Berlin (D), etc.: Springer-Verlag. 2: 428-452, illus., key.

[360] Rowley, G. D. (1993). Lemaire, Iconographie Descriptive des Cactées. Introduction to Strawberry Press Edition. Mill Valley (US: CA): Strawberry Press. xv + 81 pp., illus. [Includes a high-quality facsimile reprint of text and plates of the 'Iconographie'.]

[361] Rowley, G. D. (1993). Salm-Dyck's *Stapeliaceae*. *Asklepios* No. 60: 25-30, table, illus., (61): 5 [erratum].

[362] Rowley, G. D. (1993). Salm-Dyck's succulents. *Brit. Cact. Succ. J.* 11(4): 92-95, illus. [German translation (with small changes) in *Mitteilungsbl. AfM* 18(2): 77-85, 87, 1994.]

[363] Rowley, G. D. (1993). Salm-Dyck's catalogues. *Taxon* 42(4): 845-851, illus. [Included on account of the historical and bibliographical information.]

[364] Rudzinski, H. (1993). Welche Stellung nimmt *M. tepicicensis* Meyrán im System der Gattung *Mammillaria* Haworth ein? *Mitteilungsbl. AfM* 17(5): 172-177, 179, 180, illus.

[365] Rundel, P. W. et al. (1991). The phytogeography and ecology of the coastal Atacama and Peruvian deserts. *Aliso* 13(1): 1-49.

[Omitted previously.]

[366] Rutow, J. (1993). *Echinocereus matudae* – eine 'gute' Art? Echinocereenfreund 6(3): 76-80, illus. [Concluded from 1992.]

[367] Schätzle, P. S. (1993). Am gemeinsamen Standort von *Astrophytum senile* Fric und *Astrophytum coahuilense* (Moeller) Kayser. Kakt. and. Sukk. 44(10): 205-207, ill.

[368] Schätzle, P. S. (1993). Die Astrophyten des Jaumavetales. Kakt. and. Sukk. 44(6): 128-131, illus. [Continued in vol. 45.]

[369] Schütz, B. (1993). *Gymnocalycium armatum* Ritter, málo známý taxon. Gymnofil 21(3): 1-4, ill. [Dated 1992, received July 1993.]

[370] Schütz, B. (1993). *Gymnocalycium horstii* - *buenekeri* komplex. Gymnofil 21(3): 10-14, illus. [Dated 1992, received July 1993.]

[371] Sedivy, V. (1993). Über *Escobaria missouriensis* (Sweet) D. R. Hunt und andere Neobesseyen. Kakt. and. Sukk. 44(8): 170-173, (9): 196-199, illus.

[372] Singh, M. (1993). Geophytic Euphorbias from India. Cact. Succ. J. (US) 65(4): 186-192, illus., map.

[373] Singh, M. (1993). *Euphorbia mayurnathani* [sic!] Croizat and *Euphorbia epiphyloides* Kurtz, two special euphorbias from India. Cact. Succ. J. (US) 65(6): 281-283, illus.

[374] Singh, M. (1993). Tuberous-rooted Euphorbias of India. Euphorbia J. 8: 123-125, illus. [Dated 1992, publ. early 1993.]

[375] Singh, M. (1993). Succulent Euphorbias from India: A checklist. Euphorbia J. 8: 55-59, illus. [Dated 1992, publ. early 1993.]

[376] Smith, G. F. (1993). Notes on the taxonomic and conservation status of *Aloe microacantha* [sic] (Asphodelaceae: Aloioideae). Heseltonia 1: 55-60, illus.

[377] Smith, G. F. (1993). Familial orthography: Aloaceae vs. Aloaceae. Taxon 42(1): 87-90.

[378] Smith, G. F. & Hartmann, H. E. K. (1993). *Mesembryanthema* in the Potchefstroom-Parys-Vrededorf triangle, South Africa. Aloe 29(3/4): 70-73, map, illus. [Dated 1992, publ. autumn 1993.]

[379] Smith, G. F. & Wyk, A. E. van (1992). Systematic leaf anatomy of selected genera of southern African Aloioideae (Asphodelaceae). South Afr. J. Bot. 58(5): 349-357. [Omitted previously.]

[380] Smith, G. F. & Wyk, A. E. van (1993). The generic status of *Chortolirion* (Aloaceae): evidence from leaf anatomy. Kew Bull. 48(1): 105-113, illus.

[381] Smith, G. F. & Wyk, A. E. van (1993). Notes on the pollen morphology and taxonomy of

*Aloe bowiea* (Asphodelaceae: Aloioideae). Madoqua 18(2): 93-99, illus., maps.

[382] Smith, G. F. et al. (1993). Southern African succulent plants – an updated synopsis. Aloe 30(2): 32-74, illus., map, diags.

[383] Smith, G. F. et al. (1993). Bechuanaland: a misunderstood geographical name; and the type locality of *Haworthia tenuifolia* (Asphodelaceae: Aloioideae). Taxon 42(2): 369-371, map.

[384] Specks, E. & M. (1993). At the type locality of *Monadenium magnificum*. Cact. File 1(9): 7-10, illus.

[385] Sperling, R. C. & Bittrich, V. (1993). *Basellaceae*. In: Kubitzki, K. et al. (eds.): The families and genera of vascular plants. Berlin (D), etc.: Springer-Verlag 2: 143-146, illus.

[386] Spichiger, R. et al. (1993). Systematic affinities of *Aquifoliaceae* and *Icacinaceae* from molecular data analysis. Candollea 48(2): 459-464, diag.

[387] Staník, R. (1993). Na lokalite *Gymnocalycium ysabelae* (K. Schlange) Backbg. Cactaceae etc. 3(4): 116-118, illus.

[388] Staník, R. & Lux, A. (1993). *Coryphantha neglecta* Bremer. Kakt. and. Sukk. 44(9): 186-187, illus.

[389] Stephenson, R. (1993). The endemic succulents of Cyprus. Cact. Succ. J. (US) 65(6): 301-305, illus.

[390] Stephenson, R. (1993). *Sedum laconicum* Boissier. Sedum Soc. Newslett. No. 25: 25-26.

[391] Stephenson, R. (1993). A new *Sedum* from the Serra Monchique. Sedum Soc. Newslett. No. 26: 10-12, illus. [On *Sedum mucizonia* ssp. *urceolatum* R. Stephenson.]

[392] Stephenson, R. (1993). *Sedum 'Spiral Staircase'* – new name for a familiar plant. Sedum Soc. Newslett. No. 26: 17-18, ill.

[393] Stephenson, R. (1993). *Sedum pubescens*. Sedum Soc. Newslett. No. 26: 22-24, ill.

[394] Stevens, J. F. et al. (1992). Alkaloids of some European and Macaronesian *Sedoideae* and *Sempervivoideae* (Crassulaceae). Phytochemistry 31(11): 3917-3924. [Omitted previously.]

[395] Stevens, J. F. et al. (1993). Alkaloids of the *Sedum acre*-group (Crassulaceae). Pl. Syst. Evol. 185(3-4): 207-217, diags.

[396] Stuchlík, S. (1993). Rod *Notocactus*. Monografie. Brno (CS): Vydalo Moravské vydavatelství Kveten. 176 + [3] pp., illus.

[397] Stuchlík, S. (1993). Rod *Notocactus* (K. Schumann) Fric. Atlas Kakt. 8(Suppl.): 24 pp., illus.

[398] Stuchlík, S. (1993). Notokaktusy od A do Z. Cactaceae etc. 2(3): 88-93, (4): 117-122, illus. [Dated 1992, published spring 1993. Concluded

from 2(2).]

[399] Stuchlík, S. (1993). Poznámky k některým Notokaktusům A. V. Friče. *Minimus* 1992(2): 5-11, ill. [Dated 1992, received July 1993. Issue unnumbered.]

[400] Stuchlík, S. (1993). *Notocactus arechavaletai* (Spegazzini) Herter. *Minimus* 1993(1): 3-19, ill.

[401] Taylor, C. M. (1993). *Sesuvium portulacastrum* y *Mesembryanthemum nodiflorum* registros nuevos para la flora de Chile. *Gayana Bot.* 49(1-4): 11-15, key. [Volume for 1992, received at K Aug. 1993.]

[402] Tebbs, M. C. (1993). *Piperaceae*. In: Kubitzki, K. et al. (eds.): *The families and genera of vascular plants*. Berlin (D), etc.: Springer-Verlag 2: 516-520, ill., key.

[403] Terblanche, R. F. et al. (1993). Did Scott typify names in *Haworthia* (*Asphodelaceae*: *Alooideae*)? *Taxon* 42(1): 91-95.

[404] Theunissen, S. (1993). Beitrag zum Problem der Sprossungsformen bei den Notokakteen. *Internoto* 14(3): 96-98, ill.

[405] Thiede, J. (1993). *Crassula sarcocaulis* Ecklon & Zeyher ssp. *rupicola* Tölken var. *mulanjeana* R. Fernandes. *Kakt. and. Sukk.* 44(8): center page pullout 1993/20.

[406] Thiede, J. (1993). Notes on the *Sansevieria* species of Malawi. *Sansevieria* J. 2(2): 27-34, (3): 51-52, ill., map, key.

[407] Thiemer-Sachse, U. & Münch, R. (1993). *Mammillaria xochipilli* Reppenhagen – eine Species aus dem mexikanischen Bundesstaat Hidalgo. *Mitteilungsbl. AfM* 17(6): 219, 222-229, ill.

[408] Thomasson, M. & Thomasson, G. (1992). Influence anthropique et structure des populations d'*Euphorbia stenoclada* Baillon. *Bull. Soc. Bot. France, Lettres Bot.* 139(4/5): 391-396. [Omitted previously.]

[409] Thorut, C. & Burton, C. M. (1993). *Hoya obtusifolia* Wight. *Hoyan* 14(3): 60-62, ill. (titlepage).

[410] Thulin, M. (ed.) (1993). Flora of Somalia. Volume 1: *Pteridophyta*, *Gymnospermae*, *Angiospermae* (*Annonaceae* - *Fabaceae*). Richmond (GB): Royal Botanic Gardens Kew. [viii] + 493 pp., ill. [This volume includes, *inter alia*, the families *Piperaceae*, *Moringaceae*, *Crassulaceae*, *Aizoaceae*, *Portulacaceae*, *Cactaceae*, *Geraniaceae*, *Passifloraceae*, *Cucurbitaceae* and *Euphorbiaceae* with succulent species.]

[411] Till, H. (1993). Noch einmal zu *Gymnocalycium intertextum*. Ergänzung und Nachtrag zu *Gymnocalycium* 2(1): 9-12 (1989). *Gymnocalycium* 6(1): 83-84, ill., map.

[412] Till, H. (1993). Zur Identität von

*Gymnocalycium quehlianum* (Haage jr. ex Quehl) Berger. *Gymnocalycium* 6(2): 89-98, ill.

[413] Till, H. & Neuhuber, G. (1993). Das *Gymnocalycium monvillei* Aggregat: Neugliederung von *G. monvillei* s.l. und Überarbeitung und Beschreibung neuer Taxa von *G. achiraseense* und *G. brachyanthum*. *Gymnocalycium* 6(3): 99-106, ill., map.

[414] Tjaden, W. (1993). Charles Lemaire (1801 - 1871) and the Christmas Cactus. *Plantsman* 15(3): 161-167.

[415] Tománek, J. & Procházka, J. (1993). Doplňky k poznání *Gymnocalycium monvillei*. *Gymnofil* 21(4): 14-22, ill. [Dated 1992, received July 1993.]

[416] Tribble, D. (1993). A review of *Haworthia cooperi*. *Haworthiad* 7(3): 10-16, ill., map.

[417] Uhl, C. H. (1993). Notes on *Echeveria* in Venezuela. IV. Variant forms. *Cact. Succ. J. (US)* 65(2): 81-87, ill.

[418] Uhl, C. H. (1993). Intergeneric hybrids of Mexican *Crassulaceae*. I. *Lenophyllum*. *Cact. Succ. J. (US)* 65(6): 271-273, ill.

[419] Uhl, C. H. (1993). *Tacitus* and polyploidy. *Haseltonia* 1: 29-33, ill.

[420] Ullrich, B. (1993). Christoph Jacob Trews farbige Pflanzenzeichnungen. *Kakt. and. Sukk.* 44(4): 80-85, ill.

[421] Ullrich, B. (1993). Über eine im Palmengarten blühende Naturhybride aus der Gattung *Agave*. *Palmengarten* 57(2): 95-99, ill., map. [On a suspected plant of *Agave victoriae-reginae* × *A. asperrima*.]

[422] Ullrich, B. (1993). Agaven. Illustrationen blühender Exemplare bis 1800. *Palmengarten Sonderheft* No. 21: 83 pp., ill.

[423] Ullrich, B. (1993). L'influsso italiano sulla tassonomia del genere *Agave*. Der italienische Einfluss auf die Taxonomie der Gattung *Agave*. *Piante Grasse* 13(1): 22-32, (2): 51-56, (3): 81-90, ill., tab. [Continued from vol. 12.]

[424] Ullrich, B. (1993). Observations sur *Agave mitis* Martius, *A. celsii* Hooker et *A. albicans* Jacobi. *Succulentes* 16(1): 26-32, ill.

[425] Unger, G. (1993). Stolonenbildende Echinocereen am Standort. *Echinocereenfreund* 6(3): 72-75, ill. [On *Echinocereus polyacanthus* var. *huitcholensis*.]

[426] Valdés, J. M. (1993). Historical notes on pre-Linnean euphorbias. *Collect. Bot. (Barcelona)* 21: 243-253. [Dated 1992, publ. 1993.]

[427] Vancoille, L. (1993). Zoek de juiste plant, of ... waar zijn ze mee bezig geweest? *Tijdschr. Liefsheb. Cact. Vetpl. Kamerpl.* 6(6): 89-92. [On *Parodia taratensis* and *P. krahni*.]

[428] Venter, F. (1993). Rare *Ceropegia* re-

- discovered. *Veld & Flora* 79(4): 120, ills. [On *Ceropeltis stentiae*.]
- [429] Venter, K. (1993). The translucent complex of hairy haworthias from the Cape Interior. *Haworthiaid* 7(2): 8-9.
- [430] Venter, S. (1993). Notes on the genus *Adenia* with special reference to the Transvaal species. *Aloe* 30(3/4): 83-88, ills.
- [431] Verdcourt, B. (1993). *Vitaceae*. In: Polhill, R. M. (ed.): *Flora of Tropical East Africa*. Rotterdam (NL) / Brookfield (USA): A. A. Balkema. 149 pp., ills., keys.
- [432] Veverka, M. (1993). Rauschova *Parodia "occulta"* R 634. *Kaktusy* 29(5): 106-108, ill., SEM-ill.
- [433] Vliet, D. J. van (1993). *Notocactus*, towards a consensus!? *Internoto* 14(4): 147-151, ills. [Continued in vol. 15. Dutch translation in *Succulenta* 73(2): 87-93, (3): 103-108, ills., 1994.]
- [434] Vorster, P. (1991). Taxonomy of *Pelargonium*: review of the section *Otidia*. In: Vorster, P. (ed.): *Proceedings of the International Geraniaceae Symposium held at the University of Stellenbosch, RSA, 24 - 26 September 1990*. Stellenbosch (RSA): University of Stellenbosch. Pp. 279-294. [Omitted previously.]
- [435] Walker, C. C. (1993). *Pilea peperomioides* - A Chinese member of the Stinging Nettle Family. *Brit. Cact. Succ. J.* 11(4): 98-99, ill.
- [436] Walt, J. J. A. van der (1991). Taxonomic revision of *Pelargonium*: contributions of the Stellenbosch team. In: Vorster, P. (ed.): *Proceedings of the International Geraniaceae Symposium held at the University of Stellenbosch, RSA, 24 - 26 September 1990*. Stellenbosch (RSA): University of Stellenbosch. Pp. 93-114. [Omitted previously.]
- [437] Wanie, J. A. (1993). Po stopách *Melocactus bellavistensis* Rauh & Backeberg subsp. *bellavistensis* N. P. Taylor [sic !]. *Cactaceae etc.* 3(4): 132-140, ills.
- [438] Weisser, P. J. & Laubscher, N. F. (1993). Ecological studies on *Copiapoa solaris* (F. Ritter) F. Ritter (*Cactaceae*): habitat, density and areal biomass. *Aloe* 30(3/4): 80-82, ills., map, diag.
- [439] Whicher, P. (1993). Problems of synonymy in the genus *Haworthia*. *Brit. Cact. Succ. J.* 11(1): 12. [Included on account of the comparison between the classification according to Bayer 1982 and Scott 1985.]
- [440] Williamson, G. (1993). A new species of *Tylecodon* (*Crassulaceae*) from Namibia and a new variety from the Richtersveld in South Africa. *Aloe* 29(3/4): 60-63, ills. [Dated 1992, publ. autumn 1993. Includes range extensions for several taxa.]
- [441] Wisura, W. & Glen, H. F. (1993). The South African species of *Carpobrotus* (*Mesembryanthema*: *Aizoaceae*). *Contr. Bolus Herb.* 15: 76-107, ills., maps, keys.
- [442] Wolf, R. (1993). Bemerkungen zu *Mammillaria schumannii* Hildmann und *Mammillaria schumannii* v. *globosa* Wolf. *Mitteilungsbl. AfM* 17(4): 130-135, 140, ills.
- [443] Ye, G.-Z. (1993). [In Chinese: Study on the pollen morphology of the genus *Dracaena* (*Liliaceae*) in China.] *Acta Bot. Yunnanica* 15(3): 275-277, plate p. 320 ff., ills.
- [444] Zachar, M. (1993). *Echinomastus mariposensis* J. P. Hester am Standort. *Kakt. and. Sukk.* 44(1): 7-9, ills.
- [445] Zázvorka, J. & Sedivý, V. (1993). Jména kaktusu A. V. Frice. *Aztekia* 14: 1-98 + ills. [Dated 1991, publ. spring 1993. Includes an alphabetic list of all Fric names (incl. his *nomina nuda*) with a discussion of their standing and application. Also included is a bibliography.]
- [446] Zonneveld, B. J. M. (1993). Observations on inheritance of leaf and flower colour in *Lithops lesliei*. *Mesemb Study Group Bull.* 8(1): 14-15.
- [447] Zonneveld, B. J. M. (1993). *Sedum morganianum*, *Sedum burrito* and their hybrids. *Sedum Soc. Newslett.* No. 24: 4-5, ill.
- [448] Zonneveld, B. J. M. (1993). The origin of color in *Jovibarba heuffelii*. *SempWorld* 1(2): 5-6, ills.

## BIBLIOGRAPHIA

### Cross-References of Author Names

- Baker, M. A.: → Parfitt, B. D.  
 Barthlott, W. B.: → Burr, B.  
 Bittrich, V.: → Sperling, R. C.  
 Burton, C. M.: → Thorut, C.  
 Chambers, K. L.: → Miller, J. M.  
 Cházaro Basañez, M.: → Flores Macías, A.  
 Craib, C.: → Glen, H. F.  
 Cutler, D. F.: → Bajnath, H.  
 Esteves Pereira, E.: → Braun, P. J.  
 Ford, D. I.: → Hershkovitz, M. A.  
 Glen, H. F.: → Wisura, W.  
 Hardy, D. S.: → Glen, H. F.  
 Hartmann, H. E. K.: → Smith, G. F.  
 Herm, K.: → Hofacker, A.  
 Hunt, D. R.: → Barthlott, W.  
 Jarvis, C. E.: → Hart, H. 't  
 Jiménez Perez, J. L.: → Martínez Avalos, J. G.  
 Kunze, H.: → Liede, S.  
 Lacoste, M.: → Brachet, C.  
 Laubscher, N. F.: → Weisser, P. J.  
 Liddle, D. J.: → Forster, P. I.  
 Liston, A.: → Mistretta, O.  
 Lodé, J.: → Betti, G.  
 Lopez Ferrari, A. R.: → Espejo Serna, A.  
 Lux, A.: → Stanik, R.  
 Mattos Filho, A. de: → Rizzini, C. T.  
 Meve, U.: → Liede, S.  
 Molero, J. (eds.): → Oudejans, R. C. H. M.  
 Molina, A.: → Gavilan, A.  
 Münch, R.: → Thiemer-Sachse, U.  
 Neuhuber, G.: → Till, H.  
 Nordal, I.: → Kativu, S.  
 Nordenstam, B.: → Jaarsveld, E. van  
 Pechenyuk, E. V.: → Neskryabina, E. S.  
 Pimienta-Barrios, E.: → Lomeli-Mijes, E.  
 Porembski, S.: → Meve, U.  
 Procházka, J.: → Tománek, J.  
 Rieseberg, L. H.: → Hanson, M. A.  
 Sajeva, M.: → Mauseth, J. D.  
 Schaijes, M.: → Malaisse, F.  
 Schuck, S. M.: → McLaughlin, S. P.  
 Sedivy, V.: → Závorka, J.  
 Stüber, D.: → Hartmann, H. E. K.  
 Sunding, P.: → Hansen, A.  
 Thomasson, G.: → Thomasson, M.  
 Till, H.: → Neuhuber, G.  
 Till, W.: → Lambrou, M.  
 Tománek, J.: → Procházka, J.  
 Viveros Colorado, C.: → Cházaro Basañez, M. J.  
 Walker, C. C.: → Jonkers, B.  
 Weeda, E. J.: → Kruijsen, B.  
 Welss, W.: → Hohenester, A.  
 Wilcock, C. C.: → Rahman, M. A.  
 Wu, C. Y.: → Ma, J. S.  
 Wyk, A. E. van: → Smith, G. F.  
 Zanovello, C.: → Battaia, L.



**Is Your Set of the 'Repertorium'**

## **Complete ?**

Almost all issues of *Repertorium Plantarum Succulentarum* published after 1972 are still available. This offers you the unique possibility to complete your set of this important annual publication. Individual issues are priced at CHF 9.-; postage and packing is added at cost (please state whether delivery by surface mail or by airmail is requested).

**Send your order to:** International Organization for Succulent Plant Study, c/o Städtische Sukkulanten-Sammlung, Mythenquai 88, CH-8002 Zürich, Switzerland (FAX: +41 1 201 55 40).

**Ist Ihr Bestand des 'Repertorium'**

## **komplett ?**

Fast alle ab 1972 veröffentlichten Bände des *Repertorium Plantarum Succulentarum* sind noch erhältlich – dies ist eine einmalige Möglichkeit, Ihren Bestand dieser wichtigen jährlichen Publikation zu vervollständigen. Einzelnummern sind zum Preis von CHF 9.- erhältlich; Porto und Verpackung wird zu den Selbstkosten verrechnet (bitte bei der Bestellung angeben, ob Lieferung per Landweg oder per Luftpost gewünscht wird).

**Ihre Bestellung richten Sie an:** Internationale Organisation für Sukkulanten-Forschung, c/o Städtische Sukkulanten-Sammlung, Mythenquai 88, CH-8002 Zürich, Schweiz (FAX: +41 1 201 55 40).

## **LIST OF CACTACEAE NAMES**

from

**REPERTORIUM PLANTARUM SUCCULENTARUM**

(1950-1990)

and

## **LIST OF NAMES OF SUCCULENT PLANTS**

(other than cacti)

from

**REPERTORIUM PLANTARUM SUCCULENTARUM**

(1950-1992)

both edited by **URS EGGLI** (Städtische Sukkulanten-Sammlung, Zürich) & **NIGEL TAYLOR** (Royal Botanic Gardens, Kew), are available at the price of £11.50 each from:

**Mail Order Department, Royal Botanic Gardens,  
Kew, Richmond, Surrey, TW9 3AB, England**

Price includes postage and packing. Cheques, money orders and credit cards (Access/Visa card) accepted.