


ISSN 0486-4271



**Repertorium
Plantarum
Succulentarum
XLVI (1995)**

Repertorium Plantarum Succulentarum XLVI (1995)

*Index nominum novarum plantarum succulentarum anno MCMXCV
editorum nec non bibliographia taxonomica ab U. Eggli compositus.*

International Organization for Succulent Plant Study
Internationale Organisation für Sukkulantenforschung

September 1996

ISSN 0486-4271

Conventions used in Repertorium Plantarum Succulentarum

- Repertorium Plantarum Succulentarum attempts to list, under separate headings, newly published names of succulent plants and relevant literature on the systematics of these plants, on an annual basis. New names noted after the issue for the relevant year has gone to press are included in later issues. Specialist periodical literature is scanned in full (as available at the libraries at ZSS and Z or received by the compiler). Also included is information supplied to the compiler direct. It is urgently requested that any reprints of papers not published in readily available botanical literature be sent to the compiler.
- Validly published names are given in **bold face** type, accompanied by an indication of the nomenclatural type (name or specimen dependent on rank), followed by the herbarium acronyms of the herbaria where the holotype and possible isotypes are said to be deposited (first acronym for holotype), according to Index Herbariorum, ed. 8 and supplements as published in Taxon. Invalid, illegitimate, or incorrect names are given in *italic* type face. In either case a full bibliographic reference is given. For new combinations, the basionym is also listed. For invalid, illegitimate or incorrect names, the articles of the ICBN which have been contravened are indicated in brackets (note that the numbering of some regularly cited articles has changed in the Tokyo (1994) edition of ICBN).
- The compiler would like to point out that he does not accept any names that might be inadvertently validated in this volume of RPS.
- Bibliographic details of papers dealing only with the description of one or two new taxa are not repeated in the bibliographic section.
- Abbreviations for periodicals are those suggested in 'A Bibliography of Succulent Plant Periodicals' (U. Eggli in Bradleya 3: 103-119, 1985, and supplements in l.c. 5: 101-104, 1987) for specialized periodicals, or those of Bibliographia Periodicorum Huntianum (including Supplement) for most other periodicals.

Konventionen im Zusammenhang mit dem Repertorium Plantarum Succulentarum

- Das Repertorium Plantarum Succulentarum ist eine jährlich herausgegebene Zusammenstellung neuer Namen für sukkulente Pflanzen und der relevanten systematischen Literatur. Neue Namen, die nach der Drucklegung der Ausgabe des betreffenden Jahres bekannt werden, erscheinen in der nächsten erreichbaren Ausgabe. Spezialisierte Zeitschriften werden umfassend durchgesehen, soweit sie in den Bibliotheken von Z und ZSS vorhanden sind oder dem Herausgeber privat vorliegen. Der Herausgeber bittet alle Autoren dringend, Separata relevanter Publikationen zur Verfügung zu stellen, vor allem wenn es sich um Beiträge in schwer zugänglichen Serien handelt.
- Gültig veröffentlichte Namen werden in **Fettschrift** wiedergegeben unter Angabe des nomenklatori-schen Typs (Name oder Belegexemplar je nach Rangstufe; gefolgt von den Herbarakürzungen [entspre-chend Index Herbariorum, ed. 8, und in Taxon publizierten Supplementen] der publizierten Hinter-leitungsorte für Holotyp [1. Abkürzung] und Isotypen). Ungültige, illegitime oder falsch angewandte Namen erscheinen in *Kursivschrift* unter Angabe (in Klammer) derjenigen Artikel des ICBN, die verletzt worden sind. In allen Fällen folgen die kompletten bibliographischen Angaben. Für Umkombinationen wird auch das Basionym angegeben. Dabei ist zu beachten, dass die Nummerierung einiger häufig zitiert Artikel mit dem Erscheinen der Tokyo-Version (1994) des ICBN geändert hat.
- Der Herausgeber weist mit aller Deutlichkeit darauf hin, dass er keinen Namen anerkennt, der zufälligerweise in dieser Ausgabe des RPS validiert worden sein könnte.
- Beiträge, welche nur Beschreibungen eines oder zweier Taxa enthalten, werden in der bibliographischen Liste nicht separat aufgeführt.
- Die Abkürzungen für spezialisierte Sukkulanten-Zeitschriften richten sich nach 'A Bibliography of Succulent Plant Periodicals' (U. Eggli in Bradleya 3: 103-119, 1985, sowie Supplementen in l.c. 5: 101-104, 1987), für allgemeine botanische Zeitschriften in der Regel nach Bibliographia Periodicorum Huntianum und Supplement.

Compiled by / Zusammengestellt von:

U. Eggli, Städtische Sukkulanten-Sammlung, Mythenquai 88, CH-8002 Zürich, Switzerland.

Available from (incl. back issues) / Erhältlich durch (inkl. bereits erschienen Hefte):

IOS, c/o Städtische Sukkulanten-Sammlung (address above / Adresse siehe oben).

© by IOS, Zürich (Switzerland) 1996. ISSN 0486-4271.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the copyright holder.

Preface

This issue of RPS is the first which was produced with the help of the library at the Desert Botanic Garden Phoenix, USA. Library staff at the DBG in Phoenix has been able to supply important literature reference from scanning on-line databases available to them, and this service has been of great importance to insure as complete coverage of the relevant literature as possible. Thank you.

From RPS 47 onwards, RBG Kew will again significantly assist in the compilation. I am very grateful that Dr. Daniela Zappi has accepted to become Assistant Editor of RPS.

On a more personal matter the undersigned would like to apologize to all RPS readers who had ordered a copy of the "Bibliography of Succulent Plant Periodicals", announced on the back cover of the last issue. Unfortunately, the Czech publisher has been unable to produce this bibliography in time but has assured that it will become available this autumn. Please accept my sincere apologies for the delay, but reasons beyond my influence have been responsible.

Urs Eggli

Acknowledgments

As in previous years, Reto Nyffeler (Zürich) and Joachim Thiede (Köln) have been of invaluable help in locating and supplying important literature, and this help is kindly acknowledged. A word of thanks goes to Nigel Taylor (Kew) who dealt with several nomenclatural problems despite the burden created by his new job in Kew.

Vorwort

Diese RPS-Ausgabe ist die erste, die mit der Hilfe der Bibliothek am Desert Botanic Garden Phoenix, USA, produziert wurde. Bibliotheksmitarbeiter am DBG in Phoenix haben zahlreiche wichtige Literaturhinweise beigetragen, die sie durch Konsultation der ihnen zugänglichen online-Datenbanken zusammentrugen. Für diese Hilfe bin ich sehr dankbar.

Ab RPS 47 werden die RBG Kew erfreulicherweise unsere Arbeit wieder massgeblich unterstützen. Ich bin sehr dankbar, dass Dr. Daniela Zappi das Amt als Assistant Editor für das RPS übernommen hat.

Im Zusammenhang mit der "Bibliography of Succulent Plant Periodicals", deren Publikation auf dem hinteren Umschlag der letzten RPS-Nummer angekündigt wurde, möchte ich mich bei allen RPS-Lesern dafür entschuldigen, dass diese Publikation bisher nicht erschienen ist. Leider war der tschechische Verleger nicht in der Lage, die Bibliographie wie geplant zu veröffentlichen. Die Publikation soll nun aber noch diesen Herbst erscheinen. Leider waren Gründe ausserhalb meiner Einflussmöglichkeiten für die Verzögerung verantwortlich, und für allfällige Unannehmlichkeiten möchte ich mich entschuldigen.

Urs Eggli

Dank

Wie schon in früheren Jahren haben Reto Nyffeler (Zürich) und Joachim Thiede (Köln) den Herausgeber mit wichtigen Literaturhinweisen und Kopien unterstützt, wofür ihnen hier herzlich gedankt wird. Ein Wort des Dankes geht auch an Nigel Taylor (Kew), der sich trotz der Belastung seiner neuen Tätigkeit in Kew verschiedener nomenklatorischen Probleme angenommen hat.

NOMINA NOVA

AGAVACEAE

- Agave delamateri** W. C. Hodgson & Sluson, Haseltonia 3: 130-140, ill., map, 1995. Typus: *Hodgson* 5478 (DES, ASU).
- Agave filifera** ssp. *microceps* Kimnach, Cact. Succ. J. (US) 67(5): 306-310, ill., 1995. Typus: *Kimnach* 1923 (HNT, MEXU, US).
- Agave tenuifolia** Zamudio & E. Sánchez, Acta Bot. Mex. 37: 47-52, ill., 1995. Typus: *Carrranza* 1905 (IEB).
- Agave wendtii** Cházaro, Cact. Suc. Mex. 40(4): 92-96, ill., map, 1995. Based on *Cházaro B. et Flores Macías* 6645. *Nom. inval.* (Art. 37.5).
- Yucca declinata** Laferrière, Cact. Succ. J. (US) 67(6): 347-348, ill., 1995. Typus: *Gentry* 16615 (ARIZ 267477, ARIZ, US).

AIZOACEAE

- ✗ **Aloianthe** S. A. Hammer, Cact. Succ. J. (US) 67(3): 172, 1995. [= *Aloinopsis* × *Deilanthe*.]
- ✗ **Alotanopsis** S. A. Hammer, Cact. Succ. J. (US) 67(3): 172, 1995. [= *Aloinopsis* × *Titanopsis*.]
- ✗ **Cheirontophorus** S. A. Hammer, Cact. Succ. J. (US) 67(3): 172, 1995. [= *Cheiridopsis* × *Odontophorus*.]
- ✗ **Conopops** S. A. Hammer, Cact. Succ. J. (US) 67(3): 172, 1995. [= *Conophytum* × *Lithops*.]
- Deilanthe thudichumii** (L. Bolus) S. A. Hammer, Cact. Succ. J. (US) 67(3): 173, 1995. Basionym: *Aloinopsis thudichumii*.
- ✗ **Dinterops** S. A. Hammer, Cact. Succ. J. (US) 67(3): 172, 1995. [First mentioned without giving the parentage in Mesemb. Study Group Bull. 9(3): 50, 1994.] [= *Dinteranthus* × *Lithops*.]
- ✗ **Dracadinteria** S. A. Hammer, Cact. Succ. J. (US) 67(3): 172, 1995. [= *Dracophilus* × *Juttadinteria*.]
- ✗ **Harbotrya** S. A. Hammer, Cact. Succ. J. (US) 67(3): 172, 1995. *Nom. inval.* (Art. H8.1). [Invalid since the name *Hartmanthus* was not yet published at the time of the description of the hybrid genus.] [= *Hartmanthus* × *Jensenobotrya*.]
- Hartmanthus** S. A. Hammer, Haseltonia 3: 79, 1995. Typus: *Delosperma pergamantaceum* L. Bolus. [First used as invalid name (Art. 36.1, 37.1) in Cact. Succ. J. (US) 67(3): 172, 1995.]
- Hartmanthus hallii** (L. Bolus) S. A. Hammer, Haseltonia 3: 80, ill., 1995. Basionym: *Delosperma hallii*.
- Hartmanthus pergamantaceus** (L. Bolus) S. A. Hammer, Haseltonia 3: 80, ill. (pp. 79, 81), 1995. Basionym: *Delosperma pergamantaceum*.

- ✗ **Ihlenopsis** S. A. Hammer, Cact. Succ. J. (US) 67(3): 172, 1995. [= *Ihlenfeldtia* × *Cheiridopsis*.]
- ✗ **Jacophyllum** S. A. Hammer, Cact. Succ. J. (US) 67(3): 172, 1995. [= *Jacobsenia* × *Mitrophyllum*.]
- Khadia alticola** Chesselet & H. E. K. Hartmann, Aloe 32(2): 48, ill., 1995. Typus: *Hartmann et Hartzler* 32729 (PRE, HBG).
- ✗ **Lapthops** S. A. Hammer, Cact. Succ. J. (US) 67(3): 172, 1995. [= *Lapidaria* × *Lithops*.]
- Marlothistella stenophylla** (L. Bolus) S. A. Hammer, Bradleya 13: 87, ill. (p. 85), 1995. Basionym: *Mesembryanthemum stenophyllum*.
- ✗ **Metrophyllum** S. A. Hammer, Cact. Succ. J. (US) 67(3): 172, 1995. [= *Meyerophytum* × *Mitrophyllum*.]
- ✗ **Mohenricia** S. A. Hammer, Cact. Succ. J. (US) 67(3): 172, 1995. [= *Mossia* × *Neohenricia*.]
- ✗ **Nanalotanopsis** S. A. Hammer, Cact. Succ. J. (US) 67(3): 172, 1995. [= *× Alotanopsis* × *Nananthus*.]
- ✗ **Nananopsis** S. A. Hammer, Cact. Succ. J. (US) 67(3): 172, 1995. [= *Nananthus* × *Aloinopsis*.]
- ✗ **Neonopsis** S. A. Hammer, Cact. Succ. J. (US) 67(3): 173, 1995. [= *Neohenricia* × *Titanopsis*.]
- ✗ **Rhombocaria** S. A. Hammer, Cact. Succ. J. (US) 67(3): 173, 1995. [= *Rhombophyllum* × *Faucaria*.]
- Stoeberia arborescens** Van Jaarsveld, Aloe 31(3-4): 69-74, ill., 1995. Typus: *van Jaarsveld et al.* 13453 (NBG). [Dated 1994, received May 1995.]
- Stoeberia frutescens** (L. Bolus) Van Jaarsveld, Aloe 31(3-4): 74, 1995. Basionym: *Mesembryanthemum frutescens*. [Dated 1994, received May 1995.]
- Stoeberia utilis** (L. Bolus) Van Jaarsveld, Aloe 31(3-4): 75, 1995. Basionym: *Mesembryanthemum utile*. [Dated 1994, received May 1995.]
- ✗ **Stomatricia** S. A. Hammer, Cact. Succ. J. (US) 67(3): 173, 1995. [= *Stomatium* × *Neohenricia*.]
- ✗ **Tanquilos** S. A. Hammer, Cact. Succ. J. (US) 67(3): 173, 1995. [= *Tanquana* × *Pleiospilos*.]
- ✗ **Titymaotus** S. A. Hammer, Cact. Succ. J. (US) 67(3): 173, 1995. [= *Titanopsis* × *Didymaotus*.]
- ✗ **Vananopsis** S. A. Hammer, Cact. Succ. J. (US) 67(3): 173, 1995. [= *Vanheerdeaa* × *Titanopsis*.]

ALOACEAE

- Aloe** cv. **Marina** A. Farinella, Piante Grasse 15(1): 33, ill., 1995. [= *Aloe striata* × *A. saponaria*.]

- Aloe** cv. **Pepe** Trager & Kimnach, Cact. Succ. J. (US) 67(2): 97, 1995. [= *Aloe descoingsii* × *A. haworthioides*, raised by J. Bleck (Bleck 309).]
- Aloe arborescens** cv. **Goldrush** Trager & Kimnach, Cact. Succ. J. (US) 67(2): 96-98, ill., 1995. [A variegated form selected from horticultural origin.]
- Aloe collenetteae** Lavranos, Cact. Succ. J. (US) 67(1): 32-33, ills., 1995. Typus: *Collenette* 8945 (E).
- Aloe descoingsii** ssp. **augustina** Lavranos, Cact. Succ. J. (US) 67(3): 158-161, ills., 1995. Typus: *Lavranos et al.* 29194 (P).
- Aloe diolii** L. E. Newton, Cact. Succ. J. (US) 67(5): 277-279, ills., SEM-ills., 1995. Typus: *Powys et Dioli* 824 (K, EA).
- Aloe whitcombei** Lavranos, Cact. Succ. J. (US) 67(1): 30-33, ills., 1995. Typus: *Collenette* 8950 (E).
- Haworthia joeyae** C. L. Scott, Bradleya 13: 80-81, ills., 1995. Typus: *Scott* 2800 (GRA).

ANACARDIACEAE

- Operculicarya borealis** Eggli, Bull. Mus. Nation. Hist. Nat., Sect. B, Adansonia 17(3-4): 152-153, ill. (p. 155), 1995. Typus: *Capuron* 23097SF (P).
- Operculicarya hirsutissima** Eggli, Bull. Mus. Nation. Hist. Nat., Sect. B, Adansonia 17(3-4): 154-155, ill., 1995. Typus: *Leandi* 3447 (P).
- Operculicarya pachypus** Eggli, Bull. Mus. Nation. Hist. Nat., Sect. B, Adansonia 17(3-4): 155-157, ill., 1995. Typus: *Humbert* 2614 (P).

APOCYNACEAE

- Adenium obesum** fa. **albiflorum** Lodé, Fichier Encycl. Cact. autres Succ. Ser. 15: no. 1394, ill., 1995. *Nom. inval.* (Art. 36.1, 37.1). [Sphalm. 'albiflora']

ASCLEPIADACEAE

- Apteranthes burchardii** (N. E. Brown) Plowes, Haseltonia 3: 61, 1995. Basionym: *Caralluma burchardii*.
- Apteranthes europaea** (Gussone) Plowes, Haseltonia 3: 59, 1995. Basionym: *Stapelia europaea*. [Erroneously given as type of *Apteranthes*.]
- Apteranthes europaea** ssp. **gussoneana** (Mikan) Plowes, Haseltonia 3: 59, 1995. Basionym: *Apteranthes gussoneana*. [Basionym name erroneously given as *Caralluma europaea* var. *gussoneana* (Mikan) Maire (which was in fact published as ssp.) and here treated as bibliographical error and corrected.]
- Apteranthes europaea** ssp. **maroccana** (Hooker

- fil.) Plowes, Haseltonia 3: 60, 1995. Basionym: *Boucerosia maroccana*.
- Apteranthes europaea** var. **affinis** (De Wildeman) Plowes, Haseltonia 3: 59, 1995. Basionym: *Caralluma affinis*.
- Apteranthes europaea** var. **albotigrina** (Maire) Plowes, Haseltonia 3: 61, 1995. Basionym: *Caralluma europaea* var. *albotigrina*.
- Apteranthes europaea** var. **barrueliana** (Maire) Plowes, Haseltonia 3: 60-61, 1995. Basionym: *Caralluma europaea* var. *barrueliana*.
- Apteranthes europaea** var. **confusa** (Font Quer) Plowes, Haseltonia 3: 61, 1995. Basionym: *Caralluma confusa*.
- Apteranthes europaea** var. **decipiens** (Maire) Plowes, Haseltonia 3: 61, 1995. Basionym: *Caralluma europaea* var. *decipiens*.
- Apteranthes europaea** var. **gattefossei** (Maire) Plowes, Haseltonia 3: 61, 1995. Basionym: *Caralluma europaea* var. *gattefossei*.
- Apteranthes europaea** var. **marmaricensis** (A. Berger) Plowes, Haseltonia 3: 61, 1995. Basionym: *Caralluma europaea* var. *marmaricensis*.
- Apteranthes europaea** var. **micrantha** (Maire) Plowes, Haseltonia 3: 61, 1995. Basionym: *Caralluma europaea* var. *micrantha*.
- Apteranthes europaea** var. **schmuckiana** (Gattefossé & Maire) Plowes, Haseltonia 3: 59, 1995. Basionym: *Caralluma europaea* var. *schmuckiana*.
- Apteranthes europaea** var. **simonis** (hort. ex A. Berger) Plowes, Haseltonia 3: 61, 1995. Basionym: *Caralluma simonis*. [Basionym erroneously given as *Caralluma europaea* var. *simonis* and here treated as bibliographical error and corrected.]
- Apteranthes europaea** var. **tristis** (Maire) Plowes, Haseltonia 3: 59-60, 1995. Basionym: *Caralluma europaea* var. *tristis*.
- Apteranthes joannis** (Maire) Plowes, Haseltonia 3: 61, 1995. Basionym: *Caralluma joannis*.
- Apteranthes negevensis** (Zohary) Plowes, Haseltonia 3: 61, 1995. Basionym: *Caralluma negevensis*.
- Australuma** Plowes, Haseltonia 3: 54, 1995. Typus: *Caralluma peschii* Nel.
- Australuma peschii** (Nel) Plowes, Haseltonia 3: 54, 1995. Basionym: *Caralluma peschii*.
- Borealluma** Plowes, Haseltonia 3: 63, 1995. Typus: *Boucerosia munbyana* Decaisne.
- Borealluma munbyana** (Decaisne) Plowes, Haseltonia 3: 63, 1995. Basionym: *Boucerosia munbyana*.
- Borealluma plicatiloba** (Lavranos) Plowes, Haseltonia 3: 63, 1995. Basionym: *Caralluma plicatiloba*.
- Borealluma staintonii** (H. Hara) Plowes, Haseltonia 3: 63, 1995. Basionym: *Caralluma staintonii*.
- Borealluma tuberculata** (N. E. Brown) Plowes, Haseltonia 3: 63, 1995. Basionym: *Caralluma tuberculata*.
- Boucerosia indica** (Wight & Arnott) Plowes, Haseltonia 3: 59, 1995. Basionym: *Hutchinia*

- indica.*
- Boucerosia nilagiriana** (Kumari & Subba Rao) Plowes, Haseltonia 3: 59, 1995. Basionym: *Caralluma nilagiriana*.
- Boucerosia procumbens** (Gravely & Mayuranathan) Plowes, Haseltonia 3: 59, 1995. Basionym: *Caralluma procumbens*.
- Brachystelma angustum** Peckover, Aloe 31(3-4): 60-61, illus., 1995. Typus: *Peckover* 189 (PRE). [Dated 1994, received May 1995.]
- Brachystelma bikitaensis** Peckover, Aloe 32(3-4): 78-79, illus., 1995. Typus: *Peckover* 242 (PRE).
- Brachystelma kerzneri** Peckover, Aloe 31(3-4): 84-85, illus., 1995. Typus: *Peckover* 1722 (PRE). [Dated 1994, received May 1995.]
- Brachystelma setosum** Peckover, Aloe 31(3-4): 76-78, illus., 1995. Typus: *Peckover* 186 (PRE). [Dated 1994, received May 1995.]
- Caralluma burchardii** ssp. *maura* (Maire) Meve & F. Albers, Nordic J. Bot. 15(5): 465, 1995. Basionym: *Caralluma burchardii* var. *maura*.
- Caudanthera** Plowes, Haseltonia 3: 58, 1995. Typus: *Boucerosia sinaica* Decaisne.
- Caudanthera mireillae** (Lavrano) Plowes, Haseltonia 3: 38, 1995. Basionym: *Caralluma mireillae*.
- Caudanthera sinaica** (Decaisne) Plowes, Haseltonia 3: 38, 1995. Basionym: *Boucerosia sinaica*.
- Ceropogia exigua** (H. Huber) M. G. Gilbert & P. T. Li, Novon 5(1): 3, 1995. Basionym: *Ceropogia longifolia* ssp. *exigua*.
- Ceropogia intricolor** L. E. Newton, Bradleya 13: 35-37, illus., 1995. Typus: *Newton* 4460 (K, EA).
- Ceropogia pseudodimorpha** Rauh, Cact. Succ. J. (US) 67(3): 141-143, 1995. Typus: *Rauh* 74391A (HEID).
- Ceropogia sinoerecta** M. G. Gilbert & P. T. Li, Novon 5(1): 4, 1995. Typus: *Delavay* 2625 (P).
- Crenulluma** Plowes, Haseltonia 3: 66, 1995. Typus: *Boucerosia awdeliana* Deflers.
- Crenulluma adenensis** (Deflers) Plowes, Haseltonia 3: 66, 1995. Basionym: *Boucerosia adenensis*.
- Crenulluma arabica** (N. E. Brown) Plowes, Haseltonia 3: 66, 1995. Basionym: *Caralluma arabica*.
- Crenulluma aucheriana** (Decaisne) Plowes, Haseltonia 3: 66-67, 1995. Basionym: *Boucerosia aucheriana*.
- Crenulluma awdeliana** (Deflers) Plowes, Haseltonia 3: 66, 1995. Basionym: *Boucerosia awdeliana*.
- Crenulluma dolichocarpa** (O. Schwartz) Plowes, Haseltonia 3: 67, 1995. Basionym: *Caralluma dolichocarpa*.
- Crenulluma flava** (N. E. Brown) Plowes, Haseltonia 3: 67, 1995. Basionym: *Caralluma flava*.
- Crenulluma kalmbacheriana** (Lavrano) Plowes, Haseltonia 3: 67, 1995. Basionym: *Caralluma kalmbacheriana*.
- Crenulluma lavrani** (Rauh & Wertel) Plowes, Haseltonia 3: 67, 1995. Basionym: *Caralluma lavrani*. [Sphalm. 'lavranii'.]
- Crenulluma petraea** (Lavrano) Plowes, Haseltonia 3: 67, 1995. Basionym: *Caralluma petraea*.
- Crenulluma rauhii** (Lavrano) Plowes, Haseltonia 3: 67, 1995. Basionym: *Caralluma rauhii*.
- Cryptolluma** Plowes, Haseltonia 3: 57, 1995. Typus: *Boucerosia edulis* Edgeworth.
- Cryptolluma edulis** (Edgeworth) Plowes, Haseltonia 3: 57, 1995. Basionym: *Boucerosia edulis*.
- Cylindrilluma** Plowes, Haseltonia 3: 62-63, 1995. Typus: *Caralluma solenophora* Lavrano.
- Cylindrilluma solenophora** (Lavrano) Plowes, Haseltonia 3: 63, 1995. Basionym: *Caralluma solenophora*.
- Desmidorchis edithae** (N. E. Brown) Plowes, Haseltonia 3: 58, 1995. Basionym: *Caralluma edithae*.
- Desmidorchis foetida** (E. A. Bruce) Plowes, Haseltonia 3: 58, 1995. Basionym: *Caralluma foetida*. [Sphalm. 'foetidus'.]
- Desmidorchis penicillata** (Deflers) Plowes, Haseltonia 3: 58-59, 1995. Basionym: *Boucerosia penicillata*. [Sphalm. 'penicillatus'.]
- Desmidorchis somalica** (N. E. Brown) Plowes, Haseltonia 3: 59, 1995. Basionym: *Caralluma somalica*. [Sphalm. 'somalicus'.]
- Desmidorchis speciosa** (N. E. Brown) Plowes, Haseltonia 3: 59, 1995. Basionym: *Sarcodon speciosa*. [Sphalm. 'speciosus'.]
- Echidnopsis globosa** Thulin & Hjertson, Nordic J. Bot. 15(3): 261-262, illus., 1995. Typus: *Thulin et al.* 8248 (UPS, K).
- Elachistostemma** Choux ex Liede & Meve, Bot. J. Linn. Soc. 18: 43, 1995. *Nom. inval.* (Art. 36.1). Based on *Sarcostemma elachistemoides* Liede & Meve. [Mentioned in passing.]
- × **Gonostelma** P. V. Heath, Calyx 5(2): 49, 1995. *Nom. inval.* (Art. 33.2). [*Nom. nov. pro × Brachystemon* P. V. Heath 1992 (*non Brachystemon* Michaux). Validity not assessed and probably invalid since the bibliographic reference is only given for the nothospecies, but not for the replaced name.] [= *Gonostemon × Brachystelma*.]
- Gonostemon × medius** P. V. Heath, Calyx 5(2): 49, 1995. Typus: [icono] Asklepios No. 38: 21, fig. 6. [= *Gonostemon erectiflorus* × *G. glanduliflorus*.]
- Gonostemon × novus** P. V. Heath, Calyx 5(2): 49, 1995. Typus: [icono] Asklepios No. 38: 21, fig. 86. [= *Gonostemon erectiflorus* × *G. concinna*.]
- Hoya sect. *Pseudohoya*** C. M. Burton, Hoyan 17(2: Part 2): 11, 1995. Typus: *Hoya diptera* Seeman.
- Hoya chinghungensis** (Tsiang & P. T. Li) M. G. Gilbert & P. T. Li, Novon 5(1): 9, 1995. Basionym: *Dischidia chinghungensis*.

- Hoya commutata** M. G. Gilbert & P. T. Li, Novon 5(1): 10, 1995. Typus: *Tsang* 22375 p.p. (P) [Holotype mixed with *H. fusca*, cf. protologue.].
- Hoya davidecummingii** Kloppenburg, Fraterna 1995(2): 10-11, ill., 1995. Typus: *Cumming* 3232 (BISH, UC).
- Hoya dicksoniana** P. T. Li, Fraterna 1995(1): 9, 1995. Typus: *Dickason* 3032 (A).
- Hoya greenii** Kloppenburg, Fraterna 1995(2): 12-13, ill., 1995. Typus: *Green* 93132 (BISH 7).
- Hoya kingdonwardii** P. T. Li, Fraterna 1995(1): 9, 1995. Typus: *Kingdon Ward* 21152 (A).
- Hoya loyceandrewsiana** T. Green, Fraterna 1994(4): 3-5, ill., 1995. Typus: BISH, NYBG [Ex cult. T. Green 9301 (horticultural origin).]. [Dated 1994, received May 1995 at ZSS.]
- Hoya mekongensis** M. G. Gilbert & P. T. Li, Novon 5(1): 10, 1995. Typus: *Biet* in *Soulié* 1598 (P).
- Hoya myanmarica** P. T. Li, Fraterna 1995(1): 9, 1995. Typus: *Kingdon Ward* 21190 (A).
- Hoya onychoides** P. I. Forster et al., Austrobaileya 4(3): 402-403, fig. 2, 1995. Typus: *Liddle* IML559 (BRI) [Ex cult.].
- Hoya waymaniae** Kloppenburg, Fraterna 1995(2): 8-9, ill., 1995. Typus: UC 11 [Ex cult., probably from Australia].
- ✗ **Huernelia** Barad, Cact. Succ. J. (US) 67(4): 255, 1995. [= *Huernia* × *Stapelia*.]
- Huernia lenewtonii** Plowes, Asklepios No. 64: 21-22, pl. 5-6, 1995. Typus: *Newton* et *Powys* 3703 (K, EA).
- Huernia rubra** Plowes, Asklepios No. 64: 20-21, pl. 1-3, 1995. Typus: *Plowes* et *Barad* 7797 (K, SRGH).
- ✗ **Huerrianthus** Barad, Cact. Succ. J. (US) 67(4): 255, 1995. [= *Huernia* × *Stapelianthus*.]
- ✗ **Huerrianthus** cv. *Alexis* Barad, Cact. Succ. J. (US) 67(4): 255, ill., 1995. [= *Huernia* *longituba* × *Stapelianthus keraudreniae*.]
- Monolluma** Plowes, Haseltonia 3: 64-65, 1995. Typus: *Stapelia quadrangula* Forskål.
- Monolluma cicatricosa** (Deflers) Plowes, Haseltonia 3: 65, 1995. Basionym: *Boucerosia cicatricosa*.
- Monolluma quadrangula** (Forsskål) Plowes, Haseltonia 3: 65, 1995. Basionym: *Stapelia quadrangula*.
- Pseudolithos dodsonianus** (Lavrano) Bruyns & Meve, Edinburgh J. Bot. 52(2): 202, 1995. Basionym: *Caralluma dodsoniana*.
- Quaqua cincta** (C. A. Lückhoff) Plowes ex Bruyns, Asklepios No. 65: 17, 1995. Basionym: *Caralluma cincta*. [First invalidly (Art. 33.2) published by Plowes in *Excelsa* 16: 95, 1994, and erroneously reported as valid in RPS 45.]
- Sanguilluma** Plowes, Haseltonia 3: 65-66, 1995. Typus: *Boucerosia socotrana* Balfour fil..
- Sanguilluma socotrana** (Balfour fil.) Plowes, Haseltonia 3: 66, 1995. Basionym: *Boucerosia socotrana*.
- Sarcostemma elachistemmoides** Liede & Meve, Bot. J. Linn. Soc. 118: 41-43, ill., 1995. Typus: *Decary* 7890 (P).
- Sarcostemma membranaceum** Liede & Meve, Bot. J. Linn. Soc. 18: 43-45, ill., 1995. Typus: *Liede* et *Conrad* 2765 (P, TAN).
- Sauvalluma** Plowes, Haseltonia 3: 52-53, 1995. Typus: *Caralluma furtia* P. R. O. Bally.
- Sauvalluma furtia** (P. R. O. Bally) Plowes, Haseltonia 3: 53, 1995. Basionym: *Caralluma furtia*.
- Somalluma** Plowes, Haseltonia 3: 56-57, 1995. Typus: *Caralluma baradii* Lavranos.
- Somalluma baradii** (Lavrano) Plowes, Haseltonia 3: 57, 1995. Basionym: *Caralluma baradii*.
- Spathulopetalum arachnoideum** (P. R. O. Bally) Plowes, Haseltonia 3: 56, 1995. Basionym: *Caralluma gracilipes* ssp. *arachnoidea*. [Basionym erroneously given as *C. gracilipes* var. *arachnoidea*, treated as bibliographical error and here corrected.]
- Spathulopetalum congestiflorum** (P. R. O. Bally) Plowes, Haseltonia 3: 56, 1995. Basionym: *Caralluma congestiflora*.
- Spathulopetalum edwardsiae** (M. G. Gilbert) Plowes, Haseltonia 3: 56, 1995. Basionym: *Caralluma gracilipes* ssp. *edwardsiae*.
- Spathulopetalum gracilipes** (K. Schumann) Plowes, Haseltonia 3: 56, 1995. Basionym: *Caralluma gracilipes*.
- Spathulopetalum longiflorum** (M. G. Gilbert) Plowes, Haseltonia 3: 56, 1995. Basionym: *Caralluma longiflora*.
- Spathulopetalum mogadoxense** (Chiavenda) Plowes, Haseltonia 3: 56, 1995. Basionym: *Caralluma mogadoxensis*.
- Spathulopetalum moniliforme** (P. R. O. Bally) Plowes, Haseltonia 3: 56, 1995. Basionym: *Caralluma moniliformis*.
- Spathulopetalum peckii** (P. R. O. Bally) Plowes, Haseltonia 3: 56, 1995. Basionym: *Caralluma peckii*.
- Spathulopetalum priogonium** (K. Schumann) Plowes, Haseltonia 3: 56, 1995. Basionym: *Caralluma priogonium*.
- Spathulopetalum turneri** (E. A. Bruce) Plowes, Haseltonia 3: 56, 1995. Basionym: *Caralluma turneri*.
- Spathulopetalum vaduliae** (Lavrano) Plowes, Haseltonia 3: 56, 1995. Basionym: *Caralluma vaduliae*.
- Spiralluma** Plowes, Haseltonia 3: 53, 1995. Typus: *Caralluma longidens* N. E. Brown.
- Spiralluma longidens** (N. E. Brown) Plowes, Haseltonia 3: 53, 1995. Basionym: *Caralluma longidens*.
- Spiralluma mouretii** (A. Chevalier) Plowes, Haseltonia 3: 54, 1995. Basionym: *Caralluma mouretii*.
- ✗ **Stuernia** P. V. Heath, Calyx 5(2): 49, 1995. [Sphalm. 'Steurnia', following the authors incorrect usage of 'Heurnia' for *Huernia*.] [= *Stapelia* × *Huernia*.]
- Sulcolluma** Plowes, Haseltonia 3: 61-62, 1995. Typus: *Caralluma hexagona* Lavranos.
- Sulcolluma foulcheri-delbosclii** (Lavrano)

- Plowes, Haseltonia 3: 62, 1995. Basionym: *Caralluma foulcheri-delbosci*.
- Sulcolluma foulcheri-delbosci** var. **greenbergiana** (Lavrano) Plowes, Haseltonia 3: 62, 1995. Basionym: *Caralluma foulcheri-delbosci* var. *greenbergiana*.
- Sulcolluma hexagona** (Lavrano) Plowes, Haseltonia 3: 62, 1995. Basionym: *Caralluma hexagona*.
- Sulcolluma hexagona** var. **septentrionalis** (Lavrano & L. E. Newton) Plowes, Haseltonia 3: 62, 1995. Basionym: *Caralluma hexagona* var. *septentrionalis*.
- Sulcolluma shadhbana** (Lavrano) Plowes, Haseltonia 3: 62, 1995. Basionym: *Caralluma shadhbana*.
- Sulcolluma shadhbana** var. **barhana** (Lavrano & L. E. Newton) Plowes, Haseltonia 3: 62, 1995. Basionym: *Caralluma shadhbana* var. *barhana*.
- Tridentea parvipuncta** ssp. **truncata** (C. A. Lückhoff) Bruyns, South Afr. J. Bot. 61(4): 194, fig. 18 (p. 197), 1995. Basionym: *Stapelia parvipuncta* var. *truncata*.
- Tromotriche** sect. **Caruncularia** (Haworth) Bruyns, South Afr. J. Bot. 61(4): 207, 1995. Basionym: *Caruncularia*. [Doubtfully valid since not given as formal new combination, but the basionym reference is given on p. 198.]
- Tromotriche baylissii** (L. C. Leach) Bruyns, South Afr. J. Bot. 61(4): 206, fig. 28 (p. 203), 1995. Basionym: *Stapelianthus baylissii*.
- Tromotriche choanantha** (Lavrano & Hall) Bruyns, South Afr. J. Bot. 61(4): 204, fig. 27 (p. 202), 1995. Basionym: *Stapelia choanantha*.
- Tromotriche herrei** (Nel) Bruyns, South Afr. J. Bot. 61(4): 208, fig. 34 (p. 207), 1995. Basionym: *Stapelia herrei*.
- Tromotriche longii** (C. A. Lückhoff) Bruyns, South Afr. J. Bot. 61(4): 204, fig. 26 (p. 201), 1995. Basionym: *Stapelia longii*.
- Tromotriche longipes** (C. A. Lückhoff) Bruyns, South Afr. J. Bot. 61(4): 208, fig. 33: B-D,F (p. 206), 1995. Basionym: *Stapelia longipes*.
- Tromotriche ruschiana** (Dinter) Bruyns, South Afr. J. Bot. 61(4): 208, 1995. Basionym: *Stapelia ruschiana*.
- Tromotriche umdausensis** (Nel) Bruyns, South Afr. J. Bot. 61(4): 207, fig. 30 (p. 204), 1995. Basionym: *Caralluma umdausensis*.
- ✗ **Whitesloaniopsis** Barad, Cact. Succ. J. (US) 67(4): 255, 1995. [= *Whitesloanea* × *Huerniopsis*.]
- ✗ **Whitesloaniopsis** cv. **Gray Ghost** Barad, Cact. Succ. J. (US) 67(4): 254-255, ill., 1995. [= *Huerniopsis decipiens* × *Whitesloanea crassa*.]

ASPHODELACEAE

- Bulbine caput-medusae** G. Williamson, Aloe 32(3-4): 80-83, ill., 1995. Typus: *Williamson* 4208 (NBG).

Bulbine hallii G. Williamson, Aloe 32(3-4): 80-81, ill. (p. 82), 1995. Typus: *Williamson et Hammer* 5421 (NBG).

ASTERACEAE

- Solanecio tuberosus** var. **pubescens** Mesfin, Kew Bull. 49(1): 140, 1994. Typus: *Ash* 1948 (K).

CACTACEAE

- Arrojadoa** subgen. **Albertbuiningia** P. J. Braun & E. Esteves Pereira, Succulenta 74(2): 81, 1995. Typus: *Arrojadoa diniae* Buining & Brederoo.
- Arrojadoa diniae** ssp. **nana** (P.J. Braun & E. Esteves P.) P.J. Braun & E. Esteves Pereira, Succulenta 74(2): 82, 1995. Basionym: *Arrojadoa diniae* var. *nana*.
- Arrojadoa eriocaulis** ssp. **albicoronata** (van Heek et al.) P. J. Braun & E. Esteves Pereira, Succulenta 74(2): 82, 1995. Basionym: *Arrojadoa eriocaulis* var. *albicoronata*.
- Arrojadoa rhodantha** ssp. **aureispina** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, Succulenta 74(2): 81, 1995. Basionym: *Arrojadoa aureispina*.
- Arrojadoa rhodantha** var. **anguinea** (P.J. Braun & E. Esteves P.) P.J. Braun & E. Esteves Pereira, Succulenta 74(2): 81, 1995. Basionym: *Arrojadoa aureispina* var. *anguinea*.
- Arrojadoa rhodantha** var. **guanambensis** (P. J. Braun & Heimen) P. J. Braun & E. Esteves Pereira, Succulenta 74(2): 81, 1995. Basionym: *Arrojadoa aureispina* var. *guanambensis*.
- Arthrocereus** subgen. **Chapadocereus** P. J. Braun & E. Esteves Pereira, Succulenta 74(2): 82, 1995. Typus: *Eriocereus spinosissimus* Buining & Brederoo.
- Arthrocereus melanurus** ssp. **estevensis** (Diers & P. J. Braun) P. J. Braun & E. Esteves Pereira, Succulenta 74(2): 82, 1995. Basionym: *Arthrocereus melanurus* var. *estevensis*. [Basionym erroneously cited as "A. melanurus ssp. *estevensis*" (but with correct literature reference) and here and l.c. (5): 226) corrected.]
- Arthrocereus melanurus** ssp. **mello-barretoi** (Backeberg & Voll) P. J. Braun & E. Esteves Pereira, Succulenta 74(2): 82, 1995. Basionym: *Arthrocereus mello-barretoi*.
- Brasilicereus phaeacanthus** ssp. **breviflorus** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(2): 83, 1995. Basionym: *Brasilicereus breviflorus*.
- Cereus apoloensis** (Cárdenas) P. J. Braun & E. Esteves Pereira, Succulenta 74(2): 83, 1995. Basionym: *Monvillea apoloensis*.
- Cereus ballivianii** (Cárdenas) P. J. Braun & E. Esteves Pereira, Succulenta 74(2): 83, 1995.

- Basionym: *Monvillea ballivianii*.
Cereus calcirupicola ssp. **cabralensis** (F. Ritter)
 P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 83, 1995. Basionym: *Piptanthocereus cabralensis*.
Cereus calcirupicola ssp. **cipoensis** (F. Ritter) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 83, 1995. Basionym: *Piptanthocereus cipoensis*.
Cereus callianthus (Fuaux & Backeberg) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 83, 1995. *Nom. inval.*, based on *Monvillea calliantha*, *nom. inval.* (Art. 37.1).
Cereus campinensis ssp. **piedadensis** (F. Ritter)
 P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 83, 1995. Basionym: *Monvillea piedadensis*.
Cereus euchlorus ssp. **aliticostatus** (F. Ritter) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 83, 1995. Basionym: *Monvillea aliticostata*.
Cereus euchlorus ssp. **leucanthus** (F. Ritter) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 83-84, 1995. Basionym: *Monvillea leucantha*.
Cereus euchlorus ssp. **rhodoleucanthus** (K. Schumann) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 83-84, 1995. Basionym: *Cereus rhodoleucanthus*.
Cereus hildmannianus ssp. **xanthocarpus** (K. Schumann) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 84, 1995. Basionym: *Cereus xanthocarpus*.
Cereus jamacaru ssp. **goiasensis** (F. Ritter) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 84, 1995. Basionym: *Piptanthocereus goiasensis*.
Cereus kroenleinii N. P. Taylor, *Kew Bull.* 50(4): 819-820, 1995. Typus: *Schessl* 3475 (K., ULM).
Cereus kroenleinii (R. Kiesling) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 84, 1995. *Nom. inval.*, based on *Monvillea kroenleinii*, *nom. inval.* (Art. 37.1). [Sphalm. 'kroehleinii'].
Cereus lamprospermus ssp. **colosseus** (F. Ritter)
 P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 84, 1995. Basionym: *Piptanthocereus colosseus*.
Cereus ritteri P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 84, 1995. Typus: *Ritter* 844 loc. 1 (U 160241B, SGO, ZSS [seeds only, status ?]). [*Nom. nov. pro Monvillea chacoana* F. Ritter 1980].
Cereus ritteri ssp. **parapetiensis** (F. Ritter) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 84, 1995. Basionym: *Monvillea parapetiensis*.
Cereus spegazzinii var. **ebenacanthus** (F. Ritter)
 P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 84, 1995. Basionym: *Monvillea ebenacantha*.
Chamaecereus cv. **Firechief** Barad, *Cact. Succ. J. (US)* 67(5): 311, ill., 1995. [Without details of provenance.]
Cintia Kníze & Ríha, *Kaktusy* 31(2): 35-39, ill., 1995. Typus: *Cintia knizei* Ríha.
Cintia knizei Ríha, *Kaktusy* 31(2): 35-39, ill., 1995. Typus: *Knize* 1768 (PR 11441).
Cleistocactus baumannii ssp. **anguinus** (Gürke)
 P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 84, 1995. Basionym: *Cereus anguinus*.
Cleistocactus baumannii ssp. **chacoanus** (F. Ritter) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 84, 1995. Basionym: *Cleistocactus chacoanus*.
Cleistocactus baumannii ssp. **croceiflorus** (F. Ritter) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 84, 1995. Basionym: *Cleistocactus croceiflorus*.
Cleistocactus baumannii var. **paraguariensis** (F. Ritter) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 84, 1995. Basionym: *Cleistocactus paraguariensis*.
Coleocephalocereus fluminensis ssp. **braamhaarii** (P. J. Braun) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 84, 1995. Basionym: *Coleocephalocereus fluminensis* var. *braamhaarii*.
Coleocephalocereus fluminensis ssp. **paulensis** (F. Ritter) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(2): 84, 1995. Basionym: *Coleocephalocereus paulensis*.
Discocactus catingicola ssp. **griseus** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, *Kakt. and. Sukk.* 46(3): 64, 1995. Basionym: *Discocactus griseus*.
Discocactus cephaliaciculosus Buining & Brederoo ex P. J. Braun & E. Esteves Pereira, *Kakt. and. Sukk.* 46(3): 63, 1995. Typus: *Esteves Pereira* 402 (UFG 14.760). [First invalidly described by Buining & Brederoo, l.c. 26(5): 97-100, ill., 1975 (*nom. inval.*, Art. 37.1, based on 2 syntypes).]
Discocactus cephaliaciculosus ssp. **nudicephalus** P. J. Braun & E. Esteves Pereira, *Kakt. and. Sukk.* 46(3): 63, 1995. Typus: *Esteves Pereira* 148 (UFG 12.365). [First invalidly published by the same authors in l.c. 43(10): 218-224, ill., 1992 (cf. RPS 43).]
Discocactus diersianus ssp. **golanus** (Diers & E. Esteves Pereira) P.J. Braun & E. Esteves Pereira, *Kakt. and. Sukk.* 46(3): 64, 1995. Basionym: *Discocactus goianus*.
Discocactus hartmannii ssp. **magnimammus** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, *Kakt. and. Sukk.* 46(3): 64, 1995. Basionym: *Discocactus magnimammus*.
Discocactus hartmannii ssp. **patulifolius** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, *Kakt. and. Sukk.* 46(3): 64, 1995. Basionym: *Discocactus patulifolius*.
Discocactus piavensis P. J. Braun & E. Esteves Pereira, *Kakt. and. Sukk.* 46(3): 57-62, ill., SEM-ills., 1995. Typus: *Esteves Pereira* 114 (UFG 14761, B, ZSS).
Discocactus placentiformis ssp. **alteolens** (Lemaire) P. J. Braun & E. Esteves Pereira, *Kakt. and. Sukk.* 46(3): 64, 1995. Basionym: *Discocactus alteolens*.
Discocactus placentiformis ssp. **pugionacanthus** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, *Kakt. and. Sukk.* 46(3): 64, 1995.

- Basionym: *Discocactus pugionacanthus*.
- Discocactus zehntneri** ssp. **albispinus** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, Kakt. and. Sukk. 46(3): 64, 1995. Basionym: *Discocactus albispinus*.
- Discocactus zehntneri** ssp. **araneispinus** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, Kakt. and. Sukk. 46(3): 64, 1995. Basionym: *Discocactus araneispinus*.
- Discocactus zehntneri** ssp. **horstiorum** (P. J. Braun) P. J. Braun & E. Esteves Pereira, Kakt. and. Sukk. 46(3): 64, 1995. Basionym: *Discocactus zehntneri* var. *horstiorum*.
- Echinocereus** sect. **Subinermes** (K. Schumann) Mich. Lange, Echinocereenfreund 8(1): 16, 1995. Basionym: *Echinocereus* ser. *Subinermes*.
- Echinocereus bonatzii** R. C. Römer, Echinocereenfreund 8(4): 98-113, ills., map, SEM-ills., 1995. Typus: *Bonatz* 1/93 (ZSS 12388). [Erratum in l.c. 9(1): 26-27, 1996.]
- Echinocereus nicholii** ssp. **llanuraensis** Rutow, Echinocereenfreund 1995(3): 61-71, ills., SEM-ills., 1995. Typus: *Anonymus* s.n. (ZSS). [Epithet probably correctable to 'llanurensis' (cf. ICBN Art. 60.8 / Rec. 60D/G).]
- Echinocereus poselgeri** ssp. **kroenleinii** (A. Cartier) Mich. Lange, Kakt. and. Sukk. 46(6): 138, 1995. Basionym: *Wilcoxia kroenleinii*.
- Echinocereus sanpedroensis** Raudonat & Rischer, Echinocereenfreund 8(4): 88-97, ills., SEM-ills., 1995. Typus: *Rischer* 263/95 (ZSS).
- Echinocereus scheeri** var. *salm-dyckianus* (Scheer) Lodé, Cact. Aventures No. 27: 29, 1995. *Nom. inval.* (Art. 33.2), based on *Echinocereus salm-dyckianus*. [Concurrently published (*nom. inval.*, Art. 33.2) in Fichier Encycl. Cact. & autres Succ. 16: 1461, 1995.]
- Echinocereus tamaulipensis** (Werdermann) Mich. Lange, Kakt. and. Sukk. 46(6): 139, 1995. Basionym: *Wilcoxia tamaulipensis*.
- Echinocereus tamaulipensis** ssp. **deherdtii** Mich. Lange, Kakt. and. Sukk. 46(6): 140-141, ill., 1995. Typus: *Anonymus* s.n. (JE) [Ex cult. De Herdt, 25. 5. 1991].
- Echinocereus tamaulipensis** ssp. **waldeissii** (Haugg) Mich. Lange, Kakt. and. Sukk. 46(6): 142, 1995. Basionym: *Echinocereus waldeissii*.
- Echinofossulocactus multicostatus** var. **zacatecasensis** (Britton & Rose) Lodé, Cact. Aventures No. 27: 29, 1995. Basionym: *Echinofossulocactus zacatecasensis*. [Concurrently published in Fichier Encycl. Cact. & autres Succ. 16: 1462, 1995.]
- Echinopsis bridgesii** ssp. **yungasensis** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 130, 1995. Basionym: *Echinopsis yungasensis*.
- Echinopsis mammillosa** ssp. **silvatica** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 130, 1995. Basionym: *Echinopsis silvatica*.
- Echinopsis rhodotricha** ssp. **chacoana** (Schütz) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 130, 1995. Basionym: *Echinopsis chacoana*.
- Facheiroa squamosa** ssp. **polygona** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 130, 1995. Basionym: *Zehntnerella polygona*.
- ×**Ferocergia** cv. **Rody** G. Unger, Kakt. and. Sukk. 46(12): 290, ill. (p. 289), 1995. [= *Ferocactus gracilis* × *Leuchtenbergia principis* (female). Published as grex under the provisions of the ICNCP, here treated as cultivar under the ICBN.]
- Ferocactus latispinus** var. **recurvus** (Miller) Lodé, Cact. Aventures No. 27: 29, 1995. Incorrect name (Art. 11.4), based on *Cactus recurvus*. [Basionym incorrectly cited as *Ferocactus recurvus* and treated as bibliographical error and here corrected. Concurrently published in Fichier Encycl. Succ. 16: 1468, 1995.]
- Frailea castanea** ssp. **harmoniana** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 130, 1995. Basionym: *Frailea asteroides* var. *harmoniana*.
- Frailea cataphracta** ssp. **duchii** (Moser) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 130, 1995. Basionym: *Frailea cataphracta* var. *duchii*.
- Frailea cataphracta** ssp. **melitae** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 130, 1995. Basionym: *Frailea melitae*.
- Frailea cataphracta** ssp. **tuyensis** (Buining & Moser) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 130, 1995. Basionym: *Frailea cataphracta* var. *tuyensis*.
- Frailea gracillima** ssp. **albifusca** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 130, 1995. Basionym: *Frailea albifusca*.
- Frailea gracillima** ssp. **horstii** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 130, 1995. Basionym: *Frailea horstii*.
- Frailea pumila** ssp. **albiareolata** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 130, 1995. Basionym: *Frailea albiareolata*.
- Frailea pumila** ssp. **major** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 130-131, 1995. Basionym: *Frailea pumila* var. *major*.
- Frailea pygmaea** ssp. **altigibbera** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 131, 1995. Basionym: *Frailea pygmaea* var. *altigibbera*.
- Frailea pygmaea** ssp. **asperispina** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 131, 1995. Basionym: *Frailea asperispina*.
- Frailea pygmaea** ssp. **aureinitens** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 131, 1995. Basionym: *Frailea aureinitens*.
- Frailea pygmaea** ssp. **aureispina** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3):

- 131, 1995. Basionym: *Frailea aureispina*.
- Frailea pygmaea** ssp. **fulviseta** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(3): 131, 1995. Basionym: *Frailea fulviseta*.
- Frailea pygmaea** ssp. **lilalunula** (F. Ritter) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(3): 131, 1995. Basionym: *Frailea pygmaea* var. *lilalunula*.
- Frailea schilinzkyana** ssp. **concepcionensis** (Buining & Moser) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(3): 131, 1995. Basionym: *Frailea concepcionensis*.
- Gymnocalycium anisitsii** ssp. **multiproliferum** (P. J. Braun) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(3): 131, 1995. Basionym: *Gymnocalycium damsii* var. *multiproliferum*.
- Gymnocalycium bruchii** cv. **Pink Lace** Trager & Kimnach, *Cact. Succ. J. (US)* 67(2): 94, ill., 1995. [A selected clone of horticultural origin (Abbey Garden).]
- Gymnocalycium catamarcense** H. Till & W. Till, *Gymnocalycium* 8(1): 142-143, ill., 1995. Typus: *Till* 93-632/2259 (WU).
- Gymnocalycium catamarcense** fa. **belense** H. Till & W. Till, *Gymnocalycium* 8(1): 144-145, ill., 1995. Typus: *Till* 93-630/2235 (WU).
- Gymnocalycium catamarcense** fa. **ensispinum** H. Till & W. Till, *Gymnocalycium* 8(1): 143, ill., 1995. Typus: *Till* 88-135/1830 (WU).
- Gymnocalycium catamarcense** fa. **montanum** H. Till & W. Till, *Gymnocalycium* 8(1): 143-144, ill., 1995. Typus: *Till* 88-164/1838 (WU).
- Gymnocalycium catamarcense** ssp. **acinacispinum** H. Till & W. Till, *Gymnocalycium* 8(1): 146, ill., 1995. Typus: *Till* 87-45/1566 (WU).
- Gymnocalycium catamarcense** ssp. **schmidianum** H. Till & W. Till, *Gymnocalycium* 8(1): 145-146, ill., 1995. Typus: *Till* 87-60/1590 (WU).
- Gymnocalycium horridispinum** var. **achirasense** (H. Till & Schatzl) Lodé, *Cact. Aventures No.* 27: 29, 1995. Basionym: *Gymnocalycium achirasense*. [Concurrently published in *Fichier Encycl. Cact.* 16: 1473, 1995.]
- Gymnocalycium mackleanum** (Hooker) Metzing et al., *Allionia* 33: 209, 1995. Basionym: *Echinocactus mackleanus*.
- Gymnocalycium marsoneri** ssp. **matoense** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, *Succulenta* 74(3): 131, 1995. Basionym: *Gymnocalycium matoense*.
- Gymnocalycium platygonum** (H. Till & W. Till) Pilbeam, *Gymnocalycium Coll. Guide*, 123-124, 1995. *Nom. inval.* (Art. 36.1, 37.1), based on *Gymnocalycium riojense* var. *platygonum*. [First published as invalid nude name (Art. 36.1, 37.1) by Schütz, *Monogr. Rodu Gymnocalycium*, Dodatek, 12, 1988.]
- Gymnocalycium rosae** H. Till, *Gymnocalycium* 8(3): 160-162, ill., 1995. Typus: *Till* 93-639 (WU).
- Haageocereus acranthus** fa. **clavispinus** (Rauh & Backeberg) Ostolaza, *Cact. Succ. J. (US)* 67(1): 10, 1995. Basionym: *Haageocereus clavispinus*.
- Haageocereus acranthus** fa. **repandus** (Rauh & Backeberg) Ostolaza, *Cact. Succ. J. (US)* 67(1): 10, 1995. Basionym: *Haageocereus olowinskianus* var. *repandus*.
- Haageocereus acranthus** var. **olowinskianus** (Backeberg) Ostolaza, *Cact. Succ. J. (US)* 67(1): 9, 1995. Basionym: *Haageocereus olowinskianus*.
- Haageocereus cephalomacrostibas** (Backeberg) P. V. Heath, *Calyx* 5(2): 64, 1995. Basionym: *Cereus cephalomacrostibas*. [Name first used invalidly by Evanich, *Index Cact. Ill.*, 1989.]
- Haageocereus churinensis** (F. Ritter) P. V. Heath, *Calyx* 5(2): 64, 1995. Basionym: *Weberbaueroocereus churinensis*. [Name first used invalidly by Evanich, *Index Cact. Ill.*, 1989.]
- Haageocereus cuzcoensis** (Knize) P. V. Heath, *Calyx* 5(2): 64, 1995. Basionym: *Weberbaueroocereus cuzcoensis*. [Name first used invalidly by Evanich, *Index Cact. Ill.*, 1989.]
- Haageocereus cuzcoensis** var. **tenuiarboreus** (F. Ritter) P. V. Heath, *Calyx* 5(2): 64, 1995. Basionym: *Weberbaueroocereus cuzcoensis* var. *tenuiarboreus*. [Sphalm. 'tenuiarboreus'. Name first used invalidly by Evanich, *Index Cact. Ill.*, 1989.]
- Haageocereus johnsonii** (F. Ritter) P. V. Heath, *Calyx* 5(2): 64, 1995. Basionym: *Weberbaueroocereus johnsonii*. [Name first used invalidly by Evanich, *Index Cact. Ill.*, 1989.]
- Haageocereus longicomus** (F. Ritter) P. V. Heath, *Calyx* 5(2): 64, 1995. Basionym: *Weberbaueroocereus longicomus*. [Name first used invalidly by Evanich, *Index Cact. Ill.*, 1989.]
- Haageocereus multangularis** fa. **cristatus** P. V. Heath, *Calyx* 5(2): 64, 1995. Typus: [icono] Cullmann, Kakteen, ed. 3, 34: fig. 26, 1974.
- Haageocereus pseudomelanostele** fa. **longicomus** (Akers) Ostolaza, *Cact. Succ. J. (US)* 67(1): 8, 1995. Basionym: *Peruvocereus setosus* var. *longicomus*.
- Haageocereus rauhii** (Backeberg) P. V. Heath, *Calyx* 5(2): 64, 1995. Basionym: *Weberbaueroocereus rauhii*. [Name first used invalidly by Evanich, *Index Cact. Ill.*, 1989.]
- Haageocereus rauhii** var. **laticornius** (Rauh) P. V. Heath, *Calyx* 5(2): 64, 1995. Basionym: *Weberbaueroocereus rauhii* var. *laticornius*. [Sphalm. 'laticornua'. Name first used invalidly by Evanich, *Index Cact. Ill.*, 1989.]
- Haageocereus torataensis** (F. Ritter) P. V. Heath, *Calyx* 5(2): 65, 1995. Basionym: *Weberbaueroocereus torataensis*. [Sphalm. 'toratensis'. Name first used invalidly by Evanich, *Index Cact. Ill.*, 1989.]
- Haageocereus versicolor** fa. **cristatus** P. V. Heath, *Calyx* 5(2): 65, 1995. Typus: [icono] W. Haage, *Cacti & Succ.*, 31, 1963.
- Haageocereus weberbaueri** var. **horridispinus**

- (Backeberg) P. V. Heath, Calyx 5(2): 65, 1995.
Basionym: *Weberbauercereus horridispinus*.
- Haageocereus winterianus** (F. Ritter) P. V. Heath, Calyx 5(2): 65, 1995. Basionym: *Weberbauercereus winterianus*. [Name first used invalidly by Evanich, Index Cact. Ill., 1989.]
- Haageocereus winterianus** var. **australis** (F. Ritter) P. V. Heath, Calyx 5(2): 65, 1995. Basionym: *Weberbauercereus winterianus* var. *australis*. [Name first used invalidly by Evanich, Index Cact. Ill., 1989.]
- Harrisia pomanensis** ssp. **bonplandii** (Parmentier) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 131, 1995. Incorrect name (Art. 11.4), based on *Cereus bonplandii*.
- Harrisia pomanensis** ssp. **tarijensis** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 131, 1995. Basionym: *Eriocereus tarijensis*.
- Hariota epiphyloides** ssp. **bradei** (Campos-Porto & Castellanos) Barthlott & N. P. Taylor, Bradleya 13: 74, 1995. Basionym: *Hariota epiphyloides* var. *bradei*.
- Leocereus bahiensis** ssp. **barreirensis** (P.J. Braun & E. Esteves P.) P.J. Braun & E. Esteves Pereira, Succulenta 74(3): 132, 1995. Basionym: *Leocereus bahiensis* var. *barreirensis*.
- Leocereus bahiensis** ssp. **exiguospinus** (P.J. Braun & E. Esteves P.) P.J. Braun & E. Esteves Pereira, Succulenta 74(3): 132, 1995. Basionym: *Leocereus bahiensis* var. *exiguospinus*.
- Leocereus bahiensis** ssp. **robustipinus** (P.J. Braun & E. Esteves P.) P.J. Braun & E. Esteves Pereira, Succulenta 74(3): 132, 1995. Basionym: *Leocereus bahiensis* var. *robustipinus*.
- Leocereus bahiensis** ssp. **urandianus** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 132, 1995. Basionym: *Leocereus urandianus*.
- Lepismium** subgen. **Houilletia** Barthlott & N. P. Taylor, Bradleya 13: 46, 1995. Typus: *Rhipsalis regnellii* G. Lindberg.
- Lepismium houilletianum** fa. **regnelli** (G. Lindberg) Barthlott & N. P. Taylor, Bradleya 13: 47, 1995. Basionym: *Rhipsalis regnellii*.
- Lepismium lumbicoides** fa. **aculeatum** (F. A. C. Weber) Barthlott & N. P. Taylor, Bradleya 13: 48, 1995. Basionym: *Rhipsalis aculeata*.
- Mammillaria** sect. **Cochemiea** (K. Brandegee) J. Lüthy, Taxon. Untersuch. Mammillaria, 132, 1995. Basionym: *Mammillaria* subgen. *Cochemiea*.
- Mammillaria** ser. **Bartschella** (Britton & Rose) J. Lüthy, Taxon. Untersuch. Mammillaria, 136, 1995. Basionym: *Bartschella*.
- Mammillaria** ser. **Bombycinæ** J. Lüthy, Taxon. Untersuch. Mammillaria, 154, 1995. Typus: *Mammillaria bombycina* Quchl.
- Mammillaria** ser. **Cochemiea** (K. Brandegee) J. Lüthy, Taxon. Untersuch. Mammillaria, 136, 1995. Basionym: *Mammillaria* subgen.
- Cochemiea*.
- Mammillaria** ser. **Herrerae** J. Lüthy, Taxon. Untersuch. Mammillaria, 141, 1995. Typus: *Mammillaria herrerae* Werdermann.
- Mammillaria** ser. **Phellosperma** (Britton & Rose) J. Lüthy, Taxon. Untersuch. Mammillaria, 128, 1995. Basionym: *Phellosperma*.
- Mammillaria** ser. **Rhodantha** J. Lüthy, Taxon. Untersuch. Mammillaria, 176, 1995. Typus: *Mammillaria rhodantha* Link & Otto.
- Mammillaria** **bocasana** ssp. **eschauzieri** (Coulter) W. A. & B. Fitz Maurice, J. Mammillaria Soc. 35(2): 17, ill. (p. 18), 1995. Basionym: *Cactus eschauzieri*.
- Mammillaria** **fittkaui** ssp. **limonensis** (Reppenhagen) J. Lüthy, Taxon. Untersuch. Mammillaria, 162, 1995. Basionym: *Mammillaria limonensis*.
- Mammillaria** **fittkaui** ssp. **mathildae** (Krähenbühl & Kraenzl) J. Lüthy, Taxon. Untersuch. Mammillaria, 162, 1995. Basionym: *Mammillaria mathildae*.
- Mammillaria** **heyderi** ssp. **coahuilensis** (Bödeker) J. Lüthy, Taxon. Untersuch. Mammillaria, 192, 1995. Basionym: *Porfiria coahuilensis*.
- Mammillaria** **tezontle** W. A. & B. Fitz Maurice, Cact. Suc. Mex. 40(3) 59-62, 72, ill., 1995. Typus: *Fitz Maurice* 2296 (Herb. CanTe A.C., K, MEXU).
- Matucana** **myriacantha** fa. **purpureoalba** (F. Ritter) Lodé, Cact. Aventures No. 27: 29, 1995. Basionym: *Matucana purpureoalba*. [First published invalidly (Art. 33.2) in Fichier Encycl. Cact. & autres Succ. 14: 1297, 1994.]
- Melocactus inclinatus** Antesberger, Bradleya 13: 13-17, ill., 1995. Typus: *Antesberger* 35 (SZU).
- Micranthocereus** **flaviflorus** ssp. **densiflorus** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 132, 1995. Basionym: *Micranthocereus densiflorus*.
- Micranthocereus** **flaviflorus** var. **uillianus** (Brederoo & Bercht) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 132, 1995. Basionym: *Micranthocereus uillianus*.
- Navajoa** **peeblesiana** fa. **maia** Hochstätter, Gen. Pediocactus, Navajoa, Toumeya Rev., 105, ill., in caption, 1995. *Nom. inval.* (Art. 36.1, 37.1).
- Navajoa** **peeblesiana** fa. **menzelii** Hochstätter, Gen. Pediocactus, Navajoa, Toumeya Rev., 104-105, ill., in caption, 1995. *Nom. inval.* (Art. 36.1, 37.1).
- Navajoa** **peeblesiana** ssp. **fickeisenii** (Hochstätter) Hochstätter, Kakt. and. Sukk. 46(5): 116, 1995. Basionym: *Navajoa peeblesiana* var. *fickeisenii*.
- Neolloydia** **hoferi** (J. Lüthy & A. B. Lau) A. T. Powell, Brit. Cact. Succ. J. 13(4): 155, 1995. *Nom. inval.* (Art. 33.2), based on *Turbinicarpus hoferi*.
- Neolloydia** **knuthiana** var. **ysabelae** (Schlange) A. T. Powell, Brit. Cact. Succ. J. 13(4): 154, 1995. *Nom. inval.* (Art. 33.2), based on *Thelocactus ysabelae*.

- Neolloodia krainziana* (G. Frank) A. T. Powell, Brit. Cact. Succ. J. 13(4): 156, 1995. *Nom. inval.* (Art. 33.2), based on *Toumeya krainziana*.
- Neolloodia krainziana* var. *minima* (G. Frank) A. T. Powell, Brit. Cact. Succ. J. 13(4): 156, 1995. *Nom. inval.* (Art. 33.2, 43.1), based on *Turbinicarpus krainzianus* fa. *minimus*.
- Neolloodia pseudopectinata* var. *rubriflora* A. T. Powell, Brit. Cact. Succ. J. 13(4): 155, 1995. *Nom. inval.* (Art. 36.1, 37.1).
- Neolloodia roseiflora* A. T. Powell, Brit. Cact. Succ. J. 13(4): 156, 1995. *Nom. inval.* (Art. 36.1, 37.1). [Sphalm. 'roseiflorus'. Probably an attempt to transfer the (invalidly published) *Turbinicarpus roseiflorus* Backeberg.]
- Neolloodia swobodae* (L. Diers) A. T. Powell, Brit. Cact. Succ. J. 13(4): 156, 1995. *Nom. inval.* (Art. 33.2), based on *Turbinicarpus swobodae*.
- Neolloodia valdeziana* var. *albiflora* A. T. Powell, Brit. Cact. Succ. J. 13(4): 155, 1995. *Nom. inval.* (Art. 36.1, 37.1).
- Notocactus* sect. *Brasilicactus* (Backeberg) N. Gerloff et al., Notokakteen, 145, 1995. *Nom. inval.* (Art. 33.2).
- Notocactus* sect. *Eriocactus* (Backeberg) N. Gerloff et al., Notokakteen, 136, 1995. *Nom. inval.* (Art. 33.2).
- Notocactus* sect. *Neonotocactus* (Backeberg) N. Gerloff et al., Notokakteen, 112, 1995. *Nom. inval.* (Art. 33.2).
- Notocactus* sect. *Notobrasilia* Havlicek, in N. Gerloff et al., Notokakteen, 130-131, 1995. *Nom. illeg.* (Art. 53.5). [Based on *Notocactus rechensis* Buining.]
- Notocactus* sect. *Wigginsia* (D. Porter) N. Gerloff et al., Notokakteen, 149, 1995. *Nom. inval.* (Art. 33.2).
- Notocactus concinnus* var. *apricus* (Arechavaleta) P. V. Heath, Calyx 5(2): 63, 1995. Basionym: *Echinocactus apicus*.
- Notocactus concinnus* var. *tabularis* (Rümpler) P. V. Heath, Calyx 5(2): 63, 1995. Basionym: *Echinocactus concinnus* var. *tabularis*.
- Notocactus erinaceus* fa. *corynodes* (Otto ex Pfeiffer) N. Gerloff, Notokakteen, 152, 1995. Basionym: *Echinocactus corynodes*.
- Notocactus haselbergii* fa. *cristatus* P. V. Heath, Calyx 5(2): 63, 1995. Typus: [icono] Ito, Shaboten ..., p. 428, f. 183-(1)-A, 1981. [Name first used invalidly by Evanich 1989.]
- Notocactus leninghausii* fa. *cristatus* P. V. Heath, Calyx 5(2): 63, 1995. Typus: [icono] Lamb & Lamb, Pocket Encycl. Cact. Col., 85, 1969. [Name first used invalidly by Lamb & Lamb, l.c., 1969.]
- Notocactus mammulosus* fa. *cristatus* P. V. Heath, Calyx 5(2): 63, 1995. Typus: [icono] Succulenta 56(10): 250, 1977.
- Notocactus sellowii* fa. *fricii* (Arechavaleta) N. Gerloff, Notokakteen, 163, 1995. Basionym: *Echinocactus fricci*.
- Notocactus sellowii* fa. *leucocarpus* (Arechavaleta) N. Gerloff, Notokakteen, 164, 1995. Basionym: *Echinocactus leucocarpus*.
- Notocactus sellowii* fa. *rubricostatus* (Fric ex Fleischer & Schütz) N. Gerloff, Notokakteen, 165, 1995. Basionym: *Wigginsia rubricostata*.
- Notocactus submammulosus* ssp. *minor* (R. Kiesling) W.-R. Abraham, Internoto 16(3): 82, 1995. Basionym: *Parodia submammulosa* ssp. *minor*.
- Notocactus tenuispinus* fa. *cristatus* P. V. Heath, Calyx 5(2): 63, 1995. Typus: [icono] Ito, Shaboten ..., p. 439, f. 188-1-B.
- Notocactus tetracanthus* (Lemaire) N. Gerloff et al., Notokakteen, 167, 1995. *Nom. inval.* (Art. 34.1a), based on *Echinocactus tetracanthus*. [Marked as *nom. nud.* and thus interpreted as not having been accepted by the authors.]
- Notocactus turecekianus* (R. Kiesling) W.-R. Abraham, Internoto 16(3): 82, 1995. Basionym: *Parodia tureckiana*.
- Opuntia brasiliensis* ssp. *bahiensis* (Britton & Rose) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 132, 1995. Basionym: *Opuntia bahiensis*.
- Opuntia brasiliensis* ssp. *subacarpa* (Rizzini & Mattos Filho) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 132, 1995. Basionym: *Brasiliopuntia subacarpa*.
- Opuntia brunneogemmia* (F. Ritter) Schlindwein, Bradleya 13: 29, in adnot., 1995. Basionym: *Platypuntia brunneogemmia*. [First used invalidly as synonym (Art. 34.1) by F. Ritter, Kakt. Südamer. 1: 34, 1979.]
- Opuntia cognata* (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 132-133, 1995. Basionym: *Platypuntia cognata*. [Name first used by F. Ritter in Kakt. Südamer. 1: 246, 1979, as synonym.]
- Opuntia conjungens* (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 133, 1995. Basionym: *Platypuntia conjungens*. [Name first used by F. Ritter in Kakt. Südamer. 2: 494-495, 1980, as synonym.]
- Opuntia limitata* (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 133, 1995. Basionym: *Platypuntia limitata*. [Name first used by F. Ritter in Kakt. Südamer. 1: 245-246, 1979, as synonym.]
- Opuntia monacantha* ssp. *brunneogemmia* (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 133, 1995. Basionym: *Platypuntia brunneogemmia*.
- Opuntia palmadora* ssp. *catingicola* (Werdermann) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 133, 1995. Basionym: *Opuntia catingicola*.
- Opuntia pyrrhantha* (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 133, 1995. Basionym: *Platypuntia pyrrhantha*. [First used by F. Ritter in Kakt. Südamer. 2: 497-498, 1980, as synonym.]
- Opuntia saxatilis* var. *minutispina* P. J. Braun & E. Esteves Pereira, Cact. Succ. J. (US) 67(2): 108-112, illus., 1995. Typus: *Esteves Pereira* 228 (UFG 12.382).
- Opuntia sulphurea* ssp. *brachyacantha* (F. Ritter) P. J. Braun & E. Esteves Pereira,

- Succulenta 74(3): 133, 1995. Basionym: *Platypuntia brachyacantha*.
- Opuntia sulphurea** ssp. **spinibarbis** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 133, 1995. Basionym: *Platypuntia spinibarbis*.
- Opuntia viridirubra** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 133 (June), 1995. Basionym: *Platypuntia viridirubra*. [First used by F. Ritter, Kakt. Südamer. 1: 35, 1979, as synonym. Erroneously repeated by Schindwein, Bradleya 13: 29, 1995 (Dec.).]
- Opuntia viridirubra** ssp. **rubrogemmia** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 133, 1995. Basionym: *Platypuntia rubrogemmia*.
- Opuntia vitelliniflora** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 133, 1995. Basionym: *Platypuntia vitelliniflora*. [Sphalm. 'vitellini flora'. First used by F. Ritter, Kakt. Südamer. 2: 498, 1980, as synonym.]
- Opuntia vitelliniflora** ssp. **interjecta** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 133, 1995. Basionym: *Platypuntia interjecta*.
- ✗ **Paetzara** P. V. Heath, Calyx 5(2): 78, 1995. [= *Aporocactus* × *Disocactus* × *Heliocereus* × *Nopalochchia*.]
- Parodia linkii** (Lehmann) R. Kiesling, Cact. Succ. J. (US) 67(1): 22, 1995. Basionym: *Cactus linkii*.
- Parodia submammulosa** (Lemaire) R. Kiesling, Cact. Succ. J. (US) 67(1): 14, 1995. Basionym: *Echinocactus submammulosus*.
- Parodia submammulosa** ssp. **minor** R. Kiesling, Cact. Succ. J. (US) 67(1): 16-17, 1995. Typus: *Kiesling et al.* 4704 (SI).
- Parodia turecekiana** R. Kiesling, Cact. Succ. J. (US) 67(1): 15-19, ills., SEM-ill., 1995. Typus: *Kiesling et al.* 5933 (SI).
- Pediocactus bradyi** ssp. **despainii** (S. L. Welsh & Goodrich) Hochstätter, Gen. Pediocactus, Navajoa, Toumeya Rev., 64, 1995. Basionym: *Pediocactus despainii*.
- Pediocactus bradyi** ssp. **winkleri** (K. D. Heil) Hochstätter, Gen. Pediocactus, Navajoa, Toumeya Rev., 61, 1995. Basionym: *Pediocactus winkleri*.
- Pediocactus nigrispinus** ssp. **beastonii** (Hochstätter) Hochstätter, Gen. Pediocactus, Navajoa, Toumeya Rev., 29, 1995. Basionym: *Pediocactus nigrispinus* var. *beastonii*.
- Pediocactus nigrispinus** ssp. **puebloensis** Hochstätter, Gen. Pediocactus, Navajoa, Toumeya Rev., 26, in clav., 152-154, ills. (p. 89), 1995. Typus: *Hochstätter* 19.4 (HBG).
- Pediocactus simpsonii** fa. **acklinii** Hochstätter, Gen. Pediocactus, Navajoa, Toumeya Rev., 90, ills., in caption, 1995. *Nom. inval.* (Art. 36.1, 37.1).
- Pediocactus simpsonii** fa. **flinspachii** Hochstätter, Gen. Pediocactus, Navajoa, Toumeya Rev., 41, 1995. *Nom. inval.* (Art. 36.1, 37.1).
- Pediocactus simpsonii** fa. **prairie** Hochstätter, Gen. Pediocactus, Navajoa, Toumeya Rev., 92, ill., in caption, 1995. *Nom. inval.* (Art. 36.1, 37.1). [Epithet exactly as given.]
- Pediocactus simpsonii** ssp. **bensonii** Hochstätter, Gen. Pediocactus, Navajoa, Toumeya Rev., 46, 1995. Typus: *Hall et Harbour* s.n. (MO). [*Nom. nov. pro Echinocactus simpsonii* var. *minor* Engelmann 1863.]
- Pediocactus simpsonii** ssp. **indranaus** (Hochstätter) Hochstätter, Gen. Pediocactus, Navajoa, Toumeya Rev., 43, 1995. Basionym: *Pediocactus simpsonii* var. *indranaus*. [Spelling changed from the original 'indranaus', named for the author's daughter Indra, and thus probably correctable to 'indræ'.]
- Pediocactus simpsonii** ssp. **robustior** (J. M. Coulter) Hochstätter, Gen. Pediocactus, Navajoa, Toumeya Rev., 41, 1995. Basionym: *Echinocactus simpsonii* var. *robustior*.
- Pilosocereus aurisetus** ssp. **densilanatus** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 134, 1995. Basionym: *Pilosocereus werdermannianus* var. *densilanatus*.
- Pilosocereus aurisetus** ssp. **supthutianus** (P. J. Braun) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 134, 1995. Basionym: *Pilosocereus supthutianus*.
- Pilosocereus aurisetus** ssp. **werdermannianus** (Buning & Brederoo) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 134, 1995. Basionym: *Pseudopilocereus werdermannianus*.
- Pilosocereus catingicola** ssp. **arenicola** (Werdermann) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 134, 1995. Basionym: *Pilocereus arenicola*.
- Pilosocereus catingicola** ssp. **hapalanthus** (Werdermann) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 134, 1995. Basionym: *Pilocereus hapalanthus*.
- Pilosocereus catingicola** ssp. **robustus** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 134, 1995. Basionym: *Pilosocereus robustus*.
- Pilosocereus flavipulvinatus** ssp. **carolinensis** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 134, 1995. Basionym: *Pilosocereus carolinensis*.
- Pilosocereus flavipulvinatus** var. **robustispinus** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 134, 1995. Basionym: *Pilosocereus carolinensis* var. *robustispinus*.
- Pilosocereus oligolepis** ssp. **kanukuensis** (Alexander) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 134, 1995. Basionym: *Cephalocereus kanukuensis*.
- Pilosocereus piauhensis** ssp. **gaturianensis** (F. Ritter) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 134, 1995. Basionym: *Pilosocereus gaturianensis*.
- Pilosocereus plauhyensis** ssp. **mucosiflorus** (Buning & Brederoo) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 134, 1995. Basionym: *Pseudopilocereus mucosiflorus*.

- Puna clavarioides** fa. **cristata** (Schelle) P. V. Heath, Calyx 5(2): 62, 1995. Basionym: *Opuntia clavarioides* fa. *cristata*.
- Pyrrhocactus strausianus** var. **sanjuanensis** (Spegazzini) J. G. Lambert, Succulenta 74(1): 36, ills., 1995. Basionym: *Echinocactus sanjuanensis*.
- Pyrhocactus vertongenii** J. G. Lambert, Succulenta 74(6): 271-273, ills., 1995. Typus: *Vertongen* 355 (U).
- Rebutia minuscula** var. **marsoneri** (Werdermann) Eb. Scholz, Inform.-brief Freundeskreis Echinopseen No. 20: 9, 1995. Basionym: *Rebutia marsoneri*.
- Rebutia minuscula** var. **wessneriana** (Bewerunge) Eb. Scholz, Inform.-brief Freundeskreis Echinopseen No. 20: 9, 1995. Basionym: *Rebutia wessneriana*.
- Rhipsalis baccifera** ssp. **hileiabaiana** N. P. Taylor & Barthlott, Bradleya 13: 63-64, fig. 8: B-F, 1995. Typus: *Hage et Brito* 2113 (CEPEC, K, MBM).
- Rhipsalis baccifera** ssp. **shaferi** (Britton & Rose) Barthlott & N. P. Taylor, Bradleya 13: 64, 1995. Basionym: *Rhipsalis shaferi*.
- Rhipsalis clavata** fa. **delicatula** (Löfgren) Barthlott & N. P. Taylor, Bradleya 13: 72, 1995. Basionym: *Rhipsalis clavata* var. *delicatula*.
- Rhipsalis dissimilis** fa. **epiphyllanthoides** (Backeberg) Barthlott & N. P. Taylor, Bradleya 13: 54, 1995. Basionym: *Lepismium epiphyllanthoides*.
- Rhipsalis ewaldiana** Barthlott & N. P. Taylor, Bradleya 13: 66, 68, ills., pl. 18 (p. 53), 1995. Typus: BONN, K [Ex cult. BG Bonn, of unknown origin].
- Rhipsalis floccosa** ssp. **hohenauensis** (F. Ritter) Barthlott & N. P. Taylor, Bradleya 13: 57, 1995. Basionym: *Rhipsalis hohenauensis*.
- Rhipsalis floccosa** ssp. **pittieri** (Britton & Rose) Barthlott & N. P. Taylor, Bradleya 13: 55, 1995. Basionym: *Rhipsalis pittieri*.
- Rhipsalis floccosa** ssp. **pulvinigera** (G. Lindberg) Barthlott & N. P. Taylor, Bradleya 13: 55, 1995. Basionym: *Rhipsalis pulvinigera*.
- Rhipsalis floccosa** ssp. **tucumanensis** (F. A. C. Weber) Barthlott & N. P. Taylor, Bradleya 13: 57, 1995. Basionym: *Rhipsalis tucumanensis*.
- Rhipsalis hoelleri** Barthlott & N. P. Taylor, Bradleya 13: 50, t. 9 (p. 52), 1995. Typus: Orssich s.n. in BG Bonn 04841 (BONN).
- Rhipsalis juengeri** Barthlott & N. P. Taylor, Bradleya 13: 69, 72, pl. 29-30 (p. 71), 1995. Typus: BONN; K [Ex cult. BG Bonn, of unknown origin].
- Rhipsalis micrantha** fa. **kirbergii** (Barthlott) Barthlott & N. P. Taylor, Bradleya 13: 62, 1995. Basionym: *Rhipsalis kirbergii*.
- Rhipsalis micrantha** fa. **rauhiorum** (Barthlott) Barthlott & N. P. Taylor, Bradleya 13: 62, 1995. Basionym: *Rhipsalis rauhiorum*.
- Rhipsalis monacantha** var. **espinosa** Kimnach, Cact. Succ. J. (US) 67(1): 37-39, ills., 1995. Typus: Aguilar s.n. (HNT, HEID, US).
- Rhipsalis neves-armondii** fa. **megalantha** (Löfgren) Barthlott & N. P. Taylor, Bradleya 13: 50, 1995. Basionym: *Rhipsalis megalantha*.
- Rhipsalis pacheco-leonis** ssp. **catenulata** (Kimmach) Barthlott & N. P. Taylor, Bradleya 13: 59, 1995. Basionym: *Rhipsalis paradoxa* var. *catenulata*.
- Rhipsalis paradoxa** ssp. **septentrionalis** N. P. Taylor & Barthlott, Bradleya 13: 57, ill., 1995. Typus: Martins s.n. (K) [Ex cult. RBG Kew, 1991].
- Rhipsalis teres** fa. **capilliformis** (F. A. C. Weber) Barthlott & N. P. Taylor, Bradleya 13: 65, 1995. Basionym: *Rhipsalis capilliformis*.
- Rhipsalis teres** fa. **heteroclada** (Britton & Rose) Barthlott & N. P. Taylor, Bradleya 13: 65, 1995. Basionym: *Rhipsalis heteroclada*.
- Rhipsalis teres** fa. **prismatica** (Lemaire) Barthlott & N. P. Taylor, Bradleya 13: 65, 1995. Basionym: *Hariota prismatica*.
- Schlumbergera microsphaerica** ssp. **candida** (Löfgren) D. R. Hunt, Succ. Pl. Res. 4: 79, 1995. Basionym: *Zygocactus candidus*.
- Sclerocactus brevihamatus** ssp. **tobuschii** (W. T. Marshall) N. P. Taylor, Piante Grasse 15(1): 8, 1995. Basionym: *Mammillaria tobuschii*.
- Sclerocactus parviflorus** ssp. **havasupaiensis** (Clover) Hochstätter, Succulenta 74(1): 38, 1995. Basionym: *Sclerocactus havasupaiensis*.
- Sclerocactus spinosior** ssp. **blainei** (Welsh & Thorne) Hochstätter, Succulenta 74(1): 43-44, ills., 1995. Basionym: *Sclerocactus blainei*. [Sphalm. 'blainei'].
- Sclerocactus wetlandicus** ssp. **ilseae** (Hochstätter) Hochstätter, Gen. Pediocactus, Navajoa, Toumeya Rev., 141, 1995. Basionym: *Sclerocactus wetlandicus* var. *ilseae*.
- Sclerocactus whipplei** ssp. **busekii** Hochstätter, Succulenta 74(3): 136, 1995. Typus: Hochstätter 52.1 (HBG). [First published (I.C. (1): 40-42) as *nom. nov. pro Sclerocactus pubispinus* var. *sileri* L. Benson 1969 and erroneously given with 'Heil & Porter' as bracket authors and indicated as provisional name.]
- Selenicereus validus** S. Arias & U. Guzmán, Cact. Suc. Mex. 40(2): 27-30, ills., 1995. Typus: Sánchez-Mejorada et al. 4254 (MEXU, HNT, IBUG, MEXU).
- × **Siblara** P. V. Heath, Calyx 5(2): 77, 1995. [= *Aporocactus* × *Disocactus* × *Nopalxochia*.]
- Stenocereus littoralis** (K. Brandegee) L. W. Lenz, Aliso 14(1): 63, 1995. Basionym: *Cereus thurberi* var. *littoralis*. [First published invalidly (Art. 33.2, cf. RPS 44) in L. W. Lenz, Annot. Cat. Pl. Cape Reg. Baja Calif., 45, 1992.]
- Tacinga finalis** ssp. **atropurpurea** (Werdermann) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 134, 1995. Basionym: *Tacinga atropurpurea*.
- Turbinicarpus lophophoroides** ssp. **jauernigii**

- (G. Frank) Battaia & Zanovello, Piante Grasse 15(3): 81, 1995. Basionym: *Turbinicarpus jauernigii*.
- Uebelmannia** subgen. **Leopoldohorstia** P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 134, 1995. Typus: *Uebelmannia pectinifera* Buining.
- Uebelmannia gummifera** ssp. **meninensis** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, Succulenta 74(5): 226, 1995. Basionym: *Uebelmannia meninensis*. [First mentioned (*nom. inval.*, Art. 33.2) in l.c. (3): 135.]
- Uebelmannia gummifera* var. *meninensis* (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 135, 1995. *Nom. inval.* (Art. 33.2), based on *Uebelmannia meninensis*.
- Uebelmannia gummifera** var. **rubra** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, Succulenta 74(5): 226, 1995. Basionym: *Uebelmannia meninensis* var. *rubra*. [First mentioned (*nom. inval.*, Art. 33.2) in l.c. (3): 135.]
- Uebelmannia pectinifera** ssp. **flavispina** (Buining & Brederoo) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 135, 1995. Basionym: *Uebelmannia flavispina*.
- Uebelmannia pectinifera** ssp. **horrida** (P. J. Braun) P. J. Braun & E. Esteves Pereira, Succulenta 74(3): 135, 1995. Basionym: *Uebelmannia pectinifera* var. *horrida*.

CRASSULACEAE

- Aeonium** cv. **Cyclops** Trager & Kimnach, Cact. Succ. J. (US) 67(2): 95-96, ill., 1995. [= *Aeonium undulatum* × *A. arboreum* cv. Zwartkop, raised by J. Catlin, California.]
- Aeonium** cv. **Garnet** Trager & Kimnach, Cact. Succ. J. (US) 67(2): 95-96, ill., 1995. [= *Aeonium arboreum* cv. Zwartkop × *A. tabuliforme*, raised by J. Catlin, California.]
- Aeonium** sect. **Greenovia** (Webb & Berthelot) Mes, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 41, 1995. Basionym: *Greenovia*.
- Aeonium aizoon** (Bolle) Mes, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 41, 1995. Basionym: *Greenovia aizoon*.
- Aeonium aureum** (C. Smith ex Hornemann) Mes, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 41, 1995. Basionym: *Sempervivum aureum*.
- Aeonium diplocyclum** (Webb ex Bolle) Mes, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 41, 1995. Basionym: *Greenovia diplocycla*.
- Aeonium dodrentale** (Willdenow) Mes, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 41, 1995. Basionym: *Sempervivum dodrantale*. [Sphalm. 'dodrentale']
- Aeonium × ombriosum** Bramwell & G. D. Rowley ex P. V. Heath, Calyx 5(2): 51, 1995. Typus: TFC 25.033. [= *Aeonium hierrense* ×

A. valverdense. First published by Bramwell & G. D. Rowley, Nation. Cact. Succ. J. 28(1): 5, 1973 (*nom. inval.* Art. H10.1, 37, erroneously included as valid in RPS 24). Probably published previously in l.c. in 1993-reprint of 1992-issue (not seen).]

Aeonium × teneriffae Bramwell & G. D. Rowley ex P. V. Heath, Calyx 5(2): 51, 1995. Typus: TFC 25.026. [= *Aeonium ciliatum* × *A. urbicum*. First published by Bramwell & G. D. Rowley, Nation. Cact. Succ. J. 28(1): 5, 1973 (*nom. inval.*, Art. H10.1, 37, erroneously included as valid in RPS 24). Probably published previously in l.c., 1993-reprint of 1992-issue (not seen).]

Balfouria (H. Ohba) H. Ohba, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 156-157, 1995. Basionym: *Sedum* subgen. *Balfouria*.

Balfouria balfourii (H. Ohba) H. Ohba, Evol. Syst. Crassulaceae, 156-157, 1995. Basionym: *Sedum balfourii*.

Crassula cv. **Damsel** M. Holmes, Cact. Succ. J. (Woolahra) 20(3): 47-48, ill., 1995. [= *Crassula susannae* (male) × *C. tomentosa* var. *interrupta*.]

Crassula cv. **Dimples** Rud. Schulz, Austral. Succ. Rev. Newslett. 5(2): 11, ill., 1995. [A spontaneous mutation of *Crassula* cv. Morgan's Beauty.]

Crassula cv. **Speckles** M. Holmes, Cact. Succ. J. (Woolahra) 20(2): 23-25, ill., 1995. [= *Crassula hirta* × *C. sp.*]

Crassula ovata cv. **Pink Beauty** Trager & Kimnach, Cact. Succ. J. (US) 67(2): 99, 1995. [A clone selected from material originally received from Zimbabwe, outstanding in its compact growth and pink flowers.]

Dudleya virens ssp. **extima** Moran, Haseltonia 3: 8, ill. (pp. 6-7), 1995. Typus: *Moran* 5972 (SD).

Dudleya virens ssp. **hassei** (Rose) Moran, Haseltonia 3: 4, ill. (p. 5), 1995. Basionym: *Stylophyllum hassei*.

Dudleya virens ssp. **insularis** (Rose) Moran, Haseltonia 3: 2, ill., 1995. Basionym: *Stylophyllum insulare*.

Echeveria chazaroi Kimnach, Cact. Succ. J. (US) 67(2): 81-84, ill., 1995. Typus: *Kimnach et al.* 3327 (HNT, MEXU).

Echeveria decumbens Kimnach, Cact. Succ. J. (US) 67(1): 3-5, ill., 1995. Typus: *Baker* 4143A (HNT, US).

Echeveria helmutiana Kimnach, Cact. Succ. J. (US) 67(2): 80-81, ill., 1995. Typus: *Kimnach et al.* 3202 (HNT, GUAD, MEXU).

Globulea subgen. **Panope** P. V. Heath, Calyx 5(2): 48, 1995. Typus: Not recorded. *Nom. nov. pro Globulea* sect. *Subulatae* Haworth 1824.

Globulea subgen. **Psyche** P. V. Heath, Calyx 5(2): 48, 1995. Typus: Not recorded. *Nom. nov. pro Crassula* sect. *Margarella* Harvey 1862.

Globulea × **affinis** P. V. Heath, Calyx 5(2): 44, 1995. Typus: *Tölken* 3698 (BOL). [= *Globulea atropurpurea* var. *anomala* × *G. nudicaulis* var. *nudicaulis*.]

- Globulea ammophila** (Tölken) P. V. Heath, Calyx 5(2): 44, 1995. Basionym: *Crassula ammophila*.
- Globulea atropurpurea** nvar. **marginata** (Schönland) P. V. Heath, Calyx 5(2): 44, 1995. Basionym: *Crassula clavifolia* var. *marginata*. [= *Globulea atropurpurea* var. *atropurpurea* × var. *rubella*.]
- Globulea atropurpurea** nvar. **mixta** P. V. Heath, Calyx 5(2): 44, 1995. Typus: *Tölken* 4163 (BOL). [= *Globulea atropurpurea* var. *cultiformis* × var. *watermeyeri*.]
- Globulea atropurpurea** nvar. **marlisis** P. V. Heath, Calyx 5(2): 44, 1995. Typus: *Esterhuysen* 15021 (BOL). [= *Globulea atropurpurea* var. *purcellii* [Sphalm. 'purchellii'] × var. *watermeyeri*.]
- Globulea atropurpurea* nvar. *unica* P. V. Heath, Calyx 5(2): 45, 1995. Based on *Tölken* 3699c. *Nom. inval.* (Art. 37.5). [Rank erroneously given as 'var.'; = *Globulea atropurpurea* var. *anomala* × var. *muiri*.]
- Globulea atropurpurea** var. **anomala** (Schönland & Baker) P. V. Heath, Calyx 5(2): 44, 1995. Basionym: *Crassula anomala*.
- Globulea atropurpurea** var. **cultiformis** P. V. Heath, Calyx 5(2): 44, 1995. *Nom. inval.* (Art. 33.2, 36.1). [Probably based on *Crassula cultiformis* H.-C. Friedrich?]
- Globulea atropurpurea** var. **gibbergensis** (H.-C. Friedrich) P. V. Heath, Calyx 5(2): 44, 1995. Basionym: *Crassula gibbergensis*.
- Globulea atropurpurea** var. **muiri** (Schönland) P. V. Heath, Calyx 5(2): 44, 1995. Basionym: *Crassula clavifolia* var. *muiri*.
- Globulea atropurpurea** var. **purcellii** (Schönland) P. V. Heath, Calyx 5(2): 44, 1995. Basionym: *Crassula purcellii*. [Sphalm. 'purchellii'.]
- Globulea atropurpurea* var. *rubella* (Compton) P. V. Heath, Calyx 5(2): 44, 1995. *Nom. inval.* (Art. 34.1a,c), based on *Crassula rubella*.
- Globulea atropurpurea** var. **smutsii** (Schönland) P. V. Heath, Calyx 5(2): 45, 1995. Basionym: *Crassula smutsii*.
- Globulea atropurpurea** var. **watermeyeri** (Compton) P. V. Heath, Calyx 5(2): 45, 1995. Basionym: *Crassula watermeyeri*.
- Globulea × christyi** P. V. Heath, Calyx 5(2): 45, 1995. Typus: *Christy* 58 (GRA). [= *Globulea mollis* × *G. nudicaulis*.]
- Globulea clavata** (N. E. Brown) P. V. Heath, Calyx 5(2): 45, 1995. Basionym: *Crassula clavata*.
- Globulea cotyledonis** (Thunberg) P. V. Heath, Calyx 5(2): 45, 1995. Basionym: *Crassula cotyledonis*.
- Globulea erosula** (N. E. Brown) P. V. Heath, Calyx 5(2): 45, 1995. Basionym: *Crassula erosula*.
- Globulea erosula** var. **inamoena** (N. E. Brown) P. V. Heath, Calyx 5(2): 45, 1995. Basionym: *Crassula inamoena*.
- Globulea erosula** var. **subacaulis** (Schönland & Baker) P. V. Heath, Calyx 5(2): 45, 1995.
- Basionym: *Crassula subacaulis*.
- Globulea × flexa** P. V. Heath, Calyx 5(2): 46, 1995. Typus: *Muir* 1828 (PRE). [= *Globulea cultrata* × *G. nudicaulis*.]
- Globulea latibracteata** (Tölken) P. V. Heath, Calyx 5(2): 46, 1995. Basionym: *Crassula latibracteata*.
- Globulea mesembryanthoides** var. **hispida** (Haworth) P. V. Heath, Calyx 5(2): 46, 1995. Basionym: *Globulea hispida*. [Sphalm. 'mesembrianthemooides'.]
- Globulea nudicaulis** var. **herrei** (H.-C. Friedrich) P. V. Heath, Calyx 5(2): 46, 1995. Basionym: *Crassula herrei*.
- Globulea nudicaulis** var. **platyphylla** (Harvey) P. V. Heath, Calyx 5(2): 46, 1995. Basionym: *Crassula platyphylla*.
- Globulea pubescens** (Thunberg) P. V. Heath, Calyx 5(2): 47, 1995. Basionym: *Crassula pubescens*.
- Globulea pubescens** var. **radicans** (Haworth) P. V. Heath, Calyx 5(2): 47, 1995. Basionym: *Globulea radicans*.
- Globulea pubescens** var. **rattrayi** (Schönland & Baker) P. V. Heath, Calyx 5(2): 47, 1995. Basionym: *Crassula rattrayi*.
- Globulea rogersii** (Schönland) P. V. Heath, Calyx 5(2): 47, 1995. Basionym: *Crassula rogersii*. [Sphalm. 'rogesii'.]
- Globulea subaphylla** (Ecklon & Zeyher) P. V. Heath, Calyx 5(2): 47, 1995. Basionym: *Sphaeritis subaphylla*.
- Globulea subaphylla** var. **virgata** (Harvey) P. V. Heath, Calyx 5(2): 47, 1995. Basionym: *Crassula virgata*.
- Gomara decumbens** (Thunberg) P. V. Heath, Calyx 5(2): 41, 1995. Basionym: *Crassula decumbens*.
- Hylotelephium** sect. **Sieboldia** (H. Ohba) H. Ohba, in 'Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 155, 1995. Basionym: *Hylotelephium* ser. *Sieboldia*. [Sphalm. 'Sieboldiana'.]
- Kalanchoe** cv. **Pink Zinfandel** Trager & Kimnach, Cact. Succ. J. (US) 67(2): 100, ill., 1995. [Based on cultivated material at the Huntington Botanical Gardens and of unknown origin.]
- Kalanchoe alternans** var. **lanceolata** Raadts, Willdenowia 25(1): 255-256, ill., 1995. Typus: *Müller-Hohenstein et Deil* 777 (B) [Ex cult. BG Berlin].
- Kalanchoe aromatica** var. **brevicorolla** Boiteau, Kalanchoe Madag., 192, pl. 4: 5 (p. 40), 1995. Typus: *François* in *Herb. Jard. Bot.* 4900 (TAN) [Ex cult. BG Tsimbazaza].
- Kalanchoe beauverdii** var. **juelii** (Raymond-Hamet & H. Perrier) Rauh & Hebdig, Succulentes 18(1): 15, 1995. *Nom. inval.* (Art. 33.2), based on *Kalanchoe juelii*. [Sphalm. 'juelii'.]
- Kalanchoe bracteata** var. **longisepala** Boiteau ex L. Allorge, Kalanchoe Madag., 144, 146, pl. 6: 15-16 (p. 45), 1995. Typus: *Allorge et Bourgeois* 989 (P).

- Kalanchoe brevicalyx** (Raymond-Hamet & H. Perrier) Boiteau, Kalanchoe Madag., 133, 1995. *Nom. inval.* (Art. 33.2), based on *Kalanchoe pinnata* var. *brevicalyx*.
- Kalanchoe brevisepala** (Humbert) L. Allorge, Succulentes 18(2): 15, 1995. Basionym: *Kalanchoe millotii* var. *brevisepala*.
- Kalanchoe calcicola** (H. Perrier) Boiteau, Kalanchoe Madag., 132, 1995. Basionym: *Kalanchoe pinnata* var. *calcicola*.
- Kalanchoe coccinea** (H. Perrier) Boiteau, Kalanchoe Madag., 188, 1995. *Nom. illeg.* (Art. 53.1), based on *Kalanchoe globulifera* var. *coccinea*. [Non *Kalanchoe coccinea* Welwitsch ex Britten 1871.]
- Kalanchoe coccinea** var. *blossfeldiana* (von Poellnitz) Boiteau, Kalanchoe Madag., 190, 1995. *Nom. illeg.* (Art. 52.1), based on *Kalanchoe blossfeldiana*. [The basionym of the variety (incorrectly cited as 'Begonia blossfeldiana') is homotypic with the basionym of the species.]
- Kalanchoe gastonis-bonnieri** var. *ankaizinensis* Boiteau ex L. Allorge, Kalanchoe Madag., 119-120, pl. 4: 4 (p. 40), 1995. Typus: *Dufournei* in Boiteau s.n. (P).
- Kalanchoe gracilipes** var. *microphylla* Humbert ex L. Allorge, Kalanchoe Madag., 46, 1995. Typus: Humbert 13579 (P).
- Kalanchoe integrifolia** var. *flava* Boiteau, Kalanchoe Madag., 184, 1995. Typus: *Alexis* in Herb. Jard. Bot. 5161 (TAN).
- Kalanchoe poincarei** var. *mortagei* (Raymond-Hamet & H. Perrier) Boiteau, Kalanchoe Madag., 122, 1995. Basionym: *Kalanchoe mortagei*.
- Kalanchoe poincarei** var. *suarezensis* (H. Perrier) L. Allorge, in Boiteau & L. Allorge, Kalanchoe Madag., 122, 1995. Basionym: *Kalanchoe suarezensis*.
- Kalanchoe pubescens** fa. *anjirensis* (H. Perrier) L. Allorge, in Boiteau & L. Allorge, Kalanchoe Madag., 65, 1995. Basionym: *Kalanchoe miniata* var. *anjirensis*.
- Kalanchoe pumila** fa. *venustior* Boiteau, Kalanchoe Madag., 175, 1995. Typus: *Anonymus* in Herb. Jard. Bot. 2058 (P).
- Kalanchoe reichingeri** Raymond-Hamet ex Rauh & Hebding, Succulentes 18(1): 16-18, ills., 1995. Typus: *Anonymus* in BG Heidelberg 74213 (HEID). [Name first used by Raymond-Hamet, Crassulaceae Ic. Select. 2: t. 25-26, 1956.]
- Kalanchoeae** (A. Berger) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 167, 1995. Basionym: *Kalanchoideae*.
- Monanthes** sect. *Petrophylla* Sventenius ex 't Hart, Pl. Syst. Evol. 193(1-4): 215 (Dec.), 1994. *Nom. illeg.* (Art. 52.1). [Based on *Monanthes brachycaulos* (Webb & Berthelot) Lowe. First published (*nom. inval.*, Art. 37.1, cf. RPS 12) by Sventenius, Addit. Fl. Canar. 1: 15, 1960. *Monanthes* sect. *Petrophylla* P. V. Heath 1994 has priority.]
- Phedimus** sect. *Spathulata* (Borissova) H. Ohba,

in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 156, 1995. Basionym: *Sedum* subsect. *Spathulata*.

- Phedimus** subgen. *Aizoon* (Koch) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 168, 1995. Basionym: *Sedum* sect. *Aizoon*.
- Phedimus aizoon** (Linné) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 168, 1995. Basionym: *Sedum aizoon*.
- Phedimus ellacombianus** (Praeger) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 168, 1995. Basionym: *Sedum ellacombianum*.
- Phedimus floriferus** (Praeger) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 168, 1995. Basionym: *Sedum floriferum*.
- Phedimus hybridus** (Linné) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 168, 1995. Basionym: *Sedum hybridum*.
- Phedimus kamtschaticus** (Fischer & Meyer) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 168, 1995. Basionym: *Sedum kamtschaticum*.
- Phedimus litoralis** (Komarov) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 168, 1995. Basionym: *Sedum litorale*.
- Phedimus maximowiczii** (Regel) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 168, 1995. Basionym: *Sedum maximowiczii*.
- Phedimus middendorfianus** (Maximowicz) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 168-169, 1995. Basionym: *Sedum middendorfianum*.
- Phedimus obtusifolius** (C. A. Meyer) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 168, 1995. Basionym: *Sedum obtusifolium*.
- Phedimus odontophyllum** (Fröderström) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 169, 1995. Basionym: *Sedum odontophyllum*.
- Phedimus selskianus** (Regel & Maack) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 169, 1995. Basionym: *Sedum selskianum*.
- Phedimus sichotensis** (Voroschilov) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 169, 1995. Basionym: *Sedum sichotense*.
- Phedimus sikokianus** (Maximowicz) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 169, 1995. Basionym: *Sedum sikokianum*. [Sphalm. 'sikokianum']
- Phedimus spurius** (M. von Bieberstein) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 168, 1995. Basionym: *Sedum spurius*.
- Phedimus stevenianus** (Rouy & Camus) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 168, 1995. Basionym: *Sedum stevenianum*.
- Phedimus stoloniferus** (Gmelin) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 168, 1995. Basionym: *Sedum stoloniferum*.
- Phedimus takesimensis** (Nakai) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 169, 1995. Basionym: *Sedum takesimense*.
- Phedimus zokuriensis** (Nakai) 't Hart, in 't Hart

- & Eggli (eds.), Evol. Syst. Crassulaceae, 169, 1995. Basionym: *Sedum zokuriense*.
- Prometheum aizoon** (Fenzl) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 170, 1995. Basionym: *Umbilicus aizoon*.
- Prometheum chrysanthum** (Boissier) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 170, 1995. Basionym: *Umbilicus chrysanthus*.
- Prometheum rechingeri** (Jansson) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 170, 1995. Basionym: *Rosularia rechingeri*.
- Prometheum serpentinum** (Wedermann) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 170, 1995. Basionym: *Umbilicus serpentinus*.
- Prometheum tymphaeum** (Quézel & Contandriopoulos) 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 170, 1995. Basionym: *Sedum tymphaeum*.
- ✗ **Pyrgobulea** P. V. Heath, Calyx 5(2): 48, 1995. [= *Pyrgosea* × *Globulea*.]
- ✗ **Pyrgobulea serpentaria** (Schönland) P. V. Heath, Calyx 5(2): 48, 1995. Basionym: *Crassula serpentaria*.
- Pyrgosea** subgen. **Laodice** P. V. Heath, Calyx 5(2): 48, 1995. Typus: *Crassula rosularis* Haworth. *Nom. nov. pro Crassula sect. Rosulares* Haworth 1821.
- Sedea** 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 167, 1995. Typus: *Sedum Linné*.
- ✗ **Sedeveria** cv. **Liège Commixion** R. Stephenson, Sedum Soc. Newslett. No. 33: 23, ill. (pl. 2), 1995. [Parentage unknown; based on unnamed cultivated material.]
- Sedinae** 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 169, 1995. Typus: *Sedum Linné*.
- Sedum** cv. **Keston** Springate, Sedum Soc. Newslett. No. 35: 23-24, pl. E, 1995. [Hybrid of unknown parentage similar to *Sedum himalense*.]
- Sedum** cv. **Stewed Rhubarb Mountain** B. Brown, New, rare & elusive Pl. No. 2: 6-7, cover-ill., 1995. [Selection from seedlings of *Sedum telephium* × *S. telephoides*.]
- Sedum** ser. **Pubescens** Mes, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 42, 1995. Typus: *Sedum pubescens* Vahl.
- Sedum edwardsii** (R. T. Clausen) B. L. Turner, Phytologia 78(6): 406, 1995. Basionym: *Sedum rhodocarpum* ssp. *edwardsii*.
- Sedum hintoniorum** B. L. Turner, Phytologia 78(6): 405-407, map, 1995. Typus: *Hinton et al.* 23797 (TEX, GH, MEXU).
- Sedum pakistanicum** G. Sarwar, Candollea 50(2): 267-274, ill., SEM-ills., 1995. Typus: *Nasir et Gohar* 13544 (RAW).
- ✗ **Tacipetalum** C. H. Uhl, Cact. Succ. J. (US) 67(3): 144, 1995. [= *Tacitus* × *Graptopetalum*.]
- ✗ **Taciphytum** C. H. Uhl, Cact. Succ. J. (US) 67(3): 145, 1995. [= *Tacitus* × *Pachyphytum*.]
- Telephinae** 't Hart, in 't Hart & Eggli (eds.), Evol. Syst. Crassulaceae, 167, 1995. Typus: *Hylotelephium* H. Ohba.
- Thisantha debilis** (Thunberg) P. V. Heath, Calyx 5(2): 41, 1995. Basionym: *Crassula debilis*.
- Thisantha debilis** var. **minutiflora** (Schönland & Baker) P. V. Heath, Calyx 5(2): 41, 1995. Basionym: *Crassula minutiflora*.
- Thisantha tenuipedicellata** (Schönland & Baker) Heath, Calyx 5(2): 41, 1995. Basionym: *Crassula tenuipedicellata*.
- Tylecodon aridimontanus** G. Williamson, Cact. Succ. J. (US) 67(2): 114-115, ill., 1995. Typus: *Oliver* in Williamson 4629 (N BG) [Ex cult.]
- Tylecodon longipes** Van Jaarsveld & G. Williamson, Aloe 31(3-4): 56-58, ill., 1995. Typus: *van Jaarsveld et al.* 13063 (N BG). [Dated 1994, received May 1995.]
- Tylecodon mallei** G. Williamson, Cact. Succ. J. (US) 67(2): 114, 116-118, ill., 1995. Typus: *Hammer* in Williamson 5289 (N BG).
- Tylecodon scandens** Van Jaarsveld, Cact. Succ. J. (US) 67(1): 40-43, ill., 1995. Typus: *van Jaarsveld* et Saunders 12842 (N BG).
- Villadia laxa** Moran & C. H. Uhl, Cact. Succ. Mex. 40(2): 31-33, ill., 1995. Typus: *Kimnach et Sánchez-Mejorada* 2091 (HNT, BH, US).

DRACAENACEAE

Sansevieria eilensis Chahinian, Sansevieria J. 4(1): 9-11, ill., map, 1995. Typus: *Lavrano* 10179 (MO, UPS).

Sansevieria francisii Chahinian, Sansevieria J. 4(1): 12-14, ill., map, 1995. Typus: *Horwood* 432 (MO, UPS, ZSS).

Sansevieria schweinfurthii cv. Variegated Chahinian, Cact. Succ. J. (US) 67(3): 181, ill., 1995. *Nom. inval.* (Art. 43.1).

EUPHORBIACEAE

Euphorbia appanata Thulin & Al-Gifri, Nordic J. Bot. 15(2): 193-195, ill., 1995. Typus: *Thulin et al.* 8103 (UPS, Aden Univ., K).

Euphorbia berorohae Rauh & Hofstätter, Brit. Cact. Succ. J. 13(3): 94-97, ill., 1995. Typus: *Hofstätter* s.n. (HEID 74465).

Euphorbia capmanambatoensis Rauh, Kakt. und. Sukk. 46(9): 219-225, ill., 1995. Typus: *Rauh* 73995 (HEID).

Euphorbia davyi ssp. **maleolens** (E. Phillips) Hargreaves, Euphorbiaceae Study Group Bull. 8(3): 100, 1995. *Nom. inval.* (Art. 33.2), based on *Euphorbia maleolens*.

Euphorbia davyi ssp. **tlapanensis** Hargreaves, Euphorbiaceae Study Group Bull. 8(3): 100-103, ill., 1995. *Nom. inval.* (Art. 36.1, 37.1). [Used as provisional name.]

Euphorbia forolensis L. E. Newton, Cact. Succ. J. (US) 67(6): 358-359, ill., 1995. Typus:

Brown 44 (K, EA).

- Euphorbia iharanae** Rauh, Kakt. and. Sukk. 46(9): 220-225, ills., 1995. Typus: *Razafindratsira* in BG Heidelberg 74412 (HEID).
- Euphorbia kamponii** Rauh & Petignat, Brit. Cact. Succ. J. 13(4): 128-133, ills., 1995. Typus: *Rauh* 73327 (HEID).
- Euphorbia mahabobokensis** Rauh, Brit. Cact. Succ. J. 13(1): 15-19, ills., 1995. Typus: HEID [Based on 2 syntypes from Madagascar]. *Nom. inval.* (Art. 8.1).
- Euphorbia tlapensis** Hargreaves, Euphorbiaceae Study Group Bull. 8(3): 100-103, ills., 1995. *Nom. inval.* (Art. 36.1, 37.1). [Used as provisional name.]
- Euphorbia versicolores** G. Williamson, Cact. Succ. J. (US) 67(5): 284-286, ills., 1995. Typus: *Williamson* 4453 (N BG).

- Monadenium bianoense** Malaisse & Lecron, Bull. Séances Acad. Roy. Sci. Outre-Mer 40(3): 400-401, fig. 15, pl. 1, 1995. Typus: *Malaisse* 13606 (BR). [Vol. for 1994, dated 1995.]
- Monadenium bodenghieniae** Malaisse & Lecron, Bull. Séances Acad. Roy. Sci. Outre-Mer 40(3): 402-403, fig. 9, pl. 2, 1995. Typus: *Bodenghien et Malaisse* 14025d (BR). [Vol. for 1994, dated 1995.]
- Monadenium dilungense** Malaisse & Lecron, Bull. Séances Acad. Roy. Sci. Outre-Mer 40(3): 403-404, fig. 11, pl. 4, 1995. Typus: *Schajies* 4238 (BR). [Vol. for 1994, dated 1995.]
- Monadenium mamfwense** Malaisse & Lecron, Bull. Séances Acad. Roy. Sci. Outre-Mer 40(3): 405-406, fig. 17, pl. 7, 1995. Typus: *Malaisse* 14027 (BR). [Vol. for 1994, dated 1995.]
- Monadenium pudibundum** var. **rotundifolium** Malaisse & Lecron, Bull. Séances Acad. Roy. Sci. Outre-Mer 40(3): 406-407, pl. 9, 1995. Typus: *Malaisse* 12114 (BR). [Vol. for 1994, dated 1995.]

GERANIACEAE

- Pelargonium incrassatum** cv. **Eksteenfontein** Craib, Geraniaceae Group News 1995(autumn): 8, 1995.
- Pelargonium incrassatum** cv. **Komaggas** Craib, Geraniaceae Group News 1995(autumn): 8, 1995.
- Pelargonium incrassatum** cv. **Leliefontein** Craib, Geraniaceae Group News 1995(autumn): 8, 1995.
- Pelargonium incrassatum** cv. **Steinkopf** Craib, Geraniaceae Group News 1995(autumn): 8, 1995.

LENTIBULARIACEAE

- Pinguicula hintoniorum** B. L. Turner, Phytologia 76(1): 71-72, 1994. Typus: *Hinton et al.* 22661 (TEX).
- Pinguicula jorgehintonii** B. L. Turner, Phytologia 76(1): 69-71, ills., 1994. Typus: *Hinton et al.* 24000 (TEX).

NOLINACEAE

- Nolina cismontana** W. J. Hess & Dice, Novon 5(2): 162-164, 1995. Typus: *Dice et Oberbauer* 650 (SD 121705, ARIZ, NY, RSA, UC).

PEDALIACEAE

- Uncarina leandrii** var. **rechbergeri** Lavranos, Haseltonia 3: 84-87, ills., 1995. Typus: *Röösli et Rechberger* s.n. (P).
- Uncarina platycarpa** Lavranos, Haseltonia 3: 87-88, ills., 1995. *Nom. inval.* (Art. 37.1).
- Uncarina roeoesiana** Rauh, Kakt. and. Sukk. 47(1): 13-18, ills., SEM-ills., 1995. Typus: *Gerold* s.n. in BG Heidelberg 73518 (HEID). [Dated 1996, published late Dec. 1995.]

PORTULACACEAE

- Anacampseros rufescens** cv. **Sunrise** G. D. Rowley, Anacampseros, Avonia, Grahamia Grow. Handb., 35, ill. (p. 37), 1995.
- Avonia mallei** G. Williamson, Cact. Succ. J. (US) 67(2): 104-107, ills., 1995. Typus: *Williamson* 5202 (N BG).
- Grahamia** subgen. **Talinaria** (Brandegee) G. D. Rowley, Cact. Succ. J. (US) 67(3): 152, 1995. Basionym: *Talinaria*. [Concurrently published in G. D. Rowley, Anacampseros, Avonia, Grahamia Grow. Handb., 63, 1995]

BIBLIOGRAPHIA

- [1] Abraham, W.-R. (1995). Zwei neue Notokakteen aus Argentinien. *Internoto* 16(3): 82-86, illus.
- [2] Afferni, M. (1995). Una cactacea misteriosa: *Mammillaria xanthina*. *Piante Grasse* 15(4): 143-144, ill.
- [3] Aichele, D. & Schwegler, H.-W. (1994). Die Blütenpflanzen Mitteleuropas. Band 2. Eibengewächse bis Schmetterlingsblütengewächse. Stuttgart (D): Franckh-Kosmos Verlag. 544 pp., illus. [*Crassulaceae* pp. 317-334; *Portulacaceae* pp. 218-220.]
- [4] Aizen, M. A. & Feinsinger, P. (1994). Forest fragmentation, pollination, and plant reproduction in a Chaco dry forest, Argentina. *Ecology* 75(2): 330-351. [Includes data on pollination of *Opuntia quimilo*, *Rhipsalis lumbricoides* and *Portulaca umbraticola*.]
- [5] Al-Ghifri, A. N. & Al-Subai, M. Y. (1994). Vegetation between Abyan and Modia (Abyan Governorate, Yemen). *Feddes Repert.* 105(3-4): 229-234. [Describes several succulent communities.]
- [6] Al-Ghifri, A. N. & Hussein, M. A. (1993). Plant communities along the road from Aden to Sheikh Salem (Abyan), Yemen. *Feddes Repert.* 104(3-4): 287-270. [Describes several succulent communities.]
- [7] Alabaster, R. (1995). *Echinocereus polyacanthus*. *Cact. File* 2(5): 22-23, illus. [Included on account of the illustrations.]
- [8] Alabaster, R. (1995). *Echinocereus sciurus* and its variety. *Cact. File* 2(6): 25-26, illus.
- [9] Alabaster, R. (1995). Two challenging Echinocerei. *Cact. File* 2(7): 23-24, illus. [On the 2 varieties of *Echinocereus chisoensis*.]
- [10] Allorge-Boiteau, L. (1995). Les *Kalanchoe* arborescents du sud de Madagascar. *Succulentes* 18(2): 8-17, illus., key.
- [11] Alsemgeest, W. et al. (1995). Het geslacht *Thelocactus* Br. & R. 1. *Succulenta* 74(1): 8-14, illus., SEM-ills., map.
- [12] Alsemgeest, W. et al. (1995). Het geslacht *Thelocactus* Britton & Rose. 2. De vormen van *Thelocactus leucacanthus*. *Succulenta* 74(2): 74-80, illus., SEM-ill., map.
- [13] Alsemgeest, W. et al. (1995). Het geslacht *Thelocactus*. 3. *Thelocactus hastifer*. *Succulenta* 74(3): 125-129, illus., SEM-ills., map.
- [14] Alsemgeest, W. et al. (1995). Het geslacht *Thelocactus*. 4. *Thelocactus tulensis*. *Succulenta* 74(4): 172-175, illus., map.
- [15] Alsemgeest, W. et al. (1995). Het geslacht *Thelocactus*. 5. De vormen van *Thelocactus hexaedrophorus*. *Succulenta* 74(6): 274-279, illus., map.
- [16] Alten, J. van (1995). *Echinocereus spinigerrimus*, een vreemde eend in de bijt. *Succulenta* 74(3): 121-124, illus.
- [17] Alves, R. J. V. & Kolbek, J. (1994). Plant species endemism in savanna vegetation on table mountains (Campo Rupestre) in Brazil. *Vegetatio* 113: 125-139. [Includes data on several species of cacti.]
- [18] Anderson, E. F. (1995). The "Peyote Gardens" of South Texas: a conservation crisis? *Cact. Succ. J. (US)* 67(2): 67-73, illus.
- [19] Anonymous (1995). *Pelargonium humansdorpense*. Geraniaceae Group News 1995(autumn): 6-7, illus. [Included on account of the illustrations.]
- [20] Antesberger, H. (1995). Highlights of the trip on which we discovered *Melocactus citrispinus* AHB37. *Brit. Cact. Succ. J.* 13(2): 68-72, ill.
- [21] Antesberger, H. (1995). Samenverbreitung bei Melokakteen. *Kakt. and. Sukk.* 46(7): 171-172, ill.
- [22] Arias Montes, S. & Arreola Nava, H. (1995). Consideraciones sobre *Opuntia decumbens* Salm-Dyck. *Cact. Suc. Mex.* 40(4): 86-92, illus.
- [23] Arnold, D. H. & Mauseth, J. D. (1995). A study of environmental effects on the anatomy and morphology of cacti. In: Program, Annual Meeting of the Botanical Society of America, San Diego, August 1995, p. 29. [Abstract only.]
- [24] Arnold, T. H. & Wet, B. C. de (1993). Plants of Southern Africa: names and distribution. *Mem. Bot. Survey South Afr.* 62: 825 pp.
- [25] Arredondo Gómez, A. & Camacho Morfín, F. (1995). Germinación de *Astrophytum myriostigma* (Lemaire) en relación con la procedencia de las semillas y temperatura de incubación. *Cact. Suc. Mex.* 40(2): 34-38, ill.
- [26] Audissou, J.-A. (1995). Succulentes du Maroc. *Cact. Aventures No.* 25: 18-23, illus.
- [27] Audru, J. et al. (1994). Les plantes vasculaires de la République de Djibouti. Flore Illustrée. Paris (F): CIRAD-EMVT. 2 vols. in 3 parts, 336 + 968 pp., illus., col.pl., keys.
- [28] Bank, H. van der et al. (1995). Genetic variation in two economically important *Aloe* species (*Aloeaceae*). *Biochem. Syst. & Ecol.* 23(3): 251-256.
- [29] Barker, R. M. (1993). *Asclepiadaceae*. In: George, A. S. et al. (eds.): *Flora of Australia*, 50: 306, 324-325. (AUS): Government Printer.

[Previously omitted.]

- [30] Barrios R., M. A. & Medina-Cota, J. M. (1995). Cactáceas y suculentas de la Sierra de Pachuca, Hidalgo, México. Cact. Suc. Mex. 40(1): 16-20, ill., map.
- [31] Barthlott, W. & Porembski, S. (1995). Zur Evolution der Kakteen auf der Schildkröteninsel. Kakt. and. Sukk. 46(3): 66-70, ill.
- [32] Barthlott, W. & Taylor, N. P. (1995). Notes towards a monograph of *Rhipsalideae* (*Cactaceae*). Bradleya 13: 43-79, ill., keys.
- [33] Bashan, Y. et al. (1995). Flat top decay syndrom of the giant cactus (*Pachycereus pringlei*): description and distribution in Baja California Sur, Mexico. Canad. J. Bot. 73: 683-692.
- [34] Battaia, L. & Zanovello, C. (1995). Note Messicane. *Mammillaria roseoalba* Boedecker [sic !]. Piante Grasse 15(1): 25-27, ill., map.
- [35] Battaia, L. & Zanovello, C. (1995). Note Messicane. *Coryphantha pallida* (Britton & Rose). Piante Grasse 15(2): 58-61, ill., map.
- [36] Battaia, L. & Zanovello, C. (1995). Note Messicane. Due storie singolari e una nuova combinazione: *Turbinicarpus lophophoroides* ssp. *jauernigii* (Frank) Battaia & Zanovello comb. et stat. nov. Piante Grasse 15(3): 75-81, ill., map.
- [37] Bauer, R. (1995). *Epiphyllum thomasianum* (Schumann) Britton et Rose. EPIG 7(3): 63-72, ill.
- [38] Bebler, B. & Zimmer, K. (1995). Wachstum und Blühen von *Kalanchoe marmorata* Bak. Gartenbauwissenschaft 60(4): 171.
- [39] Bennett, P. S. & Kunzmann, M. R. (1994). Suppression of saguaro cactus flower-bud formation by roosting vultures in Arizona. Southwest. Naturalist 39(2): 200-202.
- [40] Berger, S. (1995). Neues von *N.[otocactus] muricatus* (Otto in Pfeiffer) A. Berger ex Backeb. Internoto 16(4): 107-114, ill., map.
- [41] Berk, H. (1995). Eine einfache Methode zur Identifizierung von Mammillarien. Mitteilungsbl. AfM 19(3): 135-145, 147, 149, 152, 154, 156-163.
- [42] Berresford, P. (1995). Of tigers and Euphorbias. Cact. File 2(4): 10-11, ill. [Included on account of the illustrations of *Euphorbia caducifolia*.]
- [43] Beyhl, F. (1995). Der Drachenbaum und seine Verwandtschaft. I. Der Kanarische Drachenbaum, *Dracaena draco* L. Palmengarten 59(1): 70-74, ill.
- [44] Beyhl, F. (1995). Der Drachenbaum und seine Verwandtschaft: II. Der Echte Drachenbaum, *Dracaena cinnabari*, von der Insel Sokotra. Palmengarten 59(2): 140-145, ill.
- [45] Böcker, A. (1995). *Mammillaria sanchez-*
- mejoradae* González – Neufund, oder schon 30 Jahre bekannt? Mitteilungsbl. AfM 19(2): 84-87, 89, ill.
- [46] Bogler, D. J. (1994). Systematics of *Dasyliorion*. Amer. J. Bot. 81(6: Suppl.): 142 [abstract 399].
- [47] Bogler, D. J. (1994). Phylogeny of the *Agavaceae*: evidence from morphological data, cpDNA restriction sites and ITS rDNA sequences. Amer. J. Bot. 81(6: Suppl.): 197 [abstract 560].
- [48] Bogler, D. J. & Simpson, B. B. (1994). Sequence alignment, gap weights and phylogenetic inference: analysis of ITS rDNA in the *Agavaceae* and *Liliaceae*. Amer. J. Bot. 81(6: Suppl.): 143 [abstract 401].
- [49] Bogler, D. J. & Simpson, B. B. (1995). A chloroplast DNA study of the *Agavaceae*. Syst. Bot. 20(2): 191-205, diags.
- [50] Bogler, D. J. et al. (1994). Parallel or polyphyletic evolution of the *Yucca* – *Yucca* moth interaction? Amer. J. Bot. 81(6: Suppl.): 143 [abstract 400].
- [51] Boiteau, P. (†) & Allorge-Boiteau, L. (1995). *Kalanchoe* (Crassulacées) de Madagascar. Systématique, écophysiologie et phytochimie. Paris (F): Édition Karthala. 256 pp., ill., maps, key.
- [52] Bos, J. J. & Veldhuizen, J. van (1995). Type material of African plant names originally distributed from the Berlin Botanical Museum now available at the Herbarium Vadense (WAG). II. Willdenowia 25(1): 409-426. [Includes various *Aizoaceae*, *Commiphora*, succulent *Liliaceae* sens. lat.]
- [53] Brachet, C. & Lacoste, M. (1995). Six Mammillarias together. Cact. File 2(5): 24-27, ill.
- [54] Brachet, C. & Lacoste, M. (1995). *Mammillaria glassii* Foster und ihre Verwandtschaft – wie viele noch? Mitteilungsbl. AfM 19(1): 6-15, ill. (pp. 26, 28, 30), map (p. 59).
- [55] Brachet, C. & Lacoste, M. (1995). *Mammillaria sanchez-mejoradae* González und ihre Heimat – ein Paradies für den Kakteen-Liebhaber. Mitteilungsbl. AfM 19(2): 64-69, 86, ill.
- [56] Braun, P. J. & B. (1995). Erinnerungen an die Grenadinen: *Melocactus broadwayi* auf Mayreau. Kakt. and. Sukk. 46(9): 211-214, ill., map.
- [57] Braun, P. J. & Esteves Pereira, E. (1995). The *Opuntia inamoena* complex in Brazil. Part VI. Cact. Succ. J. (US) 67(2): 108-113, ill.
- [58] Braun, P. J. & Esteves Pereira, E. (1995). Aggregationen in *Discocactus* (Nachträge). Kakt. and. Sukk. 46(3): 64.
- [59] Braun, P. J. & Esteves Pereira, E. (1995). Nieuwe combinaties en namen voor cactussen uit

- Brazilië, Bolivia en Paraguay. *Succulenta* 74(2): 81-85, (3): 130-135, ills., (5): 226 [erratum].
- [60] Bregman, R. (1995). Een witbloeiende vorm van *Matucana madisoniorum*. *Succulenta* 74(1): 1, 3, ill.
- [61] Bregman, R. (1995). *Borzicactinae*. 12. *Oreocereus celsianus*. *Succulenta* 74(3): 108-109, ills. [Included on account of the illustrations.]
- [62] Bremer, K. (1994). *Asteraceae*. Cladistics and classification. Portland (US: OR): Timber Press. 752 pp., ills. [Auszug: pp. 110-111, 499.]
- [63] Breuer, I. (1995). Ein Beitrag zur Phytogeographie der Gattung *Haworthia* Duval. Kakt. and. Sukk. 46(10): 234-236, ills., maps.
- [64] Brickwood, J. (1995). The many faces of *Parodia microsperma*. *Cact. File* 2(4): 16-20, ills.
- [65] Brickwood, J. (1995). More flaming Parodias. *Cact. File* 2(7): 10-12, ills.
- [66] Brummitt, R. K. (1995). Report of the Committee for Spermatophyta: 43. *Taxon* 44(4): 607-612.
- [67] Bruyns, P. V. (1995). A note on *Raphionacme namibiana* (Asclepiadaceae - Periploceae). *Aloe* 31(3/4): 63-67, ills., map. [Dated 1994, received May 1995.]
- [68] Bruyns, P. V. (1995). A re-assessment of the genera *Tridente Haw.* and *Tromotricha Haw.* South Afr. J. Bot. 61(4): 180-208, ills, maps, keys.
- [69] Bruyns, P. V. & Meve, U. (1995). The generic position of *Caralluma dodsoniana*. Edinburgh J. Bot. 52(2): 195-203, ills.
- [70] Burger, J. C. & Louda, S. M. (1994). Indirect versus direct effects of grasses on growth of a cactus (*Opuntia fragilis*): insect herbivory versus competition. *Oecologia* 99(1-2): 79-87.
- [71] Burow, W. (1995). *Echinofossulocactus* oder *Stenocactus*. Kakt. and. Sukk. 46(4): 85-89, ills., map.
- [72] Burow, W. (1995). Bemerkungen zu *Neolloydia conoidea*. Kakt. and. Sukk. 46(6): 152-154, ills., map.
- [73] Burow, W. (1995). Auf den Spuren von *Mammillaria zucchiniana* Martius. Kaktusblüte 1995: 7-8, ills. [Included on account of the illustrations.]
- [74] Burr, B. et al. (1995). Untersuchungen zur Ultraviolettreflexion von Angiospermenblüten III. *Dilleniidae* und *Asteridae* s.l. Trop. subtrop. Pfl.-welt 93: 185 pp., ills.
- [75] Burton, C. M. (1995). *Hoya latifolia* G. Don. Hoyan 17(1: Part II): 1-7, ills.
- [76] Busek, J. (1995). Nordost-Somalia. Das Horn von Afrika und die unbekannten Sukkulanten. Kaktusblüte 1995: 45-53, ills. [Included on account of the illustrations.]
- [77] Busek, J. (1995). *Aloe melanacantha* a. *erinacea* – konecne v nasich sbírkách. Kaktusy 31(1): 4-6, ills.
- [78] Chahinian, B. J. (1995). The real *Sansevieria zeylanica*. *Sansevieria* J. 4(1): 33-36, ills.
- [79] Chahinian, B. J. (1995). Critical look at Exotica 4, Exotica 3 and Tropica. *Sansevieria* J. 4(2): 71-74. [Identificaction of the illustrations of *Sansevieria*.]
- [80] Chalet, J.-M. (1995). *Mammillaria huitzilopochtlii* [sic!] (Hunt) e le sue forme. *Piante Grasse* 15(1): 3-7, ills.
- [81] Chalet, J.-M. (1995). Le genre *Mammillaria* dans la vallée de Tomellin (Oaxaca). Extinction – Extension. *Succulentes* 18(1): 26-29, ills. [Includes data on the variability of *M. huitzilopochtlii*.]
- [82] Chalet, J.-M. (1995). Sur le site des *Discocactus* (Pfeiffer). *Succulentes* 18(1): 3-10, ills. [Included on account of the illustrations.]
- [83] Chalet, J.-M. (1995). *Turbinicarpus subterraneus* (Backeberg) A. Zimmerman var. *zaragozae* (Glass et Foster) A. Zimmerman comb. nov. (JMC 831). *Succulentes* 18(2): 39-40, ills. [Included on account of the illustrations.]
- [84] Chalet, J.-M. (1995). *Neolloydia (Echinomastus) erectocentra* var. *acunensis* (W. T. Marshall) L. Benson (JMC 679B). *Succulentes* 18(3): 7-8, ills. [Included for the illustrations.]
- [85] Chalet, J.-M. (1995). Dans le site naturel de *Mammillaria guerrerensis* (Bravo) Backbg. ex Backbg. et Knuth et *Mammillaria magnifica* Buchenau. *Succulentes* 18(4): 3-6, titlepage, ills.
- [86] Chaouat, M. (1995). La connaissance systématique des *Caralluma* d'Israël, du Sinaï et de la Jordanie, sur la base d'un aspect des conditions écologiques. *Succulentes* 18(4): 12-17, ills., map. [Concluded in vol. 19.]
- [87] Chávez Martínez, R. & Sánchez Martínez, E. (1995). *Opuntia elizondoana* E. Sánchez et Villaseñor sp. nov., información complementaria. Nakari 6(1): 1-3.
- [88] Cházaro Basañez, M. J. (1995). Notable floración de *Nyctocereus serpentinus* (Cactaceae) en Hidalgo, México. *Cact. Suc. Mex.* 40(2): 46-47, ill. (p. 25). [Included on account of the illustration.]
- [89] Cházaro Basañez, M. J. & Huerta Martínez, M. (1995). Nota general sobre las Crasuláceas del Estado de Jalisco. In: Cházaro Basañez, M. J. et al. (eds.): *Antología Botánica del Estado de Jalisco*; pp. 78-82, ills. Guadalajara (MEX): Universidad de Guadalajara.
- [90] Cházaro Basañez, M. J. & Lomelí Mijes, E. (1995). Las Agaváceas del Estado de Jalisco. In: Cházaro Basañez, M. J. et al. (eds.): *Antología Botánica del Estado de Jalisco*; pp. 87-90, ills. Guadalajara (MEX): Universidad de Guadalajara.

- [91] Cházaro Basáñez, M. J. & Machuca Núñez, J. A. (1995). Las Cactáceas del Estado de Jalisco. In: Cházaro Basáñez, M. J. et al. (eds.): Antología Botánica del Estado de Jalisco; pp. 83-86, ill. Guadalajara (MEX): Universidad de Guadalajara.
- [92] Cházaro Basáñez, M. J. & Thiede, J. (1995). Floristic and phytogeographical studies on the *Crassulaceae* of Jalisco (Mexico). In: Hart, H. 't & Eggli, U. (eds.): Evolution and systematics of the *Crassulaceae*; pp. 124-135, map. Leiden (NL): Backhuys Publishers.
- [93] Cházaro Basáñez, M. J. et al. (1995). Nota sobre las cactáceas y otras suculentas del Cerro Viejo y áreas circunvecinas, Jalisco (Mexico). In: Cházaro Basáñez, M. J. et al. (eds.): Antología Botánica del Estado de Jalisco; pp. 44-48, ill. Guadalajara (MEX): Universidad de Guadalajara.
- [94] Chesselet, P. & Hartmann, H. E. K. (1995). *Khadia alticola* Chess. & H. E. K. Hartmann spec. nov. (*Mesembryanthema*, *Aizoaceae*). *Aloe* 32(2): 46-49, ill. [Includes notes on the genus *Khadia*.]
- [95] Chvastek, J. (1995). Rod *Glandulicactus* Backeb. po dalsí revizi. *Kaktusy* 31(3): 68-70, ill.
- [96] Chvastek, J. (1995). *Echinocactus horizonthalonius* variabilní v kvetu. *Kaktusy* 31(3): 91, ill. [On a white-flowering form from Nuevo León.]
- [97] Clark, K. H. & Simpson, B. B. (1994). Phylogeny and character evolution in *Yucca* L., based on morphological and molecular analyses. *Amer. J. Bot.* 81(6: Suppl.): 416 [abstract 416].
- [98] Clark, K. H. & Simpson, B. B. (1995). The systematics of *Yucca* L. (*Agavaceae*), based on morphology and molecular analyses. In: Program, Annual Meeting of the Botanical Society of America, San Diego, August 1995, p. 121. [Abstract only.]
- [99] Clark, P. (1995). Stapeliad stem angles. *Asklepios* No. 64: 29-34, diag., ill.
- [100] Clark, P. & Hedgecock, G. (1995). Brachystelmas illustrated. *Asklepios* No. 65: 21-27, pl. 1-8, ill.
- [101] Cota, J. H. & Wallace, R. S. (1995). A phylogenetic study of *Ferocactus* Br. & Rose (*Cactaceae: Cactoideae*). In: Program, Annual Meeting of the Botanical Society of America, San Diego, August 1995, p. 121. [Abstract only.]
- [102] Cota, J. H. et al. (1995). Notes on the cacti of Quintana Roo, Mexico. *Cact. Succ. J. (US)* 67(5): 294-300, ill.
- [103] Craib, C. (1995). *Pelargonium incrassatum* hybridisation and cultivars. *Geraniaceae Group News* 1995 (autumn): 8.
- [104] Craib, C. (1995). *Chortolirion* populations in the western, southern, south central and eastern Transvaal. *Haworthia* 9(2): 17-22, ill.
- [105] Craib, C. (1995). The Sarcocaulons of Southern Africa. *Hystrix Nat. Hist. Cult. Ser.* 1(3): 60 pp.
- [106] Craib, C. (1995). *Pelargonium ellaphiae* – field research and cultivation. *South Afr. Pelargonium & Geranium Soc. J.* 1995 (Winter): 26-31.
- [107] Crook, R. & Mottram, R. (1995). *Opuntia* index part 1: introduction and A-B. *Bradleya* 13: 88-118, ill.
- [108] Cullen, J. et al. (eds.) (1995). The European Garden Flora. Volume IV: Dicotyledons (part II). Cambridge (GB): Cambridge University Press. xvii + 602 pp., map, ill. [Includes *Moringaceae* (only genus *Moringa*, S. G. Knees) and *Crassulaceae* (several contributors).]
- [109] Dalgaard, V. (1994). Checklist of chromosome numbers in Madeiran flowering plants, with notes on polyploidy, life form, endemism and evolution. *Nordic J. Bot.* 14: 241-255. [Includes data on *Euphorbia*, *Sedum*, *Aichryson* and *Aeonium*.]
- [110] Delange, Y. (1995). Les euphorbes géantes d'Afrique australe. *Succulentes* 18(2): 3-7, (3): 3-6, ill.
- [111] Demel Teketay (1995). The genus *Sansevieria* Thunb. in Ethiopia. A contribution to the flora of Ethiopia. *Sansevieria J.* 4(2): 43-58, ill., map, key.
- [112] Desender-Brunnel, M. (1995). *Melocactus holguinensis* en *Melocactus guttartii* op Cuba. *Succulenta* 74(6): 259-262, ill.
- [113] Dodd, R. J. & Linhart, Y. B. (1994). Reproductive consequences of interactions between *Yucca glauca* (*Agavaceae*) and *Tegeticula yuccasella* (*Lepidoptera*) in Colorado. *Amer. J. Bot.* 81(7): 815-825.
- [114] Dodero, M. W. (1995). Phylogenetic analysis of *Dudleya* subgenus *Hasseanthus*. In: Program, Annual Meeting of the Botanical Society of America, San Diego, August 1995, p. 126. [Abstract only.]
- [115] Ede, J. (1995). Brachystelmas of southern Africa. *Cact. File* 2(4): 21-24, ill. [Included on account of the illustrations.]
- [116] Eggli, U. (1995). A synoptical revision of *Operculicarya* (*Anacardiaceae*). *Bull. Mus. Nation. Hist. Nat., 4. Sér., Sect. B, Adansonia* 17(3-4): 149-158, ill., key.
- [117] Eggli, U. et al. (1995). Toward a consensus classification of the *Crassulaceae*. In: Hart, H. 't & Eggli, U. (eds.): Evolution and systematics of the *Crassulaceae*; pp. 173-192. Leiden (NL): Backhuys Publishers.
- [118] Eggli, U. et al. (1995). *Cactaceae* of South America: The Ritter collections. *Englera* 16: 646

pp.

- [119] Endress, M. E. & Albert, V. A. (1995). A morphological cladistic study of *Apocynaceae*: trends in character evolution within a broadened familial circumscription. In: Program, Annual Meeting of the Botanical Society of America, San Diego, August 1995, p. 127. [Abstract only.]
- [120] Esler, K. et al. (1995). All that glisters ... *Veld & Flora* 81(1): 12-13, illus. [On the invasive *Carpobrotus edulis*.]
- [121] Ewest, W. (1995). Medusoid euphorbias in the surroundings of Port Nolloth. *Euphorbiaceae Study Group Bull.* 8(1): 8-13, illus.
- [122] Fay, M. F. et al. (1995). Tissue culture of succulent plants – An annotated bibliography. *Bradleya* 13: 38-42, illus.
- [123] Fernández, A. (1995). Anatomía en especies de *Opuntia* (*Cactaceae*) de Venezuela. I. Carácteres epidémicos de *Opuntia lilae* Trujillo et Ponce. *Ernstia*, ser. 2 5(2): 49-72, illus.
- [124] Ferryman, R. M. (1995). *Theloccephala*. *Chileans* 15(51): 131-134.
- [125] Förther, H. (1994). Die Geschichte des Martius-Herbariums: Seine Brasilienkollektion und Empfehlungen zur Typenwahl. *Sendtnera* 2: 5-24.
- [126] Förther, H. (1995). Carl Friedrich Philipp von Martius – ein früher Kakteenforscher. *Kakt. and. Sukk.* 46(9): 205-210, illus.
- [127] Foresti, A. (1995). A record-breaking *Euphorbia*. *EANHS Bull.* 25(2): 28. [On *Euphorbia meridionalis*.]
- [128] Forster, P. I. (1995). *Doryanthes palmeri* (*Doryanthaceae*): The Australian "Spear Lily". *Cact. Succ. J. (US)* 67(6): 342-346, illus., map.
- [129] Friis, I. (1995). *Sansevieria forskaoliana*, a new name for *Sansevieria abyssinica*. *Sansevieria* J. 4(1): 3-8, illus.
- [130] Fritz, G. (1995). Nog enkele kritische opmerkingen bij de resultaten van de 'IOS Consensus Group', hier b.v. betreffende het geslacht *Rebutia* sensu Hunt. *Tijdschr. Liefhebbs. Cact. Vetpl. Kamerpl.* 8(8): 125-128, ill.
- [131] Fröhlich, A. (1995). *Escobaria zilziana* und ihre Formen. *Kakt. and. Sukk.* 46(8): 201-202, illus.
- [132] Galván V., R. & Zamora M., L. I. (1995). Registro de *Agave inaequidens* C. Koch (*Agavaceae*) en el Estado de Hidalgo. *Cact. Suc. Mex.* 40(3): 66-68, illus.
- [133] Gamesby, J. (1996). A checklist of field and acquisition number acronyms and abbreviations. *Cact. File* 2(8): 20-22.
- [134] García-Franco, J. et al. (1995). Parasitismo de *Psittacanthus calyculatus* (*Loranthaceae*) sobre *Beaucarnea gracilis* (*Nolinaceae*) en el Valle de Zapotilán de las Salinas, Puebla, México. *Cact. Suc. Mex.* 40(3): 62-65, ill.
- [135] Gemmrich, W. (1995). Dimorphismus oder – Die Zweigestaltigkeit von Notokakteen an einigen Standorten. *Internoto* 16(1): 25-33, (2): 49-56, illus.
- [136] Gemmrich, W. & Gerloff, N. (1995). Am Standort des *Gymnocalycium buenekeri* G. Swales. *Gymnos* 12(23): 6-14, illus., maps.
- [137] Gerbaulet, M. (1995). *Phyllobolus* N. E. Br. emend. Bittrich (*Aizoaceae*): A reassessment of generic boundaries. *Bot. Jahrb. Syst.* 117(4): 385-399, diag.
- [138] Gerbaulet, M. & Struck, M. (1995). *Anacampseros* and allied genera – a reply. *Bot. Jahrb. Syst.* 117(3): 359-363, diag.
- [139] Gerloff, N. (1995). Die Pflanzengemeinschaft um *Notocactus ruoffii* N. Gerloff. *Internoto* 16(2): 70, ill.
- [140] Gerloff, N. (1995). Zwei Ritter-Pflanzen wiedergefunden! *Internoto* 16(3): 75-81, illus. [On *Notocactus arechavaletae* var. *rubescens* and *N. arechavaletae* var. *horstii*.]
- [141] Gerloff, N. (1995). *Notocactus neohorstii* – ein juvel iblandt *Wigginsia*. *Kaktus (Odense)* 30(4): 87-89, illus., map.
- [142] Gerloff, N. (1995). Neues von den Fundstätten des *Notocactus muricatus* und *Notocactus laetevirens*. *Rundbrief Internoto Arbeitskr. 1a* 1995(1): 1-7, illus., map.
- [143] Gerloff, N. (1995). *Notocactus buiningii* (Buxbaum) F. Ritter. *Rundbrief Internoto Arbeitskr. Neonotocactus* 1995(Juni): 2-5, illus.
- [144] Gerloff, N. (1995). *Notocactus megalanthus* Schlosser & Brederoo. *Rundbrief Internoto Arbeitskr. Neonotocactus* 1995(Juni): 5-7, illus.
- [145] Gerloff, N. & Zahra, R. (1995). *Notocactus ibicuiensis* Prestlé. *Brit. Cact. Succ. J.* 13(3): 92-93, illus. [Included on account of the illustrations.]
- [146] Gerloff, N. et al. (1995). Notokakteen. Gesamtdarstellung aller Notokakteen. Brno (CZ): Kveten. 208 pp., illus., maps. [The numerous *nomina nuda* have not been incorporated into the systematic section of RPS.]
- [147] Gilbert, M. G. et al. (1995). Notes on the *Asclepiadaceae* of China. *Novon* 5(1): 1-16.
- [148] Gilmer, K. (1995). *Reicheocactus* rediscovered? *Chileans* 15(51): 127, ill. (cover).
- [149] Gilmer, K. (1995). Beobachtungen an *Tephrocactus subterraneus* (R. E. Fries) Backeberg. *Kakt. and. Sukk.* 46(2): 29-31, illus.
- [150] Glass, C. (1995). Pages from my Mexican logbook. *Brit. Cact. Succ. J.* 13(2): 53-55, illus. [Included on account of the illustration of *Sedum batallae*.]

- [151] Glen, H. F. & Hardy, D. S. (1995). *Aloe* section *Anguialoe* and the problem of *Aloe spicata* L.f. (*Aloaceae*). *Haseltonia* 3: 92-103, ill., SEM-ills., maps, diag.
- [152] Glen, H. F. & Smith, G. F. (1995). Notes on the typification of some species of *Aloe* (*Asphodelaceae* / *Aloaceae*). *Bothalia* 25(1): 37-42, ill.
- [153] Glen, H. F. et al. (1995). Typification of *Aloe* species described by B. H. Groenewald. *Bothalia* 25(1): 97-99.
- [154] Goffe, D. (1995). The origin and consequences of *Epiphyllum "stenopetalum"* C. A. Purpus". *Epiphytes* 19(74): 41-50, (75): 77-87.
- [155] Gomes, I. et al. (1995). Notes on the flora of the Cape Verde Islands, W. Africa. *Willdenowia* 25: 177-196. [Includes data on *Euphorbia tuckeyana* and *Sarcostemma daltonii*.]
- [156] Guttermann, Y. (1995). Flower and fruit developmental stages of the xerophyte *Opuntia ficus-indica*. *Israel J. Pl. Sci.* 43: 271-280, diag., ill.
- [157] Ham, R. C. H. J. van (1995). Phylogenetic relationships in the *Crassulaceae* inferred from chloroplast DNA variation. In: Hart, H. 't & Eggli, U. (eds.): Evolution and systematics of the *Crassulaceae*; pp. 16-29, diags. Leiden (NL): Backhuys Publishers.
- [158] Hammer, S. A. (1995). *Marlothistella* Schwantes: a rising star. *Bradleya* 13: 82-87, ill.
- [159] Hammer, S. A. (1995). New nothogenera, and a new combination, in *Mesembryanthema*. *Cact. Succ. J. (US)* 67(3): 172-173.
- [160] Hammer, S. A. (1995). Mastering the art of growing mesembs. *Cact. Succ. J. (US)* 67(4): 195-247, ill. [Includes an alphabetic list of genera and numerous illustrations.]
- [161] Hammer, S. A. (1995). *Hartmanthus*, a new genus in *Aizoaceae*. *Haseltonia* 3: 77-82, ill.
- [162] Hammer, S. A. (1995). Notes on the generic placement of *Mesembryanthemum locale* N. E. Br. (*Aizoaceae*). *Haseltonia* 3: 89-91, SEM-ills.
- [163] Hammer, S. A. (1995). A few odd Ruschias. *Mesemb Study Group Bull.* 10(2): 31-32.
- [164] Hammer, S. A. (1995). After the fall. *Mesemb Study Group Bull.* 10(2): 37-38. [On *Aloinopsis thudichumii* and *A. peersii*.]
- [165] Hannon, D. P. (1995). Succulents of Socotra. *Cact. Succ. J. (US)* 67(5): 267-275, ill., map.
- [166] Hansen, A. & Sunding, P. (1994). Botanical bibliography of the Canary Islands. *Sommerfeltia* 5(Suppl.): 116 pp.
- [167] Hanson, C. & Dammitt, M. A. (1995). The genus *Adenium* in cultivation. Part 3: *Adenium somalense*. *Cact. Succ. J. (US)* 67(6): 349-352, ill. [Included on account of the illustrations.]
- [168] Hargreaves, B. J. (1995). *Euphorbia aeruginosa* Schweik. in Botswana. *Euphorbiaceae Study Group Bull.* 8(1): 5-7, ill.
- [169] Hargreaves, B. J. (1995). Euphorbias at Sowa Pan, Botswana. *Euphorbiaceae Study Group Bull.* 8(2): 59-61, ill., map.
- [170] Hargreaves, B. J. (1995). More on the *Euphorbia davyi*-complex. *Euphorbiaceae Study Group Bull.* 9(3): 100-108, ill.
- [171] Hart, H. 't (1995). Infrafamilial and generic classification of the *Crassulaceae*. In: Hart, H. 't & Eggli, U. (eds.): Evolution and systematics of the *Crassulaceae*; pp. 159-172, key. Leiden (NL): Backhuys Publishers.
- [172] Hart, H. 't (1995). *Sedum jaccardianum* and *S. wilczekianum*: two rare species with monopodial rosettes from Morocco. *Sedum Soc. Newslett.* No. 32: 8-12, ill.
- [173] Hart, H. 't (1995). *Sedum modestum* Ball – its relations. *Sedum Soc. Newslett.* No. 35: 8-10, diag., t. A-C.
- [174] Hart, H. 't (1995). Evolutie en systematiek van de aziatische *Crassulaceae*. *Succulenta* 74(5): 227-234, ill. [Expanded English version in *Sedum Soc. Newslett.* No. 36: 11-19, 1996.]
- [175] Hart, H. 't & Eggli, U. (eds.) (1995). Evolution and systematics of the *Crassulaceae*. Leiden (NL): Backhuys Publishers. 192 pp., ill.
- [176] Haun, R. (1995). Zur Beachtung einiger Merkmale bei Rebutionen. Teil 2. Inform.-brief Freundeskreis Echinopseen No. 21: 4-5, ill. [On tubercle shapes.]
- [177] Heath, P. V. (1995). A check-list of *Thisantha* Ecklon & Zeyher. *Calyx* 5(2): 41.
- [178] Heath, P. V. (1995). A check-list of *Globulea* Haworth. *Calyx* 5(2): 44-48.
- [179] Heath, P. V. (1995). Miscellaneous amendments. *Calyx* 5(2): 49-54.
- [180] Heath, P. V. (1995). New combinations in *Notocactus* (Schumann) Fric. *Calyx* 5(2): 63.
- [181] Heath, P. V. (1995). New combinations in *Haageocereus* Backeberg. *Calyx* 5(2): 64-65.
- [182] Heath, P. V. (1995). The type of *Crassula punctata* Linné. *Calyx* 5(2): 66-68.
- [183] Heath, P. V. (1995). Proposals resulting from the presumed change of type of *Stapelia* Linné. *Calyx* 5(2): 72-73.
- [184] Heek, W. van & Strecker, W. (1995). *Uebelmannia gummosifera* (Backeberg & Voll) Buining HU 282 und HU 859. *Kakt. and. Sukk.* 46(5): 121-123, ill. [Included on account of the illustrations.]
- [185] Heijnsdijk, T. (1995). *Notocactus*. *Succulenta* 74(6): 249-254, ill. [Included on

- account of the intrageneric hybrids mentioned.]
- [186] Hernández-Barrera, J. T. (1995). Contribución al conocimiento de *Ariocarpus agavooides* (Castañeda) Anderson. Cact. Suc. Mex. 40(1): 3-9, ill.
- [187] Hess, W. J. & Dice, J. C. (1995). *Nolina cismontana* (*Nolinaceae*), a new species name for an old taxon. Novon 5(2): 162-164, key. [Includes a key to Californian species of *Nolina*.]
- [188] Hetterscheid, W. L. A. & Brandenburg, W. A. (1995). Culton versus taxon: conceptual issues in cultivated plant systematics. Taxon 44(2): 161-175.
- [189] Hickey, B. & Jaarsveld, E. van (1995). Propagation of three rare and endangered vygies. Brit. Cact. Succ. J. 13(4): 141-146, ill.
- [190] Hjertson, M. L. & Winberg, M. E. (1995). (1999) Proposal to conserve the name *Lobivia euanthema* Backeb. against *Rebutia oculata* Werderm. (*Cactaceae*). Taxon 44(4): 635.
- [191] Hochstätter, F. (1995). The genera *Pediocactus* - *Navajoa* - *Toumeya* *Cactaceae* revised. In the shadow of the Rocky Mountains. Description - Distribution - Cultivation. With *Sclerocactus* news. Mannheim (D): Navajo Country / F. Hochstätter. 167 pp., ill., SEM-ills., maps, keys.
- [192] Hochstätter, F. (1995). The genus *Sclerocactus* (*Cactaceae*) - Part 1. Brit. Cact. Succ. J. 13(2): 73-79, ill., map.
- [193] Hochstätter, F. (1995). Die Gattung *Navajoa*. Kakt. and. Sukk. 46(5): 113-119, ill., SEM-ills., map.
- [194] Hochstätter, F. (1995). *Toumeya papyracantha* (Engelmann) Britton & Rose. Kakt. and. Sukk. 46(7): 173-176, ill.
- [195] Hochstätter, F. (1995). Nieuwe combinaties in het geslacht *Sclerocactus*. Succulenta 74(1): 38-44, (2): 136, ill.
- [196] Hochstätter, F. (1995). Revisie van het geslacht *Pediocactus*. 3. Succulenta 74(4): 176-180, ill., map. [Parts 1 and 2 in l.c. vol. 73.]
- [197] Hodgson, W. C. & Slauson, L. (1995). *Agave delamateri* (*Agavaceae*) and its role in the subsistence patterns of pre-columbian cultures in Arizona. Haseltonia 3: 130-140, ill., diag., map.
- [198] Hofacker, A. & Herm, K. (1995). Die Gattung *Gymnocalycium* im Süden Brasiliens und in Uruguay. Letzte Fortsetzung. *Gymnocalycium* 8(1): xlvi-xlix, ill. [Concluded from vol. 7.]
- [199] Hofer, A. (1995). Quelques considérations sur le genre *Turbinicarpus* (Backeberg) Buxbaum et Backeberg. Succulentes 18(3): 22-29, ill.
- [200] Huber, H. & Papsch, W. (1995). Bodenprobenanalysen von *Gymnocalycium*-Standorten. *Gymnocalycium* 8(2): 147-158, ill., maps.
- [201] Huerta Martinez, F. M. (1995). Algunos aspectos sobre la polinización de *Opuntia streptacantha* Lemaire. Cact. Suc. Mex. 40(3): 68-72, ill., diag.
- [202] Hummel, U. (†) (1995). Der Formenkreis der *Parodia setifera*. Mitteilungsbl. Inter-Parodia-Kette No. 5: 10-11.
- [203] Ihlenfeldt, H.-D. (1994). Diversification in an arid world: the *Mesembryanthemaceae*. Ann. Rev. Ecol. Syst. 25: 521-546.
- [204] Jaarsveld, E. van (1995). A synopsis of the genus *Stoeberia*. Aloe 31(3/4): 68-76, ill., key, map. [Dated 1994, received May 1995.]
- [205] Jackson, S. (1995). Seriously stressed Sedums. Sedum Soc. Newslett. No. 35: 13-19, diag.
- [206] Jankalski, S. (1995). *Delosperma rubigenum*, or is it? Hardy Cact. Succ. Bull. 1994(summer): 11-16. [Dated 1994, received April 1995.]
- [207] Jimenez-López, G. M. et al. (1995). Estudio anatomico del tallo de Pitayo (*Stenocereus queretaroensis* (Weber) Buxbaum). Cact. Suc. Mex. 40(3): 51-58, ill.
- [208] Jones, C. S. & Price, R. A. (1995). The evolution of seedling Baupläne in *Pelargonium*. In: Program, Annual Meeting of the Botanical Society of America, San Diego, August 1995; pp. 21-22. [Abstract only.]
- [209] Jonkers, B. (1995). Het type van *Pediocactus peeblesianus* var. *fickeiseniae* Benson. Succulenta 74(2): 85-86.
- [210] Jürgens, N. (1995). Contributions to the phytogeography of *Crassula*. In: Hart, H. 't & Eggl, U. (eds.): Evolution and systematics of the *Crassulaceae*; pp. 136-150, maps, diags. Leiden (NL): Backhuys Publishers.
- [211] Kartesz, J. T. (1994). A synonymized checklist for the vascular flora of the United States, Canada, and Greenland. Ed. 2, 2 vols. Chapel Hill (US: NC): University of North Carolina Press. lxi + 622 pp.; vii + 816 pp.
- [212] Kiesling, R. (1995). Argentine notocacti of the genus *Parodia*. Cact. Succ. J. (US) 67(1): 14-22, map, ill., key.
- [213] Kiesling, R. (ed.) (1994). Flora de San Juan. República Argentina. Volumen I. Buenos Aires (ARG): Vazquez Mazzini Editores. 348 pp., ill., keys., map. [Contains *Aizoaceae* (pp. 142-143, R. Kiesling) and *Portulacaceae* (pp. 144-171, D. A. S. de Cullen & I. Peralta).]
- [214] Kim, J. H. (1994). Pollen morphology of genus *Sedum* in Korea. J. Pl. Biol. 37(2): 245-252.
- [215] Kimnach, M. (1995). A new *Agave* from Sinaloa, Mexico: *A. filifera* ssp. *microceps*. Cact. Succ. J. (US) 67(5): 306-310, ill.
- [216] Kirschnek, E. (1995). Kakteen in Patagonien? Kaktusblüte 1995: 54-57, ill., diag.,

- map. [Included on account of the illustrations. Czech translation in Cactaceae etc. 5(1): 26-29, ills., 1995.]
- [217] Klikar, J. (1995). Rod *Oroya* Br. et R. Friciana 59: 24 pp., 4 pl.
- [218] Kloppenburg, D. (1995). Towards a better understanding. *Hoya merrillii* Schlechter. Fraterna 1995(2): 2-5, ills.
- [219] Kraus, R. (1995). The environmental conditions of Cactaceae in Chile. Haseltonia 3: 110-129, ills., map, diags.
- [220] Krüger, W. (1995). Die Reihe I: *Longiflorae*. Mitteilungsbl. AfM 19(1): 16-25, 27, 29-32, 34, (2): 69-76, 88, 90-91, (3): 124-135, 146, 148, (4): 188-201, 206, 208, 210, ills., maps. [Concluded in 20(1), 1996.]
- [221] Kümmeler, H. (1995). Ein Neufund der besonderen Art? Mitteilungsbl. AfM 19(3): 163-170, ills. (pp. 150-151).
- [222] Kunte, L. & Snícer, J. (1995). Zamyslení nad zajímavým nálezem u *Ferocactus latispinus*. Kaktusy 31(2): 56-57, ills. [On a yellow-spined and -flowered form.]
- [223] Kunte, L. et al. (1995). Mexické echinokaktusy IV. *Echinocactus texensis* Hopffer. Kaktusy 31(1): 27-29, ills.
- [224] Kunte, L. et al. (1995). *Echinocactus horizonthalonius* a jeho variabilita. Kaktusy 31(3): 94-96, ills.
- [225] Kunze, H. (1995). Floral morphology of some *Gonoloboeae* (Asclepiadaceae). Bot. Jahrb. Syst. 117: 211-238, ills.
- [226] Kunze, H. (1995). Bau und Funktion der Asclepiadaceenblüte. Phyton (Horn) 35(1): 1-24, ills.
- [227] Kunzmann, H. † (1995). Die Verwandtschaft der Echinocereen-Arten, gezeigt an Rasterelektronenmikroskop-Aufnahmen. Echinocereenfreund 8(2): 32-40, SEM-ills. [Concluded in vol. 9.]
- [228] Kurzweil, H. & Smith, G. F. (1995). The succulent orchids of southern Africa. Aloe 32(2): 40-43, ills.
- [229] Laferrière, J. E. (1995). I come not to praise *Agave hartmanii* (Agavaceae). Haseltonia 3: 24.
- [230] Laferrière, J. E. (1995). Neotypification of *Agave rhodacantha* (Agavaceae). Haseltonia 3: 33.
- [231] Landrum, J. V. & Mauseth, J. D. (1995). Systematics and evolutionary implications of stem and leaf anatomy in portulaceous genera of South America, North America, and Africa. In: Program, Annual Meeting of the Botanical Society of America, San Diego, August 1995, p. 176. [Abstract only.]
- [232] Lange, M. (1995). Ein Beitrag über die Stellung der Art *E. spinigemmatus* Lau oder wie man zu einer neuen Sektion kommt. Echinocereenfreund 8(1): 11-19, ills., diags., SEM-ills.
- [233] Lange, M. (1995). *Echinocereus* sect. *Wilcoxia* – eine Revision. Kakt. and. Sukk. 46(6): 133-144, ills., key, map, SEM-ills.
- [234] Lau, A. B. (1995). Eine *Mammillaria* aus dem *M. dixanthocentron*-Komplex am Arroyo Obos, Oaxaca. Mitteilungsbl. AfM 19(4): 221-224, ill.
- [235] Lavranos, J. J. (1995). Two new taxa in *Uncarina* (Pedaliaceae, Madagascar). Haseltonia 3: 83-88, ills.
- [236] Lavranos, J. J. et al. (1995). *Pelargonium hystrix*. Flow. Pl. Afr. 54: 42-46, pl. 2109, map.
- [237] Le Page, I. P. et al. (1995). The mystery of *Mammillaria xanthina*. J. Mammillaria Soc. 35(3): 36-37.
- [238] Leach, L. C. (1995). The preparation of good (useful) herbarium specimens of succulent plants especially of the spiny Euphorbias and the Stapeliads and Aloes. Asklepios No. 64: 24-26, ill.
- [239] Li, Ping-tao et al. (1995). *Asclepiadaceae*. In: Wu, Zheng-yi & Raven, P. H. (eds.): Flora of China; 16: 189-270, key. Beijing (China): Science Press / St. Louis (US: MO): Missouri Botanical Garden.
- [240] Liede, S. & Meve, U. (1995). The genus *Sarcostemma* R. Br. (Asclepiadaceae) in Madagascar. Bot. J. Linn. Soc. 118: 37-51, ills., key.
- [241] Linzen, T. (1995). *M. [ammillaria] tepoxicensis* Moran [sic !], eine Art der Reihe *Longiflorae*? Mitteilungsbl. AfM 19(1): 41-46, ills. (p. 33).
- [242] Lippert, W. (1995). Familie *Crassulaceae*. Dickblattgewächse. In: Weber, H. E. (ed.): Gustav Hegi, Illustrierte Flora von Mitteleuropa, Band IV, Teil 2A: *Spermatophyta: Angiospermae, Dicotyledones* 2(2); 3. Auflage; pp. 69-129, ills., keys, maps. Berlin (D), etc.: Blackwell-Wissenschafts-Verlag. xii + 693 pp.
- [243] Lodé, J. (1995). In Situ: *Lemaireocereus thurberi* var. *littoralis* (K. Brandegee) Lindsay. Cact. Aventures No. 27: 20-21, ills. [Included because of the illustrations.]
- [244] Lodé, J. (1995). Le complexe *Opuntia erinacea* - *polyacantha*. Cact. Aventures No. 27: 24-26, ills.
- [245] Lodé, J. (1995). Le genre *Epithelantha* Weber ex Britton & Rose. Cact. Aventures No. 28: 12-16, ills., map. [Included on account of the illustrations.]
- [246] Lombardi A., G. (1995). Cactus de Moquegua y Tacna. Quepo 9: 23-32, ills.

- [247] Low, J. (1995). *Parvisedum* search update. Sedum Soc. Newslett. No. 34: 16-17, ill.
- [248] Lüthy, J. M. (1995). Taxonomische Untersuchung der Gattung *Mammillaria* Haw. (Cactaceae). Frankenthal (D): Arbeitskreis für Mammillarienfreunde (AfM). 230 pp., ills., diags., key. [Includes a key to sections.]
- [249] Lüthy, J. M. (1995). Rosularien-Funde aus dem Tien-Schan-Gebirge (Kirgistan). Kakt. and. Sukk. 46(6): 145-150, ills., map.
- [250] Lux, A. & Staník, R. (1995). O gymnokaktusoch II. Kaktusy 31(1): 8-10, ills. [Continued from vol. 30. Covers *Gymnocactus vireckii* and *G. knuthianus*.]
- [251] Lux, A. & Staník, R. (1995). O gymnokaktusoch III. Kaktusy 31(2): 44-47, ills. [Covers *Gymnocactus ysabelae* and *G. subterraneus*.]
- [252] Lux, A. et al. (1995). O gymnokaktusoch IV. Kaktusy 31(3): 86-87, ills. [Covers *Gymnocactus saueri*.]
- [253] Mak Chi-king, H. (1995). Photo album of succulents in color. Vol. 2. Taipeh (Taiwan): Shu Shin Books. xvi + 320 pp., ills.
- [254] Malaisse, F. et al. (1995). Remarques à propos du genre *Monadenium* Pax (Euphorbiaceae), en particulier concernant les espèces de la région zambézienne. Bull. Séances Acad. Roy. Sci. Outre-Mer 40(3): 389-418, ills., diags. [Vol. for 1994, dated 1995.]
- [255] Malyschev, L. I. & Peschkova, G. A. (eds.) (1994). Flora Sibirae. Tomus 7. Berberidaceae - Grossulariaceae. Novosibirsk (RU): Nauka. [Crassulaceae: pp. 152-168, ills., keys.]
- [256] Mangani, R. (1995). Le "Aloe" di Michele Angelo Tilli. Piante Grasse 15(3): 102-109, 112-113, ills.
- [257] Mangani, R. (1995). The Commelijns' Sansevierias. Sansevieria J. 4(1): 15-18, ill.
- [258] Manning, J. C. & Goldblatt, P. (1995). Cupid comes in many guises. The not-so-humble fly and a pollination guild in the Overberg. Veld & Flora 81(2): 50-53, ills. [Includes pollination study on *Pelargonium* spp.]
- [259] Marais, E. M. & Condy, G. (1995). *Pelargonium punctatum*. Flow. Pl. Afr. 54: 36-40, pl. 2108, map.
- [260] Mauseth, J. D. (1995). *Mammillaria* et sécrétions laiteuses. Succulentes 18(4): 24-27, ills.
- [261] Mauseth, J. D. (1995). Collapsible water-storage cells in cacti. Bull. Torrey Bot. Club 122(2): 145-151, ills.
- [262] Mauseth, J. D. & Landrum, J. V. (1995). Structural and systematic study of an unusual tracheid type in cacti. J. Pl. Res. 108: 517-526, ills.
- [263] Mauseth, J. D. & Plemons, B. J. (1995). Testing ecological theories of xylem adaptation using dimorphic cactus wood. In: Program, Annual Meeting of the Botanical Society of America, San Diego, August 1995, pp. 22-23. [Abstract only.]
- [264] Mauseth, J. D. & Plemons, B. J. (1995). Developmentally variable, polymorphic woods in cacti. Amer. J. Bot. 82(10): 1199-1205, ills.
- [265] Mays, H. (1995). The enigma of *Haworthia arachnoidea* (L.) Duval. Haworthiad 9(4): 18-21, ill.
- [266] McCabe, S. (1995). Pollination of *Aloe polyphylla*. Cact. Succ. J. (US) 67(3): 166-168, ills.
- [267] McMillan, A. J. S. & Horobin, J. F. (1995). Christmas cacti. The genus *Schlumbergera* and its hybrids. Succ. Pl. Res. 4: 160 pp., ills., keys., map.
- [268] Meier, E. (1995). Easter Cacti (*Rhipsalidopsis*; Cactaceae). Haseltonia 3: 10-24, ills.
- [269] Mes, T. H. M. (1995). Phylogenetic and systematic implications of chloroplast and nuclear spacer sequence variation in the Macaronesian *Sempervivoideae* and related *Sedoideae*. In: Hart, H. 't & Eggli, U. (eds.): Evolution and systematics of the *Crassulaceae*; pp. 30-44, diags. Leiden (NL): Backhuys Publishers.
- [270] Mes, T. H. M. (1995). Origin and evolution of the Macaronesian *Sempervivoideae* (*Crassulaceae*). Utrecht (NL): Thesis, Universiteit Utrecht, Faculteit Biologie. 215 pp., diags.
- [271] Mes, T. H. M. & Hart, H. 't (1994). *Sedum surculosum* and *S. jaccardianum* (*Crassulaceae*) share a unique 70 bp deletion in the chloroplast DNA tmL (UAA) - tmF (GAA) intergenic spacer. Pl. Syst. Evol. 193(1-4): 213-221, diag. [Previously omitted.]
- [272] Metzger, J. & Stephenson, R. (1995). *Sedum obcordatum* Clausen. Sedum Soc. Newslett. No. 34: 18-21, ill.
- [273] Metzing, D. (1995). Verbreitung der Gattung *Gymnocalycium* Pfeiffer ex Mittler (Cactaceae). Gymnos 12(23): 15-28, ill., maps. [Revised German translation from the chapter on distribution in Pilbeam, J., *Gymnocalycium* - A collector's guide (Rotterdam 1995).]
- [274] Metzing, D. et al. (1995). An annotated checklist of the genus *Gymnocalycium* Pfeiffer ex Mittler (Cactaceae). Allionia 33: 181-228.
- [275] Meve, U. (1995). Autogamie bei *Pelargonium*-Wildarten. Palmengarten 59(2): 100-108, ills.
- [276] Meve, U. (1995). *Neoschumannia* (including *Swynnertonia*), a primitive genus of the Asclepiadaceae - Stapeliae. Pl. Syst. Evol. 197:

- 233-242, illus.
- [277] Meve, U. (1995). Cytological and morphological differentiation in *Caralluma burchardii* (Asclepiadaceae). Nordic J. Bot. 15(5): 459-467, illus., map.
- [278] Meyrán, J. (1995). Las cactáceas y otras suculentas del Estado de Zacatecas. Cact. Suc. Mex. 40(1): 10-15, illus., map.
- [279] Mies, B. (1994). Checkliste der Gefäßpflanzen, Moose und Flechten und botanische Bibliographie der Insel Sokotra und des sokotrinischen Archipels (Jemen, Indischer Ozean). Senckenbergiana Biol. 74(1/2): 213-258.
- [280] Mies, B. (1995). Die sukkulenten Pflanzenarten der Inseln Sokotra und Abd El Kuri (Jemen). And. Sukk. 13(1): 4-16, illus. [Includes a checklist by families.]
- [281] Mies, B. (1995). Die Sukkulanten des Sokotrischen Archipels (Jemen, Indischer Ozean). Teil 1. Kakt. and. Sukk. 46(4): 92-96, diag., maps, illus.
- [282] Mies, B. (1995). Die Sukkulanten des Sokotrischen Archipels (Jemen, Indischer Ozean). Teil 2. Kakt. and. Sukk. 46(5): 124-127, illus. [Includes *Adenium socotranum*, *Dorstenia gigas* and *Dendrosicyos socotrana*.]
- [283] Mössmer, M. et al. (1995). *Haworthia fasciata* fa. *fasciata*. Flow. Pl. Afr. 54: 88-93, pl. 2118, map.
- [284] Moffett, R. O. & Ward-Hilhorst, E. (1995). *Sarcocaulon salmoniflorum*. *Sarcocaulon camdeboense*. *Sarcocaulon flavescens*. *Sarcocaulon marlothii*. *Sarcocaulon mossamedense*. *Sarcocaulon inerme*. *Sarcocaulon multifidum*. Flow. Pl. Afr. 54: 2-35, pl. 2101-2107, maps.
- [285] Mombärg, P. (1995). Auf der Suche nach *Turbinicarpus hoferi*. Kaktusblüte 1995: 9-10, illus. [Included on account of the illustrations.]
- [286] Mondolfo, L. F. & V. (1995). Lexicon of cacti names. 25'000 cacti names (some legitimate). Clinton (US: NY): published by the authors. xvi + 910 columns, in binder.
- [287] Moran, R. (1995). The subspecies of *Dudleya virens* (Crassulaceae). Haseltonia 3: 1-9, illus.
- [288] Morat, P. (1995). *Stapelianthus Choux ex A. C. White et B. Sloane*, genre endémique malgache de *Stapeliaeae* (Asclepiadaceae). Suite. Succulentes 18(1): 30-32, maps. [Concluded from Vol. 17.]
- [289] Mosco, A. (1995). In cerca di *Thelocactus hastifer* (Werd. & Böd.) Knuth. Piante Grasse 15(3): 85-88, illus. [Included for the illustrations.]
- [290] Mukherjee, K. S. et al. (1993). Chemical investigations on *Limnophila rugosa* and *Pedilanthus tithymaloides*. J. Indian Chem. Soc. 69: 411-412. [Omitted previously.]
- [291] N'Kounkou, J. S. (1993). Étude taxonomique et phytogéographique des *Dioscoreaceae* de l'Afrique centrale (Congo, Zaïre, Rwanda, Burundi). Bruxelles (B): Université Libre de Bruxelles. 473 pp. [Thesis. Omitted previously.]
- [292] N'Kounkou, J. S. et al. (1993). Les *Dioscoreaceae* du Congo. Fragn. Flor. Geobot. Suppl. 2(1): 139-182. [Omitted previously.]
- [293] Nagl, H. & Perndl, H. (1995). *Echinofossulocactus* de flor amarilla. Cact. Suc. Mex. 40(4): 76-86, illus., map, key.
- [294] Neumann, K. (1995). *Echinocereus viereckii* var. *morricalii* forma Grutas Garcia und *Echinocereus* spec. El Tunal. Kaktusblüte 1995: 58-63, illus.
- [295] Neut, P. (1995). Mooi ... maar een echte puzzelplant. *Parodia subtilhamata* Ritter. Tijdschr. Liefheb. Cact. Vetpl. Kamerpl. 8(11): 172-174, ill.
- [296] Neut, P. (1995). Hoe een dubbeltje rollen kan... *Parodia rubellihamata* Backeberg is *Parodia cebilarensis* Weskamp sp. nov. geworden. Niet zo eenvoudig! Tijdschr. Liefheb. Cact. Vetpl. Kamerpl. 8(9): 139-141, ill.
- [297] Newton, L. E. (1995). Comments on the typification of the genus *Angolluma* Munster. Asklepios No. 64: 23.
- [298] Newton, L. E. (1995). An update on East African Euphorbias. Ballya 2(1): 17-20.
- [299] Newton, L. E. (1995). The name *Aloe vera*. Ballya 2(2): 51-52.
- [300] Newton, L. E. (1995). Notes on *Delosperma nakurense*. Brit. Cact. Succ. J. 13(3): 89-91, illus.
- [301] Ngwenya, M. A. et al. (1995). *Brachystelma natalense*: rediscovered and redescribed. Aloe 32(2): 44-45, illus.
- [302] Nicholas, A. & Baijnath, S. (1994). The structure of the Asclepiadaceae flower. Pl. Life 1994(10): 18-20, (11): 16-20, illus. [Previously omitted.]
- [303] Niklas, K. J. & Buchmann, S. L. (1994). The allometry of saguaro height. Amer. J. Bot. 81(9): 1161-1168.
- [304] North, G. B. & Nobel, P. S. (1995). The limitations on water movement from the root surface to the root xylem; evidence from two succulents. In: Program, Annual Meeting of the American Botanical Society, San Diego, August 1995; p. 24. [Abstract only.]
- [305] Nowicke, J. W. & Begle, C. (1994). *Caryophyllales*: exine structure in *Basellaceae* and *Didiereaceae* and relationships to *Portulacaceae*. Amer. J. Bot. 81(6: Suppl.): 117 [abstract 502].
- [306] Nyffeler, R. (1995). Hybridization in

- Monanthes*. In: Hart, H. 't & Eggli, U. (eds.): Evolution and systematics of the *Crassulaceae*; pp. 76-88, tabs., diags., ill. Leiden (NL): Backhuys Publishers.
- [307] Nyffeler, R. (1995). Nomenklatorisches zur Frage 'Echinofossulocactus oder Stenocactus'. Kakt. and. Sukk. 46(11): 265-268, ill.
- [308] Nyffeler, R. (1995). Die Gattung *Monanthes* Haworth. Kakt. and. Sukk. 46(7): 157-165, ill., map, key.
- [309] Ohba, H. (1995). Systematic problems of Asian *Sedoideae*. In: Hart, H. 't & Eggli, U. (eds.): Evolution and systematics of the *Crassulaceae*; pp. 151-158. Leiden (NL): Backhuys Publishers.
- [310] Oketch, H. (1995). Comparative chemical study of *Aloe vera* and three indigenous East African species. Ballya 2(2): 36-41.
- [311] Ostolaza N., C. (1995). Cacti in the vicinity of Lima, Peru, and their conservation status. Cact. Succ. J. (US) 67(1): 6-13, ill., map.
- [312] Otero, F. & Torres Hernández, V. (1995). Die Mammillarien am Standort. Mitteilungsbl. AfM 19(2): 76-83, ill.
- [313] Otero, F. & Torres Hernández, V. (1995). La Sierra Mixteca e le sue ricchezze in piante succulente. La Sierra Mixteca y su riqueza en plantas suculentas. Piante Grasse 15(1): 20-24, ill., map.
- [314] Otero, F. & Torres Hernández, V. (1995). L'incontro del cactus 'Testa di vecchio' nel suo habitat. Piante Grasse 15(2): 62-64, ill., map. [On *Cephalocereus senilis*.]
- [315] Parlato, G. & Candiano, G. (1995). *Rhinephyllum broomii* L. Bol. Piante Grasse 15(3): 100-101, ill., SEM-ills.
- [316] Pavelka, P. jr. (1995). Rod *Antimima* N. E. Br. – *Mesembryanthemaceae*. Kaktusy 31(2): 53-55, ill.
- [317] Peckover, R. (1995). The summer flowering impala lily, *Adenium swazicum*. Aloe 32(1): 21, ill. [Included for the illustrations.]
- [318] Peckover, R. (1995). An introduction to the upright, classic caudiciform Ceropogias. Aloe 32(1): 4, ill.
- [319] Peckover, R. (1995). Flower colour variation in *Brachystelma discoideum*. Aloe 32(3/4): 65, ill.
- [320] Peltier, J. P. & Msanda, F. (1995). Diversité et originalité de la steppe à *Euphorbia officinarum* L. subsp. *echinus* (Hooker fil. et Cosson) Vindt du sud-ouest marocain. Feddes Repert. 106(3-4): 215-229.
- [321] Pichler, G. (1995). *E.[chinocereus] scheeri* (Salm-Dyck) Scheer, verwandte und ähnliche Arten. Echinocereenfreund 8(1): 23-27.
- [322] Pilbeam, J. (1995). *Gymnocalycium*. A collector's guide. Rotterdam (NL) / Brookfield (US): A. A. Balkema. xii + 191 pp., ill., maps.
- [323] Pilbeam, J. (1995). Mammillarias of Baja California (part 5). Cact. File 2(4): 12-15, ill., map. [Mainly on *Mammillaria hutchisoniana*.]
- [324] Pilbeam, J. (1995). Mammillarias of Baja - part 6. Cact. File 2(7): 3-5, ill.
- [325] Piltz, J. (1995). *Gymnocalycium gibbosum* (Haworth) Mittler im Spiegel der Literatur. Gymnos 12(24): 49-65, ill., map.
- [326] Pino, G. (1995). Suculentas de Chota. Quepo 9: 86-91, ill. [Concentrating on *Crassulaceae* from Cajamarca (Peru).]
- [327] Plemons, B. J. & Mauseth, J. D. (1995). Developmentally variable, polymorphic woods in cacti. In: Program, Annual Meeting of the American Botanical Society, San Diego, August 1995, pp. 24-25. [Abstract only.]
- [328] Plooy, F. du (1995). The results of trials with *Lithops* seed. Aloe 31(3/4): 82-83, diags. [Dated 1994, received May 1995.]
- [329] Plowes, D. C. H. (1995). A reclassification of *Caralluma* R. Brown (*Stapeliaceae*: *Asclepiadaceae*). Haseltonia 3: 49-70, ill., key.
- [330] Porembski, S. (1995). *Opuntia invicta*, eine nebelabsorbierende *Cactaceae* aus Baja California (Mexiko). Beitr. Biol. Pfl. 68(1): 73-79, ill., SEM-ills. [Dated 1994, publ. 27. 1. 1995.]
- [331] Pot, J. (1995). Hypothese zur Entstehung von *Sulcorebutia*. Inform.-brief Freundeskreis Echinopseen No. 21: 6-7.
- [332] Potgieter, M. J. & Wyk, A. E. van (1994). Fruit structure of the genus *Pyrenacantha* Hook. (*Icacinaceae*) in southern Africa. Bot. Bull. Acad. Sin. 35: 105-113. [Omitted previously.]
- [333] Powell, A. M. (1995). Second generation experimental hybridizations in the *Echinocereus* × *lloydii* complex (*Cactaceae*), and further documentation of dioecy in *E. coccineus*. Pl. Syst. Evol. 196: 63-74.
- [334] Prato, N. (1995). *Ferocactus wislizenii* [sic!] var. *herrerae* (Ortega) Taylor. Questo sconosciuto! Piante Grasse 15(4): 124-130, ill., SEM-ills., map.
- [335] Press, J. R. & Short, M. J. (eds.) (1994). Flora of Madeira. London (GB): Natural History Museum. xvii + 574 pp.
- [336] Prestlé, K. H. (1995). Auf der Suche nach *Notocactus ottonis* (Lehm.) A. Berger ex Backeberg var. *vencluanus* Schütz. Internoto 16(2): 43-48, ill.
- [337] Price, R. A. & Palmer, J. D. (1993). Phylogenetic relationships of the *Geraniaceae* and *Geriales* from *RbcL* sequence comparisons. Ann. Missouri Bot. Gard. 80: 661-671. [Omitted previously.]

- [338] Price, R. A. & Palmer, J. D. (1994). Phylogenetic relationships in *Pelargonium* from chloroplast DNA comparisons. Amer. J. Bot. 81(6: Suppl.): 181 [abstract 513].
- [339] Pritchard, D. (1995). Some notes on *Euphorbia stellaespinosa*. Euphorbiaceae Study Group Bull. 8(2): 65-70, illus., map.
- [340] Procházka, J. (1995). Neznámé maihuenie. Kaktusy 31(2): 50-52, illus., map.
- [341] Raadts, E. (1995). Über zwei *Kalanchoe* Arten (*Crassulaceae*) und eine neue Varietät aus dem Jemen. Willdenowia 25(1): 253-259, illus.
- [342] Ratsirarson, J. (1995). Pollination ecology of *Aloe divaricata* Berger (*Liliaceae*): an endemic plant species of south-west Madagascar. South Afr. J. Bot. 61(5): 249-252, illus., diags.
- [343] Raudonat, U. (1995). Ein neuer Standort von *Echinocereus ortegae* Rose ex Ortega? Echinocereenfreund 8(2): 44-55, illus.
- [344] Rauh, W. (1995). Succulent and xerophytic plants of Madagascar. Vol. 1. Mill Valley (US: CA): Strawberry Press. 343 pp., illus., maps.
- [345] Rauh, W. (1995). Neue Euphorbien aus dem Verwandtschaftskreis von *Euphorbia neohumbertii* Boiteau und *E. aureoviridiflora* (Rauh) Rauh aus Nordmadagaskar. Kakt. and. Sukk. 46(9): 219-225, illus., map.
- [346] Rauh, W. (1995). Quelques espèces intéressantes de *Kalanchoe* Adanson de Madagascar. Succulentes 18(1): 11-18, illus.
- [347] Raymer, S. & D. (1995). Comments on *Aloe* sap. Ballya 2(1): 21-23. [On the colour of the sap.]
- [348] Rehor, N. (1995). Schwierigkeiten bei der Einteilung der Gattung *Lithops*. Kakt. and. Sukk. 47(1): 20-21, illus. [Dated 1996, publ. late Dec. 1995. Also published in And. Sukk. 13(2): 17-18, 1996 (dated 1995).]
- [349] Reveal, J. L. (1995). Subfamily names in an 1832 preprint of an article on botany for the seventh edition of the Encyclopaedia Britannica. Taxon 44(4): 589-596. [Includes names in *Aizoaceae*, *Crassulaceae*, *Dioscoreaceae*, *Geraniaceae*, *Moraceae*, *Oxalidaceae*, *Pedaliaceae*, *Piperaceae*.]
- [350] Ricánek, M. & Hanáček, P. (1995). Za sukulenty do Indie. Kaktusy 31(3): 71-74, illus., map. [Cont. in vol. 31.]
- [351] Richard, J.-F. (1995). Au pays des *Copiapoa*. Cact. Aventures No. 25: 2-9, illus., map.
- [352] Riefnér, R. E. jr. & Bowler, P. A. (1995). Cushion-like fruticose lichens as *Dudleya* seed traps and nurseries in coastal communities. Madroño 42: 81-82.
- [353] Rischer, W. & Rutow, J. (1995). Festlegung eines neuen Neotypus von *Echinoce-*
reus scheeri (Salm-Dyck) Scheer. Echinocereenfreund 8(3): 71-80, illus., SEM-ill.
- [354] Rodgerson, C. (1995). *Adromischus herrei* – past and present. Cact. File 2(6): 5-8, illus., map.
- [355] Rodríguez-Jiménez, A. et al. (1995). Ejemplares tipo de las familias *Crassulaceae*, *Fouquieriaceae*, *Loranthaceae* y *Piperaceae* del Herbario ENCB del I.P.N. Cact. Suc. Mex. 40(2): 39-41.
- [356] Römer, R. C. (1995). Höhepunkte einer Bajareise. Teil II: Am Typstandort von *Echinocereus ferreiranus* Gates. Echinocereenfreund 8(1): 4-10, illus., map.
- [357] Römer, R. C. (1995). *Echinocereus bonatzii* Roemer spec. nov. – Ein neuer *Echinocereus* aus der Sierra de Mezquital im Süden des mexikanischen Staates Durango. Echinocereenfreund 8(4): 98-113, illus., SEM-ills., map. [Erratum in l.c. 9(1): 26-27, 1996.]
- [358] Rogozinski, H. (1995). Die weissblütige *Mammillaria theresiae*. Mitteilungsbl. AfM 19(1): 46-49, illus. (p. 35).
- [359] Rogozinski, H. (1995). *Mammillaria maycobensis* n.n. Mitteilungsbl. AfM 19(4): 201-205, 207, 209-212, 214, illus.
- [360] Rowley, G. D. (1995). *Anacampseros*, *Avonia*, *Grahamia* – A Grower's Handbook. Hull Road (GB): British Cactus and Succulent Society. 80 pp., illus., key, diags.
- [361] Rowley, G. D. (ed.) (1995). The Sessé and Mociño cactus plates – A postscript. Bradleya 13: 119-120.
- [362] Rowley, G. D. (1995). *Anacampseros* – "A Sand Rose by any other name". Cact. Succ. (US) 67(3): 152-157, illus.
- [363] Rundel, P. W. et al. (1994). Why the Halfmens, *Pachypodium namaquanum*, faces north. Veld & Flora 80(4): 106-107, illus.
- [364] Satti, N. K. et al. (1994). A highly oxygenated phenanthrofuran skeleton diterpene from *Euphorbia acaulis*. Phytochemistry 35: 1061-1062. [Omitted previously.]
- [365] Schindwein, C. & Wittmann, D. (1995). Specialized solitary bees as effective pollinators of South Brazilian species of *Notocactus* and *Gymnocalycium* (Cactaceae). Bradleya 13: 25-34, illus., diags.
- [366] Schmalzel, R. J. et al. (1995). Demographic study of the rare *Coryphantha robbinsorum* (Cactaceae) in southeastern Arizona. Madroño 42(3): 332-348.
- [367] Scholz, E. (1995). *Rebutia pygmaea* (Fries) Br. & R. und *Rebutia haagei* Fric & Schelle. Eine Ergänzung aus areologeographischer Sicht. Inform.-brief Freundeskreis Echinopseen No. 20: 17-19, illus.

- [368] Scholz, E. (1995). Über *Rebutia minuscula*. Ein Streifzug durch die Literatur. Inform.-brief Freundeskreis Echinopseen No. 20: 4-9, No. 21: 28-29.
- [369] Schweitzer, B. (1995). Was ist *Gymnocalycium* B 136? *Gymnos* 12(24): 33-35, illus.
- [370] Schweitzer, B. (1995). Beobachtungen an Pflanzen aus der Umgebung von Chepes Viejo (Argentinien). *Gymnos* 12(24): 36-39, illus. [On *Gymnocalycium castellanosii* var. *bozsingianum*.]
- [371] Sedivý, V. (1995). *Pediocactus bradyi* L. Benson. *Kaktusy* 31(1): 12-13, illus.
- [372] Sedivý, V. (1995). *Pediocactus winkleri* K. Heil. *Kaktusy* 31(2): 41-42, illus.
- [373] Sedivý, V. (1995). *Pediocactus despainii* Welsh & Good. *Kaktusy* 31(3): 75-76, illus.
- [374] Sigler, A. & Rauwald, H. W. (1994). First proof of anthrone aglycones and diastereomeric anthrone-C-glycosyls in flowers and bracts of *Aloe* species. *Biochem. Syst. Ecol.* 22: 287-290. [Omitted previously.]
- [375] Silva, W. R. & Sazima, M. (1995). Hawkmoth pollination in *Cereus peruvianus*, a columnar cactus from southeastern Brazil. *Flora* 190: 339-343, illus.
- [376] Singh, M. (1995). Succulente Planten van India. *Succulenta* 74(5): 220-226, illus. [Superficial synopsis.]
- [377] Slaba, R. (1995). *Gymnocalycium ritterianum* Rausch - rostlinna mnoha tváří. *Kaktusy* 31(1): 10-11, illus. [On flower colour variation.]
- [378] Slaba, R. (1995). *Copiapo krainziana* - bílá paní z hradeb Taltalských hor v Cile. *Kaktusy* 31(2): 62-64, illus. [Included on account of the illustrations.]
- [379] Slaba, R. (1995). *Frailea cataphracta* - "trpaslík v brnení". *Kaktusy* 31(3): 85-86, ill.
- [380] Smart, R. & Venter, K. (1995). Ferox at Anysberg. *Aloe* 32(1): 8-11, illus. [Includes a species-list of succulents occurring in the Anysberg Nature Reserve (RSA, Cape Prov.).]
- [381] Smith, G. F. (1995). FSA contributions 2: *Asphodelaceae / Aloaceae*, 1029010 *Chortolirion*. *Bothalia* 25(1): 31-33, ill., map.
- [382] Smith, G. F. (1995). FSA contributions 3: *Asphodelaceae / Aloaceae*, 1028000 *Poellnitzia*. *Bothalia* 25(1): 35-36, ill., map.
- [383] Smith, G. F. & Crouch, N. R. (1995). Notes on *Aloe priuinos Reyn.* (*Aloaceae*), a rare and little-known maculate from the midlands of KwaZulu-Natal, South Africa. *Aloe* 32(3-4): 66-69, ill., map.
- [384] Smith, G. F. & Mössmer, M. (1995). The correct orthography of *Aloe micracantha* (*Aloaceae*). *Haseltonia* 3: 9.
- [385] Smith, G. F. et al. (1995). *Poellnitzia rubriflora*. *Flow. Pl. Afr.* 54: 94-98, pl. 2119, map.
- [386] Smith, G. F. et al. (1995). The taxonomy of *Aloinella*, *Guillauminia* and *Lemelea* (*Aloaceae*). *Taxon* 44(4): 513-517, illus.
- [387] Smith, J. F. & Sytsma, K. J. (1994). Molecules and morphology. Congruence of data in *Columnea* (*Gesneriaceae*). *Pl. Syst. Evol.* 193: 37-52. [Omitted previously.]
- [388] Springate, L. (1995). *Sedum ursi* flower colour. *Sedum Soc. Newslett.* No. 35: 6.
- [389] Staden, L. F. van & Drewes, S. E. (1994). Knipholone from *Bulbine latifolia* and *Bulbine frutescens*. *Phytochemistry* 35: 685-686. [Omitted previously.]
- [390] Stanley, R. E. (1995). *Mammillaria goodridgii* and its variety *rectispina*. *J. Mammillaria Soc.* 35(2): 26-28.
- [391] Stannard, B. L. (ed.) (1995). Flora of the Pico das Almas, Chapada Diamantina - Bahia, Brazil. Richmond (GB): Royal Botanic Gardens, Kew. xxiv + 853 pp., illus., keys. [*Begoniaceae* pp. 151-152 (M. J. S. Sands); *Cactaceae* pp. 157-164 (N. P. Taylor & D. C. Zappi); *Piperaceae* pp. 530-534 (R. Callejas); *Portulacaceae* pp. 542-543 (D. C. Zappi); *Bromeliaceae* pp. 649-659 (S. J. Mayo, M. G. Wanderley & E. Gouda).]
- [392] Starr, G. (1995). *Hesperaloe*: Aloes of the West. *Desert Pl.* 11(4): 3-8, illus.
- [393] Stedje, B. & Nordal, I. (1994). A contribution to the discussion of the family delimitation of *Anthericaceae* versus *Asphodelaceae*. In: Seyani, J. H. & Chikuni, A. C. (eds.): Proc. 13th Plenary Meeting AETFAT, Zomba, Malawi, 1991, Vol. 1: 513-524. Zomba (Malawi): National Herbarium and Botanical Garden.
- [394] Steffens, F. (1995). *Anacampseros* L. and *Avonia* (E. Meyer ex Fenzl) Rowley. *Aloe* 32(1): 12-16, illus.
- [395] Stephenson, R. (1995). *Sedum modestum* Ball. *Sedum Soc. Newslett.* No. 34: 22-24, ill., cover-ill.
- [396] Stephenson, R. (1995). A place for everyone. *Sedum Soc. Newslett.* No. 34: 8-11, ill. [On 5 sympatric species of *Sedum* on a rock in N Spain.]
- [397] Stephenson, R. & Plestil, V. (1995). Plants of the *Sedum sinuatum* and *S. chrysanthemifolium* complex. *Sedum Soc. Newslett.* No. 33: 17-20, illus.
- [398] Stephenson, R. & J. (1995). Stonecrops of Sevi in Fora [Corsica]. *Sedum Soc. Newslett.* No. 32: 16-21.
- [399] Stevens, J. F. (1995). The systematic and evolutionary significance of phytochemical variation in the Eurasian *Sedoideae* and *Sempervivoideae* (*Crassulaceae*). Groningen

- (NL): Ph.D. thesis, Rijksuniversiteit Groningen. xii + 209 pp., diags.
- [400] Stevens, J. F. (1995). Chemotaxonomy of the Eurasian *Sedoideae* and *Sempervivoideae*. In: Hart, H. 't & Eggli, U. (eds.): Evolution and systematics of the *Crassulaceae*; pp. 45-75, diags., illus. Leiden (NL): Backhuys Publishers.
- [401] Stevens, J. F. et al. (1995). Distribution of alkaloids and tannins in the *Crassulaceae*. *Biochem. Syst. Ecol.* 23: 157-165, diag.
- [402] Struck, M. (1995). Land of blooming pebbles: flowers and their pollinators in the Knersvlakte. *Aloe* 32(3/4): 56-64, illus., diag.
- [403] Tavormina, G. (1995). Taxa della Sicilia appartenenti al genere *Sedum*. *Piante Grasse* 15(3): 93-99, illus., map.
- [404] Taylor, N. P. (1995). Validation of *Monvillea kroenleinii* Kiesling as *Cereus kroenleinii* and a note on extension of its range. *Kew Bull.* 50(4): 819-820.
- [405] Thiede, J. (1995). Quantitative phytogeography, species richness, and evolution of American *Crassulaceae*. In: Hart, H. 't & Eggli, U. (eds.): Evolution and systematics of the *Crassulaceae*; pp. 89-123, maps. Leiden (NL): Backhuys Publishers.
- [406] Thulin, M. & Al-Ghifri, A. N. (1995). *Euphorbia applanata* sp. nov. (*Euphorbiaceae*) from Yemen, with a note on *E. quaitensis*. *Nordic J. Bot.* 15(2): 193-195.
- [407] Till, H. (1995). *Gymnocalycium stellatum* (Speg.) Speg.: Geschichte, Formen und die taxonomische Stellung der Art im System. 1. Teil. *Gymnocalycium* 8(4): 163-166, illus. [Continued in vol. 9.]
- [408] Till, H. & Till, W. (1995). *Gymnocalycium hybopleurum*. 2. Teil: Neubenennung der unter diesem Namen bekannten argentinischen Pflanzen. *Gymnocalycium* 8(1): 141-146, illus., map (p. xlxx). [Continued from vol. 7.]
- [409] Tjaden, W. (1995). *Epiphyllum cooperi*? *Epiphytes* 19(76): 107-111, ill.
- [410] Tjaden, W. L. (1995). Regarding gender and number of generic names supposedly ending in -anthema. *Taxon* 44(2): 213-216.
- [411] Toledo Martinez, J. (1995). Die Wiederentdeckung von *Melocactus holguinensis*. *Kakt. and. Sukk.* 46(2): 33-35, illus.
- [412] Toledo Martinez, J. (1995). Eine Population von *Melocactus guttarii* León im Zentrum von Kuba. *Kakt. and. Sukk.* 46(7): 169-170, illus.
- [413] Toledo Martinez, J. (1995). Op zoek naar *Melocactus guttarii* [sic]. *Tijdschr. Liefhebbr. Cact. Vetpl. Kamerpl.* 8(5): 72-75, ill.
- [414] Trelease, P. (ed.) (1995). International Code of Nomenclature for Cultivated Plants – 1995. Wimborne (GB): Quarterjack Publishing. xvi + 175 pp. [= *Regnum Vegetabile*, Vol. 133.]
- [415] Turner, R. M. et al. (1995). Sonoran Desert plants. An ecological atlas. Tucson (US: AZ): University of Arizona Press. xvi + 504 pp., illus., maps.
- [416] Uhl, C. H. (1995). Intergeneric hybrids in the Mexican *Crassulaceae*. V. *Tacitus*. *Cact. Succ. J. (US)* 67(3): 144-147, illus.
- [417] Uhl, C. H. (1995). Chromosomes and hybrids of *Echeveria* II. Series *Occidentales* Moran (*Crassulaceae*). *Haseltonia* 3: 25-33, illus.
- [418] Uhl, C. H. (1995). Chromosomes and hybrids of *Echeveria* III. Series *Secundae* (Baker) Berger (*Crassulaceae*). *Haseltonia* 3: 34-48, illus.
- [419] Ullrich, B. (1995). *Agave geminiflora* (Tagl.) Ker Gawler am Typenstandort in Nayarit, Mexico. *Kaktusblüte* 1995: 41-44, illus.
- [420] Ullrich, B. (1995). La questione della priorità di *Agave spicata* Cavaniilles su *Agave yuccaeifolia* F. Delaroche in Redouté (Parte I). Zur Priorität von *Agave spicata* Cavaniilles über *Agave yuccaeifolia* F. Delaroche in Redouté. *Piante Grasse* 15(4): 116-123, illus., diag. [To be concluded in vol. 16.]
- [421] Unger, G. (1995). *×Ferobergia*-Hybriden. *Kakt. and. Sukk.* 46(12): 289-296, illus.
- [422] Uozumi, Y. & Mauseth, J. D. (1995). The evolution of succulent stems in *Cactoideae* (*Cactaceae*) – a comparison of columnar and cladophyll cacti. In: Program, Annual Meeting of the Botanical Society of America, San Diego, August 1995, p. 32. [Abstract only.]
- [423] Vacek, L. (1995). Cervenokvetý *Ariocarpus trigonus*? *Kaktusy* 31(2): 59-60, illus. [On a possible red-flowering variant.]
- [424] Vandebroeck, F. (1995). El Guanillo. *Succulenta* 74(2): 66-72, illus. [Included on account of the illustrations of *Copiapoa* spp.]
- [425] Veitch, N. C. et al. (1994). A dihydroisocoumarin glucoside from *Aloe hildebrandtii*. *Phytochemistry* 35: 1163-1166. [Omitted previously.]
- [426] Veldkamp, J. F. et al. (1995). The identity of *Sperlingia* Vahl (*Asclepiadaceae*). *Blumea* 40(2): 425-428. [Republished in *Fraterna* 1996(1): 3-5, 1996.]
- [427] Villarreal Q., J. A. (1994). Flora vascular de la Sierra de La Paila, Coahuila, México. *Sida* 16(1): 109-138.
- [428] Vlk, V. (1995). Two subglobose Euphorbias from East Africa. *Euphorbiaceae Study Group Bull.* 8(3): 93-96, illus.
- [429] Vlk, V. (1995). *Euphorbia gymnocalycoides* Gilbert & Carter. *Kaktusy* 31(1): 18-19, illus.
- [430] Vlk, V. (1995). *Euphorbia brunellii*. *Kaktusy* 31(3): 83-84, illus. [Included on account

of the illustrations.]

[431] Vries, A. de (1995). *Lithops lesliei* en zijn neven en nichten. *Succulenta* 74(3): 110-112, (6): 255-258, illus.

[432] Wallace, R. S. (1995). Molecular systematic study of the *Cactaceae*: using chloroplast DNA variation to elucidate cactus phylogeny. *Bradleya* 13: 1-12, diag., tabs.

[433] Wallace, R. S. & Forquer, E. D. (1995). Molecular evidence for the systematic placement of *Echinocereus pensilis* (K. Brandegee) J. Purpus (*Cactaceae*). *Haseltonia* 3: 71-76, diag., tabs.

[434] Wallace, R. S. et al. (1995). Molecular phylogenetics of the *Cactaceae* and infrafamilial classification: evidence for new generic and tribal alignments and recognition of a new subfamily. In: Program, Annual Meeting of the Botanical Society of America, San Diego, August 1995, p. 169. [Abstract only.]

[435] Weber, R. (1995). *Rebutia pygmaea* (Fries) Br. & R. und *Rebutia haagei* Fric & Schelle. Ein geschichtlicher Überblick. 2. Teil. Inform.-brief Freundeskreis Echinopseen No. 20: 10-17, illus. [Continued from No. 18.]

[436] Weber, R. (1995). Was ist *Echinopsis deminuta* Weber? Eine nach wie vor ungelöste Frage. Inform.-brief Freundeskreis Echinopseen No. 20: 20-22.

[437] Weber, R. (1995). Bemerkungen zu einigen feindormigen Formen aus dem *Rebutia fiebrigii* (Guerke) Br. & R. -Komplex. 5. Teil. Inform.-brief Freundeskreis Echinopseen No. 21: 13-, 15, 17-20, illus. [Continued from No. 18.]

[438] Weightman, B. (1995). *Ariocarpus* update. *Cact. File* 2(7): 25-26, illus.

[439] Weiss, J. et al. (1995). *Selenicereus megalanthus* (the Yellow Pitaya), a climbing cactus from Colombia and Peru. *Cact. Succ. J. (US)* 67(5): 280-283, illus.

[440] Weskamp, W. (1995). *Notocactus* oder *Parodia*? – Eine kritische Nachlese zum Artikel von R. Bregman. *Intemoto* 16(2): 58-62, illus., SEM-ills.

[441] Weskamp, W. (1995). Die vielbeschriebene *Parodia microsperma* (Weber) Berger. *Mitteilungsbl. Inter-Parodia-Kette* No. 5: 13-16.

[442] Willis, C. K. & Willis, C. B. (1995). Notes on the current conservation status of *Aloe vossii* Reynolds, a threatened endemic of the Northern Province. *Aloe* 32(2): 34-37, illus.

[443] Woltz, P. & Gajardo, R. (1995). Flore à brouillards et succulentes du Nord désertique chilien (El Tofo et Fray Jorge). *Succulentes* 18(2): 26-35, illus., map, diag. [Spanish version in *Cact. Suc. (Vilassar de Mar)*, No. 12: 9-11, 1995; No. 13: 10-13, 1996.]

[444] Wyk, B.-E. van & Winter, P. J. D. (1995). The homology of red flower colour in *Crassula*,

Cotyledon and *Tylecodon* (*Crassulaceae*). *Biochem. Syst. & Ecol.* 23(3): 291-293.

[445] Wyk, B.-E. van et al. (1995). Chemotaxonomic survey of anthraquinones and pre-anthraquinones in roots of *Aloe* species. *Biochem. Syst. & Ecol.* 23(3): 267-275.

[446] Wyk, B.-E. van et al. (1995). Chemotaxonomic significance of anthraquinones in the roots of *Asphodeloideae* (*Asphodelaceae*). *Biochem. Syst. & Ecol.* 23(3): 267-275.

[447] Zanovello, C. & Battaia, L. (1995). *Ibervillea sonorae* in Baja California. *Piante Grasse* 15(4): 131-135, illus., map.

[448] Zimmermann, N. F. A. (1995). Journey to the Skunbergsquelle in Namibia – type locality of *Schwantesia succumbens*. *Cact. Succ. J. (US)* 67(1): 23-25, illus.

[449] Zimmermann, N. F. A. & Hartmann, H. E. K. (1995). Studies in *Schwantesia*. The rediscovery of *S. borcherdsii*. *Cact. Succ. J. (US)* 67(3): 162-165, illus.

[450] Zonneveld, B. J. M. (1995). *Rosularia*. *Succulenta* 74(5): 205-209, illus.

BIBLIOGRAPHIA

Cross-References of Author Names

- Al-Ghifri, A. N.: → Thulin, M.
 Al-Subai, M. Y.: → Al-Ghifri, A. N.
 Albert, V. A.: → Endress, M. E.
 Allorge-Boiteau, L.: → Boiteau, P. (†)
 Arreola Nava, H.: → Arias Montes, S.
 Baijnath, S.: → Nicholas, A.
 Battaia, L.: → Zanovello, C.
 Begle, C.: → Nowicke, J. W.
 Bowler, P. A.: → Riefner, R. E. jr.
 Brandenburg, W. A.: → Hetterscheid, W. L. A.
 Buchmann, S. L.: → Niklas, K. J.
 Camacho Morfín, F.: → Arredondo Gómez, A.
 Candiano, G.: → Parlato, G.
 Condy, G.: → Marais, E. M.
 Crouch, N. R.: → Smith, G. F.
 Dice, J. C.: → Hess, W. J.
 Dimmitt, M. A.: → Hanson, C.
 Drewes, S. E.: → Staden, L. F. van
 Eggli, U. (eds.): → Hart, H. 't
 Esteves Pereira, E.: → Braun, P. J.
 Feinsinger, P.: → Aizen, M. A.
 Forquer, E. D.: → Wallace, R. S.
 Gajardo, R.: → Woltz, P.
 Gerloff, N.: → Gemmrich, W.
 Goldblatt, P.: → Manning, J. C.
 Hanácek, P.: → Ricánek, M.
 Hardy, D. S.: → Glen, H. F.
 Hart, H. 't: → Mes, T. H. M.
 Hartmann, H. E. K.: → Chesselet, P.
 Hartmann, H. E. K.: → Zimmermann, N. F. A.
 Hedgecock, G.: → Clark, P.
 Hem, K.: → Hofacker, A.
 Horobin, J. F.: → McMillan, A. J. S.
 Huerta Martínez, M.: → Cházaro Basáñez, M. J.
 Hussein, M. A.: → Al-Ghifri, A. N.
 Jaarsveld, E. van: → Hickey, B.
 Kolbek, J.: → Alves, R. J. V.
 Kunzmann, M. R.: → Bennett, P. S.
 Lacoste, M.: → Brachet, C.
 Landrum, J. V.: → Mauseth, J. D.
 Linhart, Y. B.: → Dodd, R. J.
 Lomeli Mijes, E.: → Cházaro Basáñez, M. J.
 Louda, S. M.: → Burger, J. C.
 Machuca Núñez, J. A.: → Cházaro Basáñez, M. J.
 Mauseth, J. D.: → Arnold, D. H.
 Mauseth, J. D.: → Landrum, J. V.
 Mauseth, J. D.: → Plemons, B. J.
 Mauseth, J. D.: → Uozumi, Y.
 Medina-Cota, J. M.: → Barrios R., M. A.
 Meve, U.: → Bruyns, P. V.
 Meve, U.: → Liede, S.
 Mottram, R.: → Crook, R.
 Msanda, F.: → Peltier, J. P.
 Mössmer, M.: → Smith, G. F.
 Nobel, P. S.: → North, G. B.
 Nordal, I.: → Stedje, B.
 Palmer, J. D.: → Price, R. A.
 Papsch, W.: → Huber, H.
 Perndl, H.: → Nagl, H.
 Peschkova, G. A. (eds.): → Malyshev, L. I.
 Plemons, B. J.: → Mauseth, J. D.
 Plestil, V.: → Stephenson, R.
 Poremski, S.: → Barthlott, W.
 Price, R. A.: → Jones, C. S.
 Rauwald, H. W.: → Sigler, A.
 Rutow, J.: → Rischer, W.
 Sazima, M.: → Silva, W. R.
 Schwegler, H.-W.: → Aichele, D.
 Short, M. J. (eds.): → Press, J. R.
 Simpson, B. B.: → Bogler, D. J.
 Simpson, B. B.: → Clark, K. H.
 Slauson, L.: → Hodgson, W. C.
 Smith, G. F.: → Glen, H. F.
 Smith, G. F.: → Kurzweil, H.
 Snicer, J.: → Kunte, L.
 Staník, R.: → Lux, A.
 Stephenson, R.: → Metzger, J.
 Strecker, W.: → Heek, W. van
 Struck, M.: → Gerbaulet, M.
 Sunding, P.: → Hansen, A.
 Sytsma, K. J.: → Smith, J. F.
 Sánchez Martínez, E.: → Chávez Martínez, R.
 Taylor, N. P.: → Barthlott, W.
 Thiede, J.: → Cházaro Basáñez, M. J.
 Till, W.: → Till, H.
 Torres Hernández, V.: → Otero, F.
 Veldhuizen, J. van: → Bos, J. J.
 Venter, K.: → Smart, R.
 Wallace, R. S.: → Cota, J. H.
 Ward-Hilhorst, E.: → Moffett, R. O.
 Wet, B. C. de: → Arnold, T. H.
 Willis, C. B.: → Willis, C. K.
 Winberg, M. E.: → Hjertson, M. L.
 Winter, P. J. D.: → Wyk, B.-E. van
 Wittmann, D.: → Schindwein, C.
 Wyk, A. E. van: → Potgieter, M. J.
 Zahra, R.: → Gerloff, N.
 Zamora M., L. I.: → Galván V., R.
 Zanovello, C.: → Battaia, L.
 Zimmer, K.: → Bebler, B.

