


ISSN 0486-4271



**Repertorium
Plantarum
Succulentarum
XLVIII (1997)**

Repertorium Plantarum Succulentarum XLVIII (1997)

Index nominum novarum plantarum succulentarum anno MCMXCVII editorum nec non bibliographia taxonomica ab U. Eggli et D. C. Zappi compositus.

International Organization for Succulent Plant Study
Internationale Organisation für Sukkulantenforschung

October 1998

ISSN 0486-4271

Conventions used in *Repertorium Plantarum Succulentarum*

- Repertorium Plantarum Succulentarum attempts to list, under separate headings, newly published names of succulent plants and relevant literature on the systematics of these plants, on an annual basis. New names noted after the issue for the relevant year has gone to press are included in later issues. Specialist periodical literature is scanned in full (as available at the libraries at ZSS and Z or received by the compilers). Also included is information supplied to the compilers direct. It is urgently requested that any reprints of papers not published in readily available botanical literature be sent to the compilers.
- Validly published names are given in **bold face** type, accompanied by an indication of the nomenclatural type (name or specimen dependent on rank), followed by the herbarium acronyms of the herbaria where the holotype and possible isotypes are said to be deposited (first acronym for holotype), according to Index Herbariorum, ed. 8 and supplements as published in Taxon. Invalid, illegitimate, or incorrect names are given in *italic* type face. In either case a full bibliographic reference is given. For new combinations, the basionym is also listed. For invalid, illegitimate or incorrect names, the articles of the ICBN which have been contravened are indicated in brackets (note that the numbering of some regularly cited articles has changed in the Tokyo (1994) edition of ICBN).
- The compilers would like to point out that they do not accept any names that might be inadvertently validated in this volume of RPS.
- Bibliographic details of papers dealing only with the description of one or two new taxa are not repeated in the bibliographic section.
- Abbreviations for periodicals are those suggested in 'Bibliography of Succulent Plant Periodicals' (U. Eggli in Friciana 60: 1-139, 1998 ('1995')) for specialized periodicals, or those of Bibliographia Periodicorum Huntianum (including Supplement) for most other periodicals.

Konventionen im Zusammenhang mit dem *Repertorium Plantarum Succulentarum*

- Das Repertorium Plantarum Succulentarum ist eine jährlich herausgegebene Zusammenstellung neuer Namen für sukkulente Pflanzen und der relevanten systematischen Literatur. Neue Namen, die nach der Drucklegung der Ausgabe des betreffenden Jahres bekannt werden, erscheinen in der nächsten erreichbaren Ausgabe. Spezialisierte Zeitschriften werden umfassend durchgesehen, soweit sie in den Bibliotheken von Z und ZSS vorhanden sind oder den Herausgebern privat vorliegen. Die Herausgeber bitten alle Autoren dringend, Separata relevanter Publikationen zur Verfügung zu stellen, vor allem wenn es sich um Beiträge in schwer zugänglichen Serien handelt.
- Gültig veröffentlichte Namen werden in **Fettschrift** wiedergegeben unter Angabe des nomenklatoreischen Typs (Name oder Belegexemplar je nach Rangstufe; gefolgt von den Herbarakürzungen [entsprechend Index Herbariorum, ed. 8, und in Taxon publizierten Supplementen] der publizierten Hinterlegungsorte für Holotyp [1. Abkürzung] und Isotyphen). Ungültige, illegitime oder falsch angewandte Namen erscheinen in *Kursivschrift* unter Angabe (in Klammer) derjenigen Artikel des ICBN, die verletzt worden sind. In allen Fällen folgen die kompletten bibliographischen Angaben. Für Umkombinationen wird auch das Basionym angegeben. Dabei ist zu beachten, dass die Nummerierung einiger häufig zitierten Artikel mit dem Erscheinen der Tokyo-Version (1994) des ICBN geändert hat.
- Die Herausgeber weisen mit aller Deutlichkeit darauf hin, dass sie keinen Namen anerkennen, der zufälligerweise in dieser Ausgabe des RPS validiert worden sein könnte.
- Beiträge, welche nur Beschreibungen eines oder zweier Taxa enthalten, werden in der bibliographischen Liste nicht separat aufgeführt.
- Die Abkürzungen für spezialisierte Sukkulanten-Zeitschriften richten sich nach 'Bibliography of Succulent Plant Periodicals' (U. Eggli in Friciana 60: 1-139, 1998 ('1995')), für allgemeine botanische Zeitschriften in der Regel nach Bibliographia Periodicorum Huntianum und Supplement.

Compiled by / Zusammengestellt von:

U. Eggli, Städtische Sukkulanten-Sammlung, Mythenquai 88, CH-8002 Zürich, Switzerland.
D. C. Zappi, The Herbarium, Royal Botanic Gardens Kew, Richmond, Surrey TW9 3AE, U.K.

Available from (incl. back issues) / Erhältlich durch (inkl. bereits erschienene Hefte):

IOS, c/o Städtische Sukkulanten-Sammlung (address above / Adresse siehe oben).

© by IOS, Zürich (Switzerland) 1998. ISSN 0486-4271.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the copyright holder.

Preface

This issue of RPS has greatly benefitted from the help of several colleagues. We are especially grateful to Detlev Metzing for a comprehensive list of new *Frailea* names. Numerous authors have supplied separate prints of their contributions, and this important help is kindly acknowledged.

The Editors

Vorwort

Die Zusammenstellung dieser Ausgabe des RPS wurde durch die Mithilfe verschiedener Kollegen sehr erleichtert. Zu besonderem Dank verpflichtet sind wir Detlev Metzing für eine umfangreiche Liste neuer *Frailea*-Namen. Zahlreiche Autoren haben uns Separatdrucke ihrer Veröffentlichungen zugesandt, und für diese Hilfe sind wir sehr dankbar.

Die Herausgeber

Corrections to previous volumes

- F. Süpplie has pointed out the erroneous omission of *Rhipsalis baccifera* ssp. *fordau-phinenensis* from previous RPS volumes. It is now included in this issue. The same author has also kindly supplied a copy of the second revised edition of his book "Rhipsalidinae" (published 1994), which was not previously available to the RPS editors. Its appendix contains (pp. 100-101) the valid new combinations *Lepismium houletianum* fa. *regnellii*, *Rhipsalis micrantha* fa. *kirbergii*, *R. micrantha* fa. *raviflorum* and *R. dissimilis* fa. *epiphyloides*. These all predate the respective combinations published by Barthlott & N. P. Taylor in 1995 in Bradleya, and the respective entries in RPS 46 need to be corrected accordingly.

Korrekturen zu früheren Bänden

- F. Süpplie hat uns auf die fälschliche Auslassung von *Rhipsalis baccifera* ssp. *fordau-phinenensis* aufmerksam gemacht. Der Name ist nun in dieser Ausgabe enthalten. Der gleiche Autor hat uns freundlicherweise ein Exemplar der zweiten revidierten Auflage seines Buches "Rhipsalidinae" (1994 veröffentlicht) zugestellt. Diese Veröffentlichung war den RPS-Herausgebern bisher nicht zugänglich. In einem Anhang (pp. 100-101) werden die folgenden Umkombinationen publiziert: *Lepismium houletianum* fa. *regnellii*, *Rhipsalis micrantha* fa. *kirbergii*, *R. micrantha* fa. *raviflorum* und *R. dissimilis* fa. *epiphyloides*. Diese ersetzen die gleichen von Barthlott & N. P. Taylor 1995 in Bradleya publizierten Kombinationen, und die entsprechenden Einträge in RPS 46 müssen entsprechend korrigiert werden.

NOMINA NOVA

AGAVACEAE

- Agave brittoniana** ssp. **brachypus** (Trelease) A. Alvarez, Fontqueria 44: 121, 1996. Basionym: *Agave brittoniana* var. *brachypus*.
- Agave brittoniana** ssp. **sancti-spirituensis** A. Alvarez, Fontqueria 44: 125, ill. (p. 122), 1996. Typus: Jiménez et al. 69532 (HAB).
- Agave wendtii** Cházaro, Cact. Suc. Mex. 42(4): 95, 1997. Typus: Cházaro B. et Flores Macías 6645 (XAL, WIS). [First published (*nom. inval.*, Art. 37.5, cf. RPS 46) in I.c. 40(4): 92-96, ill., map, 1995.]
- Hesperaloe campanulata** G. D. Starr, Madroño 44(3): 285-286, ill., 1997. Typus: Starr 93-001 (ARIZ, MEXU, MO, TEX) [Ex cult. Tucson].
- Hesperaloe funifera** ssp. **chiangii** G. D. Starr, Madroño 44(3): 289-290, ill., 1997. Typus: Garcia Moya s.n. (DES).
- Hesperaloe tenuifolia** G. D. Starr, Madroño 44(3): 293-294, ill., 1997. Typus: Meyer et Jenkins 9063 (ARIZ).

AIZOACEAE

- Argyroderma theartii** Van Jaarsveld, Aloe 34(1-2): 12-13, ill., 1997. Typus: Van Jaarsveld et Theart 14101 (NGB).
- Brownanthus neglectus** S. M. Pierce & Gerbaulet, Aloe 34(1-2): 42-43, ill., 1997. Typus: Gerbaulet et Struck 50039 (BOL).
- Brownanthus nucifer** (Ihlenfeldt & Bittrich) S. M. Pierce & Gerbaulet, Aloe 34(1-2): 44, ill., 1997. Basionym: *Pseudobrownanthus nucifer*.
- Brownanthus pseudoschlichtianus** S. M. Pierce & Gerbaulet, Aloe 34(1-2): 43-44, ill., 1997. Typus: Pierce 67 (BOL).
- Conophytum chrisocruxum** S. A. Hammer, Cact. Succ. J. (US) 69(3): 127-130, ill., 1997. Typus: Barnhill et Hammer 2275 (BOL).
- Conophytum chrisolum** S. A. Hammer, Cact. Succ. J. (US) 69(3): 127-128, ill., 1997. Typus: Barnhill et Hammer 2316 (BOL).
- Conophytum devium** ssp. **stirriferum** S. A. Hammer & Barnhill, Bradleya 15: 44-45, ill., 1997. Typus: Barnhill et al. 2298 (BOL).
- Conophytum hammeri** G. Williamson, Cact. Succ. J. (US) 69(4): 205-208, ill., 1997. Typus: Hammer et Williamson 2108 (BOL).
- Conophytum irmae** S. A. Hammer & Barnhill, Bradleya 15: 43, ill. (p. 45), 1997. Typus: Burger et al. 2318 (BOL).
- Conophytum tantillum** ssp. **amicorum** S. A. Hammer & Barnhill, Bradleya 15: 42, ill. (p. 45), 1997. Typus: Barnhill et al. 2296 (BOL).
- Delosperma deilanthesoides** S. A. Hammer, Bradleya 15: 46, ill. (p. 45), 1997. Typus: Hammer

- et Schollenburger 2035 (BOL).
- Phyllobolus abbreviatus** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 170, 1997. Basionym: *Aridaria abbreviata*.
- Phyllobolus caudatus** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 171, 1997. Basionym: *Mesembryanthemum caudatum*.
- Phyllobolus congestus** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 172, 1997. Basionym: *Aridaria congesta*.
- Phyllobolus deciduus** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 173, 1997. Basionym: *Aridaria decidua*.
- Phyllobolus decurvatus** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 173, 1997. Basionym: *Aridaria decurvata*.
- Phyllobolus delus** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 174, 1997. Basionym: *Mesembryanthemum delum*.
- Phyllobolus digitatus** (Aiton) Gerbaulet, Bot. Jahrb. Syst. 119(2): 174, 1997. Basionym: *Mesembryanthemum digitatum*.
- Phyllobolus digitatus** ssp. **littlewoodii** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 176, 1997. Basionym: *Dactylopiis littlewoodii*.
- Phyllobolus grossus** (Aiton) Gerbaulet, Bot. Jahrb. Syst. 119(2): 176, 1997. Basionym: *Mesembryanthemum grossum*.
- Phyllobolus herberti** (N. E. Brown) Gerbaulet, Bot. Jahrb. Syst. 119(2): 178, 1997. Basionym: *Sphalmanthus herberti*. [Sphalm. 'herbertii']
- Phyllobolus latipetalus** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 178, 1997. Basionym: *Aridaria latipetala*.
- Phyllobolus lignescens** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 179, 1997. Basionym: *Sphalmanthus lignescens*.
- Phyllobolus melanospermus** (Dinter & Schwantes) Gerbaulet, Bot. Jahrb. Syst. 119(2): 179, 1997. Basionym: *Sphalmanthus melanospermus*.
- Phyllobolus nitidus** (Haworth) Gerbaulet, 119(2): 180, 1997. Basionym: *Mesembryanthemum nitidum*.
- Phyllobolus oculatus** (N. E. Brown) Gerbaulet, Bot. Jahrb. Syst. 119(2): 181, 1997. Basionym: *Mesembryanthemum oculatum*.
- Phyllobolus prasinus** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 182, 1997. Basionym: *Aridaria prasina*.
- Phyllobolus pumilus** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 183, 1997. Basionym: *Aridaria pumila*.
- Phyllobolus quartiticus** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 184, 1997. Basionym: *Aridaria quartitica*.
- Phyllobolus rabiei** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 184, 1997. Basionym: *Aridaria rabiei*.
- Phyllobolus roseus** (L. Bolus) Gerbaulet, Bot.

- Jahrb. Syst. 119(2): 186, 1997. Basionym: *Amoebophyllum roseum*.
- Phyllabolus saturatus** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 186, 1997. Basionym: *Aridaria saturata*.
- Phyllabolus sinuosus** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 187, 1997. Basionym: *Mesembryanthemum sinuosum*.
- Phyllabolus spinuliferus** (Haworth) Gerbaulet, Bot. Jahrb. Syst. 119(2): 188, 1997. Basionym: *Mesembryanthemum spinuliferum*.
- Phyllabolus splendens** (Linnaeus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 189, 1997. Basionym: *Mesembryanthemum splendens*.
- Phyllabolus splendens** ssp. **pentagonus** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 193, 1997. Basionym: *Aridaria pentagona*.
- Phyllabolus suffruticosus** (L. Bolus) Gerbaulet, Bot. Jahrb. Syst. 119(2): 194, 1997. Basionym: *Cryophyllum suffruticosum*.
- Phyllabolus tenuiflorus** (Jacquin) Gerbaulet, Bot. Jahrb. Syst. 119(2): 194, 1997. Basionym: *Mesembryanthemum tenuiflorum*.
- Phyllabolus trichotomus** (Thunberg) Gerbaulet, Bot. Jahrb. Syst. 119(2): 195, 1997. Basionym: *Mesembryanthemum trichotomum*.
- Phyllabolus viridiflorus** (Aiton) Gerbaulet, Bot. Jahrb. Syst. 119(2): 196, 1997. Basionym: *Mesembryanthemum viridiflorum*.
- Ruschia purpureostyla** (L. Bolus) Bruyns, South Afr. J. Bot. 63(4): 241, 1997. Basionym: *Mesembryanthemum purpureostylum*.
- Tetragonia moorei** M. Gray, Telopea 7(2): 119-127, 1997. Typus: *Chorney* 1161 (AD, CANB, NSW).
- Trichodiadema introrsum** (Haworth ex Hooker) Niesler, Bradleya 15: 13, 1997. *Nom. inval.* (Art. 33.2), based on *Mesembryanthemum introrsum*.
- ALOACEAE
- Aloe sect. Lomatophyllum** (Willdenow) G. D. Rowley, Excelsa 17: 59, 1997. Basionym: *Lomatophyllum*. [Dated 1996, publ. 1997.]
- Aloe aldbrenensis** (Marais) L. E. Newton & G. D. Rowley, Excelsa 17: 59, 1997. Basionym: *Lomatophyllum aldbrenense*. [Dated 1996, publ. 1997.]
- Aloe ankoberensis** M. G. Gilbert & Sebsebe, Kew Bull. 52(1): 146-147, 1997. Typus: Ash 2353 (K).
- Aloe antsingyensis** (Léandri) L. E. Newton & G. D. Rowley, Excelsa 17: 59, 1997. Basionym: *Lomatophyllum antsingyense*. [Dated 1996, publ. 1997.]
- Aloe belavenokensis** (Rauh & Gerold) L. E. Newton & G. D. Rowley, Excelsa 17: 59, 1997. Basionym: *Lomatophyllum belavenokense*. [Dated 1996, publ. 1997.]
- Aloe citrea** (Guillaumin) L. E. Newton & G. D. Rowley, Excelsa 17: 61, 1997. Basionym: *Lomatophyllum citreum*. [Dated 1996, publ. 1997.]
- 1997.]
- Aloe gilbertii** ssp. **megalacanthoides** M. G. Gilbert & Sebsebe, Kew Bull. 52(1): 151, 1997. Typus: *Gilbert et Phillips* 9135 (K, ETH, UPS).
- Aloe kefaensis** M. G. Gilbert & Sebsebe, Kew Bull. 52(1): 140-141, 1997. Typus: *Lissane-work* s.n. in *Sebsebe* 2411 (ETH, K, UPS).
- Aloe lindenii** Lavranos, Cact. Succ. J. (US) 69(3): 149-151, illus., 1997. Typus: *Lavranos et al.* 23377 (UPS) [Ex cult. California, USA].
- Aloe megalacantha** ssp. **alticola** M. G. Gilbert & Sebsebe, Kew Bull. 52(1): 150, 1997. Typus: *Gilbert* 4080 (K, ETH).
- Aloe occidentalis** (H. Perrier) L. E. Newton & G. D. Rowley, Excelsa 17: 61, 1997. Basionym: *Lomatophyllum occidentale*. [Dated 1996, publ. 1997.]
- Aloe orientalis** (H. Perrier) L. E. Newton & G. D. Rowley, Excelsa 17: 61, 1997. Basionym: *Lomatophyllum orientale*. [Dated 1996, publ. 1997.]
- Aloe prostrata** (H. Perrier) L. E. Newton & G. D. Rowley, Excelsa 17: 61, 1997. Basionym: *Lomatophyllum prostratum*. [Dated 1996, publ. 1997.]
- Aloe pulcherrima** M. G. Gilbert & Sebsebe, Kew Bull. 52(1): 147-148, 1997. Typus: *Gilbert* 1669 (ETH, K).
- Aloe rosea** (H. Perrier) L. E. Newton & G. D. Rowley, Excelsa 17: 61, 1997. Basionym: *Lomatophyllum roseum*. [Dated 1996, publ. 1997.]
- Aloe schilliana** L. E. Newton & G. D. Rowley, Excelsa 17: 61, 1997. Typus: *Perrier* 1104 (P). [Dated 1996, publ. 1997. *Nom. nov. pro Lomatophyllum viviparum* H. Perrier 1926 (*non Aloe vivipara* Crantz 1766).]
- Aloe socialis** (H. Perrier) L. E. Newton & G. D. Rowley, Excelsa 17: 61, 1997. Basionym: *Lomatophyllum sociale*. [Dated 1996, publ. 1997.]
- Aloe tewoldei** M. G. Gilbert & Sebsebe, Kew Bull. 52(1): 143, 1997. Typus: *Tewolde-Berhan Gebre-Egziabher* s.n. (K) [Ex cult. RBG Kew 219-76.01591].
- Aloe tomentosa** fa. **viridiflora** Lodé, Fichier Encycl. Cact. autres Succ. 20: 1891, ill., 1997. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name.]
- Aloe tormentorii** (Marais) L. E. Newton & G. D. Rowley, Excelsa 17: 61, 1997. Basionym: *Lomatophyllum tormentorii*. [Dated 1996, publ. 1997.]
- Aloe trichosantha** ssp. **longiflora** M. G. Gilbert & Sebsebe, Kew Bull. 52(1): 142-143, 1997. Typus: *Burger* 3394 (K, ETH, FT).
- ✗**Gasteraloe radili** L. E. Newton, Brit. Cact. Succ. J. 15(1): 34, 1997. [*Nom. nov. pro Aloe × imbricata* hort. ex A. Berger (*nom. illeg.*, Art. 53.1).]
- Haworthia bayeri** J. D. Venter & S. A. Hammer, Cact. Succ. J. (US) 69(2): 75-76, ill., 1997. Typus: *Stayner* s.n. in *Karoo Garden* 164/69 (NBG).

- Haworthia emelyae** var. **comptoniana** (G. G. Smith) J. D. Venter & S. A. Hammer, Cact. Succ. J. (US) 69(2): 77, 1997. Basionym: *Haworthia comptoniana*.
- Haworthia emelyae** var. **major** (G. G. Smith) M. B. Bayer, Aloe 34(1-2): 6, 1997. Basionym: *Haworthia schuldtiana* var. *major*.
- Haworthia magnifica** var. **acuminata** (M. B. Bayer) M. B. Bayer, Aloe 34(1-2): 6, 1997. Basionym: *Haworthia retusa* f. *acuminata*.
- Haworthia magnifica** var. **dekenahii** (G. G. Smith) M. B. Bayer, Aloe 34(1-2): 6, 1997. Basionym: *Haworthia dekenahii*.
- Haworthia mirabilis** var. **paradoxa** (von Poellnitz) M. B. Bayer, Aloe 34(1-2): 6, 1997. Basionym: *Haworthia paradoxa*.
- Haworthia pygmaea** var. **argenteo-maculosa** (G. G. Smith) M. B. Bayer, Aloe 34(1-2): 6, 1997. Basionym: *Haworthia dekenahii* var. *argenteo-maculosa*.

APOCYNACEAE

- Cryptolepidae** Venter, Taxon 46(4): 713, 1997. Typus: *Cryptolepis* R. Brown.
- Gymnanthraeae** Venter, Taxon 46(4): 712, 1997. Typus: *Gymnanthera* R. Brown.
- Pachypodium bicolor** Lavranos & Rapanarivo, Cact. Succ. J. (US) 69(5): 231-232, 1997. Typus: *Röösli et Hoffmann* 33/96 (P, MO, TAN, WAG, ZSS).
- Pachypodium eburneum** Lavranos & Rapanarivo, Cact. Succ. J. (US) 69(5): 227-231, ills., 1997. Typus: *Röösli et Hoffmann* 196 (P, MO, TAN, WAG, ZSS).
- Pachypodium ×rauhii** Halda, Cactaceae etc. 7(3): 108-111, ills., 1997. Typus: *Halda* 951206 (herb. J. J. Halda). [= *Pachypodium brevicaule* × *P. densiflorum*.]

ASCLEPIADACEAE

- Brachystelma albipilosum** A. Percy-Lancaster ex Peckover, Cact. Succ. J. (US) 69(3): 154-156, ills., 1997. Typus: *Peckover* 256 (PRE).
- Brachystelma bracteolatum** Meve, Kew Bull. 52(3): 711-714, ills., 1997. Typus: *Specks* 549 (K, MSUN).
- Brachystelma nepalense** (Radcliffe-Smith) Meve, Kew Bull. 52(4): 1012, 1997. Basionym: *Riocreuxia nepalensis*.
- Brachystelma richardsii** Peckover, Excelsa 17: 32-34, ills., 1997. Typus: *Peckover* 257 (PRE). [Dated 1996, publ. early 1997.]
- Ceropegia ambovombensis** Rauh & Gerold, Succulentes 20(2): 3-6, ills., 1997. Typus: *Gerold* s.n. (HEID 74872).
- Dischidia polilloensis** Kloppenburg, Fraterna 10(4): 5-7, ill., 1997. Typus: *Fox* 9043 (PNH).
- Duvalia caespitosa** var. **compacta** (Haworth) Meve, Pl. Syst. Evol., Suppl. 10: 59, 1997. Ba-

- sionym: *Duvalia compacta*.
- Duvalia gracilis** Meve, Pl. Syst. Evol., Suppl. 10: 75-77, ills., 1997. Typus: *Meve* 346 (K, MSUN, NBG).
- Duvalia sulcata** ssp. **seminuda** (Lavranos) Meve, Pl. Syst. Evol., Suppl. 10: 116, 1997. Basionym: *Duvalia sulcata* var. *seminuda*.
- Duvalia sulcata** ssp. **somalensis** (Lavranos) Meve, Pl. Syst. Evol., Suppl. 10: 118, 1997. Basionym: *Duvalia somalensis*.
- Gonolobinae** (G. Don) Liede, Taxon 46(2): 238, 1997. Basionym: *Gonolobaea*.
- Larrylechia** Plowes, Excelsa 17: 5, 1997. Typus: *Stapelia cactiformis* Hooker. [Dated 1996, publ. early 1997.] [*Nom. nov. pro Leachia* Plowes 1992 (*non* Cassini 1822).]
- Larrylechia cactiformis** (Hooker) Plowes, Excelsa 17: 5, 1997. Basionym: *Stapelia cactiformis*. [Dated 1996, publ. early 1997.]
- Larrylechia dinteri** (A. Berger) Plowes, Excelsa 17: 5, 1997. Basionym: *Trichocaulon dinteri*. [Dated 1996, publ. early 1997.]
- Larrylechia felina** (D. T. Cole) Plowes, Excelsa 17: 7, 1997. Basionym: *Trichocaulon felinum*. [Dated 1996, publ. early 1997.]
- Larrylechia meloformis** (Marloth) Plowes, Excelsa 17: 7, 1997. Basionym: *Trichocaulon meloforme*. [Dated 1996, publ. early 1997.]
- Larrylechia perlata** (Dinter) Plowes, Excelsa 17: 9, 1997. Basionym: *Trichocaulon perlatum*. [Dated 1996, publ. early 1997.]
- Larrylechia picta** (N. E. Brown) Plowes, Excelsa 17: 9, 1997. Basionym: *Trichocaulon pictum*. [Dated 1996, publ. early 1997.]
- Larrylechia similis** (N. E. Brown) Plowes, Excelsa 17: 12, 1997. Basionym: *Trichocaulon simile*. [Dated 1996, publ. early 1997.]
- Larrylechia sociarum** (A. C. White & B. Sloane) Plowes, Excelsa 17: 15, 1997. Basionym: *Trichocaulon sociarum*. [Dated 1996, publ. early 1997.]
- Larrylechia tirasmontana** (Plowes) Plowes, Excelsa 17: 15, 1997. Basionym: *Leachiella tirasmontana*. [Dated 1996, publ. early 1997.]
- Madangia inflata** P. I. Forster & al., Austrobaileya 5(1): 53, 1997. Typus: *Madangia inflata* P. I. Forster & al.
- Madangia inflata** P. I. Forster & al., Austrobaileya 5(1): 54, ills. (p. 56), 1997. Typus: *Liddle* 1076 (BRI) [Ex cult. Australia].
- Raphionacme moyalica** Venter & Verhoeven, South Afr. J. Bot. 63(2): 101-103, ills., 1997. Typus: *Gillett* 14021 (K). [Sphalm. 'moyalicus'.]
- Sarcostemma antsiranense** Meve & Liede, Kew Bull. 52(2): 491-493, ills., 1997. Typus: *Lavranos* et al. 28772 (K, MSUN).

ASPHODELACEAE

- Bulbine dissimilis** G. Williamson, Aloe 34(3-4): 70-72, ills., 1997. Typus: *Williamson* et Hammer 5710 (NGB). [Sphalm. 'disimilis'.]

ASTERACEAE

- Curio** P. V. Heath, Calyx 5(4): 136, 1997. Typus: *Senecio rowleyanus* H. Jacobsen. [Nom. nov. pro *Senecio* sect. *Rowleyani* C. Jeffrey 1986.]
- Curio acaulis** (Linné) P. V. Heath, Calyx 5(4): 136, 1997. Basionym: *Cacalia acaulis*.
- Curio acaulis** var. *burchellii* (De Candolle) P. V. Heath, Calyx 5(4): 136, 1997. Basionym: *Kleinia acaulis* var. *burchellii*.
- Curio acaulis** var. *ecklonis* (De Candolle) P. V. Heath, Calyx 5(4): 136, 1997. Basionym: *Kleinia acaulis* var. *ecklonis*.
- Curio archeri** (Compton) P. V. Heath, Calyx 5(4): 136, 1997. Basionym: *Kleinia archeri*.
- Curio articulatus** (Linné fil.) P. V. Heath, Calyx 5(4): 136, 1997. Basionym: *Cacalia articulata*.
- Curio articulatus** var. *globosus* (H. Jacobsen) P. V. Heath, Calyx 5(4): 136, 1997. Basionym: *Senecio articulatus* fa. *globosus*. [Basionym incorrectly attributed to G. D. Rowley.]
- Curio avasimontanus** (Dinter) P. V. Heath, Calyx 5(4): 136, 1997. Basionym: *Senecio avasimontanus*.
- Curio cicatricosus** (Schulz-Bipontinus) P. V. Heath, Calyx 5(4): 136, 1997. Basionym: *Senecio cicatricosus*.
- Curio citriformis** (G. D. Rowley) P. V. Heath, Calyx 5(4): 136, 1997. Basionym: *Senecio citriformis*.
- Curio ovoideus** (Compton) P. V. Heath, Calyx 5(4): 136, 1997. Basionym: *Kleinia ovoidea*.
- Curio repens** (Linné) P. V. Heath, Calyx 5(4): 136, 1997. Basionym: *Cacalia repens*.

CACTACEAE

- Ariocarpus confusus** Halda & Horáček, Cactaceae etc. 7(1): 1, 3-4, illus., 1997. Typus: *Halda* 851143 (PRC).
- Ariocarpus retusus** ssp. *scapharostroides* Halda & Horáček, Cactaceae etc. 7(3): 97-98, illus., 1997. Typus: *Jakubec* 851133 (PRC).
- Ariocarpus trigonus** fa. *ruberiflorus* Lodé, Fichier Encycl. Cact. autres Succ. 20: 1841, ill., 1997. Nom. inval. (Art. 34.1b, 36.1). [Published as provisional name.]
- Ariocarpus trigonus** var. *horacekii* Halda, Cactaceae etc. 7(3): 97-99, illus., 1997. Typus: *Halda* 851107 (PRC). [Sphalm. 'horaceki'.]
- Arrojadoa dinae** ssp. *eriocaulis* (Buining & Brederoo) N. P. Taylor & Zappi, Cact. Consensus Init. No. 3: 7, 1997. Basionym: *Arrojadoa eriocaulis*.
- Arthrocereus melanurus** ssp. *magnus* N. P. Taylor & Zappi, Cact. Consensus Init. No. 3: 7, 1997. Typus: *Zappi et al.* 262 (SPF, CESI, HRCB, K).
- Arthrocereus melanurus** ssp. *odorus* (F. Ritter) N. P. Taylor & Zappi, Cact. Consensus Init. No. 3: 7, 1997. Basionym: *Arthrocereus*

odorus.

- Borzicactus aureispinus** fa. *cristatus* P. V. Heath, Calyx 5(4): 137, 1997. Typus: [icono] Innes, Complete Handb. Cact. Succ., 109, 1977. [Name first used invalidly (Art. 32.1c) by Evanich, Index Cact. III. p. 25, 1989.]
- Cereus fernambucensis** ssp. *sericifer* (F. Ritter) N. P. Taylor & Zappi, Cact. Consensus Init. No. 3: 7, 1997. Basionym: *Piptanthocereus sericifer*.
- Cereus jamacaru** ssp. *calcirupicola* (F. Ritter) N. P. Taylor & Zappi, Cact. Consensus Init. No. 3: 7, 1997. Basionym: *Piptanthocereus calcirupicola*.
- Cereus phatnospermus** ssp. *adelmarii* (Rizzini & A. Mattos) P. J. Braun & E. Esteves P., Kakt. and. Sukk. 48(6): 142, 1997. Basionym: *Monvillea adelmarii*.
- Cereus phatnospermus** ssp. *kroenleinii* (N. P. Taylor) P. J. Braun & E. Esteves P., Kakt. and. Sukk. 48(6): 142, 1997. Basionym: *Cereus kroenleinii*.
- Cipocereus laniflorus** N. P. Taylor & Zappi, Cact. Consensus Init. No. 3: 7, 1997. Typus: *Zappi et al.* 240 (SPF, HRCB, HBCB).
- Cleistocactus plagiostoma** (Vaupel) D. R. Hunt, Cact. Consensus Init. No. 2: 3, 1997. Basionym: *Cereus plagiostoma*.
- xCleistocana mirabilis** (Buining) D. R. Hunt, Cact. Consensus Init. 4: 10, 1997. Basionym: *Matucana mirabilis*.
- Coleocephalocereus buxbaumianus** ssp. *flavisetus* (F. Ritter) N. P. Taylor & Zappi, Cact. Consensus Init. No. 3: 7, 1997. Basionym: *Coleocephalocereus flavisetus*.
- Coleocephalocereus fluminensis** ssp. *decumbens* (F. Ritter) N. P. Taylor & Zappi, Cact. Consensus Init. No. 3: 7, 1997. Basionym: *Coleocephalocereus decumbens*.
- Copiapoa cinerea** ssp. *dealbata* (F. Ritter) Slaba, Kaktusy 33(speciál): 3, 1997. Basionym: *Copiapoa dealbata*.
- Copiapoa cinerea** ssp. *gigantea* (Backeberg) Slaba, Kaktusy 33(speciál): 3, 1997. Basionym: *Copiapoa gigantea*. [Combination first published (nom. inval., Art. 24, 32) by Meregalli in Pianta Grasse 11(4): 19, 1992 (dated 1991) and attributed to N. P. Taylor.]
- Copiapoa cinerea** ssp. *haseltoniana* (Backeberg) N. P. Taylor, Cact. Consensus Init. No. 3: 8, 1997. Basionym: *Copiapoa haseltoniana*.
- Copiapoa cinerea** ssp. *kraenziana* (F. Ritter) Slaba, Kaktusy 33(speciál): 3, 1997. Basionym: *Copiapoa kraenziana*.
- Copiapoa cinerea** var. *longistaminea* (F. Ritter) Slaba, Kaktusy 33(speciál): 3, 1997. Basionym: *Copiapoa longistaminea*. [Repeated by G. J. Charles, Brit. Cact. Succ. J. 16(1): 15, 1998.]
- Copiapoa cinerea** var. *solitaria* Slaba, Kaktusy 33(speciál): 3, 7-8, ill., 1997. Nom. inval. (Art. 34.1b). [Given as nom. prov.]
- Copiapoa montana** ssp. *grandiflora* (F. Ritter) N. P. Taylor, Cact. Consensus Init. No. 3: 8, 1997. Basionym: *Copiapoa grandiflora*.

- Coryphantha pycnacantha** var. **calipensis** (Bravo) L. U. Guzmán, in S. Arias & al., Fl. Valle de Tehuacán-Cuicatlán, 14, Cact., 12, 1997. Basionym: *Coryphantha calipensis*.
- Discocactus heptacanthus** ssp. **catingicola** (Buijn & Brederoo) N. P. Taylor & Zappi, Cact. Consensus Init. No. 3: 7, 1997. Basionym: *Discocactus catingicola*.
- ✗**Disiochia** cv. **Emiel** Süpplie, Kakt. and. Sukk. 48(10): 235-236, ill., 1997. [= *Nopalochia phyllanthoides* × *Disocactus nelsonii* var. *nelsonii*.]
- Echinocereus adustus** ssp. **schwarzii** (A. B. Lau) N. P. Taylor, Cact. Consensus Init. No. 3: 8, 1997. Basionym: *Echinocereus schwarzii*.
- Echinocereus cinerascens** ssp. **septentrionalis** (N. P. Taylor) N. P. Taylor, Cact. Consensus Init. No. 3: 8, 1997. Basionym: *Echinocereus cinerascens* var. *septentrionalis*.
- Echinocereus cinerascens** ssp. **tulensis** (Bravo) N. P. Taylor, Cact. Consensus Init. No. 3: 8, 1997. Basionym: *Echinocereus tulensis*.
- Echinocereus coccineus** ssp. **mojavensis** (Engelmann & Bigelow) N. P. Taylor, Cact. Consensus Init. No. 3: 8, 1997. Basionym: *Cereus mojavensis*.
- Echinocereus enneacanthus** ssp. **brevispinus** (W. O. Moore) N. P. Taylor, Cact. Consensus Init. No. 3: 8, 1997. Basionym: *Echinocereus enneacanthus* fa. *brevispinus*.
- Echinocereus fasciculatus** ssp. **bonkeriae** (Thomber & Bonker) N. P. Taylor, Cact. Consensus Init. No. 3: 8, 1997. Basionym: *Echinocereus bonkeriae*.
- Echinocereus fasciculatus** ssp. **boyce-thompsonii** (Orcutt) N. P. Taylor, Cact. Consensus Init. No. 3: 8, 1997. Basionym: *Echinocereus boyce-thompsonii*.
- Echinocereus fendleri** ssp. **rectispinus** (Peebles) N. P. Taylor, Cact. Consensus Init. No. 3: 9, 1997. Basionym: *Echinocereus rectispinus*.
- Echinocereus ferreiranus** ssp. **lindsayi** (J. Meyrán) N. P. Taylor, Cact. Consensus Init. No. 3: 9, 1997. Basionym: *Echinocereus lindsayi*.
- Echinocereus longisetus** ssp. **delaetii** (Gürke) N. P. Taylor, Cact. Consensus Init. No. 3: 9, 1997. Basionym: *Cephalocereus delaetii*.
- Echinocereus pamanesiorum** ssp. **bonatzii** (R. C. Römer) R. C. Römer, Echinocereenfreund 10(2): 45, 1997. Basionym: *Echinocereus bonatzii*.
- Echinocereus parkeri** ssp. **gonzalezii** (N. P. Taylor) N. P. Taylor, Cact. Consensus Init. No. 3: 9, 1997. Basionym: *Echinocereus parkeri* var. *gonzalezii*.
- Echinocereus pectinatus** ssp. **ctenoides** (Engelmann) G. R. W. Frank, Echinocereenfreund 10(Jubiläums-Sonderausgabe): 135, 1997. Basionym: *Cereus ctenoides*.
- Echinocereus pentaphyllum** ssp. **leonensis** (Mathsson) N. P. Taylor, Cact. Consensus Init. No. 3: 9, 1997. Basionym: *Echinocereus leonensis*.
- Echinocereus polyacanthus** ssp. **acifer** (Otto ex Salm-Dyck) N. P. Taylor, Cact. Consensus Init. No. 3: 9, 1997. Basionym: *Cereus acifer*. [Basionym given erroneously as the combination *Echinocereus acifer*, treated as bibliographical error and here corrected.]
- Echinocereus polyacanthus** ssp. **huitcholensis** (F. A. C. Weber) N. P. Taylor, Cact. Consensus Init. No. 3: 9, 1997. Basionym: *Cereus huitcholensis*.
- Echinocereus pulchellus** ssp. **sharpii** (N. P. Taylor) N. P. Taylor, Cact. Consensus Init. No. 3: 9, 1997. Basionym: *Echinocereus pulchellus* var. *sharpii*.
- Echinocereus pulchellus** ssp. **weinbergii** (Weingart) N. P. Taylor, Cact. Consensus Init. No. 3: 9, 1997. Basionym: *Echinocereus weinbergii*.
- Echinocereus pulchellus** var. **acanthosetus** S. Arias & L. U. Guzmán, Fl. Valle de Tehuacán-Cuicatlán, 14, Cact., 63, ill. (p. 65), 1997. Typus: Arias et al. 958 (MEXU).
- Echinocereus reichenbachii** ssp. **armatus** (Poselger) N. P. Taylor, Cact. Consensus Init. No. 3: 9, 1997. Basionym: *Cereus pectinatus* var. *armatus*.
- Echinocereus reichenbachii** ssp. **baileyi** (Rose) N. P. Taylor, Cact. Consensus Init. No. 3: 9, 1997. Basionym: *Echinocereus baileyi*.
- Echinocereus reichenbachii** ssp. **fitchii** (Britton & Rose) N. P. Taylor, Cact. Consensus Init. No. 3: 9, 1997. Basionym: *Echinocereus fitchii*.
- Echinocereus reichenbachii** ssp. **perbellus** (Britton & Rose) N. P. Taylor, Cact. Consensus Init. No. 3: 9, 1997. Basionym: *Echinocereus perbellus*.
- Echinocereus rigidissimus** ssp. **rubispinus** (G. R. W. Frank & A. B. Lau) N. P. Taylor, Cact. Consensus Init. No. 3: 9, 1997. Basionym: *Echinocereus pectinatus* var. *rubispinus*.
- Echinocereus russanthus** var. **fiehnii** Trocha, Echinocereenfreund 10(3): 69, ill. (pp. 66-67), 1997. Typus: Lau 1076 (HBG, ZSS [status?]) [ZSS ex cult. W. Rischer]. [W. Blum & Mich. Lange deposited a holotype for this name in ZSS in June 1997, but upon publication, HBG was cited as type herbarium.]
- Echinocereus scheeri** ssp. **gentryi** (Clover) N. P. Taylor, Cact. Consensus Init. No. 3: 9, 1997. Basionym: *Echinocereus gentryi*.
- Echinocereus sciurus** ssp. **floresii** (Backeberg) N. P. Taylor, Cact. Consensus Init. No. 3: 10, 1997. Basionym: *Echinocereus floresii*.
- Echinocereus stoloniferus** ssp. **tayopensis** (W. T. Marshall) G. Pichler ex N. P. Taylor, Cact. Consensus Init. No. 3: 10 (May 1997), 1997. Basionym: *Echinocereus tayopensis*. [Combination first published invalidly (Art. 33.2) by G. Pichler, Echinocereenfreund 7(4): 93-106, ill., 1994 (cf. RPS 45), and superfluously repeated Ic. 10(3): 80-81, 1997 (Sept. 1997).]
- Echinocereus stramineus** ssp. **occidentalis** (N. P. Taylor) N. P. Taylor, Cact. Consensus Init. No. 3: 10, 1997. Basionym: *Echinocereus stramineus* var. *occidentalis*.

- Echinocereus subinermis** ssp. **ochoterenae** (J. González Ortega) N. P. Taylor, Cact. Consensus Init. No. 3: 10, 1997. Basionym: *Echinocereus ochoterenae*.
- Echinocereus viereckii** ssp. **morricalii** (Riha) N. P. Taylor, Cact. Consensus Init. No. 3: 10, 1997. Basionym: *Echinocereus morricalii*.
- Echinocereus viridiflorus** ssp. **chloranthus** (Engelmann) N. P. Taylor, Cact. Consensus Init. No. 3: 10, 1997. Basionym: *Cereus chloranthus*.
- Echinocereus viridiflorus** ssp. **cylindricus** (Engelmann) N. P. Taylor, Cact. Consensus Init. No. 3: 10, 1997. Basionym: *Cereus viridiflorus* var. *cylindricus*.
- Echinocereus viridiflorus** ssp. **davisi** (A. D. Houghton) N. P. Taylor, Cact. Consensus Init. No. 3: 10, 1997. Basionym: *Echinocereus davisi*.
- Echinomastus gautii** (L. Benson) Mosco & Zanovello, Bradleya 15: 81, ill. (p. 79), 1997. Basionym: *Neolloydia gautii*.
- Echinopsis arboricola** (Kimnach) Mottram, Cact. Consensus Init. No. 2: 8, 1997. Basionym: *Trichocereus arboricola*.
- Echinopsis clavata** (F. Ritter) D. R. Hunt, Cact. Consensus Init. 4: 5, 1997. Basionym: *Trichocereus clavatus*. [Sphalm. 'clavatus'.]
- Echinopsis hahniana** (Backeberg) R. S. Wallace, Cact. Consensus Init. 4: 12, 1997. Basionym: *Mediocactus hahnianus*.
- Echinopsis quadratiumbonata** (F. Ritter) D. R. Hunt, Cact. Consensus Init. 4: 5, 1997. Basionym: *Trichocereus quadratiumbonatus*. [Sphalm. 'quadratiumbonatus'.]
- Echinopsis scopulicola** (F. Ritter) Mottram, Cact. Consensus Init. No. 2: 8, 1997. Basionym: *Trichocereus scopulicola*.
- Eriosyce vertongenii** (J. G. Lambert) D. R. Hunt, Cact. Consensus Init. No. 3: 25, 1997. Basionym: *Pyrrhocactus vertongenii*.
- Escobaria alversonii** (J. M. Coulter) N. P. Taylor, Cact. Consensus Init. No. 3: 10, 1997. Basionym: *Cactus radiosus* var. *alversonii*.
- Escobaria sneedii** ssp. **leei** (Rose ex Bödeker) D. R. Hunt, Cact. Consensus Init. 4: 5, 1997. Basionym: *Escobaria leei*.
- ✗**Epostocactus mirabilis** (Rauh & Backeberg ex Backeberg) G. D. Rowley, Bradleya 12: 5, 1994. Basionym: *Neobinghamia mirabilis*. [Erroneously omitted previously.]
- Facheiroa cephaliomelana** ssp. **estevensis** (P. J. Braun) N. P. Taylor & Zappi, Cact. Consensus Init. No. 3: 7, 1997. Basionym: *Facheiroa estevensis*.
- Ferocactus echidne** var. **rafaelensis** (J. A. Purpus) Lodé, Fichier Encycl. Cact. autres Succ. 19: 1751, ill., 1997. *Nom. inval.* (Art. 33.2), based on *Echinocactus rafaelensis*.
- Frailea** sect. **Asterioides** Prestlé, Mitteilungsbl. Frailea 2(1): 5, 1997. *Nom. inval.* (Art. 36.1, 37.1).
- Frailea** sect. **Castanea** Prestlé, Mitteilungsbl. Frailea 2(1): 9, 1997. *Nom. inval.* (Art. 36.1, 37.1).
- Frailea** subgen. **Asterioides** Prestlé, Mitteilungsbl. Frailea 2(1): 4, 1997. *Nom. inval.* (Art. 37.1).
- Frailea buenekeri** ssp. **densispina** Hofacker & Herm, Kakt. and. Sukk. 48(3): 61-63, ill., 1997. Typus: *Hofacker* 54 (ZSS, PACA).
- Frailea buiningiana** Prestlé, Gatt. Frailea, ed. 2, 133-135, ill., 1997. Typus: *Prestlé* 616 (U).
- Frailea buiningiana** fa. **gracilispina** Prestlé, Gatt. Frailea, ed. 2, 135, 1997. Typus: *Prestlé* 884 (U).
- Frailea castanea** subvar. **spinosior** (F. Ritter) Prestlé, Gatt. Frailea, ed. 2, 214, 1997. Basionym: *Frailea perumbilicata* var. *spinosior*.
- Frailea castanea** var. **perumbilicata** (F. Ritter) Prestlé, Gatt. Frailea, ed. 2, 213, 1997. Basionym: *Frailea perumbilicata*.
- Frailea gracillima** ssp. **alaciportana** (Backeberg & Voll) N. Gerloff, Mitteilungsbl. Frailea 2(1): 15, 1997. Basionym: *Frailea alaciportana*.
- Frailea grahliana** ssp. **concepcionensis** (Buining & Moser) Prestlé, Gatt. Frailea, ed. 2, 190, 1997. Basionym: *Frailea concepcionensis*. [Sphalm. 'conceptionensis'.]
- Frailea grahliana** ssp. **moseriana** (Buining & Brederoo) Prestlé, Gatt. Frailea, ed. 2, 196, 1997. Basionym: *Frailea moseriana*.
- Frailea grahliana** ssp. **ybatensis** (Buining & Moser) Prestlé, Gatt. Frailea, ed. 2, 195, 1997. Basionym: *Frailea ybatensis*.
- Frailea horstii** ssp. **fecotrigensis** Prestlé, Gatt. Frailea, ed. 2, 131-132, ill., 1997. Typus: *Prestlé* 186(623) (U).
- Frailea pumila** ssp. **colombiana** (Werdermann) Prestlé, Gatt. Frailea, ed. 2, 156, 1997. Basionym: *Echinocactus colombianus*. [Sphalm. 'columbiana'.]
- Frailea pumila** ssp. **deminuta** (Buining & Brederoo) Prestlé, Gatt. Frailea, ed. 2, 170, 1997. Basionym: *Frailea deminuta*.
- Frailea pumila** ssp. **hlineckiana** (Cervinka) Prestlé, Gatt. Frailea, ed. 2, 159, 1997. Basionym: *Frailea hlineckiana*.
- Frailea pumila** ssp. **jajoiana** (Cervinka) Prestlé, Gatt. Frailea, ed. 2, 160, 1997. Basionym: *Frailea jajoiana*.
- Frailea pygmaea** var. **pulcherrima** (Archavaleta) Prestlé, Gatt. Frailea, ed. 2, 84, 1997. Basionym: *Echinocactus pulcherrimus*. [Sphalm. 'pulcherrima'.]
- Gymnocalycium pseudohorridispinum** Tománek, Gymnofil 26(3/4): 16-18, ill., 1997. *Nom. inval.* (Art. 36.1, 37.1). [Provisional name.]
- Gymnocalycium reductum** var. **leucodictyon** (Salm-Dyck) Papsch, Gymnocalycium 10(4): 230, 1997. Basionym: *Echinocactus leucodictyon*.
- Gymnocalycium saglionis** ssp. **tilcarensense** (Backeberg) H. Till & W. Till, Gymnocalycium 10(2): 215, 1997. Basionym: *Brachycalycium tilcarensense*.
- Gymnocalycium terweemeanum** (Teucq ex Duursma) Borgmann & Piltz, Gymnos 13(25/26): 47, 1997. Basionym: *Echinocactus platensis* var. *terweemeanus*.
- Harrisia balansae** (K. Schumann) N. P. Taylor &

- Zappi, Cact. Consensus Init. No. 3: 7, 1997.
Basionym: *Cereus balansae*.
- Lobivia arachnacantha* fa. *albiflora* Lodé, Fichier Encycl. Cact. autres Succ. 20: 1861, ill., 1997. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name.]
- Lobivia hertrichiana* var. *echinata* (Rausch) Lodé, Fichier Encycl. Cact. autres Succ. 20: 1862, ill., 1997. *Nom. inval.* (Art. 33.2), based on *Lobivia echinata*.
- Lobivia hertrichiana* var. *minuta* (F. Ritter) Lodé, Fichier Encycl. Cact. autres Succ. 20: 1863, ill., 1997. *Nom. inval.* (Art. 33.2), based on *Lobivia minuta*. [Basionym erroneously cited as 'Lobivia echinata'.]
- Lophophora diffusa* ssp. *fricci* (Habermann) Halda, Cactaceae etc. 7(2): 61, 1997. Basionym: *Lophophora fricci*.
- Lophophora diffusa* ssp. *viridescens* Halda, Cactaceae etc. 7(2): 61, ill., 1997. Typus: Köhres 2809 (PRC 11449). [Sphalm. 'viridescens'. *Nom. nov. pro Lophophora diffusa* var. *koehresii* Riha 1996.]
- Lophophora micromeris* (F. A. C. Weber) Mottram ex Grym, Rod Lophophora, 65, 1997. *Nom. inval.* (Art. 34.1a), based on *Mammillaria micromeris*. [Ascribed to Mottram, Contr. New Class. Cact. Fam., 1990.]
- Lophophora williamsii* var. *fricci* (Habermann) Grym, Rod Lophophora, 56, 1997. Basionym: *Lophophora fricci*.
- Lophophora williamsii* var. *koehresii* (Riha) Grym, Rod Lophophora, 55, 1997. Basionym: *Lophophora diffusa* var. *koehresii*.
- Mammillaria albicans* ssp. *fraileana* (Britton & Rose) D. R. Hunt, Mammillaria Postscripts 6: 5, 1997. Basionym: *Neomammillaria fraileana*.
- Mammillaria albilanata* ssp. *oaxacana* D. R. Hunt, Mammillaria Postscripts 6: 9, 1997. Typus: Reppenagen 1644 (ZSS). [*Nom. nov. pro Mammillaria ignota* Reppenagen 1987 non Loudon 1841 (*nom. inval.*, Art. 32.1c).]
- Mammillaria albilanata* ssp. *reppenagenii* (D. R. Hunt) D. R. Hunt, Mammillaria Postscripts 6: 9, 1997. Basionym: *Mammillaria reppenagenii*.
- Mammillaria albilanata* ssp. *tegelbergiana* (Gates ex G. E. Lindsay) D. R. Hunt, Mammillaria Postscripts 6: 9, 1997. Basionym: *Mammillaria tegelbergiana*.
- Mammillaria amajacensis* Brachet & M. Lacoste, Cact. Succ. J. (US) 69(4): 185-189, ill., SEM-ills., 1997. Typus: Guzmán et al. 1308 (MEXU 724 527). [First used as provisional name in J. Mammillaria Soc. 31(1): 6-7, ill., 1991 (cf. RPS 42).]
- Mammillaria armillata* ssp. *cerralboea* (Britton & Rose) D. R. Hunt, Mammillaria Postscripts 6: 5, 1997. Basionym: *Neomammillaria cerralboea*.
- Mammillaria backebergiana* ssp. *ernestii* (Fittkau) D. R. Hunt, Mammillaria Postscripts 6: 8, 1997. Basionym: *Mammillaria ernestii*.
- Mammillaria bocasana* fa. *schelhasei* (Pfeiffer) Lodé, Fichier Encycl. Cact. autres Succ. 20: 1867, ill., 1997. *Nom. inval.* (Art. 33.2), based on *Mammillaria schelhasei*.
- Mammillaria bombycinia* ssp. *perezdelarosae* (Bravo & Scheinvar) D. R. Hunt, Mammillaria Postscripts 6: 5, 1997. Basionym: *Mammillaria perezdelarosae*.
- Mammillaria brandegeei* ssp. *gabbi* (J. M. Coulter) D. R. Hunt, Mammillaria Postscripts 9: 11, 1997. Basionym: *Cactus gabbi*.
- Mammillaria brandegeei* ssp. *glareosa* (Bödeker) D. R. Hunt, Mammillaria Postscripts 9: 11, 1997. Basionym: *Mammillaria glareosa*.
- Mammillaria columbiana* ssp. *yucatanensis* (Britton & Rose) D. R. Hunt, Mammillaria Postscripts 6: 9, 1997. Basionym: *Neomammillaria yucatanensis*.
- Mammillaria compressa* ssp. *centralifera* (Reppenagen) D. R. Hunt, Mammillaria Postscripts 6: 11, 1997. Basionym: *Mammillaria centralifera*.
- Mammillaria crinita* ssp. *leucantha* (Bödeker) D. R. Hunt, Mammillaria Postscripts 6: 6, 1997. Basionym: *Mammillaria leucantha*.
- Mammillaria crinita* ssp. *wildii* (A. Dietrich) D. R. Hunt, Mammillaria Postscripts 6: 6, 1997. Basionym: *Mammillaria wildii*.
- Mammillaria crucigera* ssp. *tlaloci* (Reppenagen) D. R. Hunt, Mammillaria Postscripts 6: 9, 1997. Basionym: *Mammillaria tlaloci*.
- Mammillaria decipiens* ssp. *albescens* (Tiegel) D. R. Hunt, Mammillaria Postscripts 6: 7, 1997. Basionym: *Mammillaria albescens*.
- Mammillaria decipiens* ssp. *campotricha* (Dams) D. R. Hunt, Mammillaria Postscripts 6: 7, 1997. Basionym: *Mammillaria campotricha*.
- Mammillaria deherdtiana* ssp. *dodsonii* (Bravo) D. R. Hunt, Mammillaria Postscripts 6: 5, 1997. Basionym: *Mammillaria dodsonii*.
- Mammillaria discolor* ssp. *esperanzaensis* (Bödeker) D. R. Hunt, Mammillaria Postscripts 6: 7, 1997. Basionym: *Mammillaria esperanzaensis*.
- Mammillaria elongata* ssp. *echinaria* (De Candolle) D. R. Hunt, Mammillaria Postscripts 6: 7, 1997. Basionym: *Mammillaria echinaria*.
- Mammillaria formosa* ssp. *microthele* (Mühlenpfordt) D. R. Hunt, Mammillaria Postscripts 6: 9, 1997. Basionym: *Mammillaria microthele*.
- Mammillaria formosa* ssp. *pseudocrucigera* (R. T. Craig) D. R. Hunt, Mammillaria Postscripts 6: 10, 1997. Basionym: *Mammillaria pseudocrucigera*.
- Mammillaria geminispina* ssp. *leucocentra* (Berg) D. R. Hunt, Mammillaria Postscripts 6: 10, 1997. Basionym: *Mammillaria leucocentra*.
- Mammillaria giselae* Martínez-Avalos & Glass, Bradleya 15: 73-76, ill., 1997. Typus: Glass et Martínez-Avalos 8769 (CANTE, MEXU).
- Mammillaria glassii* ssp. *ascensionis* (Reppenagen)

- gen) D. R. Hunt, Mammillaria Postscripts 6: 6, 1997. Basionym: *Mammillaria ascensionis*.
- Mammillaria haageana** ssp. **acultzingensis** (Linzen & al.) D. R. Hunt, Mammillaria Postscripts 6: 9, 1997. Basionym: *Mammillaria acultzingensis*.
- Mammillaria haageana** ssp. **conspicua** (J. A. Purpus) D. R. Hunt, Mammillaria Postscripts 6: 9, 1997. Basionym: *Mammillaria conspicua*.
- Mammillaria haageana** ssp. **elegans** D. R. Hunt, Mammillaria Postscripts 6: 9, 1997. Typus: *Purpus* s.n. ([lecto – icono]: Monatsschr. Kakt.-kunde 23: 99, ill., 1913) [Lectotype designated by D. R. Hunt, Mammillaria Postscripts 6: 9, 1997]. [*Nom. nov. pro Mammillaria colina* J. A. Purpus 1912.]
- Mammillaria haageana** ssp. **san-angelensis** (Sánchez-Mejorada) D. R. Hunt, Mammillaria Postscripts 6: 9, 1997. Basionym: *Mammillaria san-angelensis*.
- Mammillaria haageana** ssp. **schnollii** (R. T. Craig) D. R. Hunt, Mammillaria Postscripts 6: 9, 1997. Basionym: *Mammillaria elegans* var. *schnollii*.
- Mammillaria hahniana** ssp. **bravoae** (R. T. Craig) D. R. Hunt, Mammillaria Postscripts 6: 10, 1997. Basionym: *Mammillaria bravoae*.
- Mammillaria hahniana** ssp. **mendelianae** (Bravo) D. R. Hunt, Mammillaria Postscripts 6: 10, 1997. Basionym: *Neomammillaria mendaliana*.
- Mammillaria hahniana** ssp. **woodssii** (R. T. Craig) D. R. Hunt, Mammillaria Postscripts 6: 10, 1997. Basionym: *Mammillaria woodssii*.
- Mammillaria heyderi** ssp. **gaumeri** (Britton & Rose) D. R. Hunt, Mammillaria Postscripts 6: 10, 1997. Basionym: *Neomammillaria gaumeri*.
- Mammillaria heyderi** ssp. **gummifera** (Engelmann) D. R. Hunt, Mammillaria Postscripts 6: 10, 1997. Basionym: *Mammillaria gummifera*. [Basionym author erroneously given as 'Wislizenus'.]
- Mammillaria heyderi** ssp. **hemisphaerica** (Engelmann) D. R. Hunt, Mammillaria Postscripts 6: 10, 1997. Basionym: *Mammillaria hemisphaerica*.
- Mammillaria heyderi** ssp. **macdougalii** (Rose ex Bailey) D. R. Hunt, Mammillaria Postscripts 6: 10, 1997. Basionym: *Mammillaria macdougalii*.
- Mammillaria heyderi** ssp. **meiacantha** (Engelmann) D. R. Hunt, Mammillaria Postscripts 6: 10, 1997. Basionym: *Mammillaria meiacantha*.
- Mammillaria hutchisoniana** ssp. **louisae** (G. E. Lindsay) D. R. Hunt, Mammillaria Postscripts 6: 5, 1997. Basionym: *Mammillaria louisae*.
- Mammillaria jaliscana** ssp. **zacatecasensis** (Shurly) D. R. Hunt, Mammillaria Postscripts 6: 6, 1997. Basionym: *Mammillaria zacatecasensis*.
- Mammillaria karwinskiana** ssp. **beiselii** (Diers) D. R. Hunt, Mammillaria Postscripts 6: 11,
1997. Basionym: *Mammillaria beiselii*.
- Mammillaria karwinskiana** ssp. **collinsii** (Britton & Rose) D. R. Hunt, Mammillaria Postscripts 6: 11, 1997. Basionym: *Neomammillaria collinsii*.
- Mammillaria karwinskiana** ssp. **nejapensis** (R. T. Craig & E. Y. Dawson) D. R. Hunt, Mammillaria Postscripts 6: 11, 1997. Basionym: *Mammillaria nejapensis*.
- Mammillaria lasiacantha** ssp. **hyalina** D. R. Hunt, Mammillaria Postscripts 6: 6, 1997. Typus: *Reppenhagen* 2132 (ZSS). [*Nom. nov. pro Mammillaria wohlschlageri* Reppenhagen 1987.]
- Mammillaria lasiacantha** ssp. **magallanii** (Schmoll ex R. T. Craig) D. R. Hunt, Mammillaria Postscripts 6: 7, 1997. Basionym: *Mammillaria magallanii*.
- Mammillaria laui** ssp. **dasyacantha** (D. R. Hunt) D. R. Hunt, Mammillaria Postscripts 6: 7, 1997. Basionym: *Mammillaria laui* fa. *dasyacantha*.
- Mammillaria laui** ssp. **subducta** (D. R. Hunt) D. R. Hunt, Mammillaria Postscripts 6: 7, 1997. Basionym: *Mammillaria laui* fa. *subducta*.
- Mammillaria longiflora** ssp. **stampferi** (Reppenhagen) D. R. Hunt, Mammillaria Postscripts 6: 5, 1997. Basionym: *Mammillaria stampferi*.
- Mammillaria marcosii** Fitz-Maurice & Glass, Cact. Succ. J. (US) 69(1): 10-14, ill., 1997. Typus: *Sierra* 031 (CANTE, MEXU, K).
- Mammillaria melanocentra** ssp. **linaresensis** (R. & F. Wolf) D. R. Hunt, Mammillaria Postscripts 6: 10, 1997. Basionym: *Mammillaria linaresensis*.
- Mammillaria melanocentra** ssp. **rubrograndis** (Reppenhagen & A. B. Lau) D. R. Hunt, Mammillaria Postscripts 6: 10, 1997. Basionym: *Mammillaria rubrograndis*.
- Mammillaria nunezii** ssp. **bella** (Backeberg) D. R. Hunt, Mammillaria Postscripts 6: 8, 1997. Basionym: *Mammillaria bella*.
- Mammillaria pennispinosa** ssp. **nazasensis** (Glass & Foster) D. R. Hunt, Mammillaria Postscripts 6: 6, 1997. Basionym: *Mammillaria pennispinosa* var. *nazasensis*.
- Mammillaria picta** ssp. **viereckii** (Bödeker) D. R. Hunt, Mammillaria Postscripts 6: 6, 1997. Basionym: *Mammillaria viereckii*.
- Mammillaria polythele** ssp. **durispina** (Bödeker) D. R. Hunt, Mammillaria Postscripts 6: 7, 1997. Basionym: *Mammillaria durispina*.
- Mammillaria polythele** ssp. **obconella** (Scheidweiler) D. R. Hunt, Mammillaria Postscripts 6: 7, 1997. Basionym: *Mammillaria obconella*.
- Mammillaria pondii** ssp. **maritima** (G. E. Lindsay) D. R. Hunt, Mammillaria Postscripts 6: 5, 1997. Basionym: *Cochemiea maritima*.
- Mammillaria pondii** ssp. **setispina** (J. M. Coulter) D. R. Hunt, Mammillaria Postscripts 6: 5, 1997. Basionym: *Cactus setispinus*.
- Mammillaria prolifera** ssp. **arachnoidea** (D. R. Hunt) D. R. Hunt, Mammillaria Postscripts 6: 6, 1997. Basionym: *Mammillaria prolifera* var. *arachnoidea*.

- Mammillaria prolifera** ssp. *haitiensis* (K. Schumann) D. R. Hunt, Mammillaria Postscripts 6: 6, 1997. Basionym: *Mammillaria pusilla* var. *haitiensis*.
- Mammillaria prolifera** ssp. *texana* (Engelmann) D. R. Hunt, Mammillaria Postscripts 6: 6, 1997. Basionym: *Mammillaria pusilla* var. *texana*.
- Mammillaria prolifera** ssp. *zublerae* (Reppenagen) D. R. Hunt, Mammillaria Postscripts 6: 6, 1997. Basionym: *Mammillaria zublerae*.
- Mammillaria rekoi** ssp. *aureispina* (A. B. Lau) D. R. Hunt, Mammillaria Postscripts 6: 8, 1997. Basionym: *Mammillaria rekoi* var. *aureispina*.
- Mammillaria rekoi** ssp. *leptacantha* (A. B. Lau) D. R. Hunt, Mammillaria Postscripts 6: 8, 1997. Basionym: *Mammillaria rekoi* var. *leptacantha*.
- Mammillaria rhodantha** ssp. *aureiceps* (Lemaire) D. R. Hunt, Mammillaria Postscripts 6: 7, 1997. Basionym: *Mammillaria aureiceps*.
- Mammillaria rhodantha** ssp. *fera-rubra* (Schmoll ex R. T. Craig) D. R. Hunt, Mammillaria Postscripts 6: 8, 1997. Basionym: *Mammillaria fera-rubra*.
- Mammillaria rhodantha** ssp. *mccartensis* D. R. Hunt, Mammillaria Postscripts 6: 8, 1997. Typus: *Reppenagen* 719 (ZSS). [Nom. nov. pro *Mammillaria verticaleba* Reppenagen 1987.]
- Mammillaria rhodantha** ssp. *mollendorffiana* (Shurly) D. R. Hunt, Mammillaria Postscripts 6: 8, 1997. Basionym: *Mammillaria mollendorffiana*.
- Mammillaria rhodantha** ssp. *pringlei* (J. M. Coulter) D. R. Hunt, Mammillaria Postscripts 6: 8, 1997. Basionym: *Cactus pringlei*.
- Mammillaria saboae** ssp. *goldii* (Glass & Foster) D. R. Hunt, Mammillaria Postscripts 6: 5, 1997. Basionym: *Mammillaria goldii*.
- Mammillaria schiedeana** ssp. *dumetorum* (J. A. Purpus) D. R. Hunt, Mammillaria Postscripts 6: 7, 1997. Basionym: *Mammillaria dumetorum*.
- Mammillaria sphacelata** ssp. *viperina* (J. A. Purpus) D. R. Hunt, Mammillaria Postscripts 6: 7, 1997. Basionym: *Mammillaria viperina*.
- Mammillaria spinosissima** ssp. *pilcayensis* (Bravo) D. R. Hunt, Mammillaria Postscripts 6: 8, 1997. Basionym: *Mammillaria pilcayensis*.
- Mammillaria spinosissima** ssp. *tepoxtlana* D. R. Hunt, Mammillaria Postscripts 6: 8, 1997. Typus: *Reppenagen* 761 (ZSS). [Nom. nov. pro *Mammillaria crassior* Reppenagen 1987.]
- Mammillaria thornberi** ssp. *yaquensis* (R. T. Craig) D. R. Hunt, Mammillaria Postscripts 6: 5, 1997. Basionym: *Mammillaria yaquensis*.
- Mammillaria vetula** ssp. *gracilis* (Pfeiffer) D. R. Hunt, Mammillaria Postscripts 6: 6, 1997. Basionym: *Mammillaria gracilis*.
- Mammillaria voburnensis** ssp. *eichlamii* (Quehl) D. R. Hunt, Mammillaria Postscripts 6: 11, 1997. Basionym: *Mammillaria eichlamii*.
- Mammillaria wiesingeri** ssp. *apamensis* (Repenagen) D. R. Hunt, Mammillaria Postscripts 6: 8, 1997. Basionym: *Mammillaria apamensis*.
- Mammillaria winterae** ssp. *aramberri* D. R. Hunt, Mammillaria Postscripts 6: 10, 1997. Typus: *Reppenagen* 1790 (ZSS). [Nom. nov. pro *Mammillaria crassimammillis* Reppenagen 1987.]
- Mammillaria wrightii** ssp. *wilcoxii* (Toumey ex K. Schumann) D. R. Hunt, Mammillaria Postscripts 6: 5, 1997. Basionym: *Mammillaria wilcoxii*.
- Mammillaria xaltianguensis** ssp. *bambusiphila* (Reppenagen) D. R. Hunt, Mammillaria Postscripts 6: 8, 1997. Basionym: *Mammillaria bambusiphila*.
- Matucana aurantiaca** ssp. *currundayensis* (F. Ritter) Mottram, Cact. Consensus Init. No. 3: 11, 1997. Basionym: *Matucana currundayensis*.
- Matucana haynei** ssp. *herzogiana* (Backeberg) Mottram, Cact. Consensus Init. No. 3: 11, 1997. Basionym: *Matucana herzogiana*.
- Matucana haynei** ssp. *hystrix* (Rauh & Backeberg) Mottram, Cact. Consensus Init. No. 3: 11, 1997. Basionym: *Matucana hystrix*.
- Matucana haynei** ssp. *myriacantha* (Vaupel) Mottram, Cact. Consensus Init. No. 3: 11, 1997. Basionym: *Echinocactus myriacanthus*.
- Melocactus intortus** ssp. *domingensis* Areces, Cact. Succ. J. (US) 69(5): 245-248, ill., 1997. Typus: *Areces* 6380 (JBSD, MNHN, NY).
- Melocactus pedernalensis** M. Mejía & R. García, Moscosoa 9: 12-17, ill., 1997. Typus: *García et al.* 5789 (JBSD, MAPR, NY, US).
- Melocactus violaceus** ssp. *natalensis* P. J. Braun & E. Esteves Pereira, Cact. Succ. J. (US) 69(2): 71-74, ill., 1997. Typus: *Esteves* 340 (UFG 17.657). [This corresponds to *Melocactus melocactoides* var. *natalensis* Rizzini 1982 (nom. inval., Art. 37.1).]
- Micropuntia pulchella** (Engelmann) C. Holland, Brit. Cact. Succ. J. 17(4): 206, 1997. Nom. inval. (Art. 33.2), based on *Opuntia pulchella*. [Name published inadvertently.]
- Neobuxbaumia laui** (P. V. Heath) D. R. Hunt, Cact. Consensus Init. 4: 5, 1997. Basionym: *Carnegiea laui*.
- Notocactus** sect. *Aureastigmatica* Prestlé, Internoto 17(4): 134, 136, 1997. Nom. inval. (Art. 36.1, 37.1). [Dated 1996, publ. Oct. 1997. Mentioned informally.]
- Notocactus** sect. *Mammulosus* Prestlé, Minimus 28(2): 18, 1997. Nom. inval. (Art. 34.1b, 36.1). [Provisional name.]
- Notocactus** subsect. *Bruneoviolaceum* Prestlé, Minimus 28(2): 22, 1997. Nom. inval. (Art. 34.1b, 36.1). [Provisional name.]
- Notocactus arachnitis** fa. *darilhoensis* N. Gerloff, Internoto 18(4): 119-122, 1997. Typus: *Gerloff* 186 (HAS 68290).
- Notocactus brevihamatus** fa. *albispinosus* Prestlé, Internoto 17(4): 132, ill., 1997. Based on *Prestlé* 759. Nom. inval. (Art. 37.4, 37.5). [Dated 1996, publ. Oct. 1997. Probably first]

- published in *Minimus* 28(1): 5, ill., 1997.]
- Notocactus mammulosus*** ssp. *arapeyensis* Prestlé, *Minimus* 18(2): 23-24, 1997. Based on *Prestlé* 84. *Nom. inval.* (Art. 36.1, 37.1). [Given as 'spec. nova'.]
- Notocactus mammulosus*** ssp. *mesetaensis* Prestlé, *Minimus* 18(2): 24-25, 1997. *Nom. inval.* (Art. 36.1, 37.1). [Given as "spec. nova".]
- Notocactus mammulosus*** ssp. *pampeanus* (Spegazzini) Prestlé, *Minimus* 18(2): 22, ill., 1997. *Nom. inval.* (Art. 33.2), based on *Echinocactus pampeanus*.
- Notocactus mammulosus*** ssp. *turecekianus* (R. Kiesling) Prestlé, *Minimus* 18(2): 25, 1997. *Nom. inval.* (Art. 33.2), based on *Parodia turecekiana*.
- Notocactus schumannianus*** fa. *ampliocostatus* (F. Ritter) Neduchal, *Internoto* 18(3): 111, 1997. Basionym: *Eriocactus ampliocostatus*.
- Notocactus schumannianus*** fa. *nigrispinus* (K. Schumann) Neduchal, *Internoto* 18(3): 111, 1997. Basionym: *Echinocactus nigrispinus*.
- Notocactus schumannianus*** var. *grossei* (K. Schumann) Neduchal, *Internoto* 18(3): 111, 1997. Basionym: *Echinocactus grossei*.
- Opuntia alcerrecensis*** Iliff, Cact. Consensus Init. No. 2: 9, 1997. Typus: *Ritter* 562 (U). [*Nom. nov. pro Platypuntia chilensis* F. Ritter 1980 (incorrect name, Art. 11.3), non *Opuntia chilensis* (Backeberg) G. D. Rowley 1958.]
- Opuntia archiconoidea*** (F. Ritter) D. R. Hunt, Cact. Consensus Init. 4: 5, 1997. Basionym: *Maihueniopsis archiconoidea*.
- Opuntia colorea*** (F. Ritter) D. R. Hunt, Cact. Consensus Init. 4: 5, 1997. Basionym: *Tephrocactus coloreus*.
- Opuntia crassispina*** (F. Ritter) D. R. Hunt, Cact. Consensus Init. 4: 5, 1997. Basionym: *Maihueniopsis crassispina*.
- Opuntia domeykoensis*** (F. Ritter) D. R. Hunt, Cact. Consensus Init. 4: 5, 1997. Basionym: *Maihueniopsis domeykoensis*.
- Opuntia ficus-indica*** cv. *Reticulata* (Backeberg) R. Crook & Mottram, *Bradleya* 15: 104, 1997. Basionym: *Opuntia ficus-indica* fa. *reticulata*.
- Opuntia fulgida*** cv. *Monstrosa* R. Crook & Mottram, *Bradleya* 15: 111, 1997. Basionym: *Opuntia fulgida* fa. *monstrosa*.
- Opuntia galerasensis*** (F. Ritter) D. R. Hunt, Cact. Consensus Init. 4: 5, 1997. Basionym: *Cumulopuntia galerasensis*.
- Opuntia guatinensis*** D. R. Hunt, Cact. Consensus Init. 4: 5, 1997. Typus: *Ritter* 550 loc. 1 (U, SGO [status ?], ZSS [seeds only, status ?]). [*Nom. nov. pro Cumulopuntia tortispina* F. Ritter 1980 (non *Opuntia tortispina* Engelmann & Bigelow 1856).]
- Opuntia ianthinantha*** (F. Ritter) F. Ritter ex Iliff, Cact. Consensus Init. No. 2: 8, 1997. Basionym: *Platypuntia ianthinantha*. [First used (*nom. inval.*, Art. 34.1) by F. Ritter, Kakt. Südamer. 2: 413, 1980.]
- Opuntia inaperta*** (Schott ex Griffiths) D. R. Hunt, Cact. Consensus Init. 4: 5, 1997. Basionym: *Nopalea inaperta*.
- Opuntia infesta*** (F. Ritter) F. Ritter ex Iliff, Cact. Consensus Init. No. 2: 8, 1997. Basionym: *Platypuntia infesta*. [First used (*nom. inval.*, Art. 34.1) by F. Ritter, Kakt. Südamer. 4: 1258, 1981.]
- Opuntia lindsayi*** Rebman, Cact. Succ. J. (US) 69(2): 67-70, ill., 1997. Typus: *Rebman et al.* 2782 (ASU, BCMEX, SD).
- Opuntia llanos-de-huanta*** D. R. Hunt, Cact. Consensus Init. 4: 6, 1997. Typus: *Ritter* 720 loc. 1 (U, SGO). [*Nom. nov. pro Maihueniopsis grandiflora* F. Ritter 1980 (non *Opuntia grandiflora* Engelmann 1857 nec Small 1903).]
- Opuntia lutea*** (Rose) D. R. Hunt, Cact. Consensus Init. 4: 6, 1997. Basionym: *Nopalea lutea*.
- Opuntia parviflada*** S. Arias & S. Gama, Fl. Valle de Tehuacán-Cuicatlán, 14, Cact., 125-127, ill., 1997. Typus: *Gama et al.* 68 (MEXU, ENCB, IBUG, ASU).
- Opuntia pituitosa*** (F. Ritter) F. Ritter ex Iliff, Cact. Consensus Init. No. 2: 9, 1997. Basionym: *Platypuntia pituitosa*. [First used (*nom. inval.*, Art. 34.1) by F. Ritter, Kakt. Südamer. 2: 404, 1980.]
- Opuntia rossiana*** (Heinrich & Backeberg) D. R. Hunt, Cact. Consensus Init. 4: 6, 1997. Basionym: *Tephrocactus pentlandii* var. *rossianus*.
- Opuntia sanctae-barbarae*** D. R. Hunt, Cact. Consensus Init. 4: 6, 1997. Typus: *Ritter* 1165 (U [not found], ZSS [seeds only]). [*Nom. nov. pro Cumulopuntia hystrix* F. Ritter 1980 (non *Opuntia hystrix* Grisebach 1866 nec Hort. ex Pfeiffer 1837).]
- Opuntia tehuacana*** S. Arias & L. U. Guzmán, Fl. Valle de Tehuacán-Cuicatlán, 14, Cact., 131-134, ill., 1997. Typus: *Guzmán-Cruz et al.* 1006 (MEXU, ENCB, IBUG).
- Opuntia ticinamarensis*** (F. Ritter) D. R. Hunt, Cact. Consensus Init. 4: 6, 1997. Basionym: *Cumulopuntia ticinamarensis*.
- Opuntia tumida*** (F. Ritter) D. R. Hunt, Cact. Consensus Init. 4: 6, 1997. Basionym: *Cumulopuntia tumida*.
- Opuntia wagenknechii*** (F. Ritter) D. R. Hunt, Cact. Consensus Init. 4: 6, 1997. Basionym: *Maihueniopsis wagenknechii*.
- Parodia augustinii*** Weskamp, Gatt. Parodia III, 196-197, pl. [2], 1997. Typus: *Swoboda et Augustin* 161 (ZSS).
- Parodia copavilquensis*** Weskamp, Gatt. Parodia III, 193-195, pl. [2], 1997. Typus: *Swoboda et Augustin* 162 (ZSS).
- Parodia curvispina*** (F. Ritter) D. R. Hunt, Cact. Consensus Init. 4: 6, 1997. Basionym: *Notocactus curvispinus*.
- Parodia erubescens*** (Osten) D. R. Hunt, Cact. Consensus Init. 4: 6, 1997. Basionym: *Echinocactus ×erubescens*.
- Parodia langsdorffii*** (Lehm.) D. R. Hunt, Cact. Consensus Init. 4: 6, 1997. Basionym: *Cactus langsdorffii*.
- Parodia neoarechavaletae*** (Havlicek) D. R. Hunt, Cact. Consensus Init. 4: 6, 1997. Basionym: *Notocactus neoarechavaletae*.

- Parodia nothorauschii** D. R. Hunt, Cact. Consensus Init. 4: 6, 1997. Typus: van Vliet 34 (U, ZSS [status ?]). [Nom. nov. pro *Notocactus rauschii* van Vliet 1969 (*non Parodia rauschii* Backeberg ex D. R. Hunt 1997).]
- Parodia prolifera** (F. Ritter) Weskamp, Gatt. Parodia III, 159-160, 1997. Basionym: *Parodia camargensis* var. *prolifera*.
- Parodia rauschii** Backeberg ex D. R. Hunt, Cact. Consensus Init. 4: 4, 1997. Typus: [icono] Backeberg, Cact. Lex. ed. 3, fig. 313, 1976. [First published invalidly by Backeberg (Art. 9.5) in Descr. Cact. Nov. 3: 11, 1963, and erroneously reported as valid in RPS 14.]
- Parodia sellowii** (Link & Otto) D. R. Hunt, Cact. Consensus Init. 4: 6, 1997. Basionym: *Echinocactus sellowii*.
- Parodia tabularis** (Cels ex Rümpler) D. R. Hunt, Cact. Consensus Init. 4: 6, 1997. Basionym: *Echinocactus concinnus* var. *tabularis*.
- Parodia tenuicylindrica** (F. Ritter) D. R. Hunt, Cact. Consensus Init. 4: 6, 1997. Basionym: *Notocactus tenuicylindricus*.
- Pediocactus simpsonii** fa. *acklinii* Hochstätter, Succulenta 76(6): 264-265, ill., 1997. Typus: Hochstätter 63.4 (SRP). [First mentioned (*nom. inval.*, Art. 36.1, 37.1, cf. RPS 46) in Gen. Pediocactus, Navajoa, Toumeya Rev., 90, 1995.]
- Pediocactus simpsonii** fa. *campestris* Hochstätter, Succulenta 76(6): 268, ill., 1997. Typus: Hochstätter 70 (SRP).
- Pediocactus simpsonii** fa. *dinosauriensis* Hochstätter, Succulenta 76(6): 266, ill., 1997. Typus: Hochstätter 61 (SRP).
- Pediocactus simpsonii** fa. *flaminggorgensis* Hochstätter, Succulenta 76(6): 269, ill., 1997. Typus: Hochstätter 66.5.2 (SRP).
- Pediocactus simpsonii** fa. *flinspachii* Hochstätter, Succulenta 76(6): 263, ill., 1997. Typus: Hochstätter 63.2 (SRP). [First mentioned (*nom. inval.*, Art. 36.1, 37.1, cf. RPS 46) in Gen. Pediocactus, Navajoa, Toumeya Rev., 41, 1995.]
- Pediocactus simpsonii** fa. *kuenzleri* Hochstätter, Succulenta 76(6): 264-265, ill., 1997. Typus: Hochstätter 63.5 (SRP).
- Pediocactus simpsonii** fa. *montanensis* Hochstätter, Succulenta 76(6): 267-268, ill., 1997. Typus: Hochstätter 90 (SRP).
- Pediocactus simpsonii** fa. *muehlii* Hochstätter, Succulenta 76(6): 264-265, ill., 1997. Typus: Hochstätter 63.1.2 (SRP).
- Pediocactus simpsonii** fa. *sandiamontana* Hochstätter, Succulenta 76(6): 266-267, ill., 1997. Typus: Hochstätter 41 (SRP).
- Pediocactus simpsonii** ssp. *idahoensis* Hochstätter, Succulenta 76(3): 124-127, ill., map, 1997. Typus: Hochstätter 9.6 (SRP).
- Pereskia grandifolia** ssp. *violacea* (Leuenberger) N. P. Taylor & Zappi, Cact. Consensus Init. No. 3: 7, 1997. Basionym: *Pereskia grandifolia* var. *violacea*. [Basionym erroneously given as *Pereskia grandiflora* var., treated as bibliographical error and here corrected.]
- Pierrebraunia** E. Esteves Pereira, Cact. Succ. J. (US) 69(6): 296, 1997. Typus: *Floribunda bahiensis* P. J. Braun & Esteves P.
- Pierrebraunia bahiensis** (P. J. Braun & E. Esteves Pereira) E. Esteves Pereira, Cact. Succ. J. (US) 69(6): 296, ill. (pp. 297-300), 1997. Basionym: *Floribunda bahiensis*.
- Pilosocereus azulensis** N. P. Taylor & Zappi, Cact. Consensus Init. No. 3: 8, 1997. Typus: Taylor & Zappi in Harley 25220 (SPF, K).
- Pilosocereus palmeri** var. *sartorianus* (Rose) Lodé, Fichier Encycl. Cact. autres Succ. 19: 1776, ill., 1997. Basionym: *Cephalocereus sartorianus*. [Basionym incorrectly given as *Pilosocereus sartorianus*, here corrected and treated as bibliographical error.]
- Praecereus euchlorus** (F. A. C. Weber) N. P. Taylor, Cact. Consensus Init. No. 3: 10, 1997. Basionym: *Cereus euchlorus*.
- Praecereus euchlorus** ssp. *amazonicus* (K. Schumann ex Vaupel) N. P. Taylor, Cact. Consensus Init. No. 3: 10, 1997. Basionym: *Cereus amazonicus*.
- Praecereus euchlorus** ssp. *diffusus* (Britton & Rose) N. P. Taylor, Cact. Consensus Init. No. 3: 10, 1997. Basionym: *Monvillea diffusa*.
- Praecereus euchlorus** ssp. *smithianus* (Britton & Rose) N. P. Taylor, Cact. Consensus Init. No. 3: 10, 1997. Basionym: *Cephalocereus smithianus*.
- Praecereus saxicola** (Morong) N. P. Taylor, Cact. Consensus Init. No. 3: 10, 1997. Basionym: *Cereus saxicola*.
- Puna bonnieae** D. J. Ferguson & R. Kiesling, Cact. Succ. J. (US) 69(6): 287-293, ill., SEM-ills., 1997. Typus: Kiesling 8710 (SI).
- Rebutia** subgen. **Pygmaeolobivia** (Backeberg) Sida, Rod Rebutia, 22, 1997. Basionym: *Lobivia* subgen. *Pygmaeolobivia*.
- Rebutia** subgen. **Reicheocactus** (Backeberg) Sida, Rod Rebutia, 29, 1997. Basionym: *Reicheocactus*.
- Rebutia albispina** (Rausch) Sida, Rod Rebutia, 29, 1997. Basionym: *Lobivia nigricans* var. *albispina*.
- Rebutia applanata** (Rausch) Sida, Rod Rebutia, 27, 1997. Basionym: *Lobivia steinmannii* var. *applanata*.
- Rebutia aureiflora** fa. *boedeckeriana* (Backeberg) Sida, Rod Rebutia, 23, 1997. Basionym: *Mediolobivia boedeckeriana*.
- Rebutia aureiflora** fa. *duursmaiana* (Backeberg) Sida, Rod Rebutia, 23, 1997. Basionym: *Mediolobivia duursmaiana*. [Sphalm. 'duursmana'.]
- Rebutia caniguerallii** ssp. *crispata* (Rausch) Donald ex D. R. Hunt, Cact. Consensus Init. No. 3: 6, 1997. Basionym: *Sulcorebutia crispata*.
- Rebutia caniguerallii** ssp. *pulchra* (Cárdenas) Donald ex D. R. Hunt, Cact. Consensus Init. No. 3: 6, 1997. Basionym: *Rebutia pulchra*.
- Rebutia chrysacantha** var. *iseliniiana* (Krainz) Donald ex Sida, Rod Rebutia, 18, 1997. Basio-

- nym: *Rebutia senilis* var. *iseliniana*. [Name first used (*nom. inval.*, Art. 33.2, cf. RPS 5) by Donald in *Cactus* (Paris) No. 40: 39, 1954.]
- Rebutia chrysacantha** var. *kesselringiana* (Bewerunge) Donald ex Sida, Rod Rebutia, 18, 1997. Basionym: *Rebutia senilis* var. *kesselringiana*. [Name first used (*nom. inval.*, Art. 33.2, cf. RPS 5) by Donald in *Cactus* (Paris) No. 40: 39, 1954.]
- Rebutia chrysacantha** var. *schieliana* (Bewerunge) Sida, Rod Rebutia, 18, 1997. Basionym: *Rebutia senilis* var. *schieliana*.
- Rebutia crassa** (Rausch) Sida, Rod Rebutia, 26, 1997. Basionym: *Lobivia haagei* var. *crassa*.
- Rebutia elegantula** (Rausch) Sida, Rod Rebutia, 25, 1997. Basionym: *Lobivia haagei* var. *elegantula*.
- Rebutia famatimensis** var. *jachalensis* (Rausch) Sida, Rod Rebutia, 29, 1997. Basionym: *Lobivia famatimensis* var. *jachalensis*.
- Rebutia famatimensis** var. *sanjuanensis* (Rausch) Sida, Rod Rebutia, 29, 1997. Basionym: *Lobivia famatimensis* var. *sanjuanensis*.
- Rebutia fidaiana** ssp. *cintiensis* (Cárdenas) D. R. Hunt, Cact. Consensus Init. 4: 7, 1997. Basionym: *Weingartia cintiensis*.
- Rebutia fuauxiana** (Backeberg) Sida, Rod Rebutia, 28, 1997. Basionym: *Mediolobivia fuauxiana*.
- Rebutia haagei** fa. *flavovirens* (Backeberg) Sida, Rod Rebutia, 25, 1997. Basionym: *Lobivia neohaageana* var. *flavovirens*.
- Rebutia haefneriana** (Cullmann) Sida, Rod Rebutia, 28, 1997. Basionym: *Mediolobivia haefneriana*.
- Rebutia knizei** (Rausch) Sida, Rod Rebutia, 26, 1997. Basionym: *Lobivia pygmaea* var. *knizei*.
- Rebutia leucacantha** (Rausch) Sida, Rod Rebutia, 27, 1997. Basionym: *Lobivia steinmannii* var. *leucacantha*.
- Rebutia major** (Rausch) Sida, Rod Rebutia, 27, 1997. Basionym: *Lobivia steinmannii* var. *major*.
- Rebutia melanocentra** (Rausch) Sida, Rod Rebutia, 28, 1997. Basionym: *Lobivia steinmannii* var. *melanocentra*.
- Rebutia mentosa** ssp. *purpurea* (Donald & Lau) Donald ex D. R. Hunt, Cact. Consensus Init. No. 3: 6, 1997. Basionym: *Weingartia purpurea*.
- Rebutia neocumingii** ssp. *pilcomayensis* (Cárdenas) D. R. Hunt, Cact. Consensus Init. 4: 8, 1997. Basionym: *Weingartia pilcomayensis*.
- Rebutia neocumingii** ssp. *riograndensis* (F. Ritter) D. R. Hunt, Cact. Consensus Init. 4: 8, 1997. Basionym: *Weingartia riograndensis*.
- Rebutia neocumingii** ssp. *saipinensis* (F. Brandt) D. R. Hunt, Cact. Consensus Init. 4: 8, 1997. Basionym: *Weingartia saipinensis*.
- Rebutia neocumingii** ssp. *trollii* (Oeser) D. R. Hunt, Cact. Consensus Init. 4: 8, 1997. Basionym: *Weingartia trollii*.
- Rebutia nigricans** (Wessner) D. R. Hunt, Cact. Consensus Init. 4: 6 (20. Oct.), 1997. Basio-
- nym: *Lobivia nigricans*. [Repeated by Sida, Rod Rebutia, 29, 1997 (Nov.-Dec.?)]
- Rebutia nigricans** var. *hahniana* (Buining & Donald) Sida, Rod Rebutia, 29, 1997. *Nom. inval.*, based on *Rebutia ritteri* fa. *hahniana*, *nom. inval.* (Art. 37.1). [Published as provisional name.]
- Rebutia nigricans** var. *peterseimii* Buining & Donald ex Sida, Rod Rebutia, 29, 1997. Typus: [icono] Kreuzinger, Verzeichnis, p. 31, fig. 544, 1935. [Based on *Rebutia ritteri* fa. *peterseimii* Buining & Donald 1963 (*nom. inval.*, Art. 37). Nomenclatural status not assessed and probably to be treated as a combination (with bibliographical error) for *Rebutia peterseimii* Fric 1932.]
- Rebutia oligacantha** (F. H. Brandt) Donald ex D. R. Hunt, Cact. Consensus Init. No. 3: 6, 1997. Basionym: *Weingartia oligacantha*.
- Rebutia orurensis** (Backeberg) F. Ritter ex Sida, Rod Rebutia, 25, 1997. Basionym: *Lobivia orurensis*. [First published invalidly (Art. 33.2, page reference omitted) by F. Ritter in Kakt. Südamer. 2: 594, 1980 and incorrectly treated as valid in RPS 31.]
- Rebutia parvula** (Rausch) Sida, Rod Rebutia, 28, 1997. Basionym: *Lobivia steinmannii* var. *parvula*.
- Rebutia pelziana** (Rausch) Sida, Rod Rebutia, 26, 1997. Basionym: *Lobivia haagei* var. *pelziana*. [Sphalm. 'pelzliana'.]
- Rebutia polypetala** (Rausch) Sida, Rod Rebutia, 27, 1997. Basionym: *Lobivia pygmaea* var. *polypetala*.
- Rebutia pseudodeminita** fa. *schumanniana* (Backeberg) Sida, Rod Rebutia, 20, 1997. Basionym: *Rebutia pseudodeminita* var. *schumanniana*.
- Rebutia pseudoritteri** (Rausch) Sida, Rod Rebutia, 28, 1997. Basionym: *Lobivia atrovirens* var. *pseudoritteri*.
- Rebutia pygmaea** var. *pectinata* (Backeberg) Sida, Rod Rebutia, 26, 1997. Basionym: *Lobivia pectinata*.
- Rebutia spegazziniana** var. *atroviridis* (Backeberg) F. Ritter ex Sida, Rod Rebutia, 20, 1997. Basionym: *Aylostera spegazziniana* var. *atroviridis*. [Combination first published invalidly (Art. 33.2) by F. Ritter, Kakt. Südamer. 4: 1629 (sub no. 404), 1981.]
- Rebutia steinbachii** ssp. *kruegeri* (Cárdenas) D. R. Hunt, Cact. Consensus Init. No. 3: 6, 1997. Basionym: *Aylostera kruegeri*.
- Rebutia steinbachii** ssp. *tiraquensis* (Cárdenas) D. R. Hunt, Cact. Consensus Init. No. 3: 6, 1997. Basionym: *Rebutia tiraquensis*.
- Rebutia steinbachii** ssp. *verticillacantha* (F. Ritter) Donald ex D. R. Hunt, Cact. Consensus Init. No. 3: 6, 1997. Basionym: *Sulcorebutia verticillacantha*.
- Rebutia steinmannii** var. *eucaliptana* (Backeberg) Sida, Rod Rebutia, 27, 1997. Basionym: *Lobivia eucaliptana*.
- Rebutia tafnaensis** (Rausch) Sida, Rod Rebutia, 27, 1997. Basionym: *Lobivia pygmaea* var.

- tafnaensis.*
- Rebutia tilcarensis** (Rausch) Sída, Rod Rebutia, 24, 1997. Basionym: *Lobivia euanthema* var. *tilcarensis*.
- Rebutia tuberculata** (Rausch) Sída, Rod Rebutia, 27, 1997. Basionym: *Lobivia steinmannii* var. *tuberculata*.
- Rebutia violaceostaminea** (Rausch) Sída, Rod Rebutia, 27, 1997. Basionym: *Lobivia pygmaea* var. *violaceostaminea*.
- Rebutia xanthocarpa** var. *graciliflora* Sída, Rod Rebutia, 18, 1997. Typus: [icono] Backeberg, Kakt.-Lex., 689; fig. 359, 1966. [Based on *Rebutia graciliflora* Backeberg 1963 (*nom. inval.*, Art. 9.5).]
- Rebutia yuncharasensis** (Rausch) Sída, Rod Rebutia, 29, 1997. Basionym: *Lobivia atrovirens* var. *yuncharasensis*.
- Rhipsalis** cv. **Red Bird** Süpplie, Kakt. og and. Sukk. 32(4): 75-76, ill., 1997. [= (*Rhipsalis ×graeseri* (*nom. inval.*) × *R. cv. Crimson Giant*) × *R. cv. Yvonne*.]
- Rhipsalis baccifera** ssp. **fortdauphinensis** Süpplie, Brit. Cact. Succ. J. 14(2): 90, ill., 1996. Typus: *Anonymus* s.n. (U).
- Rhipsalis olivifera** N. P. Taylor & Zappi, Cact. Consensus Init. No. 3: 8, 1997. Typus: *Martinelli et Simonis* 9038 (RB 212172, K).
- Rhipsalis ormindoi** N. P. Taylor & Zappi, Cact. Consensus Init. No. 3: 8, 1997. Typus: *Correia et al.* 164 (RB 291514, K).
- Strombocactus disciformis** fa. **minimus** Don Pedro & Ríha, Kaktusy 33(3): 84, 1997. Typus: *Halda* s.n. (PR 11472). [*Nom. nov. pro Strombocactus jarmilae* Halda 1996.]
- Strombocactus disciformis** var. **esperanzae** (Glass & S. Arias) Don Pedro & Ríha, Kaktusy 33(3): 84, 1997. Basionym: *Strombocactus disciformis* ssp. *esperanzae*.
- Thelocactus rinconensis** ssp. **hintonii** J. Lüthy, Kakt. and. Sukk. 48(2): 37-40, ill., 1997. Typus: *Hinton et al.* 25762 (herb. G. B. Hinton).
- Turbinicarpus beguinii** (N. P. Taylor) Mosco & Zanovello, Bradleya 15: 81, ill. (p. 79), 1997. Basionym: *Thelocactus beguinii*.
- CRASSULACEAE**
- Aeonium ×aguajilense** Bañares, Vieraea 25: 182-183, ill., 1996. Typus: *Bañares* s.n. (TFC 37963). [= *Aeonium castello-paivae* × *A. gomerense*. Dated Dec. 1996, published probably only in 1997.]
- Aeonium ×cabrerae** (A. Santos) Bañares, Vieraea 25: 184, 1996. Basionym: *×Greenonium cabrerae*. [Dated Dec. 1996, but probably published only in 1997.]
- Aeonium holopothulatum** nvar. **sanchezii** (Bañares) Bañares, Vieraea 25: 184, 1996. Basionym: *Aeonium ×sanchezii*. [Dated Dec. 1996, but probably published only in 1997.]
- Aeonium ×isorense** Bañares, Vieraea 25: 184-186, ill., 1996. Typus: *Bañares* s.n. (TFC 37968). [= *Aeonium arboreum* var. *holochrysum* × *A. hierrense*. Dated Dec. 1996, but probably published only in 1997.]
- Aeonium ×nogalesii** nvar. **dasyphyllum** Bañares & Macarrón ex Bañares, Vieraea 25: 187-188, ill., 1996. Typus: *Macarrón Machado et Bañares* s.n. (TFC 37970). [= *Aeonium canariense* var. *canariense* × *A. sedifolium*. Dated Dec. 1996, probably only published 1997.]
- Aeonium ×orbelindense** Bañares, Vieraea 25: 188-190, ill., 1996. Typus: *Bañares* s.n. (TFC 37966). [= *Aeonium canariense* var. *canariense* × *A. pseudourbicium*. Dated Dec. 1996, but probably published only 1997.]
- Aeonium ×pseudohawkicum** Bañares, Vieraea 25: 190-191, ill., 1996. Typus: *Bañares* s.n. (TFC 37972). [= *Aeonium haworthii* × *A. pseudourbicium*. Dated Dec. 1996, but probably published only 1997.]
- Aeonium ×tijaratense** (A. Santos) Bañares, Vieraea 25: 190, 1996. Basionym: *×Greenonium tijaratense*. [Dated Dec. 1996, but probably published only 1997.]
- Aeonium ×voggenreiteri** Bañares, Vieraea 25: 192, 1996. [Sphalm. 'vogggenreiterii'. *Nom. nov. pro ×Aeoniogreenovia lambii* Voggenreiter (*nom. inval.*). Dated Dec. 1996, published probably only 1997.]
- Aeonium volkeri** E. Hernández & Bañares, Vieraea 25: 160-162, ill. (p. 166), 1996. Typus: *Bañares et Hernández* s.n. (TFC 37855, MA). [Sphalm. 'volkenii' (Rec. 60C1(a)). Dated Dec. 1996, probably only published 1997.]
- Cotyledon eliseae** Van Jaarsveld, Bradleya 15: 65-68, ill., 1997. Typus: *van Jaarsveld et Sajeva* 14628 (NBG).
- Crassula** cv. **Shogun** M. Holmes, Cact. Succ. J. (Woollahra) 21(1): 7-9, ill., 1997. [= *Crassula deceptor* × *C. hemisphaerica*.]
- Dudleya gnoma** S. McCabe, Madroño 44(1): 49-51, ill., 1997. Typus: *McCabe* 792 (CAS, SBBG, UC).
- Echeveria calderonae** Pérez-Calix, Acta Bot. Mex. 38: 9-11, ill., 1997. Typus: *Pérez-Calix et Carranza* 3164 (IEB).
- Echeveria cante** Glass & M. Mendoza-García, Cact. Succ. J. (US) 69(5): 240-241, ill., 1997. Typus: *Glass* 8073 (CANTE 2501, MEXU).
- Graptopetalum mendozae** Glass & Cházaro, Cact. Suc. Mex. 42(4): 79-82, ill. [incl. back cover], 1997. Typus: *Mendoza Garcia et Sierra Pichardo* 288 (XAL, CANTE, CHAPA, ENCB, IEB, IBUG, MEXU, MICH, NY, WIS).
- ×**Graptopetalum** cv. **Margarete Reppin** M. Holmes, Cact. Succ. J. (Woollahra) 21(2): 26-27, ill., 1997. [= *Graptopetalum filiferum* × *Graptopetalum* cv. *Titubans*.]
- Kalanchoe bracteata** ssp. **glabra** Rauh & Hebbing, Bradleya 15: 5, ill. (p. 6), 1997. Typus: *Rauh* 74193 (HEID).
- Kalanchoe bracteata** var. **aurantiaca** Rauh & Hebbing, Bradleya 15: 8, ill. (p. 6), 1997. Typus: *Rauh* 73017 (HEID).

Kalanchoe bracteata var. **glabra** Rauh & Hebdung, Bradleya 15: 5, illus. (p. 6), 1997. Typus: *Rauh* 74193 (HEID).

Kalanchoe bracteata var. **pubescens** Rauh & Hebdung, Bradleya 15: 8, illus. (p. 6), 1997. Typus: *Rauh* 74104 (HEID).

Kalanchoe curvula Descoings, J. Bot. Soc. Bot. France 4: 79-81, pl. 1, 1997. Typus: *Herb. Jard. Bot. Tananarive* 11 (P).

Kalanchoe cymbifolia Descoings, J. Bot. Soc. Bot. France 4: 81-83, pl. 2, 1997. Typus: *Anonymus* s.n. (P [unpublished pl. 106]) [Plate labelled as "Bryophyllum capuronii ?"].

Kalanchoe hildebrandtii var. **glabra** Rauh & Hebdung, Bradleya 15: 12, illus. (p. 11), 1997. Typus: *Rauh* 74506 (HEID).

Kalanchoe integrifolia var. **bitteri** (Hamet & H. Perrier) Allorge-Boiteau, in Boiteau & Allorge-Boiteau, Kalanchoe Madag., 183, 1995. Basionym: *Kalanchoe bitteri*. [Erroneously omitted previously.]

Kalanchoe laetivirens Descoings, J. Bot. Soc. Bot. France 4: 85, 1997. Typus: *Descoings* 28234 (P).

Kalanchoe quadrangularis Descoings, J. Bot. Soc. Bot. France 4: 89, 1997. Typus: *Herb. Réserves Naturelles* 12146 (P).

Kalanchoe rhombopilosa var. **argentea** Rauh, Bradleya 15: 9, illus. (pp. 10-11), 1997. Typus: *Rauh* 74875 (HEID).

Kalanchoe rhombopilosa var. **viridifolia** Rauh, Bradleya 15: 9, illus. (p. 10), 1997. Typus: *Rauh* 21870A (HEID).

Kalanchoe sanctula Descoings, J. Bot. Soc. Bot. France 4: 87, 1997. Typus: *Descoings* 28180 (P).

Rhodiola multibracteata H. Chuang, Acta Bot. Yunnan. 19(3): 225, 1997. Typus: *Yu* 11718 (KUN).

Sedum cv. **Sandra Mottram** Mottram & R. Stephenson, Sedum Soc. Newslett. No. 42: 72, ill., pl. 9G, 1997. [= *Sedum treleasei* × *S. lucidum* 'Obesum'].

Sedum mucizonia ssp. **abylaeum** (Font Quer & Maire) Springate, Lagascalia 18(2): 337-338, 1996. Basionym: *Cotyledon mucizonia* ssp. *abylaea*. [Sphalm. 'abylaeae']

Sedum urvillei ssp. **sartorianum** (Boissier) Byalt, Bot. Zhurn. (Moscow & Leningrad) 82(1): 106-108, 1997. Basionym: *Sedum sartorianum*.

Sinocrassula diversifolia H. Chuang, Acta Bot. Yunnan. 19(3): 224-225, 1997. Typus: *Feng* 24610 (KUN).

Sinocrassula luteorubra var. **maculosa** H. Chuang, Acta Bot. Yunnan. 19(3): 224, 1997. Typus: *Wang* 81964 (KUN).

✗**Tacipetalum** cv. **Stardust** Kimnach, Cact. Succ. J. (US) 69(2): 98, ill. (p. 97), 1997. [= *Graptopetalum saxifragoides* × *Tacitus bellus*.]

Thompsonella xochipalensis Gual & al., Acta Bot. Mex. 40: 38-40, ill., 1997. Typus: *Peralta et Gual* 167 (IEB, MEXU).

Tillaea likiangensis H. Chuang, Acta Bot. Yunnan. 19(3): 225-226, 1997. Typus: *Feng*

22504 (KUN).

Tylecodon tribblei Van Jaarsveld, Bradleya 15: 68-72, ill., 1997. Typus: *van Jaarsveld et Muller* 14729 (NBG).

DRACAENACEAE

Dracaena draco ssp. **ajgal** Benabid & Cuzin, Compt. Rend. Acad. Sci. Paris, Sér. 3, Sci. Vie 320: 270, 1997. Typus: *Benabid et Cuzin* s.n. (RAB).

EUPHORBIACEAE

Euphorbia cv. **Macguffin** G. D. Rowley, Brit. Cact. Succ. J. 14(1): 14-15, ill., 1997. [Old garden hybrid of unknown parentage.]

Euphorbia charleswilsoniana V. Vlk, Kaktusy 33(2): 47, 1997. Typus: *Vlk et Lízler* 353 (PRC 4694). [*Nom. nov. pro Euphorbia wilsonii* V. Vlk 1997 non (Millspaugh) Correll 1980.]

Euphorbia francoisii fa. **rubrifolia** Rauh, Euphorbia J. 10: 183, ill. (p. 186), 1997. Based on *Rauh* 73936a. *Nom. inval.* (Art. 37.4, 37.5). [Dated 1996, publ. mid-1997.]

Euphorbia francoisii var. **crassicaulis** Rauh, Euphorbia J. 10: 183-187, ill., 1997. Typus: *Rauh* 73936 (HEID). [Dated 1996, publ. mid-1997.]

Euphorbia pedroi Molero & Rovira, Anales Jard. Bot. Madrid 55: 198, 1997. Typus: *Molero et Vicens* s.n. (BCF 41660).

Euphorbia wilsonii V. Vlk, Kaktusy 33(1): 23-25, ill., 1997. Based on *Vlk et Lízler* 353. *Nom. illeg.* (Art. 53.1). [*Non Euphorbia wilsonii* (Millspaugh) Correll 1980.]

GERANIACEAE

Pelargonium aridicola E. M. Marais, South Afr. J. Bot. 63(2): 86-87, ill., 1997. Typus: *Van der Walt* 1405 (NBG, BOL, K, MO, PRE).

Pelargonium hirtipetalum E. M. Marais, South Afr. J. Bot. 63(2): 82-84, ill., 1997. Typus: *Marais* 338 (NBG, BOL, K, MO, PRE, S).

Pelargonium pubipetalum E. M. Marais, South Afr. J. Bot. 63(2): 84-86, ill., 1997. Typus: *Weber* 3 (NBG, BOL, K, MO, PRE).

Sarcocaulon lavrani Halda, Cactaceae etc. 7(4): 123-125, ill., 1997. Typus: *Halda* 9708115 (PR).

GESNERIACEAE

Codonanthe cordifolia Chautems, Candollea 52(1): 159-160, 162, ill., 1997. Typus: *Chau-*

tems et Peixoto 392 (SP, G, US).

Codonanthe venosa Chautems, Candollea 52(1): 161-163, ill., 1997. Typus: *Cunha* 215 (HRCB, SPF).

Sinningia areneosa Chautems, Candollea 52(1): 168, ill. (p. 166), 1997. Typus: *Regnell* III.832 (S). [*Nom. nov. pro Corytholoma pusillum* Fritsch 1900 (*non Sinningia pusilla* (Martius) Baillon 1888).]

Sinningia hatschbachii Chautems, Candollea 52(1): 164-165, ill., 1997. Typus: *Hatschbach* 1866 (MBM, SP, US).

LAMIACEAE

Calchas P. V. Heath, Calyx 5(4): 160, 1997. Typus: not recorded. [*Nom. nov. pro Coleus* sect. *Solenostemooides* Briquet 1897.]

Calchas coeruleus (Gürke) P. V. Heath, Calyx 5(4): 160, 1997. Basionym: *Coleus coeruleus*. [Specific epithet changed to 'caeruleus'.]

Plectranthus aliciae (Codd) Van Jaarsveld & T. J. Edwards, Bothalia 27(1): 5, ill., 1997. Basionym: *Plectranthus madagascariensis* var. *aliciae*.

Plectranthus lucidus (Bentham) Van Jaarsveld & T. J. Edwards, Bothalia 27(1): 5, ill. (p. 6), 1997. Basionym: *Plectranthus strigosus* var. *lucidus*.

Plectranthus malvinus Van Jaarsveld & T. J. Edwards, Bothalia 27(1): 1-2, ill., 1997. Typus: *van Jaarsveld et Bingham* 10522 (NBG).

Plectranthus pentheri (Gürke) Van Jaarsveld & T. J. Edwards, Bothalia 27(1): 5-6, ill., 1907. Basionym: *Coleus pentheri*.

Plectranthus purpuratus ssp. **montanus** Van Jaarsveld & T. J. Edwards, Bothalia 27(1): 4, ill. (p. 3), 1997. Typus: *Compton* 32207 (NBG).

Plectranthus purpuratus ssp. **tongaensis** Van Jaarsveld & T. J. Edwards, Bothalia 27(1): 2-3, ill., 1997. Typus: *van Jaarsveld* 12206 (NBG).

Plectranthus saccatus ssp. **pondoensis** Van Jaarsveld & Milstein, Bothalia 27(1): 5, ill., 1997. Typus: *van Jaarsveld* 2201 (PRE).

Plectranthus venteri Van Jaarsveld & Hankey, Aloe 34(1-2): 40-41, ill., 1997. Typus: *Venter* 13626 (PRE).

PASSIFLORACEAE

Adenia lapiazicola Bardot-Vaucoulon, Adansonia, sér. 3, 19(1): 156-160, ill., 1997. Typus: *Bardot-Vaucoulon* 135 (P, TAN).

POTULACACEAE

Anacampseros mallei (G. Williamson) G. Williamson, Aloe 34(1-2): 45, 1997. Basionym: *Avonia mallei*.

Anacampseros prominens G. Williamson, Aloe 34(1-2): 45-46, ill., 1997. Typus: *Williamson* 5838 (N BG).

Avonia prominens (G. Williamson) G. Williamson, Brit. Cact. Succ. J. 1784): 208, 1997. Basionym: *Anacampseros prominens*.

Cistanthe arancioana Peralta, Gayana, Bot. 52(1): 45-47, ill., 1995. Typus: *Arancio* s.n. (LS 92997, CONC, MERL).

Cistanthe tovarii A. Galán, Anales Jard. Bot. Madrid 53(2): 253-254, ill., 1997. Typus: *Galán et Navarro* s.n. (USM, USP 9795).

Dendroportulaca Eggli, Adansonia, sér. 3, 19(1): 49-50, ill., 1997. Typus: *Dendroportulaca mirabilis* Eggli.

Dendroportulaca mirabilis Eggli, Adansonia, sér. 3, 19(1): 50, ill. (p. 49, 51), 1997. Typus: *Humbert* 28786 (P).

Phemeranthus brevifolius (Torrey) Hershkovitz, Taxon 46(2): 222, 1997. Basionym: *Talinum brevifolium*.

Phemeranthus confertiflorus (E. Greene) Hershkovitz, Taxon 46(2): 222, 1997. Basionym: *Talinum confertiflorum*.

Phemeranthus spinescens (Torrey) Hershkovitz, Taxon 46(2): 222, 1997. Basionym: *Talinum spinescens*.

Talinella microphylla Eggli, Adansonia, sér. 3, 19(1): 56-57, ill., 1997. Typus: *Humbert* 20221 (P).

Talinella pachypoda Eggli, Adansonia, sér. 3, 19(1): 57-58, ill., 1997. Typus: *Röösli et Rechberger* s.n. (ZSS).

VITACEAE

Cyphostemma rutilans Descoings, J. Bot. Soc. Bot. France 1: 69-70, pl. 1, 1997. Typus: *Bardot Vaucoulon* 165 (P).

BIBLIOGRAPHIA

- [1] Alexander, D. & Miller, A. G. (1997). Socotra au futur incertain. *Succulentes* 20(1): 3-12, illus.
- [2] Ali, T. & Ali, S. I. (1996). Effect of sugar concentration on pollinium germination in some members of *Asclepiadaceae*. *Pakistan J. Bot.* 28: 161-165. [Cited from Asklepios 71: 12, 1997 (with abstract).]
- [3] Almasan, A. A. & al. (1991). Karyotype analysis of Sabila, *Aloe barbadensis* Mill. (*Liliaceae*: *Liliaceae*). *Philipp. Agric.* 74(2): 261-264, illus. [Omitted previously.]
- [4] Alsemgeest, W. & al. (1997). Het geslacht *Thelocactus*. 12. Enkele vormen van *Thelocactus bicolor* uit het centrum van het verspreidingsgebied. *Succulenta* 76(2): 84-87, illus., map. [Continued from vol. 75.]
- [5] Alsemgeest, W. & al. (1997). Het geslacht *Thelocactus*. 13. Enkele vormen van *Thelocactus bicolor* uit het oosten van het verspreidingsgebiet. *Succulenta* 76(3): 128-131, illus., SEM-ills, maps.
- [6] Alsemgeest, W. & al. (1997). Het geslacht *Thelocactus*. 14. *Thelocactus heterochromus*. *Succulenta* 76(4): 174-177, illus., map.
- [7] Alsemgeest, W. & al. (1997). Het geslacht *Thelocactus*. 15. *Thelocactus lausseri* en *Thelocactus macdowellii*. *Succulenta* 76(5): 216-219, illus., map.
- [8] Alsemgeest, W. & al. (1997). Het geslacht *Thelocactus*. 16. De nieuwste ontwikkelingen, deel 1. *Succulenta* 76(6): 274-275, illus. [Continued in vol. 77.]
- [9] Altén, J. van (1997). Een *Echinocereus* hybride. *Succulenta* 76(5): 204-209, illus.
- [10] Alvarez Aguirre, M. A. & Montaña, C. (1997). Germinación y supervivencia de cinco especies de Cactáceas del Valle de Tehuacán: Implicaciones para su conservación. *Acta Bot. Mex.* 40: 43-58, diags.
- [11] Álvarez de Zayas, A. (1996). Los Agaves de Cuba central. *Fontqueria* 44: 117-128, illus., key, maps. [Dated June 1996 and probably distributed 18. 8. 1996 (date in K database), Z copy dated Nov. 1997.]
- [12] Andrade, J. L. & Nobel, P. S. (1997). Microhabitats and water relations of epiphytic cacti and ferns in a lowland neotropical forest. *Biotropica* 29(3): 261-270, diags. [Includes *Epiphyllum phyllanthus* and *Rhipsalis baccifera* in Panama.]
- [13] Anonymus & Chvastek, J. (1997). Pár poznámok k "novým" turbinikarpusom. / Udelej si sám.... Cactaceae etc. 7(1): 5-8, illus. [On *Turbinicarpus mombergeri*.]
- [14] Antesberger, H. (1997). Random observations after studying Melocacti in their habitat for seven years. *Brit. Cact. Succ. J.* 15(3): 114-118, illus.
- [15] Arnold, J. L. (1997). *Escobaria vivipara* in habitat in Arizona. *Brit. Cact. Succ. J.* 15(3): 156-160, illus. [Included for the illustrations and distribution information.]
- [16] Arreola Nava, H. J. & Portillo Martínez, L. (1995). Las Cactáceas endémicas de Jalisco; su distribución y propagación. In: Linares, E. & al. (eds.): Conservación de plantas en peligro de extinción: Diferentes enfoques; pp. 145-149, map. México (MEX): Universidad Nacional Autónoma de México. [Previously omitted.]
- [17] Assis Ribeiro dos Santos, F. de (1997). Morfología polínica de *Cactaceae* das caatingas. *Acta Bot. Brasil.* 10(2): 408-409. [Dated 1996, publ. June 1997. Abstract only.]
- [18] Assis Ribeiro dos Santos, F. de & al. (1997). Pollen morphology of some *Cactaceae* of north-eastern Brazil. *Bradleya* 15: 84-97, illus., SEM-ills.
- [19] Audissou, J. A. (1997). Une marocaine endémique: *Euphorbia resinifera* Berg. *Succulentes* 10(2): 28-30, illus.
- [20] Augustin, K. (1997). *Weingartia* im Tal des Rio Chico. *Kakt. and. Sukk.* 48(12): 270-272, illus.
- [21] Augustin, K. (1997). *Weingartia pulquinensis* und *W. corroana* im Wandel der Zeit. *Kakt. and. Sukk.* 48(9): 209-212, illus.
- [22] Austin, D. F. & Sebsebe, Demissew (1997). Unique fruits and generic status of *Stictocardia* (*Convolvulaceae*). *Kew Bull.* 52(1): 161-169, illus., map.
- [23] Badillo, V. M. (1997). Neotipificación de *Carica pubescens* Lenné et Koch y de *Carica quercifolia* (St. Hil.). Hieron. y nuevos registros de la familia para Ecuador. *Ernstia*, ser. 2, 6(4): 201-205, ill.
- [24] Bank, F. H. van der & Wyk, B.E. van (1996). Biochemical genetic markers to identify hybrids between *Aloe arborescens* and *Aloe ferox* (*Aloeaceae*). *South Afr. J. Bot.* 62(6): 328-331, maps.
- [25] Bañares Baudet, A. (1996). Híbridos de la familia *Crassulaceae* en las Islas Canarias. Novedades y datos corológicos. III. *Vieraea* 25: 181-195, illus., maps.
- [26] Bañares Baudet, A. (1997). Typification of five names of endemic Canarian *Aichryson* species (*Crassulaceae*) described by C. Bolle. *Willdenowia* 27(1/2): 281-284, ill.
- [27] Bañares Baudet, A. & Catalina León, M.

- (1997). The identity of *Aeonium ciliatum* (Willd.) Webb & Berth. (*Crassulaceae*). *Willdenowia* 27(1/2): 143-146, illus.
- [28] Bardot-Vaucoulon, M. (1997). Observations sur le milieu et la végétation du Massif de l'Ankarana (Nord de Madagascar) et description de trois nouvelles espèces de *Chlorophytum*, *Tacca* et *Adenia*. *Adansonia*, sér. 3, 19(1): 139-163, illus., maps. [Included for the illustrations of succulent plant habitats.]
- [29] Barthlott, W. & al. (1997). *Selenicereus wittii* (*Cactaceae*): an epiphyte adapted to Amazonian Igapó inundation forests. *Pl. Syst. Evol.* 206: 175-185, illus.
- [30] Bauer, R. (1997). *Hylocereus stenopterus* (Weber) Britton et Rose aus Costa Rica. Ein seltener Gast in unseren Sammlungen. *EPIG Rundschreiben* 8(4): 120-123, illus. [Dated 1996, publ. Febr. 1997. Included for the illustrations.]
- [31] Bauer, R. (1997). *Disocactus quezaltecus* (Standley et Steyermark) Kimnach – eine kälteliebende Art aus Quezaltenango (Guatemala). *EPIG Rundschreiben* 9(1): 14-21, illus.
- [32] Bauer, R. (1997). Der Keimling von *Schlumbergera orssichiana* Barthlott et McMillan – eine interessante Besonderheit innerhalb der *Rhipsalideae*. *EPIG Rundschreiben* 9(3): 94-95, ill.
- [33] Bauer, R. (1997). Blütenwunder aus den Yungas: Die Gattung *Lepismium* Pfeiffer. Kakt. and. Sukk. 49(1): 1-8, illus., key. [Dated 1998, publ. late Dec. 1997.]
- [34] Baum, D. A. (1996). The ecology and conservation of the Baobabs of Madagascar. In: Ganzhorn, J. U. & Sorg, J.-P. (eds.): Ecology and economy of a tropical dry forest in Madagascar; pp. 311-327. Göttingen (D): Deutsches Primatenzentrum. [= Primate Report Special Issue 46-1.]
- [35] Bayer, M. B. (1997). *Haworthia* – what is the shape of an elephant? *Aloe* 34(1-2): 4-6, illus. [On *Haworthia* classification.]
- [36] Bayer, M. B. (1997). Where was *Haworthia heidelbergensis* G. C. Smith first collected? *Aloe* 34(1-2): 48-49, illus.
- [37] Bayer, M. B. (1997). Of *Haworthia starkiana* and other cabbages and clay-footed kings. *Haworthiad* 11(3): 84-89, map.
- [38] Bayer, M. B. (1997). Gravitational collapse and black holes in *Haworthia*. *Haworthiad* 11(4): 119-125. [On *Haworthia* systematics.]
- [39] Becker, U. (1997). Die *Gymnocalycium mostii*-Gruppe in der Literatur. *Gymnos* 13(25/26): 25-36, illus. [Includes *G. mostii* and *G. kurtzianum*.]
- [40] Beckert, K. (1997). *Parodia maassii* var. *auricolor* n.n. FR 46A. Der Versuch einer Erklärung. *Mitteilungsbl. Inter-Parodia-Kette* No. 9: 12-14, illus.
- [41] Beever, R. E. & Parkes, S. L. (1996). Self-incompatibility in *Cordyline australis* (*Asteliaceae*). *New Zealand J. Bot.* 34(1): 135-137.
- [42] Benabid, A. & Cuzin, F. (1997). Populations de dragonnier (*Dracaena draco* L. subsp. *ajgal* Benabid et Cuzin) au Maroc: valeurs taxinomique, biogéographique et phytosociologique. *Compt. Rend. Acad. Sci. Paris, Sér. 3, Sci. Vie* 320: 267-277.
- [43] Benzoni, A. (1997). I mille volti dell'affascinante *Lophophora*. The multiform *Lophophora*. *Cactus & Co.* 1997(1): 31-33, 36, illus. [Included for the illustrations.]
- [44] Bergmeier, E. & al. (1997). Flora and vegetation of Gávdos (Greece), the southernmost European island. I. Vascular flora and chorological relations. *Candollea* 52(2): 305-358, map. [Includes numerous citations for *Crassulaceae*.]
- [45] Berka, L. (1997). *Frailea horstii* Ritter. *Cactaceae etc.* 7(3): 112-115, illus.
- [46] Berka, L. (1997). *Frailea cataphracta* (Dams) Br. & R. *Cactaceae etc.* 7(4): 134-137, illus.
- [47] Binojkumar, M. S. & Balakrishnan, N. P. (1997). *Euphorbia mayuranathanii* Croizat. A possibly extinct Indian species. *Euphorbia* J. 10: 27-28, illus. [Dated 1996, publ. mid-1997.]
- [48] Bockemühl, J. (1997). *Schlumbergera russelliana* (Hooker) Britton et Rose und ihre Intermediärformen. *EPIG Rundschreiben* 9(3): 115-122, illus.
- [49] Bono, G. (1996). Flora y vegetación del Estado de Táchira, Venezuela. Torino (I): Museo Regionale di Scienze Naturali. [= Monografie XX. *Cactaceae*: pp. 448-450.]
- [50] Borgmann, W. & Piltz, J. (1997). Eine bibliographische Wiederentdeckung. *Gymnos* 13(25/26): 37-50, illus. [On *Gymnocalycium* nomenclature.]
- [51] Boyle, T. H. (1997). The genetics of self-incompatibility in the genus *Schlumbergera* (*Cactaceae*). *J. Heredity* 88(3): 209-214.
- [52] Boyle, T. H. & al. (1995). Pollen germination, pollen tube growth, fruit set and seed development in *Schlumbergera truncata* and *S. × buckleyi* (*Cactaceae*). *J. Amer. Hort. Sci.* 120(2): 313-317. [Omitted previously.]
- [53] Braun, P. J. & Esteves Pereira, E. (1997). Bemerkungen zu *Cereus adelmarii* und *C. kroenleinii* aus Mato Grosso, Brasilien. Kakt. and. Sukk. 48(6): 139-142, illus.
- [54] Braun, P. J. & Esteves Pereira, E. (1997). Het geslacht *Discocactus* Pfeiffer. 3. Het *Discocactus boliviensis*-verwantencomplex. *Succulenta* 76(2): 69-75, illus., map. [Continued from vol. 75.]
- [55] Braun, P. J. & Esteves Pereira, E. (1997). Het geslacht *Discocactus* Pfeiffer (VI). 4. Het

- Discocactus heptacanthus*-verwantschapscomplex. *Succulenta* 76(5): 220-227, illus.
- [56] Breckenridge, B. (1997). An *Haworthia minima* bigeneric hybrid? *Haworthiad* 11(3): 80-81, ill. [On a suspected *Haworthia* × *Gasteria* hybrid.]
- [57] Bregman, R. & Graven, P. (1997). Subcuticular secretion by cactus seeds improves germination by means of rapid uptake and distribution of water. *Ann. Bot. (London)*, n.s. 80: 525-531, illus.
- [58] Breuer, I. (1997). Comments and notes on some species of the genus *Haworthia*. Part 1 / Part 2. *Haworthiad* 11(1): 8-13, (2): 36-42, illus.
- [59] Breuer, I. & Metzing, D. (1997). Types of names accepted in *Haworthia* (Aloaceae). *Taxon* 46(1): 3-14.
- [60] Bruyns, P. V. (1997). A new combination in the genus *Ruschia* and the correct name for '*Cynanchum capense*'. *South Afr. J. Bot.* 63(4): 241.
- [61] Burston, C. & al. (1997). *Obetia ficifolia* – A pachycaul Stinging Nettle. *Brit. Cact. Succ. J.* 15(1): 2-6, illus.
- [62] Butler, A. (1997). Sansevierias – A guide part one. *Brit. Cact. Succ. J.* 15(4): 170-174, illus. [Includes a synopsis based on leaf forms.]
- [63] Byalt, V. V. (1997). [Russian:] Notes on the family *Crassulaceae* of Eastern Europe. *Bot. Zhurn. (Moscow & Leningrad)* 82(2): 79-82.
- [64] Byalt, V. V. (1997). The list of type specimens of *Crassulaceae* from East and South Africa and Madagascar in the herbarium of the Komarov Botanical Institute (LE). *South Afr. J. Bot.* 63(1): 60-63.
- [65] Carreras, M. E. & al. (1997). Seed protein patterns of nine species of *Cactaceae*. *Biochem. Syst. & Ecol.* 25(1): 43-49.
- [66] Carter, S. (1997). Euphorbia's en Monadenium van de grote Ruaha vallei. *Succulenta* 76(1): 15-19, illus., map.
- [67] Carter, S. & Eggli, U. (1997). The CITES checklist of succulent *Euphorbia* taxa (*Euphorbiaceae*). Bonn (D): German Federal Agency for Nature Conservation. xix + 70 pp.
- [68] Castillo, R. F. del & Trujillo A., S. (1997). Sobre la naturaleza calcifuga y calcicola en Cactáceas II. Comparaciones de germinación y establecimiento en *Echinocactus platyacanthus* y *Ferocactus histrix*. *Cact. Suc. Mex.* 42(3): 51-59, diags.
- [69] Castillo-Campos, G. & Medina Abreo, M. E. (1997). Plantas suculentas de la Región de Jalcomulco, Veracruz, Mexico. *Cact. Suc. Mex.* 42(2): 35-38, map.
- [70] Castroviejo, S. (1997). Breve nota sobre los *Umbilicus* L. (*Crassulaceae*) de Flora Ibérica.
- Anales Jard. Bot. Madrid 55(1): 190-191.
- [71] Castroviejo, S. (1997). Breve nota sobre *Pistorinia* DC. (*Crassulaceae*) en la Península Ibérica. *Anales Jard. Bot. Madrid* 55(1): 191.
- [72] Chalet, J.-M. (1997). *Turbinicarpus jauernigii* (G. Frank). *Kakt. og and. Sukk.* 32(4): 77-78, illus.
- [73] Chalet, J.-M. (1997). Redécouverte de *Mammillaria morganiana* (Tiegel) dans l'État de Guanajuato. *Succulentes* 10(2): 31-32, illus.
- [74] Chalet, J.-M. (1997). Découverte d'*Astrophytum ornatum* (De Candolle) Werber [sic] ex Britton et Rose dans les états de Guanajuato et San Luis Potosi. *Succulentes* 20(1): 23-25, illus.
- [75] Chalet, J.-M. (1997). Vancouver – Bloomfield – Salt Lake City 1996, sur la trace des *Pedio-cactus* et des *Sclerocactus*. *Succulentes* 20(3): 13-21, illus. [Included for the illustrations.]
- [76] Chamberland, M. (1997). Systematics of the *Echinocactus polycephalus* complex (*Cactaceae*). *Syst. Bot.* 22(2): 303-313, map, SEM-ills.
- [77] Charles, G. (1997). Soehrensias, giant Lobivias in Argentina. *Brit. Cact. Succ. J.* 15(3): 131-133, illus. [Included for the illustrations.]
- [78] Chautems, A. (1997). New *Gesneriaceae* from São Paulo, Brazil. *Candollea* 52(1): 159-169, illus., key.
- [79] Cházaro Basáñez, M. J. (1997). A new species from Mexico: *Agave wendtii* Cházaro. *Cact. Aventuras No. 35:* 12-14, illus. [Included for the illustrations.]
- [80] Cházaro Basáñez, M. J. & Acevedo Rosas, R. (1997). La "Cruceta" (*Acanthocereus pentagonus* (L.) Britton y Rose) una cactácea útil poco conocida. *Nakari* 7(2): 24-27, ill. [Dated 1996, publ. Nov. 1997.]
- [81] Cházaro Basáñez, M. J. & Mostul, B. L. (1997). *Euphorbia pteroneura* Berger: A succulent Mexican Spurge. *Cact. Succ. J. (US)* 69(3): 143-146, illus.
- [82] Cházaro Basáñez, M. J. & al. (1997). Estudio preliminar de las plantas suculentas de El Volcán Ceboruco, Nayarit (Mexico). *Cact. Suc. Mex.* 42(2): 39-43, map, ill.
- [83] Cházaro Basáñez, M. J. & al. (1997). A commentary on *Mammillaria sartori* and *M. eriacantha*. *Cact. Succ. J. (US)* 69(4): 202-204, illus.
- [84] Chinnock, B. (1997). Notes on *Saphelia flaccida*. *Mesemb Study Group Bull.* 12(3): 55-57, illus.
- [85] Chvastek, J. (1997). Pár poznámok k "novým" turbinikarpusom. *Cactaceae etc.* 7(1): 5-7, illus. [*Turbinicarpus mombergeri* recognized as hybrid.]
- [86] Chvastek, J. (1997). Mamilárie z Valle de Tehuacan. *Cactaceae etc.* 7(3): 85-88, illus.

- [87] Clark, P. (1997). *Hoya* cultivars names – update. Asklepios No. 68: 8-11. [Dated 1996, post-marked 11. 1. 1997. Republished in *Fraterna* 10(2): 2-6, 1997.]
- [88] Collenette, S. (1997). Asclepiad travels in Arabia – Part I. Jabal Qahar. Asklepios No. 69: 21-24, illus. [Included for the illustrations.]
- [89] Collenette, S. (1997). Asclepiad travels in Arabia – Part II. Jabal Fayfa. Asklepios No. 70: 9-12, illus. [Included for the illustrations.]
- [90] Collenette, S. (1997). Asclepiad travels in Arabia – Part 3. The Tihama and foothills. Asklepios No. 71: 9-11, illus.
- [91] Colunga-García Marín, P. & May-Pat, F. (1997). Morphological variation of henequén (*Agave fourcroydes*, *Agavaceae*) germplasm. Amer. J. Bot. 84(11): 1449-1465, illus., maps.
- [92] Cornejo, D. O. & Simpson, B. B. (1997). Analysis of form and function in north american columnar cacti (tribe *Pachycereeae*). Amer. J. Bot. 84(11): 1482-1501, diags.
- [93] Costa Silva, D. da (1997). Morfo-anatomia de seis espécies de *Pilosocereus* Byles & Rowley (*Cactaceae*). Acta Bot. Brasil. 10(2): 405-406, 420-421. [Dated 1996, publ. June 1997. Abstract only.]
- [94] Costanzo, M. (1997). Splendida horrida. Marvellous horrida. Cactus & Co. 1997(1): 15-19, illus. [Illustrating variation in *Euphorbia horrida*.]
- [95] Craib, C. (1997). *Othonna euphorbioides*, *O. herrei* and *O. lepidocaulis*: Their natural history and propagation. Brit. Cact. Succ. J. 15(1): 41-47, illus.
- [96] Craib, C. (1997). The ecology of Brachystelmas in the Hammanskraal Area, Gauteng, South Africa. Excelsa 17: 102-105, illus. [Dated 1996, publ. early 1997.]
- [97] Craib, C. (1997). Grass Aloe research in South Africa. A synopsis. Excelsa 17: 45-52, illus. [Dated 1996, publ. early 1997.]
- [98] Craib, C. (1997). The ecology, distribution and status of late winter, spring and early summer flowering Grass Aloes. Excelsa 17: 53-58. [Dated 1996, publ. early 1997.]
- [99] Craib, C. L. & Condy, G. (1997). *Aloe modesta*. Flow. Pl. Afr. 55: 2-7, illus., map, t. 2121.
- [100] Crook, R. & Mottram, R. (1997). *Opuntia* index. Part 3: nomenclatural note and F. Bradleya 15: 98-112, illus.
- [101] Cullen, J. & al. (eds.) (1997). The European Garden Flora. Volume V: Dicotyledons (Part III). Cambridge (GB): Cambridge University Press. xix + 646 pp., keys, illus. [Includes the following families with succulents: *Oxalidaceae* (pp. 17-26), *Geraniaceae* (pp. 26-67), *Euphorbiaceae* (pp. 73-102), *Burseraceae* (pp. 117-118), *Vitaceae* (pp. 194-202), *Begoniaceae* (pp. 276-290), *Cucurbitaceae* (pp. 290-300).]
- [102] Dagne, E. & al. (1997). Anthrones from *Aloe microstigma*. Phytochemistry 44(7): 1271-1274.
- [103] Damion, J.-P. (1997). *Pelargonium echinatum*. Geraniaceae Group News 1997(summer): 13-16, illus. [Illustrating flower colour and pattern variation.]
- [104] Damme, A. van (1997). Het *Euphorbia aeruginosa* complex. Succulenta 76(1): 22-24, illus.
- [105] Damme, A. van (1997). De meest verspreide, maar onbekendste *Euphorbia*. Tijdschr. Liefhebbr. Cact. Vetpl. Kamerpl. 10(5): 70-72, illus. [On *Euphorbia trigona*.]
- [106] Das, A. B. & al. (1997). Meiotic behaviour and nuclear DNA variation in some species of *Mammillaria*. Cytologia 62(3): 253-257, illus.
- [107] Descoings, B. (1997). Portraits de succulentes. I - IV. J. Bot. Soc. Bot. France 3: 20, 26, 62, 82, illus. [Illustrates *Crassula humbertii* and 3 Madagascan *Kalanchoe*.]
- [108] Descoings, B. (1997). Note sur quelques espèces nouvelles de *Kalanchoe* (*Crassulaceae*) de Madagascar. J. Bot. Soc. Bot. France 4: 79-90, illus., map.
- [109] Descoings, B. (1997). Note sur deux *Cyphostemma* (Vitacées) crassulescents de Madagascar. J. Bot. Soc. Bot. France No. 1: 69-73, illus.
- [110] Dicht, R. F. (1997). The synonymy of *Coryphantha poselgeriana* (Dietrich) Br. & R. and *Coryphantha salm-dyckiana* (Scheer ex Salm-Dyck) Br. & R. J. Mammillaria Soc. 37(2): 28.
- [111] Dicht, R. F. (1997). *Coryphantha glanduligera* (Otto) Lemaire – Rehabilitierung eines vergessenen Taxons. Kakt. und. Sukk. 48(10): 221-225, illus. [English translation in J. Mammillaria Soc. 38(1): 2-6, illus., 1998.]
- [112] Dimmitt, M. A. (1997). How fast can a Saguaro reach maturity? Cact. Succ. J. (US) 69(3): 157-158, ill.
- [113] Ditsch, F. & Barthlott, W. (1997). Mikromorphologie der Epicuticularwachse und das System der *Dilleniidae* und *Rosidae*. Trop. subtrop. Pfl.-welt 97: 1-248, SEM-illus. [Families with succulent taxa included: *Cucurbitaceae*, *Fouquieriaceae*, *Passifloraceae*, *Euphorbiaceae*, *Vitaceae*, *Burseraceae*, *Geraniaceae*, *Oxalidaceae*.]
- [114] Dobignard, A. (1997). Nouvelles observations sur la flore du Maroc. 3. Candollea 52(1): 119-157, illus. [Includes data on newly recorded neophytic *Opuntia* spp.]
- [115] Dongen, P. van (1997). De *Bombacaceae* en *Didiereaceae* van Madagascar. Een persoonlijke ontdekkingsreis op zoek naar deze weinig beschreven succulente families in Madagascar. Succulenta 76(4): 156-162, (5): 194-197, illus., map.

- [116] Doni, C. (1997). Il Parco del Pan de Azúcar. The Pan de Azúcar National Park. Cactus & Co. 1997(2): 40-48, ills., map. [Included for the illustrations.]
- [117] Dorr, L. J. (1997). Plant collectors in Madagascar and the Comoro Islands. Richmond (GB): Royal Botanic Gardens Kew. xlvi + 524 pp., ills., CD-ROM.
- [118] Dreyer, L. L. & al. (1997). *Sarcocaulon*: genus or section of *Monsonia* (*Geraniaceae*). South Afr. J. Bot. 63(4): 240.
- [119] Dringman, D. A. (1997). *Opuntia erinacea* var. *columbiana*. Brit. Cact. Succ. J. 15(3): 119-122, ills.
- [120] Dringman, D. A. (1997). Kakteen des Columbia-Beckens im Bundesstaat Washington (USA). Kakt. and. Sukk. 48(4): 85-87, ills. [Mainly on *Pediocactus nigricans*.]
- [121] Edwards, S. & al. (eds.) (1997). Flora of Ethiopia and Eritrea, Volume 6. *Hydrocharitaceae* to *Arecaceae*. Addis Ababa (Ethiopia): National Herbarium / Uppsala (S): Department of Systematic Botany. xxviii + 586 pp., ills., keys. [This volume covers the following families with succulents: *Dioscoreaceae*, *Asparagaceae*, *Dracaenaceae*, *Agavaceae*, *Anthericaceae*, *Asphodelaceae*, *Aloeaceae*, *Eriospermaceae*, *Hyacinthaceae*, *Commelinaceae*.]
- [122] Eerkens, G. (1997). Een *Hylocereus* species in Suriname. Succulenta 76(3): 112-113, ills.
- [123] Eerkens, G. (1997). *Melocactus* species HU 132. Succulenta 76(6): 242-243, ill.
- [124] Eggli, U. (1997). Range extension for *Portulaca mauritiensis* von Poellnitz (*Portulacaceae*). Bradleya 15: 35-36, ill.
- [125] Eggli, U. (1997). Trésors succulents du Chili. Succulent 10(2): 21-27, ills. [Included for the illustrations.]
- [126] Eggli, U. (1997). A synopsis of woody *Portulacaceae* in Madagascar. Bull. Mus. Nation. Hist. Nat., Sect. B, Adansonia 19(1): 45-59, ills., maps, key.
- [127] Eggli, U. (1997). *Denmoza*. Ein Kaktus mit gespaltener Persönlichkeit. Gartenpraxis 23(1): 51-54, ills. [Included for the illustrations.]
- [128] Eggli, U. (1997). Vor lauter Kakteen den Wald nicht gesehen: *Bursera*. Gartenpraxis 23(10): 52-55, ills. [Included for the illustrations.]
- [129] Ellert, A. F. N. (1997). Succulente Euphorbia's van Matabeleland, Zimbabwe. Succulenta 76(1): 25-42, ills., map.
- [130] Endress, M. E. & al. (1997). A phylogenetic analysis of *Apocynaceae* s.str. and some related taxa in *Gentianales*: a multidisciplinary approach. In: Robbrecht, E. & al. (eds.): Second International *Rubiaceae* Conference, Meise, National Botanic Garden of Belgium. Opera Bot. Belgica 7: 59-102.
- [131] Esler, K. J. & Salchner, G. (1997). Seed germination of *Sceletium tortuosum* (L.) N. E. Br. (*Aizoaceae*). Aloe 34(1-2): 32-34, diags.
- [132] Esterhuizen, J. M. (1997). *Haworthia minima* (Aiton) Haw. Haworthiad 11(1): 17-20, ills.
- [133] Etter, J. & Kristen, M. (1997). Agaven und *Melocactus intortus* auf den Kleinen Antillen. Kakt. and. Sukk. 48(5): 97-101, ills.
- [134] Felix, F. & Schmidt, H. (1997). *Echinocereus* spec. Lau 1544 – eine ungeklärte Art? Echinocereenfreund 7(4): 87-90, ills. [On plants related to *E. polyacanthus*.]
- [135] Figueiredo, E. (1996). Flora de Cabo Verde: Plantas vasculares. 54. *Euphorbiaceae*. Lisboa (P) Instituto de Investigação Científica Tropical. 54 pp., ills., keys.
- [136] Fitz Maurice, W. A. & B. (1997). Fieldnotes. *Mammillaria tezontle* – a long-term study. Cact. Succ. J. (US) 69(4): 190-194, ills.
- [137] Fitz Maurice, W. A. & B. (1997). Fieldnotes. *Mammillaria crinita* – a new look at old names. Cact. Succ. J. (US) 69(5): 249-258, ills.
- [138] Fitz Maurice, W. A. & F. & Glass, C. (1997). Repercussions – *Mammillaria marcosii*. J. Mammillaria Soc. 37(4): 51-52.
- [139] Fitz Maurice, W. A. & B. (1997). *Mammillaria stella-de-tacubaya* and *M. gasseriana*: a new look. J. Mammillaria Soc. 37(2): 24-27, ills.
- [140] Flores Macías, A. & Cházaro Basáñez, M. J. (1997). Muerdago en los cactus: Cuarto informe para Mexico. Cact. Suc. Mex. 42(3): 67-71, ills. [*Phoradendron* on *Myrtillocactus geometrizans*.]
- [141] Foresti, A. (1997). A yellow-flowered variant of *Aloe fibrosa*. Ballya 4(2): 31-32.
- [142] Forster, P. I. (1997). *Jatropha curcas* L. (*Euphorbiaceae*): a naturalized pachycaul succulent in Australia. Cact. Succ. J. (US) 69(6): 303-305, ills.
- [143] Forster, P. I. (1997). A checklist of the genus *Monadenium* (*Euphorbiaceae*). Euphorbia J. 10: 142-161, ills. [Dated 1996, publ. mid-1997.]
- [144] Forster, P. I. (1997). Notes on *Euphorbia lophogona* var. *tenuicaulis* Rauh. Euphorbiaceae Study Group Bull. 10(3): 80-82, ill.
- [145] Forster, P. I. (1997). Notes on the naturalised Flora of Queensland, 3. Austrobaileya 5(1): 113-119. [Includes notes on *Graptopetalum*, *Kalanchoe*, *Sedum*, *Jatropha*, *Aloe*.]
- [146] Forster, P. I. & Liddle, D. J. & I. M. (1997). *Madangia inflata* (Asclepiadaceae: *Marsdenieae*), a new genus and species from Papua New Guinea. Austrobaileya 5(1): 53-57, ills. [Republised in Asklepios No. 73: 32-36, ills., 1998, and again (with printing errors) in

Frateria 11(1): 4-9, ills., 1998.]

[147] Frank, G. R. W. (1997). Die *Echinocereus pectinatus* – *Echinocereus dasycanthus*-Gruppe. München (D): Arbeitsgruppe Echinocereus. vi + 143 pp., ills., SEM-ills., maps. [= Echinocereen-freund vol. 10, Jubiläums-Sonderausgabe.]

[148] Frank, G. R. W. (1997). Echinocereen im Früchtebeschmuck. Kaktusbüte 1997: 27-42, ills.

[149] Gabriel, W. (1997). Was ist *Lophophora lutea* (Rouhier) Backeberg? Kakt. and. Sukk. 48(12): 277-280, ills.

[150] Gallo, L. (1997). *Crassulaceae* of the Tuscan-Emilian Apennines (Italy), phytogeographical notes and checklist. Sedum Soc. Newslett. No. 42: 51-54, map.

[151] Gallo, L. (1997). Chorological and morphological notes on *Sedum stellatum* L. in Italy. Sedum Soc. Newslett. No. 43: 8-10, map.

[152] Galván V., R. & al. (1997). El grupo *Marginatae* (*Agavaceae*) en el Estado de Hidalgo. Cact. Suc. Mex. 42(4): 75-78, ills. [Includes first report of *Agave horrida* for Hidalgo.]

[153] García Mendoza, A. J. (1987). Monografía del género *Beschorneria* Kunth (*Agavaceae*). México D.F. (MEX): M.Sc. thesis, UNAM. 131 pp., ills., maps. [Omitted previously.]

[154] García-Mendoza, A. (1995). Riqueza y endemismos de la familia *Agavaceae* en México. In: Linares, E. & al. (eds.): Conservación de plantas en peligro de extinción: Diferentes enfoques; pp. 51-75, maps. México (MEX): Universidad Nacional Autónoma de México. [Omitted previously.]

[155] García-Ruiz, I. (1997). Registro de *Melocactus ruestii* Schumann para el Estado de Michoacán. Cact. Suc. Mex. 42(1): 21-24, ill.

[156] Gerbaulet, M. (1997). Revision of the genus *Phyllobolus* N. E. Br. (*Aizoaceae*). Bot. Jahrb. Syst. 119(2): 145-211, ills., maps, key.

[157] Gerloff, N. (1997). Zur Diskussion gestellt: *Gymnocalycium*-Arten in Brasilien. Gymnos 13(25/26): 18-24, ills.

[158] Gerloff, N. (1997). *Gymnocalycium uruguayense* im Südwesten Brasiliens. Gymnos 13(25/26): 2-10, ills.

[159] Gerloff, N. (1997). *Notocactus ottonis* (Lehm.) var. *schuldtii* Kreuzinger. Internoto 17(4): 111-118, ills. [Dated 1996, publ. Oct. 1997.]

[160] Gerloff, N. (1997). Bekannte Fundorte mit Überraschungen. Internoto 18(1): 3-13, ills. [On *Notocactus permutteratus*.]

[161] Gerloff, N. (1997). Neues von *N.[otocactus] curvispinus* F. Ritter und seinen Verwandten. Internoto 18(2): 39-49, ills., maps.

[162] Gerloff, N. (1997). Einteilung und Verbreitung der cereenartigen Fraileen. Mitteilungsbl.

Frailea 2(1): 12-19, ills., maps.

[163] Gerloff, N. & Zahra, R. (1997). Two relatives of *Notocactus rutilans*. Brit. Cact. Succ. J. 15(1): 9-13, ills., map.

[164] Gerloff, N. & Zahra, R. (1997). Four different Notocacti from one small region. Brit. Cact. Succ. J. 15(4): 177-180, ills., map. [On *Notocactus arnostianus*, *N. cristatoides*, *N. ritterianus* and *N. mammulosus*.]

[165] Gerloff, N. & Zahra, R. (1997). *Frailea cataphracta* grows in Brazil as well. Brit. Cact. Succ. J. 15(4): 189-192, ills.

[166] Gertel, W. (1997). *Sulcorebutia pulchra* (Cardenas) Donald – was ist das denn nun wirklich? Inform.-brief Freundeskreis Echinopseen No. 24: 4-14, ills.

[167] Gilbert, M. G. & Sebsebe, Demissew (1997). Further notes on the genus *Aloe* in Ethiopia and Eritrea. Kew Bull. 52(1): 139-152.

[168] Gilmer, K. & Thomas, H.-P. (1997). Zur Kultur von *Maihueniopsis nigrispina* (K. Schumann) Kiesling. Kakt. and. Sukk. 48(3): 57-58, ills.

[169] Gilmer, K. & Thomas, H.-P. (1997). Beobachtungen zu *Pterocactus reticulatus* Kiesling und *Pterocactus gonjianii* Kiesling. Kakt. and. Sukk. 48(6): 129-132, ills.

[170] Gilmer, K. & Thomas, H.-P. (1997). Beobachtungen zu *Maihueniopsis glomerata* (Haworth) Kiesling. Kakt. and. Sukk. 48(9): 193-197, ills., cover ill.

[171] Gilmer, K. & Thomas, H.-P. (1997). Grosse, grüne Narbe aus Nordargentinien: *Maihueniopsis mandragora* Spegazzini. Kakt. and. Sukk. 49(1): 21-22, ill. [Dated 1998, publ. late Dec. 1997.]

[172] Glass, C. (1997). People and their plants: Marcos Sierra Pichardo and *Mammillaria marcosii*. Brit. Cact. Succ. J. 17(4): 213-217, ills. [Included for the illustrations of *M. marcosii*.]

[173] Glass, C. (1997). *Ariocarpus bravoanus*. Cact. Aventures No. 34: 2-4, ills. [Included for the illustrations (also of *A. fissuratus* var. *hintoni*.)]

[174] Glass, C. (1997). *Turbinicarpus jauernigii* G. Frank. Cact. Aventures No. 36: 12-13, ills.

[175] Glass, C. (1997). Neotenia in *Wilcoxia schmollii* (Weingarth [sic]) Knuth in Backeb. & Knuth 1931. Un aspetto poco conosciuto di una pianta ben conosciuta. Neoteny in *Wilcoxia schmollii* ... A little-known aspect of a well-known plant. Piante Grasse 17(1): 137-140, ills.

[176] Glass, C. & Mendoza-García, M. (1997). *Echeveria cante*, a new species from the mountains of Zacatecas. Cact. Succ. J. (US) 69(5): 239-244, ills. [Includes study of variation of *E. subrigida*.]

- [177] Glen, H. F. & al. (1997). *Aloe suzanneae*. Flow. Pl. Afr. 55: 8-12, illus., map, t. 2122.
- [178] Gomes, S. (1996). Flora de Cabo Verde: Plantas vasculares. 17. *Basellaceae*. Lisboa (P) Institut de Investigaçao Cientifica Tropical. 7 pp., illus.
- [179] Green, T. (1997). *Hoya lauterbachii* K. Schumann. Fraterna 10(2): 7-10, illus, cover-ill.
- [180] Gröner, G. (1997). Eine von John Donald gezüchtete Hybride: *Sulcorebutia krahni* × *Rebutia gracilispina*. Kakt. and. Sukk. 48(2): 43-44, ill.
- [181] Grym, R. (1997). Rod / Die Gattung *Lophophora*. Bratislava (Slovakia): Vydavatel'sto Roman Staník / Vydavatel'sto Igor Dráb. 125 pp., illus. [Includes a key to the genus.]
- [182] Gual Diaz, M. & al. (1997). Una nueva especie de *Thompsonella* (*Crassulaceae*) del Estado de Guerrero, México. Acta Bot. Mex. 40: 37-42, illus. [Includes a key to the genus.]
- [183] Guzmán Cruz, L. U. & Arias Montes, S. (1997). Nota sobre *Mammillaria schmollii* (Bravo) Werdermann y su tipificación. Cact. Suc. Mex. 42(2): 27-30, illus. (incl. p. 48).
- [184] Halbritter, H. & al. (1997). Pollen-connecting threads in *Gymnocalycium* (Cactaceae): their origin, function and systematic relevance. Grana 36(1): 1-10, illus.
- [185] Halda, J. J. (1997). *Pediocactus robustior* (v. *jizní* Kanade). Cactaceae etc. 7(3): 83-85, illus. (incl. cover).
- [186] Halim, A. F. & Khalil, A. T. (1996). Pregnane glycosides from *Caralluma retrospiens*. Phytochemistry 42: 1135-1140.
- [187] Hammer, S. (1997). Unusual forms of *Conophytum subfenestratum* Schwantes. Aloe 34(1-2): 14-16, illus.
- [188] Hammer, S. (1997). Odes on *Mesembryanthema* (Aizoaceae). Bradleya 15: 37-41.
- [189] Hammer, S. (1997). Some newly found natural hybrids. Mesemb Study Group Bull. 12(2): 41. [On *Conophytum* and *Gibbaeum*.]
- [190] Hammer, S. (1997). Notes on *Gibbaeum johnstonii*. Mesemb Study Group Bull. 12(3): 60-61.
- [191] Hammer, S. & Barnhill, C. (1997). Odes part two: Descriptions of new *Mesembryanthema*. Bradleya 15: 42-47, illus.
- [192] Hargreaves, B. J. (1997). *Tavaresia barklyi* (T. Dyer) N. E. Brown in Botswana. Asklepios No. 68: 30-31, illus. (p. 28). [Dated 1996, post-marked 11. 1. 1997.]
- [193] Hargreaves, B. J. (1997). *Huerniopsis* and *Duvalia* in Botswana. Asklepios No. 69: 25-29, illus., maps.
- [194] Hargreaves, B. J. (1997). *Caralluma* and *Orbeopsis* in Botswana. Asklepios No. 71: 18-25, illus., maps.
- [195] Hart, H. 't (1997). Evolutionary and systematic significance of hybridization in Mediterranean *Sedoideae* (*Crassulaceae*). Lagascalia 19(1-2): 57-58.
- [196] Hart, H. 't (1997). Diversity within Mediterranean *Crassulaceae*. Lagascalia 19(1-2): 93-100.
- [197] Hart, H. 't & Alpinar, K. (1996). Biosystematic studies in *Sedum* (*Crassulaceae*) of Turkey. In: Öztürk, M. A. & al. (eds.): Plant life in Southwest and Central Asia, Vol. 1: 71-99, maps. Izmir (TR): Eve University Press.
- [198] Hay, I. (1997). *Leuchtenbergia* flowers. Cact. Succ. J. (Woollahra) 21(2): 30-32, ill. [On flowers produced from the axils instead of the tubercle tips.]
- [199] Heath, P. V. (1997). The type of *Phedimus Rafinesque-Schmidt*. Calyx 5(4): 127-128.
- [200] Heath, P. V. (1997). The taxonomy of the Madagascan *Aloineae*. Calyx 5(4): 133-135.
- [201] Heek, W. van (1997). An den Standorten von *Ariocarpus fissuratus* im Mexiko. Kakt. and. Sukk. 48(3): 53-55, illus.
- [202] Hernández Barrera, J. T. (1997). Cactáceas de la Reserva de la Biosfera el Cielo, Tamaulipas. Cact. Suc. Mex. 42(3): 62-67, illus., map.
- [203] Hernández, E. & Bañares Baudet, A. (1996). *Aeonium volkerii* [sic] sp. nov., nuevo endemismo de la Isla de Tenerife, Islas Canarias (*Crassulaceae*). Viera 25: 159-168, illus., map.
- [204] Herskovitz, M. A. & Zimmer, E. A. (1997). On the evolutionary origin of the cacti. Taxon 46(2): 217-232, diag.
- [205] Hillmann, R. (1997). Rote Farbtupfer am Bach. Eine neue *Parodia* aus dem Süden Boliviens? Kakt. and. Sukk. 49(1): 13-14, illus.
- [206] Hils, M. (1997). Noch einmal *Mammillaria craigii*. Mitteilungsbl. AfM 21(1): 47-48.
- [207] Hils, M. (1997). An Mexikos höchstem Wasserfall, oder was verbirgt sich hinter der *Mammillaria* L 1423? Mitteilungsbl. AfM 21(2): 73-76, 86, 88, illus.
- [208] Hinton, G. S. (1997). *Sedum booleanum* and *S. hintoniorum*. Sedum Soc. Newslett. No. 43: 20-21, maps. [Includes distribution maps of additional species.]
- [209] Hochstätter, F. (1997). The genus *Sclerocactus* (Cactaceae) – Part 4. Brit. Cact. Succ. J. 15(2): 74-81, illus., map, key. [Concluded from l.c. 14(4), 1996. Includes a key to species.]
- [210] Hochstätter, F. (1997). The genus *Pediocactus* (3). Cact. File 2(12): 21-23, illus. [Included for the illustrations. Concluded from 2(11), 1996.]

- [211] Hochstätter, F. (1997). *Sclerocactus havasupaiensis* (u Indiánu v kanonu Havasupai). Cactaceae etc. 7(3): 99-104, ills.
- [212] Hochstätter, F. (1997). Nový poddruh z Pueblo Mountains, Oregon. Kaktusy 33(3): 88-92, ills. [Includes English translation, on *Pediocactus nigrispinus* ssp. *puebloensis*.]
- [213] Hochstätter, F. (1997). *Pediocactus nigrispinus* (Hochstätter) Hochstätter ssp. *beastoni* Hochstätter. Kaktusy 33(4): 120-124, ills., map. [Includes English translation.]
- [214] Hochstätter, F. (1997). Revisione del genere *Sclerocactus* (Cactaceae). Parte V. Piante Grasse 17(1): 141-155, ills., SEM-ills. [Continued from vol. 16.]
- [215] Hofer, A. (1997). *Mammillaria napina* Purpus am Standort. Mitteilungsbl. AfM 21(2): 77-83, 88, 90, ills.
- [216] Holland, C. (1997). I like Micropuntias! Brit. Cact. Succ. J. 17(4): 206-207. [Included for the illustrations.]
- [217] Holloway, S. (1997). *Haworthia minima* – Historia maxima. Haworthiad 11(1): 14-15.
- [218] Horobin, J. F. (1997). *Schlumbergera kautskyi* (Horobin et McMillan) Taylor. EPIG Rundschreiben 9(3): 108-111, ills.
- [219] Hunt, D. R. (1997). Six into one will go. Brit. Cact. Succ. J. 15(3): 138-139. [On *Opuntia stenopetala*.]
- [220] Hunt, D. R. (1997). Draft list of subspecific names in Cactaceae. Cact. Consensus Init. 2: 10-16.
- [221] Hunt, D. R. (1997). Updating the CITES Cactaceae Checklist. 'Limbo' species in CCC1. Cact. Consensus Init. 2: 2-7.
- [222] Hunt, D. R. (1997). Further amendments to the CITES Cactaceae Checklist. Cact. Consensus Init. No. 3: 12-28.
- [223] Hunt, D. R. (1997). Problem names and explanatory notes. Mammillaria Postscripts 6: 14-18.
- [224] Hunt, D. R. (1997). Subspecies. Synonyms. Dubious Names. Mammillaria Postscripts 6: 4-13.
- [225] Irnstorfer, O. (1997). Beobachtungen an Parodiendienstandorten in Argentinien. Mitteilungsbl. Inter-Parodia-Kette No. 8: 16-20, ills.
- [226] Jaarsveld, E. J. van & Edwards, T. J. (1997). Notes on *Plectranthus* (Lamiaceae) from southern Africa. Bothalia 27(1): 1-6, ills.
- [227] Jaarsveld, E. van & Struck, M. (1997). The succulent flora of South Africa and Namibia: representation and distribution. Aloe 33(4): 76-86, ills., map. [Dated 1996, publ. summer 1997.]
- [228] Jeanmonod, D. & Burdet, H. M. (eds.) (1997). Notes et contributions à la flore de Corse, XIII. Candollea 52(2): 239-279. [Includes distribution records for *Aptenia*, *Carpobrotus* and *Crassula*.]
- [229] Johnson, M. A. T. & Brandham, P. E. (1997). New chromosome numbers in petaloid monocotyledons and in other miscellaneous angiosperms. Kew Bull. 52(1): 121-138, chrom. nos.
- [230] Jonkers, B. (1997). The habitat of *Rhytidocaulon paradoxum* in southern Somalia. Asklepios No. 70: 28-33, ills., map.
- [231] Jordan, J. D. (1997). The ecology of the Aloes of Zimbabwe. Excelsa 17: 35-44. [Reprinted l.c. 18: 101-110, 1997.]
- [232] Joubert, A. (1997). The Gibbaeums, wonder plants of the Little Karoo Aloe 34(3-4): 81-89, ills. [Reprinted from Landbouweekblad of 12. Nov. 1982, with new photographs. Included for the illustrations.]
- [233] Kativu, S. (1997). Asphodelaceae of the Flora Zambeziaca area. Kirkia 16(1): 27-53, keys. [Dated 1996, publ. 1997.]
- [234] Kim, I. S. & al. (1995). Foliar structure and mesophyll succulence in three Korean *Orostachys* species and its phylogenetic implications. Korean J. Pl. Taxon. 25(4): 209-220, ills. [Previously omitted.]
- [235] Kim, I. S. & al. (1996). The phylogenetic position of East Asian *Sedum* species (*Crassulaceae*) based on chloroplast DNA. Acta Bot. Neerl. 45(3): 309-321.
- [236] Klak, C. (1997). The *Mesembryanthema*: A brief synopsis of their systematics. Mesemb Study Group Bull. 12(3): 46-50, ills.
- [237] Kleszewski, K.-P. (1997). Astrophyten im Jaumave-Tal. Kaktusblüte 1997: 43-46, ills.
- [238] Kluge, M. & al. (1993). A comparative study by $\delta^{13}\text{C}$ -analysis of crassulacean acid metabolism (CAM) in *Kalanchoe* (*Crassulaceae*) species of Africa and Madagascar. Bot. Acta 106: 320-324. [Omitted previously.]
- [239] Knutti, B. & Hefti, C. (1997). Die Sierra Lihuel Calel – ein interessanter Kakteenstandort im Südwesten des Verbreitungsgebietes der Gattung *Notocactus*. Internoto 18(4): 128-136, ills., map.
- [240] Knutti, B. & Hefti, C. (1997). *Frailea angelesii* n.n., eine wunderschöne Pflanze aus dem argentinischen Mesopotamien. Mitteilungsbl. Frailea 2(1): 22-25, ills., map.
- [241] Kohlschreiber, D. (1997). "Epicactus" v. "Epiphyllum" – some more thoughts. Epiphytes 21(83): 75-77.
- [242] Kolli, D. (1997). *Schlumbergera orssichiana* Barthlott et McMillan – aktueller Stand der Kenntnisse. EPIG Rundschreiben 9(3): 84-93, ills.
- [243] Kolli, D. (1997). Following the KS series – cultivated *Schlumbergera orssichiana*. Epiphytes

- 21(83): 60-68, illus.
- [244] Koutnik, D. L. (1997). Making sense of the succulent spurges. *Euphorbia J.* 10: 60-97, illus. [Dated 1996, publ. mid-1997.]
- [245] Krüger, W. (1997). Gedanken zum *Mammillaria wrightii*-Komplex. *Mitteilungsbl. AfM* 21(1): 18-19, ill. (p. 30). [On *M. wrightii* fa. *wolfii*.]
- [246] Kunte, L. (1997). *Thelocactus heterochromus* – vskutku ruznobarevný kaktus. *Cactaceae etc.* 7(2): 43-44, ill.
- [247] Kunze, H. (1997). Corona and nectar system in *Asclepiadinae* (*Asclepiadaceae*). *Flora* 192: 175-183. [Cited from Asklepios 71: 15, 1997 (with abstract).]
- [248] Kümmeler, H. (1997). Kakteenprinzessinnen – veraltete Schönheiten? *Mitteilungsbl. AfM* 21(3): 144-150, 152, 154, 156-162, illus. [On *Coryphantha* taxa.]
- [249] Laferrière, J. E. (1997). *Echinocereus* of the Mountain Pima village of Nabogame, Chihuahua, Mexico. *Desert Pl.* 13(1): 28-30, illus.
- [250] Lampo, F. (1997). *Pediocactus winkleri*. *Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl.* 10(7): 105-112, illus.
- [251] Lange, M. & Rutow, J. (1997). *Echinocereus arizonicus* wächst auch in New Mexico. *Echinocereenfreund* 10(2): 51-55, illus.
- [252] Lassnig, P. (1997). Verzweigungsmuster und Rankenbau der *Cucurbitaceae*. *Trop. subtrop. Pfl.-welt* 98: 156 pp., illus.
- [253] Lau, A. B. (1997). Some observations on *Mammillaria* species bearing my field numbers. *J. Mammillaria Soc.* 37(2): 29-30.
- [254] Lawant, P. (1997). The Barbary Spurge Hawkmoth versus *Euphorbia lamarckii* Sweet: An evolutionary process of Playing Leapfrog? *Euphorbia J.* 10: 162-169, illus. [Dated 1996, publ. mid-1997.]
- [255] Lawant, P. & Suntjens, R. (1997). Euphorbias of La Gomera, Canary Islands. *Euphorbia J.* 10: 32-53, illus. [Dated 1996, publ. mid-1997.]
- [256] Lebrun, J.-P. (1997). Données nouvelles sur la flore de Djibouti. *Candollea* 52(2): 223-238, illus. [Includes data on *Aloe*, *Duvalia*, *Echidnopsis*, *Pachycymbium* and *Euphorbia*.]
- [257] Lechner, P. & al. (1997). *Turbinicarpus lophophoroides*. *Turbi-Now No.* 2: 1-8, illus., map.
- [258] Leuenberger, B. E. (1997). *Cactaceae*. In: Göts-van Rijn, A. R. A. & Jansen-Jacobs, M. J. (eds.): *Flora of the Guianas*, 31 [fascicle 18]. Richmond (GB): Royal Botanic Gardens Kew. 63 pp., illus., keys, map.
- [259] Leuenberger, B. E. (1997). *Maihuenia* – monograph of a Patagonian genus of *Cactaceae*. *Bot. Jahrb. Syst.* 119(1): 1-92, illus., map, key.
- [260] Liede, S. (1997). Phylogenetic study of the African members of *Cynanchum* (*Apocynaceae* – *Asclepiadoideae*). *Syst. Bot.* 22(2): 347-372, diags.
- [261] Liede, S. (1997). Subtribes and genera of the tribe *Asclepiadeae* (*Apocynaceae*, *Asclepiadoideae*) – a synopsis. *Taxon* 46(2): 233-247.
- [262] Linzen, T. (1997). Haben Sie *Mammillaria tonalensis* schon einmal generativ vermehrt? *Mitteilungsbl. AfM* 21(2): 93, 99-101, ill.
- [263] Lisowski, S. (1992). Note floristique de l'Ituri (Haut-Zaire). *Fragn. Florist. Geobot.* 37: 215-220. [Omitted previously. Includes data on *Euphorbia venenifica*.]
- [264] Locatelli, E. & al. (1997). Floral biology and bat pollination in *Pilosocereus eatingicola* (*Cactaceae*) in northeastern Brazil. *Bradleya* 15: 28-34, illus.
- [265] Lodé, J. (1997). Adventures in Australia. *Cact. Aventuras No.* 33: 6-11, illus. [Included for the unidentified illustrations of *Calandrinia* spp.]
- [266] Lombardi, G. (1997). Cactus y suculentas de Colombia. *Quepo* 11: 87-96, illus.
- [267] Lombardi, J. A. (1997). Types of names in *Ampelocissus* and *Cissus* (*Vitaceae*) referring to taxa in the Caribbean, Central and N. America. *Taxon* 46(3): 423-432.
- [268] López González, G. (1997). *Sedum candollei* Raym.-Hamet (*Crassulaceae*) [*Mucizonia sedoides* (DC.) D. A. Webb], nombre manifiestamente illegítimo. *Anales Jard. Bot. Madrid* 55(1): 156-159.
- [269] Lowry, M. (1997). The ML Mammillarias. *J. Mammillaria Soc.* 37(1): 2-3, (2): 18-19, (3): 32-33, (4): 46-47, illus. [Included for the illustrations.]
- [270] López-Gutiérrez, F. & León-de la Luz, J. L. (1997). A dichotomic individual of Organ Pipe Cactus *Stenocereus thurberi* (Engelm.) Gibson & Horak var. *thurberi* found in Baja California Sur, Mexico. *Cact. Suc. Mex.* 42(2): 43-47, illus.
- [271] Lutz, E. (1997). Wuchsveränderungen bei "Inermis"-Pflanzen. *Echinocereenfreund* 10(3): 62-64, illus. [On *Echinocereus triglochidiatus* var. *mojavensis* with and without spines.]
- [272] Lüthy, J. M. (1997). *Strombocactus pulcherrimus* J. J. Halda oder *S. disciformis* subsp. *esperanzae* Glass & Arias. *Kakt. and. Sukk.* 48(8): 181-183, illus.
- [273] Lüthy, J. M. & Hinton, G. S. (1997). Die Entdeckung von *Mammillaria luethyi*. *Kakt. and. Sukk.* 48(11): 247-250, illus.
- [274] Maddams, B. & Le Page, I. (1997). *Carpobrotus glaucescens* on Herm, Channel Islands. *Brit. Cact. Succ. J.* 15(2): 73, ill.
- [275] Maffei, M. & al. (1997). Chemotaxonomic significance of surface wax n-alkanes in the

- Cactaceae*. Biochem. Syst. Ecol. 25(3): 241-253, diags.
- [276] Maijer, R. (1997). *Peperomia*, succulent of met een knol. Succulenta 76(6): 248-253, ills. [Included for the illustrations of an unidentifi ed caudiciform Mexican taxon.]
- [277] Marais, E. M. (1995). Four species of *Pelargonium*, section *Hoarea* (*Geraniaceae*) and their possible relationships. South Afr. J. Bot. 61(2): 90-100, ills.
- [278] Marais, E. M. (1997). Name changes in *Pelargonium* section *Hoarea* (*Geraniaceae*). South Afr. J. Bot. 63(2): 68-73, ills.
- [279] Martinez, N. (1997). Succulents of Dhofar, the Land of Frankincense. Cact. Succ. J. (US) 69(3): 132-138, ills. [Included for the illustrations.]
- [280] Martínez-Alvarado, D. & Flores-Castorena, A. (1997). Diversidad biológica de la familia *Cactaceae* en el Estado de Morelos, México. Cact. Suc. Mex. 42(1): 7-15, ills., map.
- [281] Martínez García, J. & Avéndano Reyes, S. (1996). Flora de Veracruz: 90. *Basellaceae*. Xalapa (MEX): Instituto de Ecología. 9 pp., ills., maps.
- [282] Marvelli, A. (1997). Una novitá passata in sordina: *Cintia knizei* Knize & Riha. A novelty on the sly: *Cintia knizei* Knize & Riha. Cactus & Co. 1997(2): 12-15, ills. [Included for the illustrations.]
- [283] Marx, G. (1997). *Haworthia parksiana* v. Poelln. in habitat. Haworthiaid 11(3): 89-92, ill.
- [284] Mauseth, J. D. & Landrum, J. V. (1997). Relictual vegetative anatomical characters in *Cactaceae*: the genus *Pereksia*. J. Pl. Res. 110: 55-65, ills.
- [285] Mauseth, J. D. & Plemons-Rodriguez, B. J. (1997). Presence of paratracheal water storage tissue does not alter vessel characters in cactus wood. Amer. J. Bot. 84(6): 815-822, ills.
- [286] McMillan, A. J. S. (1997). *Schlumbergera* × *reginae* McMillan & Orssich: Die "Queens"-Hybriden der *Schlumbergera orssichiana*. EPIG Rundschreiben 9(3): 104-107, ill.
- [287] Mes, T. H. M. & al. (1997). Phylogenetic relationships in *Monanthes* (*Crassulaceae*) based on morphological, chloroplast and nuclear DNA variation. J. Evol. Biol. 10: 193-216, diags.
- [288] Mesa, A. (1997). Nolanáceas de distribución chileno-peruana: su status taxonómico. Bol. Mus. Nac. Hist. Nat. Chile 46: 23-32, ills.
- [289] Metzing, D. (1997). Die Eriokakteen Paraguays. Internoto 18(3): 91-96, ill.
- [290] Meve, U. (1997). The genus *Duvalia* (*Stapeliaceae*). Stem-succulents between the Cape and Arabia. Wien (A) / New York (US: NY): Springer. x + 132 pp., ills., keys. [= Pl. Syst. Evol. Suppl. 10.]
- [291] Meve, U. (1997). *Pelargonium quinquelobatum* A. Rich., a handy succulent from East Africa. Ballya 4(1): 3-6, ills.
- [292] Meve, U. (1997). *Pelargonium ochroleucum* – a "pseudanthium former" of sect. *Hoarea*. Geraniaceae Group News 1997(Autumn): 10-12, ills.
- [293] Meve, U. (1997). *Pelargonium quinquelobatum* A. Richard. Kakt. and. Sukk. 48(11): 260-261, ills.
- [294] Meve, U. (1997). Die sukkulenten Rutensträucher *Kleinia longiflora* und *K. squarrosa*. Kakt. and. Sukk. 48(6): 121-123, ills.
- [295] Meyrán, J. (1997). *Pachyphytum brevifolium* Rose. Cact. Suc. Mex. 42(2): 31-34, ills.
- [296] Meyrán, J. & López, L. (1997). *Villadia levis* Rose. Cact. Suc. Mex. 42(3): 60-61, ills.
- [297] Mezey, J. (1997). Postrehy z nálezisk. *Astrophytum myriostigma* Lem. Cactaceae etc. 7(3): 92-96, ills.
- [298] Middleditch, H. (ed.) & al. (1997). An *Echinopsis* by any other name. Chileans 16(54): 103-111, ill. [Dated 1996, publ. Oct. 1997. On *Echinopsis leucantha*, *E. melanopotamica* etc.]
- [299] Middleditch, H. (ed.) & al. (1997). *Cactus berteri* by A. Colla. Chileans 16(54): 146-148, ill. [Dated 1996, publ. Oct. 1997.]
- [300] Midgley, J. (1997). The decline of *Aloe pillansii* at Cornell's Kop in the Richtersveld. Aloe 34(1-2): 39, ills.
- [301] Miller, A. G. & Cope, T. A. (1996). Flora of the Arabian Peninsula and Socotra. Volume 1. Edinburgh (GB): Edinburgh University Press. 586 pp., ills., maps, keys. [Includes the following families with succulents: *Moraceae*, *Aizoaceae*, *Portulacaceae*, *Cactaceae*, *Moringaceae*, *Crassulaceae*.]
- [302] Moffett, R. O. (1997). The taxonomic status of *Sarcocaulon*. South Afr. J. Bot. 63(4): 239-240.
- [303] Moran, R. (1996). The flora of Guadalupe Island, Mexico. San Francisco (US: CA): California Academy of Sciences. viii + 190 pp.
- [304] Mosco, A. & Zanovello, C. (1997). *Neolloydia gautii* Benson: A tangled taxonomic history and two new combinations. Bradleya 15: 77-83, ills.
- [305] Motetee, A. & Nagendran, C. R. (1997). Comparative anatomical studies in five southern African species of *Crassula*. I. Structure of the stem and the root. South Afr. J. Bot. 63(2): 90-94, ills.
- [306] Motetee, A. & Nagendran, C. R. (1997). Comparative anatomical studies in five southern African species of *Crassula*. II. Structure of the leaf and the occurrence of transfer cells. South

- Afr. J. Bot. 63(2): 95-99, illus.
- [307] Mottram, R. (1997). The generic name *Stapelia* with conserved type. Asklepios No. 68: 35-36. [Dated 1996, post-marked 11. 1. 1997.]
- [308] Nakamura, T. & Yuasa, H. (1978(1997)). The cytological studies in family *Asclepiadaceae*. *Hoya*. Fratema 10(3): 2-9. [Translated from the Japanese and first published in Kromosomo, Dec. 1978.]
- [309] Nakata, M. & al. (1997). Number of 45S rDNA sites in the two varieties of *Hylotelephium sieboldii* (*Crassulaceae*). Bull. Bot. Gard. Toyama 2: 45-50, illus.
- [310] Nassar, J. M. & al. (1997). Comparative pollination biology of Venezuelan columnar cacti and the role of nectar-feeding bats in their sexual reproduction. Amer. J. Bot. 84(7): 918-927, illus.
- [311] Neduchal, J. (1997). Fünfzehn Jahre Geschichte der Gattung *Notocactus* Fric - 1977 - 1991: Etappe Brandt. Intermoto 17(4): 137-148, illus. [Dated 1996, publ. Oct. 1997.]
- [312] Neduchal, J. (1997). Fünfzehn Jahre Geschichte der Gattung *Notocactus* Fric - 1977 - 1991: Etappe Hunt & Taylor. Versuch der Eingliederung einiger Notokakteen in die Gattung *Parodia* - Analyse und Bewertung. Intermoto 18(1): 17-36, illus.
- [313] Neduchal, J. (1997). Gattung *Notocactus* Fric 1928. Die wundersame Umwandlung der Gattung *Notocactus* in die Gattung *Parodia* in den letzten Jahren und die Gattung *Notocactus* heute 1997. Intermoto 18(2): 50-68, (3): 99-116, (4): 139-148, illus.
- [314] Nelson, E. C. (1997). Dr Thomas Coulter's cacti from Zimapán, Hidalgo, Mexico. Bradleya 15: 48-64, illus.
- [315] Neuhuber, G. J. A. (1997). Die schönsten Fundorte. Teil 2. *Gymnocalycium monvillei* (Lem.) Br. & R. *Gymnocalycium* 10(4): A-B, illus.
- [316] Neut, P. (1997). Over een overbodige beschrijving en andere curiositeiten ... *Notocactus turecekianus* (R. Kiesling) W. R. Abraham. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 10(9): 131-134, ill.
- [317] Newton, L. E. (1997). Succulents and people in Africa. Aloe 33(4): 98-99, illus.
- [318] Newton, L. E. (1997). *Raphionacme abyssinica* [sic!] in northern Kenya. Asklepios No. 68: 27-29, illus. [Dated 1996, post-marked 11. 1. 1997.]
- [319] Newton, L. E. (1997). Het geslacht *Euphorbia* in Oost-Afrika. Succulenta 76(1): 6-9, illus., map.
- [320] Newton, L. E. & Powys, G. (1997). In search of new localities of *Euphorbia baoensis*. Euphorbia J. 10: 134-141, illus. [Dated 1996, publ. mid-1997.]
- [321] Nicholas, A. & Baijnath, H. (1997). The structure of the *Asclepiadaceae* flower. Part 7. Pl. Life (South Afr.) 17: 19-21.
- [322] Niemeier, W. (1997). *Mammillaria gracilis* mit roter Blüte - eine Hybride? Mitteilungsbl. AfM 21(3): 166-167, ill. (p. 155).
- [323] Niesler, I. M. (1997). Is *Trichodiadema Schwantes* one genus only? - Problems in delimitation or "What is a diadem?". Bradleya 15: 13-27, illus.
- [324] Nordal, I. & al. (1997). *Anthericaceae*. In: Polhill, R. M. (ed.): Flora of Tropical East Africa. Rotterdam (NL) / Brookfield (US): A. A. Balkema. 67 pp., illus., keys, map.
- [325] Nyffeler, R. (1997). Notes on the taxonomy of *Austrocactus*. Cact. Consensus Init. No. 4: 14.
- [326] Nyffeler, R. (1997). Stem anatomy of *Uebelmannia* (*Cactaceae*) - with special reference to *Uebelmannia gummifera*. Bot. Acta 110(6): 489-495, illus.
- [327] Nyffeler, R. & Egli, U. (1997). Comparative stem anatomy and systematics of *Eriosyce sensu lato* (*Cactaceae*). Ann. Bot. (London), n.s. 80(6): 767-786, illus.
- [328] Nyffeler, R. & al. (1997). Noteworthy idioblastic sclereids in the stems of *Eulychnia* (*Cactaceae*). Amer. J. Bot. 84(9): 1192-1197, illus.
- [329] Oketch-Rabah, H. A. T. (1996). Leaf compounds in potential plantation species of *Aloe* in Kenya. J. Herbs, Spices & Medic. Pl. 4: 25-33. [Cited from Ballya 4(3): 73, 1998 ('1997').]
- [330] Oldfield, S. (ed.) (1997). Cactus and succulent plants. Status survey and Conservation Action Plan. Cambridge (GB): IUCN Publications Services. x + 213 pp., illus.
- [331] Ollerton, J. & Liede, S. (1997). Pollination systems in the *Asclepiadaceae*: a survey and preliminary analysis. Biol. J. Linn. Soc. 62(4): 593-610.
- [332] Ostolaza, C. (1997). Cactus del sur de Cajamarca y del valle del río Saña. Quepo 11: 57-68, illus.
- [333] Panarotto, P. (1997). *Turbinicarpus schmiedickeanus* var. *panarottoi*. Cactus & Co. 1997(1): 12-14, illus.
- [334] Papsch, W. (1997). Die pampinen *Gymnocalycien*. 1. Ein *Gymnocalycium* mit interessanter Geschichte: *Gymnocalycium reductum* (Link) Pfeiffer ex Mittler. *Gymnocalycium* 10(4): 223-232, illus., map.
- [335] Peckover, R. (1997). Habitats of some South African Ceropagias. Excelsa 17: 29-31, illus. [Dated 1996, publ. early 1997. Included for the illustrations.]
- [336] Peckover, R. (1997). *Brachystelma richardsii*, a new species from Zimbabwe. Excelsa

- 17: 32-34, illus. [Dated 1996, publ. early 1997.]
- [337] Peckover, R. (1997). *Brachystelma chlorozonum* E. A. Bruce. Kakt. and. Sukk. 48(5): 102-103, illus.
- [338] Pedroni, F. & Sanchez, M. (1997). Dispersão de sementes de *Pereskia aculeata* Miller num fragmento florestal no sudeste do Brasil. Revista Brasil. Biol. 57(3): 479-486, illus.
- [339] Perndl, H. & Lechner, P. (1997). *Turbincarpus pseudoepectinatus*. Vorkommen und Variationen. Turbi-Now No. 3: 1-12, illus.
- [340] Petit, S. & Freeman, C. E. (1997). Nectar production of two sympatric species of columnar cacti. Biotropica 29(2): 175-183, diags.
- [341] Pfab, M. (1997). Can we prevent the extinction of *Euphorbia clivicola*? Veld. Fl. (1975+) 83(1): 26-27, ill.
- [342] Phillipson, P. B. (1997). The *Didiereaceae* revisited. Aloe 34(1-2): 35-38, illus. [Included for the illustrations.]
- [343] Piens, E. J. M. (1997). *Parodia spegazziniana* Brandt. Verspreiding en verwantschappen. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 10(4): 59-61, ill.
- [344] Piens, E. J. M. (1997). DH *Parodia*'s. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 10(7): 100-102, ill.
- [345] Pilbeam, J. (1997). *Rebutia*. Southampton (GB): Cirio Publishing Services. 160 pp., illus., maps. [The numerous names treated as "collector's plants" placed in single quotes are neither valid transfers as cultivars (P. Trehane, pers. comm.) nor valid combinations under the ICBN (Art. 35.1).]
- [346] Pizarro, J. (1997). Cactus y animales: simbiosis maravillosa. Quepo 11: 21-28, illus. [Mainly concerning cacti of Peru.]
- [347] Plowes, D. C. H. (1997). *Larryleachia* and *Hoodia* (*Stapeliaceae: Asclepiadaceae*): Some new nomenclatural proposals. Excelsa 17: 3-28, 68, illus. [Dated 1996, publ. early 1997.]
- [348] Plowes, D. C. H. (1997). The nomenclatural status and typification of *Desmidorchis* Ehrenberg (*Stapeliaceae: Asclepiadaceae*). Excelsa 17: 68-78, illus. [Dated 1996, publ. early 1997.]
- [349] Pot, J. (1997). Welke naam geef ik een *Sulcorebutia*? Succulenta 76(3): 139-141, illus.
- [350] Prestlé, K. H. (1997). Die Gattung *Frailea* (Br. & R.) Prestlé [sic]. Veghel (NL): published by the author. Ed. 2, 249 pp., illus. [Apart from the 13 valid names listed in this RPS, there are also 165 invalid names at various ranks, according to a tabulation by D. Metzing (in litt.). Most of these names are invalid under Art. 36.1 and/or 37.1. They are not listed in RPS for reasons of space. A first edition of this book was published 1991 with the subtitle "verkürzte und provisorische Ausgabe" [shortened and provisional edition], which makes the numerous names already used there invalid under Art. 34.1b (D. Metzing in litt.). Some of them were subsequently taken up by Berka 1994 (Cactaceae etc. 4: Suppl.).]
- [351] Prestlé, K.-H. (1997). *Echinopsis*-former i det sydlige Brasilien (Rio Grande do Sul) og i Uruguay. Kakt. og and. Sukk. 32(4): 90-94, illus.
- [352] Prestlé, K.-H. (1997). Taxony v rámci rodu *Notocactus* Fric (1928) Sekce: *Notobrasilia* Havlicek 1995. Minimus 28(1): 3-8, illus. [Continued from vol. 27. German translation in Internoto 17(4): 119-136, illus., 1997 (dated 1996).]
- [353] Prestlé, K.-H. (1997). K hnedofialove zbarveným formám blízen podrodu *Neonotocactus* /Bckbg./Buxb., sekce: *Mammulosus* Prestlé sect. prov. Minimus 28(2): 18-26, illus.
- [354] Prestlé, K.-H. (1997). *Frailea castanea* (Backbg.) Prestlé [sic!] contra *Frailea asteriooides* Werdermann und die damit zusammenhängenden Probleme in der Einteilung dieser Arten. Mitteilungsbl. *Frailea* 2(1): 4-11, illus.
- [355] Pritchard, D. (1997). Notes on some Indian Euphorbias in habitat and in cultivation. Euphorbiaceae Study Group Bull. 10(3): 91-99, illus.
- [356] Pritchard, D. & A. (1997). Further notes on *Euphorbia polycyphala*. Euphorbiaceae Study Group Bull. 10(3): 83-86, illus.
- [357] Procházka, J. (1997). Argentinské tephrokaktusy. Cactaceae etc. 7(2): 50-55, illus.
- [358] Procházka, J. (1997). Na nalezistých *Gymnocalycium spegazzinii*. Gymnofil 26(1-2): 1-8, map, ill.
- [359] Procházka, J. (1997). Jeste jednou *Gymnocalycium acorrugatum* Lambert. Gymnofil 26(3-4): 1-2, ill.
- [360] Procházka, J. (1997). Na nalezistých *Gymnocalycium baldianum*. Gymnofil 26(3-4): 3-5, ill.
- [361] Putz, F. E. & Naughton, L. C. (1993). Apparent pollination of *Portulaca howellii* by ruddy turnstones (*Arenaria interpres* L.) on Isla Plaza Sur. Not. Galápagos 52: 5. [Omitted previously.]
- [362] Racca, C. (1997). *Sempervivum* in Val Maira. Cactus & Co. 1997(3): 40-43, illus.
- [363] Radcliffe-Smith, A. (1997). A supplementary note on the cultivation of *Pilea peperomoides*. Curtis's Bot. Mag., ser. nov., 14(1): 55-56.
- [364] Radcliffe-Smith, A. (1997). Notes on Madagascan Euphorbiaceae V: *Jatropha*. Kew Bull. 52(1): 177-181, illus.
- [365] Rahman, M. A. & Wilcock, C. C. (1995). Flora of Bangladesh: 48. *Asclepiadaceae*. 71 pp., keys. [Omitted previously. Includes several species of *Ceropegia* and *Hoya*.]
- [366] Ramón Gómez Fernández, J. (1997). La familia Aizoaceae en la Península Ibérica. Cact.

- Suc. (Villasar de Mar) No. 18: 10-15, No. 19: 12-15, ill., keys.
- [367] Rauh, W. (1996). Observations complémentaires sur *Xerosicyos pubescens* (*Cucurbitaceae*) de Madagascar. Bull. Mus. Nation. Hist. Nat., Sect. B, Adansonia 18(1-2): 161-166, ill. [Probably only published 1997 (Z copy dated 18. 9. 1997).]
- [368] Rauh, W. (1997). *Euphorbia francoisii* Léandri and its new variety *crassicaulis* Rauh from southwestern Madagascar. Euphorbia J. 10: 175-187, ill. [Dated 1996, publ. mid-1997.]
- [369] Rauh, W. (1997). Die *Didiereaceae*, eine botanische Kostbarkeit Madagaskars. Kakt. and. Sukk. 48(11): 241-245, ill.
- [370] Rauh, W. (1997). *White-sloanea* (*Asclepiadaceae*). Kakt. and. Sukk. 48(6): 126-128, ill. [English translation in Asklepios No. 73: 17-19, ill., 1998.]
- [371] Rauh, W. (1997). A propos de quelques espèces intéressantes dans le genre *Peperomia*. Succulentes 20(Suppl.): 1-32, ill.
- [372] Rauh, W. & Hebdong, R. (1997). New Kalanchoes from south and southwest Madagascar. Bradleya 15: 1-12, ill.
- [373] Raun, G. G. (1997). *Echinomastus* in the Trans-Pecos region of Texas. Cact. Succ. J. (US) 69(3): 122-126, ill.
- [374] Reynolds, T. (1997). Comparative chromatographic patterns of leaf exudate components from *Aloe* sect. *Pachydendron*. Bot. J. Linn. Soc. 125(1): 45-70, maps.
- [375] Richter, I. & O. (1997). *Echinomastus* im Südwesten der USA. Kaktusblüte 1997: 22-24, ill.
- [376] Rischer, W. (1997). Stolonenbildung bei Echinocereen. Ein Merkmal bei der Artentrennung? Echinocereenfreund 10(3): 75-79, ill.
- [377] Rizzini, C. M. & al. (1990). Considerações sobre a ocorrência de *Cactaceae* na A.P.A. de Maricá. Acta Bot. Brasil. 4(2): 171-182, maps. [Omitted previously.]
- [378] Robyns, A. (1995). Flore d'Afrique Centrale (Zaire, Rwanda, Burundi). *Passifloraceae*. Bruxelles (B): Jardin Botanique de Belgique. 75 pp., ill. [Omitted previously.]
- [379] Rogozinski, H. (1997). *Mammillaria orcuttii* und *Mammillaria zucchiniana*. Mitteilungsbl. AfM 21(1): 37-41, ill. (pp. 30-31).
- [380] Rowley, G. D. (1997). A history of succulent plants. Mill Valley (US: CA): Strawberry Press. xv + 409 pp., ill.
- [381] Rowley, G. D. (1997). Worthwhile hybrid succulents no. 9: *Euphorbia 'Macguffin'*. Brit. Cact. Succ. J. 15(1): 14-15, ill.
- [382] Rowley, G. D. (1997). Cristate succulents – a naming dilemma. Brit. Cact. Succ. J. 15(4): 202-203, ill.
- [383] Rowley, G. D. (1997). The berried Aloes: *Aloe* section *Lomatophyllum*. Excelsa 17: 59-62, ill., map. [Dated 1996, publ. early 1997.]
- [384] Römer, R. C. (1997). Und er hat doch Mitteldornen – der *Echinocereus schererii* G. R. W. Frank. Echinocereenfreund 10(1): 21-24, ill.
- [385] Römer, R. C. (1997). Auf der Suche nach "El Trigo", dem Typstandort von *Echinocereus laui* Frank. Echinocereenfreund 7(4): 96-105, ill.
- [386] Römer, R. C. (1997). Am Typstandort von *Mammillaria estebanensis* Lindsay. Mitteilungsbl. AfM 21(1): 7-12, 26, 28, ill.
- [387] Rundel, P. W. & al. (1996). Flora and vegetation of Pan de Azucar National Park in the Atacama Desert of Northern Chile. Gayana, Bot. 53(2): 295-315.
- [388] Schlindwein, C. & Wittmann, D. (1997). Stamen movements in flowers of *Opuntia* (*Cactaceae*) favour oligolectic pollinators. Pl. Syst. Evol. 204(3-4): 179-193, ill.
- [389] Schmiedel, U. (1997). Sukkulente Spezialisten auf Quarz. Ein weltweit einzigartiger Standort und seine Bedeutung für die Artenvielfalt in den Trockengebieten des südlichen Afrikas. Kakt. and. Sukk. 48(10): 217-220, ill., map.
- [390] Schönfeld, H. (1997). *Melocactus delesserianus* (Lemaire) i Mexico. Kakt. og and. Sukk. 32(3): 64-66, ill. [Included for the illustrations.]
- [391] Schweitzer, B. (1997). *Gymnocalycium* aus Nord-Argentinien – winterhart? Gymnos 13(25/26): 11-17, map. [Included for the distribution map of *G. bruchii* and *G. andreae*.]
- [392] Scott, R. (1997). *Gasteraloe*. Haworthiad 11(3): 77-79. [Includes a checklist of known names.]
- [393] Sedivý, V. (1997). *Echinomastus johnsonii* (Parry) Baxt. – kaktus mnoha tváří. Kaktusy 33(2): 38-39, ill.
- [394] Sennblad, B. (1997). Phylogeny of the *Apocynaceae*. Uppsala (S): Ph.D. thesis, University of Uppsala. 295 pp., ill., maps.
- [395] Sibl, F. (1997). Die publizierten Abstammlingslinien der Epikakteen und ein Verzeichnis der Kombinationsnamen und Synonyme. EPIG Rundschreiben 8(4): 111-118. [Dated 1996, publ. Febr. 1997.]
- [396] Sibl, F. (1997). Die publizierten Abstammlingslinien der Epikakteen und ein Verzeichnis der Kombinationsnamen und Synonyme. Teil 2 / Teil 3. EPIG Rundschreiben 9(1): 3-10, (2): 54-60.
- [397] Singh, Y. & al. (1997). *Brachystelma natalense*. Flow. Pl. Afr. 55: 96-101, ill., map, t. 2138.
- [398] Sída, O. (1997). Rod *Rebutia*. Brno (CZ): Moravské vydavatelství Kveten. 112 pp., 5 col. pl.

- [399] Slaba, R. (1997). Kulovité soehrensie, skvosty severoargentinských velehor. Kaktusy 33(2): 58-64, illus. [On *Soehrensia* from northern Argentina.]
- [400] Slaba, R. (1997). *Copiapoa calderana* Ritter alias *C. lembckeii* Backeb. a její příbuzné. Kaktusy 33(3): 67-71, illus., map.
- [401] Slaba, R. (1997). Méne známé variety *Echinocereus knippelianus* Liebn. Kaktusy 33(4): 124-127, illus.
- [402] Slaba, R. (1997). Nové usporádání rostlin okruhu *Copiapoa cinerea* (Phil.) Br. et R. Kaktusy 33(speciál): 1-32 pp., illus, map.
- [403] Slauson, L. (1997). Desert fire. How does it affect bats and agaves? Sonoran Quart. 51(4): 6-9, illus. [On *Agave palmeri*.]
- [404] Smale, T. (1997). Conophytums since the Conograph. Mesemb Study Group Bull. 12(4): 68-71.
- [405] Smith, G. F. & Hartert, P. (1997). (1293-1294) Proposals to conserve the names *Mossia* and *M. intervallaris* (*Aizoaceae*) against their earlier homonyms. Taxon 46(2): 349-350.
- [406] Smith, G. F. & Swartz, P. (1997). Re-establishment of *Aloe suzannae* in Madagascar. Part 1. The way to the Red Island. Brit. Cact. Succ. J. 15(2): 88-93, illus. [Part 2 by P. Swartz see l.c. (3): 149-155, 1997.]
- [407] Smith, G. F. & al. (1997). *Mossia intervallaris*. Curtis's Bot. Mag., ser. nov., 14(1): 16-22, t. 310, illus., map.
- [408] Smith, G. F. & al. (1997). *Gasteria bicolor* var. *bicolor*. *Gasteria croucheri*. *Haworthia limifolia* var. *limifolia*. *Plectranthus spicatus*. Flow. Pl. Afr. 55: 14-29, 102-106, illus., maps, t. 2123-2125, 2139.
- [409] Smith, G. F. & al. (eds.) (1997). List of Southern African succulent plants. Pretoria (RSA): Umdaus Press. xiv + 175 pp., illus., maps.
- [410] Smith, J. F. (1997). Tribal relationships within *Gesneriaceae*: a cladistic analysis of morphological data. Syst. Bot. 21(4): 497-513, diags. [Vol. for 1996, publ. 1997.]
- [411] Stanley, R. E. (1997). A critical look at Werner Reppenhagens "Die Gattung *Mammillaria Monographie" Part Two / Part Three / Part Four / Part Five. J. Mammillaria Soc. 37(1): 5-6, (2): 21-22, (3): 35-36, (4): 49-51.*
- [412] Starha, R. (1995). Identification of alkaloids of the cactus genus *Gymnocalycium*. Chemica 34: 33-34. [Omitted previously.]
- [413] Starha, R. & al. (1997). Alkaloids from the genus *Gymnocalycium* (Cactaceae). Biochem. Syst. & Ecol. 25(4): 363-364.
- [414] Starr, G. (1997). A revision of the genus *Hesperaloe* (Agavaceae). Madroño 44(3): 282-296, map, illus., key. [Probably only published in early 1998.]
- [415] Steffens, F. (1997). Succulents of the Magaliesberg. Excelsa 17: 63-64, illus. (p. 67). [Dated 1996, publ. early 1997.]
- [416] Stephenson, R. & Uhl, C. H. (1997). *Villadia batesii* and *Sedum 'Spiral Staircase'*. Sedum Soc. Newslett. No. 41: 46-47.
- [417] Stephenson, R. & J. (1997). Kefalonian stonewrops. Sedum Soc. Newslett. No. 40: 11, 13-17, maps. [Additions in l.c. No. 41: 48, 1997.]
- [418] Strid, A. & Tan, Kit (Eds.) (1997). Flora Hellenica. Volume 1. Königstein (D): Koeltz Scientific Books. 668 pp., keys, maps, illus. [Includes *Aizoaceae* (Kit Tan, pp. 148-152), *Tetragoniaceae* (Kit Tan, pp. 153-154) and *Portulacaceae* (Kit Tan, pp. 154-156).]
- [419] Struck, M. (1997). A loving affair – Mesembs and their pollinators. Mesemb Study Group Bull. 12(1): 2-3, illus.
- [420] Struck, M. (1997). *Dorotheanthus gramineus* (Haworth) Schwantes – a misapplied name! Mesemb Study Group Bull. 12(2): 37-38, illus.
- [421] Stuchlík, S. (1997). *Notocactus horstii* Ritter a příbuzné taxonomy. Kaktusy 33(4): 97-99, illus., map.
- [422] Stuchlík, S. (1997). Notokaktus jménem erythrinus. Minimus 18(3): 39-41, illus.
- [423] Stuchlík, S. (1997). Poznámky ke dvěma cervene kvetoucí notokaktusům. Minimus 28(1): 9-10. [On *Notocactus submammulosus* ssp. *minor* etc.]
- [424] Süpplie, F. (1994). *Rhipsalidinae*. Venray (NL): Interbook. Revised Ed., 104 pp., illus. ["Addenda 1993-1994" on pp. 100-101 appear to be the only new matter of the publication.]
- [425] Tavormina, G. (1997). Sedums native to Sicily. Sedum Soc. Newslett. No. 41: 29-36, 38-41, map.
- [426] Taylor, N. P. (1997). Nomenclatural adjustments in *Copiapoa*, *Echinocereus*, *Escobaria* and *Præcereus*. Cact. Consensus Init. No. 3: 8-10.
- [427] Taylor, N. P. (1997). *Rhipsalis pilocarpa*. Curtis's Bot. Mag., ser. nov., 14(3): 125-129, illus., t. 320.
- [428] Taylor, N. P. & Zappi, D. C. (1997). Nomenclatural adjustments and novelties in Brazilian Cactaceae. Cact. Consensus Init. No. 3: 7-8.
- [429] Täschner, P. (1997). Was ist *Coryphantha wohlschlageri*? Kakt. and. Sukk. 48(5): 109-112, illus.
- [430] Teissier, M. (1997). Die Crassulaceen Madagaskars. Kakt. and. Sukk. 48(9): 199-202, illus.
- [431] Tellez, O. (1996). Flora del Valle de

- Tehuacán-Cuicatlán. 9. *Dioscoreaceae* R.Br. Ciudad México (MEX): Instituto de Biología, UNAM. 13 pp., key. [Omitted previously.]
- [432] Thorwarth, H.-J. (1997). An Standorten von *Haworthia venosa* ssp. *tesselata* [sic!] (Haw.) M. B. Bayer im nordwestlichen Süd-Afrika und im südlichen Namibia. And. Sukk. 14(2=28): 6-7, 17, ill., map. [Dated 1996, received April 1997.]
- [433] Till, H. (1997). Gedanken zum Ursprung und zur Arealentwicklung der Untergattung *Muscocosemineum* Schütz. *Gymnocalycium* 10(3): 221-222, ill., map.
- [434] Till, H. & Till, W. (1997). *Gymnocalycium saglionis*: Verbreitung, Variabilität und Nomenklatur einer "gut" bekannten Art. *Gymnocalycium* 10(1): 203-208, (2): 209-216, ill., map, (3): cxi [erratum].
- [435] Tjaden, W. (1997). *Nopalxochia phyllanthesoides* and the German Empress. *Epiphytes* 21(82): 42-44, (83): 80-83.
- [436] Tjaden, W. (1997). What's in a name? Or *Epiphyllum v. Epicactus*. *Epiphytes* 21(82): 50-52.
- [437] Tománek, J. (1997). *Gymnocalycium pseudohorridispinum* n.n. *Gymnofil* 26(3-4): 16-18, ill.
- [438] Tribble, D. (1997). A list of genera of the family *Aizoaceae*. *Mesemb Study Group Bull.* 12(4): 72-74.
- [439] Trocha, W. (1997). Am Standort von *Echinocereus viridiflorus* var. *correllii*. *Echinocereenfreund* 10(1): 5-9, ill.
- [440] Trujillo, B. (1997). *Cactaceae*. In: Berry, P. E. & al. (eds.): *Flora of the Venezuelan Guayana*. Vol. 3: 732-749, ill., keys. St. Louis (US: MO): Missouri Botanical Garden.
- [441] Udalova, R. A. (1996). [Russian:] On the life-form of the species of the genus *Selenicereus* (*Cactaceae*). *Bot. Zhurn.* (Moscow & Leningrad) 81(11): 62-66, ill.
- [442] Uhl, C. H. (1997). *Gormania* serpentine endemics. *Sedum Soc. Newslett.* No. 40: 9-10.
- [443] Unger, G. (1997). *Ferocactus acanthodes* in Niederkalifornien. *Kakt. and. Sukk.* 48(11): 253-256, ill., map.
- [444] Unger, G. (1997). Anmerkungen zum Artikel von M. Hils: "Eine rotblühende *Mammillaria carmenae*". *Mitteilungsbl. AfM* 21(3): 162-163, ill. (p. 151).
- [445] Valiente-Banuet, A. & al. (1997). Pollination biology of two columnar cacti (*Neobuxbaumia mezcalensis* and *Neobuxbaumia macrocephala*) in the Tehuacán Valley, central Mexico. *Amer. J. Bot.* 84(4): 452-455.
- [446] Valiente-Banuet, A. & al. (1997). Pollination biology of two winter-blooming giant columnar cacti in the Tehuacán Valley, central Mexico. *J. Arid Environm.* 37(2): 331-334, ill., maps.
- [447] Venter, F. (1997). The Northern Province succulent route. *Aloe* 34(3-4): 63-68, ill.
- [448] Venter, H. J. T. & Verhoeven, R. L. (1997). A tribal classification of the *Periplocoidae* (*Apocynaceae*). *Taxon* 46(4): 705-720, ill.
- [449] Verhoeven, R. L. & Venter, H. J. T. (1997). The translator of *Raphionacme* (*Periplocaceae*). *South Afr. J. Bot.* 63(1): 46-54, ill.
- [450] Vlk, V. (1997). Observations on two species of *Pseudolithos* in habitat and cultivation. *Brit. Cact. Succ. J.* 17(4): 209-212, ill.
- [451] Vlk, V. (1997). *Euphorbia schizacantha* Pax. *Euphorbiaceae Study Group Bull.* 10(1): 17-19, ill.
- [452] Vlk, V. (1997). Vier geophytische Miniatür-Euphorbien aus Äthiopien. *Kakt. and. Sukk.* 48(8): 172-174, ill.
- [453] Vlk, V. (1997). Gut getarnte Miniatur. Die lange vergessene *Euphorbia turbiniformis* Chiovenda. *Kakt. and. Sukk.* 49(1): 9-10, ill. [Dated 1998, publ. late Dec. 1997.]
- [454] Vovides, A. P. & al. (1997). Relación de algunas plantas y hongos mexicanos raros, amenazados o en peligro de extinción y sugerencias para su conservación. *Acta Bot. Mex.* 39: 1-42. [Includes species lists for *Cactaceae* etc.]
- [455] Wagner, G. F. (1997). *Conophyllum* N. E. Br.: Variabilität der Populationen in der Sektion *Pellucida* (Schwantes) Tischer ex S. A. Hammer. Teil 2. *And. Sukk.* 14(2=28): 1-4, 12-15, ill., map. [Dated 1996, received April 1997.]
- [456] Wagstaff, S. J. & Olmstead, R. G. (1997). Phylogeny of *Labiatae* and *Verbenaceae* inferred from rbcL sequences. *Syst. Bot.* 22(2): 165-179, diags.
- [457] Walker, C. C. (1997). Van Rheede and the first *Ceropegia*. *Asklepios No.* 71: 26-34, ill. [On *Ceropegia candelabrum* L.]
- [458] Walker, C. C. (1997). Scottish weed revisited. *Sedum Soc. Newslett.* No. 40: 21-22. [On the spread of *Crassula helmsii*.]
- [459] Wallace, R. S. (1997). The phylogenetic position of *Mediocactus hahnianus*. *Cact. Consensus Init.* No. 4: 11-12.
- [460] Walt, J. J. A. van der & al. (1997). A biosystematic study of *Pelargonium* section *Ligularia*. 3. Reappraisal of section *Jenkinsonia*. *South Afr. J. Bot.* 63(1): 4-21, ill., maps.
- [461] Weber, R. (1997). Beobachtungen an *Rebutia padcayensis* Rausch und *Rebutia margaretha* Rausch. Inform.-brief Freundeskreis Echinopseen No. 24: 25-35, ill.
- [462] Weightman, B. (1997). The genus *Pterocactus* / Il genere *Pterocactus*. *Cactus & Co.* 1(4): 27-30, ill. [Included for the illustrations.]

- [463] Weskamp, W. (1997). Die Gattung *Parodia*. Band III. Kiel (D): Published by the author. [iv +] 268 pp., 2 col. pl.
- [464] Weskamp, W. (1997). Welchen Rang hat *Parodia formosa* Ritter und welchen ihre Verwandten? Den einer Art, einer Varietät oder gar nur den einer Subspecies? Mitteilungsbl. Inter-Parodia-Kette No. 8: 4-5.
- [465] Williamson, G. (1997). Polymorphism in *Tylecodon similis* (Tölken) Tölken (Crassulaceae), a miniature succulent from Namaqualand and the southern Namib Desert. Aloe 34(1-2): 17-29, ills., map.
- [466] Williamson, G. (1997). *Pelargonium tripalmatum* (Geraniaceae), a rare Richtersveld endemic. Aloe 34(1-2): 8-9, ills.
- [467] Williamson, G. (1997). Preliminary account of the floristic zones of the Sperrgebiet (Protected Diamond Area) in southwest Namibia. Dinteria 25: 1-68, maps, ills. [Included for the species list.]
- [468] Williamson, G. (1997). The succulent *Euphorbia* species of the Richtersveld and Southern Namib Desert (Sperrgebiet). Euphorbia J. 10: 98-133, ills., key. [Dated 1996, publ. mid-1997.]
- [469] Witkowski, E. & al. (1997). Threatened plants in the northern provinces of South Africa: case studies and future approaches. In: Hale, P. & Lamb, D. (eds.): Conservation outside Nature Reserves, pp. 446-451, ills. Queensland (AUS): Centre for Conservation Biology, The University of Queensland.
- [470] Wittau, H. J. (1997). Rumbo al Perú en busca de Lobivias. Quepo 11: 31-39, ills.
- [471] Wittner, H. (1997). Die Gattung *Matucana* – ein Überblick. Kakt. and. Sukk. 48(4): 73-80, ills. [Synopsis.]
- [472] Wood, J. R. I. (1997). A handbook of the Yemen Flora. Richmond (GB): Royal Botanic Gardens Kew. vi + 474 pp., ills., keys.
- [473] Woolcock, S. (1997). *Coryphantha* species. Part 9. J. Mammillaria Soc. 37(1): 8-12, ills. [Includes a tentative synopsis.]
- [474] Wurzell, B. (1993). Foreigners in our midst. Bot. Soc. Brit. Isles News 64: 38-42. [Includes data on *Sedum spectabile* and *Sedum* cv. Autumn Joy.]
- [475] Wyk, B-E. & al. (1997). Medicinal plants of South Africa. Pretoria (RSA): Briza Publications. 304 pp., ills. [Included for the numerous outstanding illustrations of ethnobotanically important succulents.]
- [476] Zimmermann, N. F. A. (1997). Notes on succulent Euphorbias of the Little Karoo. 3. *E. atrispina* N. E. Br. and *E. tubiglans* Marloth ex R. A. Dyer. Euphorbiaceae Study Group Bull. 10(1): 8-16, ills.
- [477] Zimmermann, N. F. A. (1997). Notes on succulent euphorbias of the Little Karoo: 4. *E. eustacei* N. E. Br. and *E. multifolia* White, Dyer and Sloane. Euphorbiaceae Study Group Bull. 10(2): 51-56, ills.
- [478] Zonneveld, B. J. M. (1997). *Gasteria* and *Aloe* hybrids. Haworthiad 11(4): 114-115, 118.
- [479] Zonneveld, B. J. M. (1997). *Sempervivum arachnoideum*. Succulenta 76(3): 114-117, ills., diag., map.
- [480] Zonneveld, B. J. M. (1997). *Sempervivum montanum* en zijn variëteiten. Succulenta 76(4): 163-165, ills. [Reporting hybrids with *Lobivia winteriana* and *Echinopsis oxygona*.]

BIBLIOGRAPHIA

Cross-References of Author Names

- Acevedo Rosas, R.: → Cházaro Basáñez, M. J.
 Ali, S. I.: → Ali, T.
 Alpinar, K.: → Hart, H. 't
 Arias Montes, S.: → Guzmán Cruz, L. U.
 Avendano Reyes, S.: → Martínez García, J.
 Baijnath, H.: → Nicholas, A.
 Balakrishnan, N. P.: → Binojkumar, M. S.
 Barnhill, C.: → Hammer, S.
 Barthlott, W.: → Ditsch, F.
 Bañares Baudet, A.: → Hernández, E.
 Brandham, P. E.: → Johnson, M. A. T.
 Burdet, H. M. (eds.): → Jeanmonod, D.
 Catalina León, M.: → Bañares Baudet, A.
 Chvastek, J.: → Anonymus
 Cházaro Basáñez, M. J.: → Flores Macías, A.
 Condy, G.: → Craib, C. L.
 Cope, T. A.: → Miller, A. G.
 Cuzin, F.: → Benabid, A.
 Edwards, T. J.: → Jaarsveld, E. J. van
 Eggli, U.: → Carter, S.
 Eggli, U.: → Nyffeler, R.
 Esteves Pereira, E.: → Braun, P. J.
 Flores-Castorena, A.: → Martínez-Alvarado, D.
 Freeman, C. E.: → Petit, S.
 Glass, C.: → Fitz Maurice, W. A. & F.
 Graven, P.: → Bregman, R.
 Hartzer, P.: → Smith, G. F.
 Hebdng, R.: → Rauh, W.
 Hefti, C.: → Knutti, B.
 Hinton, G. S.: → Lüthy, J. M.
 Khalil, A. T.: → Halim, A. F.
 Kristen, M.: → Etter, J.
 Landrum, J. V.: → Mauseth, J. D.
 Le Page, I.: → Maddams, B.
 Lechner, P.: → Perndl, H.
 León-de la Luz, J. L.: → López-Gutiérrez, F.
 Liddle, D. J. & I. M.: → Forster, P. I.
 Liede, S.: → Ollerton, J.
 López, L.: → Meyrán, J.
 May-Pat, F.: → Colunga-García Marín, P.
 Medina Abreo, M. E.: → Castillo-Campos, G.
 Mendoza-García, M.: → Glass, C.
 Metzing, D.: → Breuer, I.
 Miller, A. G.: → Alexander, D.
 Montaña, C.: → Alvarez Aguirre, M. A.
 Mostul, B. L.: → Cházaro Basáñez, M. J.
 Mottram, R.: → Crook, R.
 Nagendran, C. R.: → Motetee, A.
 Naughton, L. C.: → Putz, F. E.
 Nobel, P. S.: → Andrade, J. L.
 Olmstead, R. G.: → Wagstaff, S. J.
 Parkes, S. L.: → Beever, R. E.
 Piltz, J.: → Borgmann, W.
 Plemons-Rodriguez, B. J.: → Mauseth, J. D.
 Portillo Martínez, L.: → Arreola Nava, H. J.
 Powys, G.: → Newton, L. E.
 Rutow, J.: → Lange, M.
 Salchner, G.: → Esler, K. J.
 Sanchez, M.: → Pedroni, F.
 Schmidt, H.: → Felix, F.
 Sebsebe, Demissew: → Austin, D. F.
 Sebsebe, Demissew: → Gilbert, M. G.
 Simpson, B. B.: → Comejo, D. O.
 Struck, M.: → Jaarsveld, E. van
 Suntjens, R.: → Lawant, P.
 Swartz, P.: → Smith, G. F.
 Tan, Kit (Eds.): → Strid, A.
 Thomas, H.-P.: → Gilmer, K.
 Till, W.: → Till, H.
 Trujillo A., S.: → Castillo, R. del
 Uhl, C. H.: → Stephenson, R.
 Venter, H. J. T.: → Verhoeven, R. L.
 Verhoeven, R. L.: → Venter, H. J. T.
 Wilcock, C. C.: → Rahman, M. A.
 Wittmann, D.: → Schlindwein, C.
 Wyk, B.E. van: → Bank, F. H. van der
 Yuasa, H.: → Nakamura, T.
 Zahra, R.: → Gerloff, N.
 Zanovello, C.: → Mosco, A.
 Zappi, D. C.: → Taylor, N. P.
 Zimmer, E. A.: → Hershkovitz, M. A.

ZSS Library Photocopy Service

The ZSS Library offers a photocopy service designed for private and scientific use. The library has a comprehensive collection of succulent plant literature – books, periodicals, separate prints etc. Most of the literature listed in *Repertorium Plantarum Succulentarum* is available in the ZSS library, but we can also provide copies from all important succulent plant periodicals from the whole world, from many other botanical journals, as well as extracts from books. Photocopies are supplied according to the usual library regulations concerning copyright, and the user is responsible to observe all relevant copyright laws.

Ordering Photocopies from the ZSS Library

Orders must be received **in writing** and must include a complete biographical reference (author, title, journal name, volume and page references, etc.) and **must be accompanied by payment** as specified below.

Rates

Basic charge per reference incl. first 15 pages:	CHF 8.00 / DEM 10.00
Airmail surcharge outside Europe (if desired):	CHF 1.50 / DEM 2.00
Additional pages: Each additional 15 pages:	CHF 2.00 / DEM 3.00
Airmail surcharge for each add. 15 pages:	CHF 2.00 / DEM 3.00

Method of Payment

Each order must be accompanied by prepayment. We accept banknotes in CHF, DEM or US\$ (present exchange rate: 1 US\$ = 1.50 CHF) and **Swiss postage stamps**.

Delivery

Orders will normally be processed within 5 working days. If the reference is not available at ZSS, an additional 2 - 3 weeks are necessary. For orders which are impossible to fulfill, your prepayment will be refunded.

Within Switzerland and Europe, photocopies are sent by first class mail. For countries outside Europe, ordinary mail ("surface rate") is used unless the customer pays the airmail surcharge.

Address for Orders

Bibliothek
Sukkulanten-Sammlung Zürich
Mythenquai 88
CH-8002 Zürich, Switzerland.