



**Repertorium  
Plantarum  
Succulentarum  
L (1999)**



# **Repertorium Plantarum Succulentarum L (1999)**

*Index nominum novarum plantarum succulentarum anno MCMXCIX  
editorum nec non bibliographia taxonomica ab U. Eggli et D. C. Zappi  
compositus.*

International Organization for Succulent Plant Study  
Internationale Organisation für Sukkulantenforschung

October 2000

ISSN 0486-4271

## Conventions used in Repertorium Plantarum Succulentarum

- Repertorium Plantarum Succulentarum attempts to list, under separate headings, newly published names of succulent plants and relevant literature on the systematics of these plants, on an annual basis. New names noted after the issue for the relevant year has gone to press are included in later issues. Specialist periodical literature is scanned in full (as available at the libraries at ZSS and Z or received by the compilers). Also included is information supplied to the compilers direct. It is urgently requested that any reprints of papers not published in readily available botanical literature be sent to the compilers.
- Validly published names are given in bold face type, accompanied by an indication of the nomenclatural type (name or specimen dependent on rank), followed by the herbarium acronyms of the herbaria where the holotype and possible isotypes are said to be deposited (first acronym for holotype), according to Index Herbariorum, ed. 8 and supplements as published in *Taxon*. Invalid, illegitimate, or incorrect names are given in *italic* type face. In either case a full bibliographic reference is given. For new combinations, the basionym is also listed. For invalid, illegitimate or incorrect names, the articles of the ICBN which have been contravened are indicated in brackets (note that the numbering of some regularly cited articles has changed in the Tokyo (1994) edition of ICBN).
- The compilers would like to point out that they do not accept any names that might be inadvertently validated in this volume of RPS.
- Bibliographic details of papers dealing only with the description of one or two new taxa are not repeated in the bibliographic section.
- Abbreviations for periodicals are those suggested in 'Bibliography of Succulent Plant Periodicals' (U. Eggli in *Friciana* 60: 1-139, 1998 ('1995')) for specialized periodicals, or those of *Bibliographia Periodicorum Huntianum* (including Supplement) for most other periodicals.

## Konventionen im Zusammenhang mit dem Repertorium Plantarum Succulentarum

- Das Repertorium Plantarum Succulentarum ist eine jährlich herausgegebene Zusammenstellung neuer Namen für sukkulente Pflanzen und der relevanten systematischen Literatur. Neue Namen, die nach der Drucklegung der Ausgabe des betreffenden Jahres bekannt werden, erscheinen in der nächsten erreichbaren Ausgabe. Spezialisierte Zeitschriften werden umfassend durchgesehen, soweit sie in den Bibliotheken von Z und ZSS vorhanden sind oder den Herausgebern privat vorliegen. Die Herausgeber bitten alle Autoren dringend, Separata relevanter Publikationen zur Verfügung zu stellen, vor allem wenn es sich um Beiträge in schwer zugänglichen Serien handelt.
- Gültig veröffentlichte Namen werden in *Fettschrift* wiedergegeben unter Angabe des nomenklatorenschen Typs (Name oder Belegexemplar je nach Rangstufe; gefolgt von den Herbarakürzungen [entsprechend Index Herbariorum, ed. 8, und in *Taxon* publizierten Supplementen] der publizierten Hinterlegungsorte für Holotyp [1. Abkürzung] und Isotyphen). Ungültige, illegitime oder falsch angewandte Namen erscheinen in *Kursivschrift* unter Angabe (in Klammer) derjenigen Artikel des ICBN, die verletzt worden sind. In allen Fällen folgen die kompletten bibliographischen Angaben. Für Umkombinationen wird auch das Basionym angegeben. Dabei ist zu beachten, dass die Nummerierung einiger häufig zitierten Artikel mit dem Erscheinen der Tokyo-Version (1994) des ICBN geändert hat.
- Die Herausgeber weisen mit aller Deutlichkeit darauf hin, dass sie keinen Namen anerkennen, der zufälligerweise in dieser Ausgabe des RPS validiert worden sein könnte.
- Beiträge, welche nur Beschreibungen eines oder zweier Taxa enthalten, werden in der bibliographischen Liste nicht separat aufgeführt.
- Die Abkürzungen für spezialisierte Sukkulanten-Zeitschriften richten sich nach 'Bibliography of Succulent Plant Periodicals' (U. Eggli in *Friciana* 60: 1-139, 1998 ('1995')), für allgemeine botanische Zeitschriften in der Regel nach *Bibliographia Periodicorum Huntianum* und Supplement.

Compiled by / Zusammengestellt von:

U. Eggli, Städtische Sukkulanten-Sammlung, Mythenquai 88, CH-8002 Zürich, Switzerland.  
D. C. Zappi, The Herbarium, Royal Botanic Gardens Kew, Richmond, Surrey TW9 3AE, U.K.

Available from (incl. back issues) / Erhältlich durch (inkl. bereits erschienene Hefte):

IOS, c/o Städtische Sukkulanten-Sammlung (address above / Adresse siehe oben).

© by IOS, Zürich (Switzerland) 2000. ISSN 0486-4271.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the copyright holder.

## Preface by the President of IOS

*Repertorium Plantarum Succulentarum:*

*A mainstay of the International Organization for Succulent Plant Study*

As members of the International Organization for Succulent Plant Study (IOS) in 2000, we can now look back on 50 years of the existence of and involvement in an Organization that concerns itself exclusively with the study of succulent plants. This in itself might seem like a good enough reason to belong to the IOS. But without products associated with this noble cause, it is little more than an exclusive "old boys' club" of mostly succulent plant researchers, an indulgence that can be ill-afforded in the consumer-driven environment in which all of us nowadays operate. Indeed, a perceived drawback of membership of the IOS is that it does not publish its own learned or even hobbyist journal. This has, in fact, been the case from its inception in 1950.

However, the IOS has been producing a newsletter (titled "IOS Bulletin") for many years and, just as important, the *Repertorium Plantarum Succulentarum* (RPS), the annual bibliography of published succulent plant research. These two publications have been the mainstay of the Organization for many years and have indeed made membership thoroughly worthwhile.

It is therefore a privilege to contribute a foreword to the 50th anniversary edition of the RPS. All the issues of this journal put together represent the most comprehensive compilation of information related to the past 50 years of succulent plant research, particularly with reference to new names established for the plants we love so dearly. However, dictionaries and compilations of the nature of the RPS are generally not cited in the lists of references provided at the end of scientific or popular papers, creating the impression that they are of little use. But quite the opposite is true: we know for sure that they are used frequently and extensively. Indeed, for every part of the world, regardless of the size or diversity of its flora, we can draw up lists of similar publications that are indispensable reference works, dog-eared through frequent use. The immense utilitarian value of the RPS should therefore not be underestimated. It certainly belongs on the bookshelf of every researcher interested in the succulents of the world.

Compiling a bibliography of the nature of the RPS is not a charismatic job: few scientists have the patience, dedication or even the encyclopedic knowledge to attempt such an onerous task. Short of aiming to put together issues that are as complete and correct as possible, there are few challenges to this time-consuming exercise. Indeed, these documents are usually mentioned in discussions only when they exclude, by mistake, a particular item searched for by the user. But that is the criticism with which a compiler of bibliographies must live and make peace. However, compilers can rest assured that such criticism is a positive reflection on their efforts to facilitate the research of others. This is even more so when one's works are later taken up in a book for easy reference, as has happened with the early RPS volumes when the Royal Botanic Gardens Kew and the Sukkulanten-Sammlung Zürich published the "List of Cactaceae Names from *Repertorium Plantarum Succulentarum* (1950-1990)" and the "List of Names of Succulent Plants (other than Cacti) from *Repertorium Plantarum Succulentarum* (1950-1992)".

Finally, this brief message can never be complete without paying homage to the past and current compilers of the RPS. Without their dedication, the scientific world in general would have been so much the poorer. Drs Urs Eggli and Daniela Zappi, and their predecessors, are therefore to be congratulated on having produced a series of milestones and essential reference works as part of the history of the IOS.

*Prof. Gideon F. Smith, President of IOS*

**Compilers' Preface**

This issue of RPS again includes numerous bibliographical references which have been overlooked in previous years. As a policy, we are including additions for the past 5 years, i.e. 1995-onwards. These additions are mainly the result of help provided by Reto Nyffeler, Harvard University, Cambridge, and V. V. Byalt, Komarov Botanical Institute, St. Petersburg. We are very grateful for this valuable help, as well as to all colleagues who have supplied separate prints of their relevant papers.

A special word of thanks is due to Katherine Challis of the Index Kewensis team at Kew, for her helpful suggestions and discussions of various "thorny" nomenclatural problems.

The Compilers

**Vorwort der Herausgeber**

Auch diese Ausgabe des RPS enthält wieder zahlreiche Literaturhinweise, die in früheren Jahren übersehen wurden. In der Regel werden Nachträge aus den letzten 5 Jahren berücksichtigt, d.h. also ab 1995. Diese Ergänzungen sind hauptsächlich das Resultat der Hilfe von Reto Nyffeler, Harvard University, Cambridge, und V. V. Byalt, Komarov Botanical Institute, St. Petersburg. Wir sind für diese wertvolle Unterstützung sehr dankbar und danken auch allen Fachkolleginnen und -kollegen, die uns im Laufe des Jahres mit Separatdrucken ihrer Veröffentlichungen versorgt haben.

Ein spezieller Dank gebührt Katherine Challis vom Index-Kewensis-Team in Kew für ihre hilfreichen Vorschläge und Diskussionen verschiedener "dorniger" Nomenklaturprobleme.

Die Herausgeber

### Corrections to previous volumes

- The combination *Rebutia nigricans* (Wessner) Hunt (Oct. 1997) as given in RPS 48 has been pre-dated by J. Pilbeam in his book *Rebutia*, p. 61 (publ. mid-May 1997).
- The basionym for *Antimima androsacea* was incorrectly given in RPS 49 and should have been *Ruschia androsacea*, and the basionym for *Antimima propinquua* should have been *Mesembryanthemum propinquum*. The basionym for *A. compacta* is also erroneous and should have been *Ruschia compacta* L. Bolus.
- *Antimima persistens* was published as combination and given as such in RPS 49 but should have been treated as *nom. nov.* according to ICBN Art. 58.3 Ex. 2, and is accordingly cited as *A. persistens* H. E. K. Hartmann.
- The basionym for *Echinomastus unguispinus* ssp. *laui* was inadvertently given as *Echinocereus laui* in RPS 49, but should of course have been *Echinomastus laui*.
- The specific epithet of *Kalanchoe ndotoensis* was incorrectly spelled ‘ndotensis’ in RPS 49.
- The combination *Orostachys paradoxa* was incorrectly ascribed to Byalt in RPS 49, but was in fact published by Czerepanov in Vasc. Pl. Russia Adjac. States, 193, 1995.
- The name *Euphorbia obtusifolia* var. *wildpretii* has been listed as invalid under Art. 43.1 in RPS 49, but it is merely incorrect under Art. 11.4.

### Korrekturen zu früheren Bänden

- Die im RPS 48 aufgeführte Kombination *Rebutia nigricans* (Wessner) Hunt (Oct. 1997) wurde bereits vorher durch J. Pilbeam in seinem Buch *Rebutia*, p. 61 (publ. Mitte Mai 1997) publiziert.
- Das Basionym für *Antimima androsacea* wurde im RPS 49 falsch angegeben und ist *Ruschia androsacea*, und das korrekte Basionym für *Antimima propinquua* ist *Mesembryanthemum propinquum*. Auch das für *A. compacta* angegebene Basionym ist falsch und lautet richtig *Ruschia compacta* L. Bolus.
- *Antimima persistens* wurde als Kombination veröffentlicht und im RPS 49 auch entsprechend aufgenommen, muss aber gemäss ICBN Art. 58.3 Ex. 2 als *nom. nov.* betrachtet und entsprechend als *A. persistens* H. E. K. Hartmann zitiert werden.
- Das Basionym für *Echinomastus unguispinus* ssp. *laui* wurde im RPS 49 fälschlicherweise als *Echinocereus laui* angegeben, muss aber natürlich *Echinomastus laui* lauten.
- Der Artname von *Kalanchoe ndotoensis* wurde im RPS 49 unkorrekterweise ‘ndotensis’ geschrieben.
- Die Kombination *Orostachys paradoxa* wurde im RPS 49 fälschlicherweise Byalt zugeschrieben, wurde aber bereits 1995 von Czerepanov in Vasc. Pl. Russia Adjac. States, 193, beschrieben.
- Der Name *Euphorbia obtusifolia* var. *wildpretii* wurde im RPS 49 als ungültig unter Art. 43.1 bezeichnet, ist aber lediglich unter Art. 11.4 unkorrekt.

## NOMINA NOVA

## AGAVACEAE

- Agave apedicellata* Thiede & Eggli, Kakt. and. Sukk. 50(5): 111, 1999. [Nom. nov. pro *Bravo sessiliflora* Hemsley 1880 (*non Agave sessiliflora* Hemsley 1880).]
- Agave ×blissii* (Worsley) Thiede & Eggli, Kakt. and. Sukk. 50(5): 111, 1999. Basionym: *Polianthes ×blissii*.
- Agave bulliana* (Baker) Thiede & Eggli, Kakt. and. Sukk. 50(5): 112, 1999. Basionym: *Bravo bulliana*.
- Agave ×bundrantii* (Howards) Thiede & Eggli, Kakt. and. Sukk. 50(5): 111, 1999. Basionym: *Polianthes ×bundrantii*.
- Agave chameleensis* (E. J. Lott & Verhoek-Williams) Thiede & Eggli, Kakt. and. Sukk. 50(5): 110, 1999. Basionym: *Manfreda chameleensis*.
- Agave confertiflora* Thiede & Eggli, Kakt. and. Sukk. 50(5): 111, 1999. [Nom. nov. pro *Bravo densiflora* B. L. Robinson & Fernald 1894; *non Agave densiflora* Hooker 1857.]
- Agave dolichantha* Thiede & Eggli, Kakt. and. Sukk. 50(5): 111, 1999. Typus: *Rose et Hay* 6290 (US [lecto]) [Lectotype according to Thiede, SPS3 ms. 1999]. [Nom. nov. pro *Polianthes longiflora* Rose 1903 (*non Agave longiflora* (Rose) G. D. Rowley 1977).]
- Agave duplicita* Thiede & Eggli, Kakt. and. Sukk. 50(5): 111, 1999. Typus: *Lexarza* s.n. (not preserved?). [Nom. nov. pro *Bravo geminiflora* Lexarza 1824 (*non Agave geminiflora* (Tagliabue) Ker Gawler 1817.)]
- Agave duplicita* ssp. *clivicola* (McVaugh) Thiede & Eggli, Kakt. and. Sukk. 50(5): 111, 1999. Basionym: *Polianthes geminiflora* var. *clivicola*.
- Agave duplicita* ssp. *graminifolia* (Rose) Thiede & Eggli, Kakt. and. Sukk. 50(5): 112, 1999. Basionym: *Polianthes graminifolia*.
- Agave gracilis* García-Mendoza & E. Martínez, Sida 18(1): 227-229, ills., 1998. Based on Martinez et al. 2639. Nom. illeg. (Art. 53.1). [*Non Agave gracilis* Jacobi 1865 nec Jacobi 1870.]
- Agave howardii* (Verhoek-Williams) Thiede & Eggli, Kakt. and. Sukk. 50(5): 112, 1999. Basionym: *Polianthes howardii*.
- Agave involuta* (McVaugh) Thiede & Eggli, Kakt. and. Sukk. 50(5): 110, 1999. Basionym: *Manfreda involuta*.
- Agave longibracteata* (Verhoek-Williams) Thiede & Eggli, Kakt. and. Sukk. 50(5): 110, 1999. Basionym: *Manfreda longibracteata*.
- Agave michoacana* (Cedano & al.) Thiede & Eggli, Kakt. and. Sukk. 50(5): 112, 1999. Basionym: *Polianthes michoacana*.
- Agave nanchitilensis* (Matuda) Thiede & Eggli, Kakt. and. Sukk. 50(5): 110, 1999. Basionym: *Manfreda nanchitilensis*.

- Agave neonelsonii* Thiede & Eggli, Kakt. and. Sukk. 50(5): 112, 1999. Typus: *Nelson* 4630 (US?). [Nom. nov. pro *Polianthes nelsonii* Rose 1903; *non Agave nelsonii* Trelease 1912.]
- Agave neophringlei* Thiede & Eggli, Kakt. and. Sukk. 50(5): 112, 1999. Typus: *Pringle* 5438 (GH, US). [Nom. nov. pro *Polianthes pringlei* Rose 1903; *non Agave pringlei* Engelmann ex Orcutt 1883.]
- Agave palustris* (Rose) Thiede & Eggli, Kakt. and. Sukk. 50(5): 112, 1999. Basionym: *Polianthes palustris*.
- Agave platyphylla* (Rose) Thiede & Eggli, Kakt. and. Sukk. 50(5): 112, 1999. Basionym: *Polianthes platyphylla*.
- Agave products* Thiede & Eggli, Kakt. and. Sukk. 50(5): 112, 1999. [Nom. nov. pro *Polianthes elongata* Rose 1905 (*non Agave elongata* Jacobi 1865).]
- Agave rosei* Thiede & Eggli, Kakt. and. Sukk. 50(5): 112, 1999. Typus: *Rose* 2178 (US). [Nom. nov. pro *Polianthes montana* Rose 1903 (*non Agave montana* Villarreal 1996).]
- Agave schidigera* cv. Durango Delight G. D. Starr, Desert Pl. 14(2): 31, ill., 1999. [Dated 1998, received 20. 2. 1999. Published as a trademark name.]
- Agave sileri* (Verhoek-Williams) Thiede & Eggli, Kakt. and. Sukk. 50(5): 111, 1999. Basionym: *Manfreda sileri*.
- Agave stictata* Thiede & Eggli, Kakt. and. Sukk. 50(5): 111, 1999. Typus: [icono]: *Martius*, Ausw. merkw. Ph., t. 13, 1831 [Type according to Thiede, SPS3 ms. 1999]. [Nom. nov. pro *Polianthes maculata* *Martius* 1831 (*non Agave maculata* Regel 1856).]
- Agave tuberosa* (Linné) Thiede & Eggli, Kakt. and. Sukk. 50(5): 112, 1999. Nom. illeg. (Art. 53.1), based on *Polianthes tuberosa*. [*Non Agave tuberosa* Miller 1768.]
- Furcraea a niquivilensis* Matuda ex García-Mendoza, Novon 9(1): 42-45, ills., 1999. Typus: *García-Mendoza* et al. 6441 (MEXU, ENCB, K, MO).
- Yucca angustissima* ssp. *avia* (Reveal) Hochstätter, Cactaceae Rev. 1(2): 21, 1999. Basionym: *Yucca angustissima* var. *avia*. [Dated 1998, received Feb. 1999.]
- Yucca angustissima* ssp. *kanabensis* (McKelvey) Hochstätter, Cactaceae Rev. 1(2): 21, 1999. Basionym: *Yucca kanabensis*. [Dated 1998, received Feb. 1999.]
- Yucca angustissima* ssp. *toftiae* (S. L. Welsh) Hochstätter, Cactaceae Rev. 1(2): 21, 1999. Basionym: *Yucca toftiae*. [Dated 1998, received Feb. 1999.]
- Yucca arkansana* ssp. *louisianensis* (Trelease) Hochstätter, Kaktusbüte 1999: 26, ills. (pp. 30-31), 1999. Basionym: *Yucca louisianensis*. [Repeated in Succulenta 78(3): 122, 1999.]
- Yucca baileyi* ssp. *intermedia* (McKelvey) Hoch-

- stätter, Cactaceae Rev. 1(2): 21, 1999. Basionym: *Yucca intermedia*. [Dated 1998, received Feb. 1999.]
- Yucca elata* ssp. *utahensis* (McKelvey) Hochstätter, Cactaceae Rev. 1(2): 21, 1999. Basionym: *Yucca utahensis*. [Dated 1998, received Feb. 1999.]
- Yucca glauca* ssp. *stricta* (Sims) Hochstätter, Cactaceae Rev. 1(2): 21, 1999. Basionym: *Yucca glauca* var. *stricta*. [Dated 1998, received Feb. 1999.]
- Yucca harrimaniae* ssp. *neomexicana* (Wooton & Standley) Hochstätter, Cactaceae Rev. 1(2): 21, 1999. Basionym: *Yucca neomexicana*. [Dated 1998, received Feb. 1999.]
- Yucca harrimaniae* ssp. *sterilis* (Nees & S. L. Welsh) Hochstätter, Cactaceae Rev. 1(2): 21, 1999. Basionym: *Yucca harrimaniae* var. *sterilis*. [Dated 1998, received Feb. 1999.]

## AIZOACEAE

- Aptenia cordifolia* cv. Karine Lodé, Fichier Encycl. Cact. autres Succ. 23: 2287, ill., 1999. [Given as 'n.n.' but probably validly published as cultivar.]
- Conophytum* Sect. *Batrachia* Opel & S. A. Hammer, Cact. Succ. J. (US) 71(3): 153, 1999. Typus: *Conophytum armianum* S. A. Hammer. The statement that the section is monotypic is interpreted as sufficient indication of the type under Art. 37.4.
- Conophytum cubicum* Pavelka, Kaktusy 35(Speciál 1): 26-27, ill., 1999. Typus: *Pavelka* s.n. (PRC 960).
- Conophytum danielii* Pavelka, Kaktusy 35(Speciál 1): 29-30, ill., 1999. Typus: *Pavelka* s.n. (PRC 962).
- Conophytum hanae* Pavelka, Kaktusy 35(Speciál 1): 27-29, ill., 1999. Typus: *Pavelka* s.n. (PRC 961).
- Conophytum tomasi* Halda, Acta Mus. Richnov. Sect. Nat. 5(5): 184, 1998. Based on *Halda* 97080130. *Nom. inval.* (Art. 37.5).
- Dinteranthus vanzyllii* cv. Emerald Y. Shimada, Cact. Succ. J. Japan 13(8): 2-3, ill., 1999. [Repeated in Mesemb Study Group Bull. 14(3): 58, ill. (p. 67), 1999.]
- Faucaria felina* ssp. *britteniae* (L. Bolus) L. E. Groen, Bothalia 29(1): 41, 1999. Basionym: *Faucaria britteniae*.
- Faucaria felina* ssp. *tuberculosa* (Rolle) L. E. Groen, Bothalia 29(1): 42, 1999. Basionym: *Mesembryanthemum tuberculosum*.
- Jacobsenia vaginata* (L. Bolus) Ihlenfeldt, Mitt. Inst. Allg. Bot. Hamburg 27: 124, 1997. Basionym: *Drosanthemum vaginatum*. [Omitted previously.]
- Khadia media* P. J. Winter & N. Hahn, Aloe 36(1): 16-17, ill., 1999. Typus: *Hahn et Winter* 1494 (PRE, BOL, UNIN).
- ×*Lapidaria* S. A. Hammer, Mesemb Study Group Bull. 14(4): 92, 1999. [= *Lapidaria* ×

*Argyroderma*.]

## ALOACEAE

- ×*Algastoloba* D. M. Cumming, Haworthiad 13(1): 20, 1999. [= *Aloe* × *Astroloba* × *Gasteria*.]
- Aloe alhamrensis* Favell & al., Cact. Succ. J. (US) 71(5): 257-259, ills., 1999. Typus: *al-Gifri* 3776 (Herb. Univ. Aden).
- Aloe heybensis* Lavranos, Cact. Succ. J. (US) 71(3): 159-160, ills., 1999. Typus: *Lavranos* et Bauer 27847 (UPS).
- Aloe ruffingiana* Rauh & Petignat, Kakt. und Sukk. 50(11): 270-272, ills., 1999. Typus: *Petignat* 671 (HEID).
- ×*Bayerara* D. M. Cumming, Haworthiad 13(1): 20, 1999. [= *Aloe* × *Gasteria* × *Haworthia*.]
- ×*Cummingara* G. D. Rowley, Haworthiad 13(3): 115, 1999. [*Nom. nov. pro* ×*Smithara* D. M. Cumming 1999 (*nom. illeg.*) = *Gasteria* × *Haworthia* × *Poellnitzia*.]
- Haworthia* Subgen. *Longifolia* M. Hayashi, Haworthiad 13(1): 20, 1999. Typus: *Haworthia graminifolia*.
- Haworthia* Subgen. *Oligonodes* M. Hayashi, Haworthiad 13(1): 20, 1999. Typus: *Haworthia attenuata*.
- Haworthia angustifolia* var. *altissima* M. B. Bayer, Haworthia Revisited, 26, ill. (p. 27), 1999. Typus: *Smith* 5220 (NBG).
- Haworthia angustifolia* var. *baylissii* (C. L. Scott) M. B. Bayer, Haworthia Revisited, 27, ill., 1999. Basionym: *Haworthia baylissii*.
- Haworthia arachnoidea* var. *aranea* (A. Berger) M. B. Bayer, Haworthia Revisited, 30, ill. (p. 31), 1999. Basionym: *Haworthia bolusii* var. *aranea*.
- Haworthia arachnoidea* var. *namaquensis* M. B. Bayer, Haworthia Revisited, 31, ills., 1999. Typus: *Bayer* 1674 (NBG).
- Haworthia arachnoidea* var. *nigricans* (Haworth) M. B. Bayer, Haworthia Revisited, 32, ill., 1999. Basionym: *Haworthia setata* var. *nigricans*.
- Haworthia arachnoidea* var. *scabrispina* M. B. Bayer, Haworthia Revisited, 34, ills., 1999. Typus: *Bayer* 2105 (NBG).
- Haworthia arachnoidea* var. *setata* (Haworth) M. B. Bayer, Haworthia Revisited, 34, ills. (p. 35), 1999. Basionym: *Haworthia setata*.
- Haworthia attenuata* var. *radula* (Jacquin) M. B. Bayer, Haworthia Revisited, 167, ill., 1999. Basionym: *Aloe radula*.
- Haworthia blackburniae* var. *derustensis* M. B. Bayer, Haworthia Revisited, 41, ill., 1999. Typus: *Vlok* s.n. in *Venter* 93/24 (NBG).
- Haworthia blackburniae* var. *graminifolia* (G. G. Smith) M. B. Bayer, Haworthia Revisited, 42, ills., 1999. Basionym: *Haworthia graminifolia*.
- Haworthia coarctata* fa. *greenii* (Baker) M. B. Bayer, Haworthia Revisited, 172, ill., 1999. Basionym: *Haworthia greenii*.

- Haworthia coactata* var. *adelaidensis* (von Poellnitz) M. B. Bayer, Haworthia Revisited, 172, ill., 1999. Basionym: *Haworthia reinwardtii* var. *adelaidensis*.
- Haworthia cooperi* var. *dielsiana* (von Poellnitz) M. B. Bayer, Haworthia Revisited, 51, ill., 1999. Basionym: *Haworthia dielsiana*.
- Haworthia cooperi* var. *gordoniana* (von Poellnitz) M. B. Bayer, Haworthia Revisited, 52, ill., 1999. Basionym: *Haworthia gordoniana*.
- Haworthia cooperi* var. *pilifera* (Baker) M. B. Bayer, Haworthia Revisited, 54, ill., 1999. Basionym: *Haworthia pilifera*.
- Haworthia cooperi* var. *truncata* (H. Jacobsen) M. B. Bayer, Haworthia Revisited, 55, ill. (p. 56), 1999. Basionym: *Haworthia obtusa* f. *truncata*.
- Haworthia cooperi* var. *venusta* (C. L. Scott) M. B. Bayer, Haworthia Revisited, 56, ill., 1999. Basionym: *Haworthia venusta*.
- Haworthia cymbiformis* var. *ramosa* (G. G. Smith) M. B. Bayer, Haworthia Revisited, 60, ill., 1999. Basionym: *Haworthia ramosa*.
- Haworthia cymbiformis* var. *reddii* (C. L. Scott) M. B. Bayer, Haworthia Revisited, 61, ill., 1999. Basionym: *Haworthia reddii*. [Name first used in Haworthiad 12(2): 48, 1998.]
- Haworthia cymbiformis* var. *setulifera* (von Poellnitz) M. B. Bayer, Haworthia Revisited, 62, ill., 1999. Basionym: *Haworthia planifolia* var. *setulifera*.
- Haworthia decipiens* var. *cyanescens* M. B. Bayer, Haworthia Revisited, 65, ill. (pp. 65-66), 1999. Typus: Bayer 4180 (NBG).
- Haworthia decipiens* var. *minor* M. B. Bayer, Haworthia Revisited, 66, ill., 1999. Typus: Smith 3588 (NBG).
- Haworthia decipiens* var. *pringlei* (C. L. Scott) M. B. Bayer, Haworthia Revisited, 67, ill., 1999. Basionym: *Haworthia pringlei*.
- Haworthia floribunda* var. *dentata* M. B. Bayer, Haworthia Revisited, 73, ill., 1999. Typus: Dekenah 90 in Smith 5502 (NBG).
- Haworthia floribunda* var. *major* M. B. Bayer, Haworthia Revisited, 74, ill., 1999. Typus: De Kok s.n. (NBG).
- Haworthia gracilis* var. *isabellae* (von Poellnitz) M. B. Bayer, Haworthia Revisited, 77, ill., 1999. Basionym: *Haworthia isabellae*.
- Haworthia gracilis* var. *picturata* M. B. Bayer, Haworthia Revisited, 78, ill. (pp. 78-79), 1999. Typus: Thode 21507 (NBG).
- Haworthia gracilis* var. *tenuer* (von Poellnitz) M. B. Bayer, Haworthia Revisited, 77, ill. (p. 78), 1999. Basionym: *Haworthia tenuer*.
- Haworthia gracilis* var. *viridis* M. B. Bayer, Haworthia Revisited, 79, ill., 1999. Typus: Smith 6867 (NBG).
- Haworthia heidelbergensis* var. *minor* M. B. Bayer, Haworthia Revisited, 82, ill., 1999. Typus: Bayer s.n. in Karoo Garden 36/70 (NBG).
- Haworthia heidelbergensis* var. *scabra* M. B. Bayer, Haworthia Revisited, 82, ill., 1999. Typus: Bayer 1700 (NBG).
- Haworthia heidelbergensis* var. *toonensis* M. B. Bayer, Haworthia Revisited, 83, ill., 1999. Typus: Smith 6797 (NBG).
- Haworthia herbacea* var. *flaccida* M. B. Bayer, Haworthia Revisited, 86, ill., 1999. Typus: Bruyns 7114 (NBG).
- Haworthia herbacea* var. *lupula* M. B. Bayer, Haworthia Revisited, 86, ill. (pp. 86-87), 1999. Typus: Esterhuysen s.n. (NBG).
- Haworthia herbacea* var. *paynei* (von Poellnitz) M. B. Bayer, Haworthia Revisited, 87, ill., 1999. Basionym: *Haworthia paynei*.
- Haworthia koelmaniorum* var. *mcmurtryi* (C. L. Scott) M. B. Bayer, Haworthia Revisited, 181, ill., 1999. Basionym: *Haworthia mcmurtryi*.
- Haworthia maculata* var. *intermedia* (von Poellnitz) M. B. Bayer, Haworthia Revisited, 91, ill., 1999. Incorrect name (Art. 11.5), based on *Haworthia intermedia*. [*H. maculata* dates from 1976 at species rank, and the basionym of the variety thus has priority.]
- Haworthia marumiana* var. *archeri* (W. F. Barker ex M. B. Bayer) M. B. Bayer, Haworthia Revisited, 104, ill. (pp. 104-105), 1999. Basionym: *Haworthia archeri*.
- Haworthia marumiana* var. *batesiana* (Uitewaal) M. B. Bayer, Haworthia Revisited, 105, ill. (p. 106), 1999. Basionym: *Haworthia batesiana*.
- Haworthia marumiana* var. *dimorpha* (M. B. Bayer) M. B. Bayer, Haworthia Revisited, 106, ill., 1999. Basionym: *Haworthia archeri* var. *dimorpha*.
- Haworthia marumiana* var. *viridis* M. B. Bayer, Haworthia Revisited, 107, ill., 1999. Typus: Bayer 3620 (NBG).
- Haworthia minima* var. *poellnitziana* (Uitewaal) M. B. Bayer, Haworthia Revisited, 213, ill., 1999. Basionym: *Haworthia poellnitziana*.
- Haworthia mirabilis* ssp. *mundula* 'Batwings' Trager, Cact. Succ. J. (US) 71(2): 98, 1999.
- Haworthia mirabilis* var. *badia* (von Poellnitz) M. B. Bayer, Haworthia Revisited, 109, ill., 1999. Basionym: *Haworthia badia*.
- Haworthia mirabilis* var. *beukmannii* (von Poellnitz) M. B. Bayer, Haworthia Revisited, 110, ill., 1999. Basionym: *Haworthia emelyea* var. *beukmannii*.
- Haworthia mirabilis* var. *calcarea* M. B. Bayer, Haworthia Revisited, 110, ill. (p. 111), 1999. Typus: Burgers 1648 (NBG).
- Haworthia mirabilis* var. *consanguinea* M. B. Bayer, Haworthia Revisited, 111, ill., 1999. Typus: Bayer s.n. (NBG).
- Haworthia mirabilis* var. *sublineata* (von Poellnitz) M. B. Bayer, Haworthia Revisited, 113, ill., 1999. Basionym: *Haworthia triebneriana* var. *sublineata*.
- Haworthia mirabilis* var. *triebneriana* (von Poellnitz) M. B. Bayer, Haworthia Revisited, 113, ill. (p. 114), 1999. Basionym: *Haworthia triebneriana*.
- Haworthia monticola* var. *asema* M. B. Bayer, Haworthia Revisited, 117, ill., 1999. Typus: Venter et de Vries 12(85/83) (NBG).
- Haworthia mucronata* var. *habdomadis* (von

- Poellnitz) M. B. Bayer, Haworthia Revisited, 120, ill., 1999. Basionym: *Haworthia habdomadis*.
- Haworthia mucronata** var. *inconfluens* (von Poellnitz) M. B. Bayer, Haworthia Revisited, 121, ill., (p. 122), 1999. Basionym: *Haworthia altilinea* fa. *inconfluens*.
- Haworthia mucronata** var. *rooibergensis* J. Esterhuizen & Battista, Haworthiad 13(1): 5-7, ill., 1999. Typus: *Esterhuizen 7/97* (PRE).
- Haworthia mucronata** var. *rycroftiana* (M. B. Bayer) M. B. Bayer, Haworthia Revisited, 124, ill., 1999. Basionym: *Haworthia rycroftiana*. [Not clearly identified as new combination.]
- Haworthia mutica** var. *nigra* M. B. Bayer, Haworthia Revisited, 126, ill., 1999. Typus: *Smith 5753* (N BG).
- Haworthia nortieri** var. *pehlemanniae* (C. L. Scott) M. B. Bayer, Haworthia Revisited, 130, ill., 1999. Basionym: *Haworthia pehlemanniae*.
- Haworthia outeriquensis** M. B. Bayer, Haworthia Revisited, 130-131, ill., 1999. Typus: *Venter et al. 94/61* (N BG).
- Haworthia pubescens** var. *livida* M. B. Bayer, Haworthia Revisited, 134, ill., 1999. Typus: *Bayer 1128* (N BG).
- Haworthia pulchella** var. *globifera* M. B. Bayer, Haworthia Revisited, 136, ill., 1999. Typus: *Bruyns 7338* (BOL).
- Haworthia pungens** M. B. Bayer, Haworthia Revisited, 188-189, ill., 1999. Typus: *Bruyns 7090* (BOL).
- Haworthia reticulata** var. *attenuata* M. B. Bayer, Haworthia Revisited, 140, ill., 1999. Typus: *Smith 3979* (N BG).
- Haworthia scabra** var. *lateganiae* (von Poellnitz) M. B. Bayer, Haworthia Revisited, 195, ill., 1999. Basionym: *Haworthia lateganiae*.
- Haworthia scabra** var. *starkiana* (von Poellnitz) M. B. Bayer, Haworthia Revisited, 197, ill., 1999. Basionym: *Haworthia starkiana*.
- Haworthia translucens** ssp. *tenera* 'Anemone' Trager, Cact. Succ. J. (US) 71(2): 98, 1999.
- Haworthia turgida** var. *longibracteata* (G. G. Smith) M. B. Bayer, Haworthia Revisited, 154, ill. (pp. 154-155), 1999. Basionym: *Haworthia longibracteata*.
- Haworthia variegata** var. *hemicrypta* M. B. Bayer, Haworthia Revisited, 158, ill., 1999. Typus: *Burgers 2582* (N BG).
- Haworthia variegata** var. *modesta* M. B. Bayer, Haworthia Revisited, 159, ill., 1999. Typus: *Bayer 2551* (N BG).
- Haworthia variegata** var. *petrophila* M. B. Bayer, Haworthia Revisited, 159, ill. (pp. 159-160), 1999. Typus: *Burgers 2158* (N BG).
- Haworthia vlokii** M. B. Bayer, Haworthia Revisited, 160-161, ill., 1999. Typus: *Vlok s.n.* in Venter 91/2 (N BG).
- Haworthia zantneriana** var. *minor* M. B. Bayer, Haworthia Revisited, 164, ill., 1999. Typus: *Bayer 1702* (N BG).
- ×**Maysara** D. M. Cumming, Haworthiad 13(3): 115, 1999. [Nom. nov. pro ×**Rowleyara** D. M.

- Cumming 1999 (*nom. illeg.*). = *Astroloba* × *Gasteria* × *Haworthia*.]
- ×**Rowleyara** D. M. Cumming, Haworthiad 13(1): 20, 1999. *Nom. illeg.* (Art. 53.1). [= *Astroloba* × *Gasteria* × *Haworthia*. Non ×**Rowleyara** P. V. Heath 1992 (*Cactaceae*). Renamed ×**Maysara** D. M. Cumming, 1999.]
- ×**Smithara** D. M. Cumming, Haworthiad 13(1): 20, 1999. *Nom. illeg.* (Art. 53.1). [= *Gasteria* × *Haworthia* × *Poellnitzia*. Non *Smithara* 1966 for a 4-generic hybrid in *Orchidaceae* (fide G. D. Rowley, l.c. 13(3): 115, 1999).]

## APOCYNACEAE

- Adenium obesum** cv. *Snowbell* G. D. Rowley, *Adenium* & *Pachypodium*, 26-27, ill., 1999. [A selection from Kenya with pure white flowers.]
- Pachypodium** cv. *Florid Lands* G. D. Rowley, *Adenium* & *Pachypodium*, 70, ill., 1999. [A selection from *Pachypodium* 'Arid Lands'.]
- Pachypodium gracilius** (H. Perrier) Rapanarivo, *Pachypodium* Taxon. Habitats & Cultiv., 35-37, ill., 1999. Basionym: *Pachypodium rosulatum* var. *gracilius*.
- Pachypodium lamerei** cv. *Curlycrest* G. D. Rowley, *Adenium* & *Pachypodium*, 49, ill., 1999. [Crested *Pachypodium lamerei*.]
- Pachypodium lamerei** cv. *Particolour* G. D. Rowley, *Adenium* & *Pachypodium*, 49, ill., 1999. [Variegated *Pachypodium lamerei*.]

## ASCLEPIADACEAE

- Ceropegia keniensis** Masinde, Kew Bull. 54(2): 477-481, ill., 1999. Typus: *Harvey* 1374 (EA, K).
- Ceropegia konasita** Masinde, Cact. Succ. J. (US) 71(3): 146-149, ill., 1999. Typus: *Masinde* 819 (EA, K, MSUN).
- Fockea edulis** var. *capensis* (Endlicher) G. D. Rowley, Asklepios No. 75: 17, 1998. Basionym: *Fockea capensis*. [Dated Dec. 1998, received 25. Jan. 1999.]
- Hoya bicknellii** Kloppenburg, Fraterna 12(4): 12-15, ill., 1999. Typus: *Bicknell* 1470 (UC).
- Hoya blashernaeciae** Kloppenburg, Fraterna 12(1): 9-12, ill., 1999. Typus: *Hernaez* s.n. (BISH 97093) [Ex cult. T. Green, Hawaii].
- Hoya pimenteliana** Kloppenburg, Fraterna 12(3): 7-8, ill. (pp. 8-12), 1999. Typus: *Blas Hernaez* s.n. (UC 96034).
- Ischnolepis graminifolia** (Costantin & Gallaud) Klackenberg, Candollea 54(2): 332, 1999. Basionym: *Pentopetia graminifolia*.
- Lavraria** Sect. *Cactoidea* Bruyns, South Afr. J. Bot. 65(4): 305, 1999. Typus: *Stapelia cactiformis* Hooker. First used as a combination for *Trichocaulon* Sect. *Cactoidea* A. C. White & B. Sloane 1937 (*nom. inval.*) by Bruyns in Bot.

- Jahrb. Syst. 115(2): 245, 1993, and erroneously listed as correct in RPS 44.
- Opinionella arcuata* ssp. *mirkinii* (Pillans) Bruyns, Bot. J. Linn. Soc. 131(4): 395-396, ills., 1999. Basionym: *Pectinaria mirkinii*.
- Opinionella willowmorensis* Bruyns, Bot. J. Linn. Soc. 131(4): 396-397, ills., 1999. Typus: Bruyns 4966 (BOL).
- Piaranthus atrosanguineus* (N. E. Brown) Bruyns, Syst. Bot. 24(3): 396, ills. (p. 395), 1999. Basionym: *Stapelia atrosanguinea*.
- Piaranthus decipiens* (N. E. Brown) Bruyns, Syst. Bot. 24(3): 396, ills. (p. 395), 1999. Basionym: *Huerniopsis decipiens*.
- Quaqua* Sect. *Pauciflora* Bruyns, Bot. Jahrb. Syst. 121(3): 336, 1999. Typus: *Caralluma acutiloba* N. E. Brown.
- Quaqua* Sect. *Pseudorhytidocaulon* Bruyns, Bot. Jahrb. Syst. 121(3): 336, 1999. Typus: *Stapelia pruinosa* Masson.
- Quaqua arenicola* ssp. *pilifera* (Bruyns) Bruyns, Bot. Jahrb. Syst. 121(3): 383, 1999. Basionym: *Quaqua armata* ssp. *pilifera*.
- Quaqua incarnata* ssp. *hottentotorum* (N. E. Brown) Bruyns, Bot. Jahrb. Syst. 121(3): 370, ills. (p. 371), 1999. Basionym: *Quaqua hottentotorum*.
- Quaqua incarnata* ssp. *tentaculata* (Bruyns) Bruyns, Bot. Jahrb. Syst. 121(3): 369, 1999. Basionym: *Quaqua incarnata* var. *tentaculata*.
- Quaqua pallens* Bruyns, Bot. Jahrb. Syst. 121(3): 355-356, ills., 1999. Typus: Bruyns 6767 (BOL).
- Quaqua parviflora* ssp. *confusa* (Plowes) Bruyns, Bot. Jahrb. Syst. 121(3): 354, 1999. Basionym: *Quaqua confusa*.
- Rhytidocaulon macrolobum* ssp. *minimum* Meve & Collenette, Edinburgh J. Bot. 56(1): 80-83, ills., 1999. Typus: Collenette 7565 (K).
- Schlechterella abyssinica* (Chiavenda) Venter & Verhoeven, South Afr. J. Bot. 64(6): 353, ills., 1999. Basionym: *Raphionacme abyssinica*.
- Tavaresia thompsonii* van Jaarsveld & Nagel, Asclepios No. 76: 9-10, ills., 1999. Typus: Bell s.n. (NBI).
- Tromotriche* Sect. *Caruncularia* (Haworth) Bruyns, South Afr. J. Bot. 65(4): 306, 1999. Basionym: *Caruncularia*. [First invalidly published (Art. 33.2) by Bruyns, l.c. 61(4): 207, 1995 (cf. RPS 46).]

### ASPHODELACEAE

- Bulbine mesembryanthoides* ssp. *namaquensis* G. Williamson, Aloe 36(1): 14-15, ills., 1999. Typus: Le Roux 3116 (STE in NBG).

### ASTERACEAE

- Curio articulatus* fa. *variegatus* P. V. Heath, Calyx 6(2): 54, 1999. Typus: [icono]: G. D.

- Rowley, Succ. Compositae, 83: fig. 118, 1994. [Given as "comb. nov." for *Senecio articulatus* 'Candlelight' and at the same time provided with a Latin diagnosis.]
- Curio crassulifolius* (De Candolle) P. V. Heath, Calyx 6(2): 54, 1999. Basionym: *Kleinia crassulifolia*.
- Curio cuneifolius* (Linné) P. V. Heath, Calyx 6(2): 54, 1999. Basionym: *Cacalia cuneifolia*.
- Curio ficoides* (Linné) P. V. Heath, Calyx 6(2): 54, 1999. Basionym: *Cacalia ficoides*.
- Curio hallianus* (G. D. Rowley) P. V. Heath, Calyx 6(2): 54, 1999. Basionym: *Senecio hallianus*.
- Curio hanburianus* (Dinter) P. V. Heath, Calyx 6(2): 54, 1999. Basionym: *Senecio hanburianus*. [Specific epithet corrected to 'hanburyanus'.]
- Curio herreanus* (Dinter) P. V. Heath, Calyx 6(2): 54, 1999. Basionym: *Senecio herreanus*.
- Curio humbertii* (Guillaumin) P. V. Heath, Calyx 6(2): 54, 1999. Basionym: *Kleinia humbertii*.
- Curio ×peregrinus* (G. Kunkel) P. V. Heath, Calyx 6(2): 54, 1999. Basionym: *Kleinia ×peregrina*.
- Curio pinguisfolius* (De Candolle) P. V. Heath, Calyx 6(2): 55, 1999. Basionym: *Kleinia pinguisfolia*.
- Curio radicans* (Linné) P. V. Heath, Calyx 6(2): 55, 1999. Basionym: *Cacalia radicans*.
- Curio rowleyanus* (H. Jacobsen) P. V. Heath, Calyx 6(2): 55, 1999. Basionym: *Senecio rowleyanus*. [Specific epithet erroneously corrected to 'roeleanus'.]
- Curio rowleyanus* fa. *marmoratus* P. V. Heath, Calyx 6(2): 55, 1999. Typus: [icono]: G. D. Rowley, Succ. Compositae, 138: fig. 199, 1994. [Given as nom. nov. pro *Senecio rowleyanus* 'String of Pearls' G. D. Rowley.]
- Curio sulcicalyx* (Baker) P. V. Heath, Calyx 6(2): 55, 1999. Basionym: *Senecio sulcicalyx*.
- Curio talinoides* (De Candolle) P. V. Heath, Calyx 6(2): 55, 1999. Basionym: *Kleinia talinoides*.
- Curio talinoides* var. *aizoides* (De Candolle) P. V. Heath, Calyx 6(2): 55, 1999. Basionym: *Kleinia aizoides*.
- Curio talinoides* var. *chordifolius* (Hooker fil.) P. V. Heath, Calyx 6(2): 55, 1999. Basionym: *Senecio chordifolius*.
- Curio talinoides* var. *mandraliscae* (Tineo) P. V. Heath, Calyx 6(2): 55, 1999. Basionym: *Kleinia mandraliscae*.
- Senecio botijae* C. Ehrhart, Sendtnra 5: 30-33, ills., 1998. Typus: Ehrhart et Sonderegger 96/992 (MSB, CONC, SGO).

### BASELLACEAE

- Anredera cordifolia* ssp. *gracilis* (Miers) Xifreda & Argimón, in Zuloaga & Morrone, Cat. Pl. Vasc. Rep. Argent. 1245, 1999. Basionym: *Boussingaultia gracilis*.

## CACTACEAE

- Ancistrocactus mathssonii** (Berge ex K. Schumann) Doweld, Sukkulenty 1999(1): 29, 1999. Basionym: *Echinocactus mathssonii*.
- Ancistrocactus scheeri** ssp. *tobuschii* (W. T. Marshall) Doweld, Sukkulenty 1999(1): 29, 1999. Basionym: *Mammillaria tobuschii*.
- Ariocarpus fissuratus** ssp. *bravoanus* (H. M. Hernández & E. F. Anderson) J. Lüthy, Kakt. and. Sukk. 50(11): 278, 1999. Basionym: *Ariocarpus bravoanus*.
- Ariocarpus fissuratus** ssp. *pailanus* Halda, Acta Mus. Richnov. Sect. Nat. 5(5): 184, 1998. Typus: *Halda* 8511324 (PR).
- Ariocarpus kotschoubeyanus** ssp. *elephantidens* Halda, Acta Mus. Richnov. Sect. Nat. 5(5): 185, 1998. Typus: *Halda* 8511006 (PR). [Based on *Ariocarpus kotschoubeyanus* var. *elephantidens* Skarupke 1973 (nom. inval., Art. 37.1).]
- Ariocarpus kotschoubeyanus** ssp. *macdowellii* (Backeberg) Halda, Acta Mus. Richnov. Sect. Nat. 5(5): 184, 1998. Basionym: *Roseocactus kotschoubeyanus* ssp. *macdowellii*. [Bracket author given as "W. T. Marshall ex H. Kraenz", and basionym incorrectly given as having been published at the varietal level (treated as correctable bibliographical error).]
- Ariocarpus kotschoubeyanus** ssp. *sladkovskyi* Halda & Horáček, Acta Mus. Richnov. Sect. Nat. 5(5): 185, 1998. Typus: *Sladkovsky* 8511133 (PR).
- Ariocarpus retusus** ssp. *confusus* (Halda & Horáček) J. Lüthy, Kakt. and. Sukk. 50(11): 278, 1999. Basionym: *Ariocarpus confusus*.
- Arrojadoa heimenii** of Heek & W. Strecker, Kakt. and. Sukk. 50(6): 136-138, ills., SEM-ills., 1999. Typus: *Braun* 20528 (UFG).
- ×**Astromelocactus Gapon**, Kaktus Klub 1999(2): 20-21, ill., 1999. [Nomen nugax, = *Astrophytum* × *Melocactus*.]
- Austrocylindropuntia atroviridis** (Werdermann & Backeberg) Gilmer & H.-P. Thomas, Kakt. and. Sukk. 50(2): 46, ills., 1999. Nom. inval. (Art. 33.1), based on *Opuntia atroviridis*.
- Austrocylindropuntia hirschii** (Backeberg) E. F. Anderson, Cact. Succ. J. (US) 71(6): 324, 1999. Basionym: *Tephrocactus hirschii*.
- Austrocylindropuntia punta-caillan** (Rauh & Backeberg) E. F. Anderson, Cact. Succ. J. (US) 71(6): 324, 1999. Basionym: *Tephrocactus punta-caillan*.
- Austrocylindropuntia yanganucensis** (Rauh & Backeberg) E. F. Anderson, Cact. Succ. J. (US) 71(6): 324, 1999. Basionym: *Tephrocactus yanganucensis*.
- Bisnaga haematacantha** (Monville ex Salm-Dyck) Doweld, Sukkulenty 1999(1): 28, 1999. Nom. illeg. (Art. 53.1), based on *Echinocactus electracanthus* var. *haematacanthus*. [Nom. illeg. vs. *Bisnaga hamatacantha* (Mühlenpfört) Orcutt 1926. Validly named *Bisnaga pueblensis* Doweld 1999.]

- Bisnaga hamatacantha** ssp. *sinuata* (Dietrich) Doweld, Sukkulenty 1999(1): 28, 1999. Basionym: *Echinocactus sinuatus*.
- Bisnaga histrix** (De Candolle) Doweld, Sukkulenty 1999(1): 28, 1999. Basionym: *Echinocactus histrix*.
- Bisnaga macrodisca** (Martius) Doweld, Sukkulenty 1999(1): 29, 1999. Basionym: *Echinocactus macrodiscus*.
- Bisnaga macrodisca** ssp. *septentrionalis* (Meyrán) Doweld, Sukkulenty 1999(1): 29, 1999. Basionym: *Ferocactus macrodiscus* var. *septentrionalis*.
- Bisnaga pueblensis** Doweld, Sukkulenty 1999(2): 43, 1999. Neotypus: *Sanchez Mejorada* 10786 (MEXU [neoj]) [Neotype designated (for the replaced name) by N. P. Taylor, 1984.]. [Nom. nov. pro *Echinocactus electracanthus* var. *haematacanthus* Monville ex Salm-Dyck 1850 (≡ *Bisnaga haematacantha*) non *Echinocactus hamatacanthus* Mühlenpfört 1846 (≡ *Bisnaga hamatacantha*).]
- Bisnaga recurva** ssp. *latispina* (Haworth) Doweld, Sukkulenty 1999(1): 29, 1999. Basionym: *Cactus latispinus*.
- Brasilicactus alaciportanus** (Backeberg & Voll) Doweld, Sukkulenty 1999(2): 24, 1999. Basionym: *Parodia alaciportana*.
- Brasilicactus brevihamatus** (W. Haage ex Backeberg) Doweld, Sukkulenty 1999(2): 24, 1999. Basionym: *Parodia brevihamata*.
- Brasilicactus buenekeri** (Buining) Doweld, Sukkulenty 1999(2): 24, 1999. Basionym: *Parodia buenekeri*.
- Brasilicactus catarinensis** Doweld, Sukkulenty 1999(2): 24, 1999. Typus: *Ritter* 1401a (U). [Based on *Brasiliparodia catarinensis* F. Ritter 1979, which is regarded as nom. inval. under Art. 9.1. Ritter's name appears valid, however, since the order in which the specimens are cited makes it clear (by reference to other entries in the book), which collection is the type.]
- Brasilicactus rechensis** (Buining) Doweld, Sukkulenty 1999(2): 24, 1999. Basionym: *Noto-cactus rechensis*.
- Consolea microcarpa** E. F. Anderson, Cact. Succ. J. (US) 71(6): 324, 1999. Nom. illeg. (Art. 52.1). [Nom. nov. pro *Opuntia microcarpa* K. Schumann (non Engelmann 1848), cf. Art 58.3, Ex. 2, but invalid vs. *Opuntia picardae* Urban 1919. See *O. microcarpa* for a comment on the typification.]
- Corryocactus chachapoyensis** Ochoa & Backeberg ex D. R. Hunt, Cact. Consensus Init. No. 7: 32, 1999. Typus: [icono]: Backeberg, Die Cact. 2: fig. 774, 1959. [First published invalidly (Art. 34.1, 37.1) as 'Cereus (Corryocactus?) chachapoyensis' by Backeberg, Die Cact. 2: 859, 1959.]
- Coryphantha glassii** Dicht & A. Lüthy, Kakt. and. Sukk. 51(1): 2-5, ills., 1999. Typus: Arredondo 527 (SLPM 28287). [Dated Jan. 2000, publ. late Dec. 1999.]
- Coryphantha panarottoi** Halda & Horáček, Acta

- Mus. Richnov. Sect. Nat. 6(3): 235, 1999. Typus: *Halda* 85080433 (PR).
- Cumulopuntia chichenensis* (Cárdenas) E. F. Anderson, Cact. Succ. J. (US) 71(6): 324, 1999. Basionym: *Tephrocactus chichenensis*.
- Cumulopuntia corotilla* (K. Schumann ex Vaupel) E. F. Anderson, Cact. Succ. J. (US) 71(6): 324, 1999. Basionym: *Opuntia corotilla*.
- Cumulopuntia dactylifera* (Vaupel) E. F. Anderson, Cact. Succ. J. (US) 71(6): 324, 1999. Basionym: *Opuntia dactylifera*.
- Cumulopuntia fulvicoma* (Rauh & Backeberg) E. F. Anderson, Cact. Succ. J. (US) 71(6): 324, 1999. Basionym: *Tephrocactus fulvicomus*.
- Cumulopuntia mistiensis* (Backeberg) E. F. Anderson, Cact. Succ. J. (US) 71(6): 324, 1999. Basionym: *Tephrocactus mistiensis*.
- Cumulopuntia sphaerica* (Förster) E. F. Anderson, Cact. Succ. J. (US) 71(6): 324, 1999. Basionym: *Opuntia sphaerica*.
- Cylindropuntia acanthocarpa* var. *coloradensis* (L. D. Benson) Pinkava, J. Arizona-Nevada Acad. Sci. 32(1): 42, 1999. Basionym: *Opuntia acanthocarpa* var. *coloradensis*.
- Cylindropuntia acanthocarpa* var. *major* (Engelmann) Pinkava, J. Arizona-Nevada Acad. Sci. 32(1): 42, 1999. Basionym: *Opuntia echinocarpa* var. *major*.
- Cylindropuntia ×deserta* (Griffiths) Pinkava, J. Arizona-Nevada Acad. Sci. 32(1): 42, 1999. Basionym: *Opuntia ×deserta*. [= *Cylindropuntia acanthocarpa* × *C. echinocarpa*.]
- Cylindropuntiae Doweld, Sukkulenty* 1999(1): 25, 1999. Typus: *Cylindropuntia*.
- Echinocereus kroenleinii* (A. Cartier) W. Blum & Waldeis, Echinocereenfreund 12(4): 102, 1999. Basionym: *Wilcoxia kroenleinii*.
- Echinocereus milleri* W. Blum & al., Echinocereenfreund 12(3): 69-76, ill., 1999. Neotypus: Kuenzler 370 (HBG [neol]) [Neotype designated by W. Blum & T. Oldach, Echinocereenfreund 12(4): 94, 1999]. [Original holotype (Leuck 229) at OKL lost.]
- Echinocereus salm-dyckianus* fa. *obscuriensis* (A. B. Lau) Rischer & Trocha, Echinocereenfreund Sonderausgabe 1999: 10, 1999. Basionym: *Echinocereus scheeri* var. *obscuriensis*.
- Echinocereus santaritensis* W. Blum & Rutow, Echinocereenfreund 93, 1999. Typus: *Rutow* 52 (ASU). [First published invalidly (Art. 37.5, cf. RPS 49) in W. Blum & al., Echinocereus [preprint], [9] and in W. Blum & al., Echinocereus, 369, 1998.]
- Echinocereus topiensis* Rischer & Trocha, Echinocereenfreund 12(1): 6-11, ill., SEM-ills., 1999. Typus: *Anonymous* 1992/292 (HBG 1118).
- Echinopsis* cv. *Thornwood Grandee* M. Holmes, Cact. Succ. J. (Woollahra) 22(1): 11-12, ill., 1999. [Of complex ancestry.]
- Echinopsis* cv. *Thornwood Impulse* M. Holmes, Cact. Succ. J. (Woollahra) 22(1): 11-12, ill., 1999. [Of complex ancestry.]
- Escobaria sneedii* ssp. *albicolumnaria* (Hester) J. Lüthy, Kakt. and. Sukk. 50(11): 278, 1999.
- Basionym: *Escobaria albicolumnaria*.
- Escobaria sneedii* ssp. *orcuttii* (Bödeker) J. Lüthy, Kakt. and. Sukk. 50(11): 278, 1999. Basionym: *Escobaria orcuttii*.
- Escobaria sneedii* ssp. *organensis* (D. A. Zimmerman) J. Lüthy, Kakt. and. Sukk. 50(11): 278, 1999. Basionym: *Coryphantha organensis*.
- Escobaria sneedii* ssp. *sandbergii* (Castetter & al.) J. Lüthy, Kakt. and. Sukk. 50(11): 278, 1999. Basionym: *Escobaria sandbergii*.
- Escobaria sneedii* ssp. *villardii* (Casteret & al.) J. Lüthy, Kakt. and. Sukk. 50(11): 278, 1999. Basionym: *Escobaria villardii*.
- Escobaria tuberculosa* ssp. *varicolor* (Tiegel) J. Lüthy, Kakt. and. Sukk. 50(10): 257, ill., 1999. Basionym: *Coryphantha varicolor*.
- Escocoryphantha Doweld, Sukkulenty* 1999(1): 10, 1999. Typus: *Escobaria henricksonii* Glass & Foster. [Republished in Novost. Sist. Vyssh. Rast. 32: 122, 2000.]
- Escocoryphantha chihuahuensis* (Britton & Rose) Doweld, Sukkulenty 1999(1): 10, 1999. Basionym: *Escobaria chihuahuensis*. [Republished in Novost. Sist. Vyssh. Rast. 32: 123, 2000.]
- Escocoryphantha henricksonii* (Glass & Foster) Doweld, Sukkulenty 1999(1): 10, 1999. Basionym: *Escobaria henricksonii*. [Republished in Novost. Sist. Vyssh. Rast. 32: 122, 2000.]
- Ferocactus Subgen. Ferocarpus Doweld, Sukkulenty* 1999(2): 38, 1999. Typus: *Echinocactus emoryi* Engelmann.
- Grusonia aggeria* (Ralston & Hilsenbeck) E. F. Anderson, Cact. Succ. J. (US) 71(6): 325, 1999. Basionym: *Opuntia aggeria*.
- Grusonia agglomerata* (A. Berger) E. F. Anderson, Cact. Succ. J. (US) 71(6): 325, 1999. Basionym: *Opuntia agglomerata*.
- Grusonia dumetorum* (A. Berger) E. F. Anderson, Cact. Succ. J. (US) 71(6): 325, 1999. Basionym: *Opuntia dumetorum*.
- Grusonia emoryi* (Engelmann) Pinkava, J. Arizona-Nevada Acad. Sci. 32(1): 50, 1999. Basionym: *Opuntia emoryi*.
- Grusonia invicta* (Brandegee) E. F. Anderson, Cact. Succ. J. (US) 71(6): 325, 1996. Basionym: *Opuntia invicta*.
- Grusonia kunzei* (Rose) Pinkava, J. Arizona-Nevada Acad. Sci. 32(1): 50, 1999. Basionym: *Opuntia kunzei*.
- Grusonia marenae* (S. H. Parsons) E. F. Anderson, Cact. Succ. J. (US) 71(6): 325, 1999. Basionym: *Opuntia marenae*.
- Grusonia moelleri* (A. Berger) E. F. Anderson, Cact. Succ. J. (US) 71(6): 325, 1999. Basionym: *Opuntia moelleri*.
- Grusonia parishii* (Orcutt) Pinkava, J. Arizona-Nevada Acad. Sci. 32(1): 50, 1999. Basionym: *Opuntia parishii*.
- Grusonia reflexispina* (Wiggins & Rollins) E. F. Anderson, Cact. Succ. J. (US) 71(6): 325, 1999. Basionym: *Opuntia reflexispina*.
- Gymnocalycium cardenasianum* fa. *armatum* (F. Ritter) H. Till & Amerhauser, Gymnocal-

- cium 12(4): 308, illus., 1999. Basionym: *Gymnocalycium armatum*.  
**Gymnocalycium carminanthum** var. *montanum*  
 Slaba, Kaktusy 35(1): 3-9, illus., 1999. Typus:  
*Anonymus* s.n. (PRC 4696).
- Gymnocalycium chacoense** Amerhauser, *Gymnocalycium* 12(4): 302-304, illus., 1999. Typus:  
*Amerhauser* 990-4 (LPB, WU).
- Gymnocalycium ×heidiae** Neuhuber, *Gymnocalycium* 12(1): 279-281, illus., 1999. Typus:  
*Neuhuber* 93-714/2080 (BA, WU). [= *Gymnocalycium* sp. × *G. rosea*.]
- Gymnocalycium monvillei** ssp. *gertrudae* (Neuhuber) Neuhuber, *Gymnocalycium* 12(2): 286, 1999. Basionym: *Gymnocalycium monvillei* var. *gertrudae*.
- Gymnocalycium monvillei** var. *coloratum* Neuhuber, *Gymnocalycium* 12(2): 284-285, illus., 1999. Typus: *Neuhuber* 93-318 (BA, WU).
- Gymnocalycium monvillei** var. *confusa* Neuhuber, *Gymnocalycium* 12(2): 286, 1999, 1999. Typus: *Neuhuber* 91-77/1183 (WU). [Based on *Echinocactus brachyanthus* sensu H. Till pro neotypo, non Gürke 1907.]
- Gymnocalycium poeschlii** Neuhuber, *Gymnocalycium* 12(3): 296-300, illus., 1999. Typus: *Neuhuber* 88-24/35 (BA, WU (?)) [Status of the cited isotype at WU questionable, specimen has a different collection number].
- Gymnocalycium prochazkianum** Sorma, *Gymnofil* 28(1-2): 2-6, illus., 1999. Typus: *Prochazka* 95-184/562A (WU). [See also Cactaceae etc. 10(1): 7-9, 2000, for additional information.]
- Gymnocalycium spegazzinii** ssp. *bayrianum* (H. Till) Halda, Cactaceae etc. 9(3): 84, 1999. Basionym: *Gymnocalycium bayrianum*.  
*Islaya laui* (J. Lüthy) Ferryman, Chileans 17(56): 95, 1999. Nom. inval. (Art. 33.2), based on *Eriosyce laui*. [Dated 1998, received Feb. 1999.]
- Lepidocoryphantha macromeris** ssp. *runyonii* (Britton & Rose) Doweld, Sukkulenty 1999(1): 28, 1999. Basionym: *Coryphantha runyonii*.  
*Lobivia bonnieae* Halda & al., Acta Mus. Richnov. Sect. Nat. 6(3): 235-236, ill. (p. 238), 1999. Typus: *Janeba* 99061503 (PR). [See also Cactaceae etc. 9(4): 157-159, illus., 1999.]
- Lobivia goniianii* (R. Kiesling) R. Kiesling, in Zuloaga & Morrone, Cat. Pl. Vasc. Rep. Argent. 2: 454, 1245, 1999. Basionym: *Rebutia gonianni*.
- Maihueniae* Doweld, Sukkulenty 1999(1): 25, 1999. Typus: *Maihuenia*.  
*Maihueniopsis bonnieae* (D. J. Ferguson & R. Kiesling) E. F. Anderson, Cact. Succ. J. (US) 71(6): 325, 1999. Basionym: *Puna bonnieae*.  
*Maihueniopsis clavarioides* (Otto ex Pfeiffer) E. F. Anderson, Cact. Succ. J. (US) 71(6): 325, 1999. Basionym: *Opuntia clavarioides*.  
*Maihueniopsis subterranea* (R. E. Fries) E. F. Anderson, Cact. Succ. J. (US) 71(6): 325, 1999. Basionym: *Opuntia subterranea*.  
*Mammillaria elongata* cv. Ann's Shiner Trager, Cact. Succ. J. (US) 71(2): 91, 1999. [A dark red-spined selection.]
- Mammillaria phantasma** Sotomayor & al., Cact. Suc. Mex. 44(2): 34-36, illus. (p. 44), 1999. Typus: *Anonymous* s.n. (SLPM 27484).
- Meyerocactus horizonthalonius** ssp. *nicholii* (L. Benson) Doweld, Sukkulenty 1999(1): 27, 1999. Basionym: *Echinocactus horizonthalonius* var. *nicholii*.
- Miqueliopuntia miquelii** fa. *flava* P. V. Heath, Calyx 6(2): 41, 1999. [Sphalm. 'Michaelopuntia michaelis'. Nom. nov. pro *Austrocylindropuntia miquelii* var. *jilesii* Backeberg 1956.]  
*Navajoa peeblesiana* fa. *maia* Hochstätter, Cactaceae Rev. 2(2): 11, ill., 1999. Based on *Hochstätter* 500. Incorrect name (Art. 11.4). [First mentioned in Gen. *Pediocactus*, *Navajoa*, Toumeya Rev., 105, ill., in caption, 1995 (cf. RPS 46).]  
*Navajoa peeblesiana* fa. *menzelii* Hochstätter, Cactaceae Rev. 2(2): 10-11, ill., 1999. Based on *Hochstätter* 500.0. Incorrect name (Art. 11.4). [First mentioned in Gen. *Pediocactus*, *Navajoa*, Toumeya Rev., 104-105, ill., in caption, 1995 (cf. RPS 46).]
- Neolloydia subterranea** ssp. *zaragozae* (Glass & Foster) Doweld, Cact. Consensus Init. No. 7: 12, 1999. Basionym: *Gymnocactus subterraneus* var. *zaragozae*.  
*Neonavajoa* Doweld, Sukkulenty 1999(2): 43, 1999. Typus: *Navajoa peeblesiana* Croizat. [Nom. nov. pro *Navajoa* Croizat 1943, non *Navajoa* Wieland 1928 (fossil cycad).]  
*Neonavajoa peeblesiana* (Croizat) Doweld, Sukkulenty 1999(2): 43, 1999. Basionym: *Navajoa peeblesiana*.  
*Neonavajoa peeblesiana* ssp. *fickeisenii* (Hochstätter) Doweld, Sukkulenty 1999(2): 43, 1999. Basionym: *Navajoa peeblesiana* var. *fickeisenii*. [Sphalm. 'fickeiseniae'.]  
*Notocactus Ser. Pamlocactus* Doweld, Sukkulenty 1999(2): 23, 1999. Typus: *Eriocactus warasii* F. Ritter.  
*Notocactus* Subgen. *Enotocactus* Doweld, Sukkulenty 1999(2): 23, 1999. Typus: *Eriocactus magnificus* F. Ritter.  
*Notocactus langsdorffii* fa. *multiceps* (Hofacker & Herm) Neduchal, Minimus 30(4): 92, 1999. Basionym: *Parodia langsdorffii* ssp. *multiceps*.  
*Notocactus langsdorffii* var. *pulvinatus* (van Vliet) Neduchal, Minimus 30(2): 28, 1999. Basionym: *Notocactus pulvinatus*.  
*Notocactus neoarechavaletae* fa. *kavarikii* (Fric) Neduchal, Minimus 30(2): 29, 1999. Basionym: *Malacocarpus kavarikii*.  
*Notocactus schumannianus* ssp. *claviceps* (F. Ritter) Doweld, Sukkulenty 1999(2): 23, 1999. Basionym: *Eriocactus claviceps*.  
*Notocactus sellowii* fa. *centrispinus* (Fric) Neduchal, Minimus 30(2): 31, 1999. Basionym: *Malacocarpus bezrucii* var. *centrispinus*. [Basionym cited erroneously and here corrected, see also l.c. (4): 92, 1999.]  
*Notocactus sellowii* fa. *cornifer* (Fric) Neduchal, Minimus 30(2): 32, 1999. Basionym: *Malacocarpus bezrucii* var. *cornifer*.

- Notocactus sellowii* fa. *tephracanthus* (Link & Otto) Neduchal, Minimus 30(2): 32, 1999. Basionym: *Echinocactus tephracanthus*.
- Notocactus sellowii* var. *beltranii* (Fric) Neduchal, Minimus 30(2): 30, 1999. Nom. inval., based on *Malacocarpus beltranii*, nom. inval. (Art. 32.1c).
- Notocactus sellowii* var. *beruzii* (Fric) Neduchal, Minimus 30(2): 30, 1999. Basionym: *Malacocarpus beruzii*.
- Notocactus sessiliflorus* fa. *tetracanthus* (Lemaire) Neduchal, Minimus 30(2): 33, 1999. Basionym: *Echinocactus tetracanthus*.
- Notocactus sessiliflorus* fa. *vorwerkianus* (Wedermann) Neduchal, Minimus 30(2): 34, 1999. Basionym: *Echinocactus vorwerkianus*.
- Notocactus submammulosus* var. *turecekianus* (R. Kiesling) Lodé, Fichier Encycl. Cact. autres Succ. 23: 2151, ill., 1999. Nom. inval. (Art. 33.2), based on *Parodia tureckiana*.
- Notocactus turbinatus* fa. *schaferianus* (Abraham & Theunissen) Neduchal, Minimus 30(2): 35, 1999. Basionym: *Wigginsia schaeferiana*.
- Opuntia albicarpa* Scheinvar, Revista Jard. Bot. Nac. Univ. Habana 20: 167-169, 1999. Typus: Scheinvar 6077 (MEXU, UACHAP). [First mentioned (nom. inval., Art. 36.1) in Barbera, G. & al. (eds.): Agro-ecology, cultivation and use of cactus pear, 22, pl. 5, 1995 (cf. RPS 47).]
- Opuntia bonnieae* (D. J. Ferguson & R. Kiesling) Halda & Janeba, Cactaceae etc. 9(4): 160 (excl. ill.), 1999. Basionym: *Puna bonnieae*.
- Opuntia ×campii* M. A. Baker & Pinkava, Cact. Succ. J. (US) 71(6): 320-322, ill., 1999. Typus: Baker 11661 (ASU [3 sheets], MO, SD). [= *Opuntia acanthocarpa* × *O. bigelovii*.]
- Opuntia inaequilateralis* var. *angustior* (F. Ritter) R. Crook & Mottram, Bradleya 17: 113, 1999. Basionym: *Platyopuntia inaequilateralis* var. *angustior*.
- Opuntia kleiniae* cv. *Cristata* (Darrah) R. Crook & Mottram, Bradleya 17: 119, 1999. Basionym: *Opuntia kleiniae* var. *cristata*.
- Opuntia sanfelipensis* Rebman, Heseltonia 6: 17-19, ill., 1999. Typus: Rebman 2540 (ASU 195789, BCMEX, SD). [Dated 1998, publ. June 1999.]
- Parodia langsdorfii* ssp. *multiceps* Hofacker & Herm., Kakt. and. Sukk. 50(3): 62-64, ill., 1999. Typus: Hofacker 169 (ZSS, MVM).
- Parodia langsdorfii* ssp. *pulvinata* (van Vliet) Hofacker & Herm., Kakt. and. Sukk. 50(3): 62, ill., 1999. Basionym: *Notocactus pulvinatus*.
- Pediocactinae* Doweld, Sukkulenty 1999(1): 4, 24, 1999. Typus: *Pediocactus* Britton & Rose.
- Pediocactus* Sect. *Rhytidospermae* Hochstätter, Cactaceae Rev. 2(2): 14, 1999. Typus: *Pediocactus sileri* (Engelmann) L. Benson..
- Pediocactus* Subgen. *Strombocactus* (Britton & Rose) Halda, Acta Mus. Richnov. Sect. Nat. 5(5): 185, 1998. Basionym: *Strombocactus*.
- Pediocactus disciformis* (De Candolle) Halda, Acta Mus. Richnov. Sect. Nat. 5(5): 186, 1998. Basionym: *Mammillaria disciformis*.
- Pediocactus jarmilae* (Halda) Halda, Acta Mus. Richnov. Sect. Nat. 5(5): 186, 1998. Basionym: *Strombocactus jarmilae*.
- Pediocactus peeblesianus* ssp. *fickeisenii* (Hochstätter) J. Lüthy, Kakt. and. Sukk. 50(11): 278, 1999. Basionym: *Navajoa peeblesiana* var. *fickeisenii*.
- Pediocactus pulcherrimus* (Halda) Halda, Acta Mus. Richnov. Sect. Nat. 5(5): 186, 1998. Basionym: *Strombocactus pulcherrimus*.
- Pereskiopsidae* Doweld, Sukkulenty 1999(1): 26, 1999. Typus: *Pereskiopsis*.
- Peronocactus* Doweld, Sukkulenty 1999(2): 20, 1999. Typus: *Cactus ottonis* Lehmann. [Status depending on the disputed typification of *Notocactus* and becoming illegitimate (Art. 52.1) if *Cactus ottonis* should be selected as the type of *Notocactus*.]
- Peronocactus carambeiensis* (Buining & Brederoo) Doweld, Sukkulenty 1999(2): 20, 1999. Basionym: *Notocactus carambeiensis*.
- Peronocactus concinnus* (Monville) Doweld, Sukkulenty 1999(2): 20, 1999. Basionym: *Echinocactus concinnus*.
- Peronocactus concinnus* ssp. *agnetae* (van Vliet) Doweld, Sukkulenty 1999(2): 21, 1999. Basionym: *Notocactus agnetae*.
- Peronocactus concinnus* ssp. *multicostatus* (Buining & Brederoo) Doweld, Sukkulenty 1999(2): 21, 1999. Basionym: *Notocactus multicostatus*.
- Peronocactus fuscus* (F. Ritter) Doweld, Sukkulenty 1999(2): 21, 1999. Basionym: *Notocactus fuscus*.
- Peronocactus horstii* (F. Ritter) Doweld, Sukkulenty 1999(2): 21, 1999. Basionym: *Notocactus horstii*.
- Peronocactus linkii* (Lehmann) Doweld, Sukkulenty 1999(2): 21, 1999. Basionym: *Cactus linkii*.
- Peronocactus minimus* (Fric & Kreuzinger ex Buining) Doweld, Sukkulenty 1999(2): 21, 1999. Basionym: *Notocactus minimus*.
- Peronocactus minusculus* (Hofacker & Herm) Doweld, Sukkulenty 1999(2): 21, 1999. Basionym: *Notocactus minusculus*.
- Peronocactus muricatus* (Otto ex Pfeiffer) Doweld, Sukkulenty 1999(2): 21, 1999. Basionym: *Echinocactus muricatus*.
- Peronocactus neohorstii* (Theunissen) Doweld, Sukkulenty 1999(2): 21, 1999. Basionym: *Notocactus neohorstii*.
- Peronocactus ottonis* (Lehmann) Doweld, Sukkulenty 1999(2): 20, 1999. Basionym: *Cactus ottonis*.
- Peronocactus ottonis* ssp. *horstii* (F. Ritter) Doweld, Sukkulenty 1999(2): 21, 1999. Basionym: *Notocactus arechavaletae* var. *horstii*.
- Peronocactus oxycostatus* (Buining & Brederoo) Doweld, Sukkulenty 1999(2): 21, 1999. Basionym: *Notocactus oxycostatus*.
- Peronocactus oxycostatus* ssp. *gracilis* (F. Ritter) Doweld, Sukkulenty 1999(2): 21, 1999. Basionym: *Notocactus glaucescens* var. *gracilis*.
- Peronocactus rubiduenekeri* (Abraham) Doweld,

- Sukkulenty 1999(2): 21, 1999.** Basionym: *Notocactus rudibuenekeri*.  
**Peronocactus rudibuenekeri** ssp. *glomeratus* (Gerloff) Doweld, *Sukkulenty* 1999(2): 21, 1999. Basionym: *Notocactus glomeratus*.
- Peronocactus scopula** (Sprengel) Doweld, *Sukkulenty* 1999(2): 21, 1999. Basionym: *Cactus scopula*.  
**Peronocactus scopula** ssp. *marchesii* (Abraham) Doweld, *Sukkulenty* 1999(2): 21, 1999. Basionym: *Notocactus scopula* var. *marchesii*.  
**Peronocactus scopula** ssp. *neobuenekeri* (F. Ritter) Doweld, *Sukkulenty* 1999(2): 21, 1999. Basionym: *Notocactus neobuenekeri*.  
**Peronocactus scopula** ssp. *succineus* (F. Ritter) Doweld, *Sukkulenty* 1999(2): 21, 1999. Basionym: *Notocactus succineus*.  
**Peronocactus stockingeri** (Prestlé) Doweld, *Sukkulenty* 1999(2): 21, 1999. Basionym: *Notocactus stockingeri*.  
**Peronocactus tabularis** (Cels ex Rümpler) Doweld, *Sukkulenty* 1999(2): 21, 1999. Basionym: *Echinocactus concinnus* var. *tabularis*.  
**Peronocactus tabularis** ssp. *muricatus* Doweld, *Sukkulenty* 1999(2): 21-22, 1999. Typus: [icono:] K. Schumann in Martius, Fl. Brasil. 4(2): pl. 50: fig. 2, 1894. [*Nom. nov. pro Echinocactus muricatus* K. Schumann 1898 quoad diag. Lat. non *Echinocactus muricatus* Otto ex Pfeiffer 1837.]  
**Peronocactus werdermannianus** (Herter) Doweld, *Sukkulenty* 1999(2): 22, 1999. Basionym: *Notocactus werdermannianus*.  
**Pierrebraunia brauniorm** E. Esteves Pereira, Kakt. and. Sukk. 50(12): 312-314, ills., 1999. Typus: Esteves Pereira 515 (UFG 22.435).  
**Pilosocereus chrysostele** ssp. *cearensis* P. J. Braun & E. Esteves P., Brit. Cact. Succ. J. 17(1): 26-27, ills. (p. 23, 25-26), 1999. Typus: Esteves-Pereira 163 (UFG 13.005).  
**Pilosocereus densiareolatus** ssp. *brunneolanatus* P. J. Braun & E. Esteves Pereira, Kakt. and. Sukk. 50(11): 286-289, ills., 1999. Typus: Esteves Pereira 224 (UFG 12.381, B, K, KOELN, ZSS).  
**Pilosocereus estevesii** P. J. Braun, Cact. Succ. J. (US) 71(2): 74-77, ills., SEM-ills., 1999. Typus: Esteves-Pereira 142 (UFG 20529).  
**Pilosocereus occultiflorus** P. J. Braun & E. Esteves Pereira, Cact. Succ. J. (US) 71(6): 310-315, ills., 1999. Typus: Esteves Pereira 223 (UFG, BONN, ZSS).  
**Plutonopuntia** P. V. Heath, Calyx 6(2): 41, 1999. Typus: *Opuntia chaffeyi* Britton & Rose. [*Nom. nov. pro Opuntia subSer. Chaffeyanae* Britton & Rose 1919.]  
**Plutonopuntia chaffeyi** (Britton & Rose) P. V. Heath, Calyx 6(2): 41, 1999. Basionym: *Opuntia chaffeyi*.  
**Pterocactae** Doweld, *Sukkulenty* 1999(1): 26, 1999. Typus: *Pterocactus*.  
**Pterocactus tuberosus** fa. *lelongii* (Ruiz Leal ex R. Kiesling) R. Kiesling, in Zuloaga & Morrone, Cat. Pl. Vasc. Rep. Argent. 2: 476, 1246, 1999. Basionym: *Pterocactus kunzei* fa. *lelongii*.  
**Puebloa** Doweld, *Sukkulenty* 1999(1): 20, 1999. Typus: *Pediocactus bradyi* L. Benson.  
**Puebloa bradyi** (L. Benson) Doweld, *Sukkulenty* 1999(1): 22, 1999. Basionym: *Pediocactus bradyi*.  
**Puebloa bradyi** ssp. *winkleri* (K. D. Heil) Doweld, *Sukkulenty* 1999(1): 22, 1999. Basionym: *Pediocactus winkleri*.  
**Puebloa bradyi** var. *despainii* (S. L. Welsh & Goodrich) Doweld, *Sukkulenty* 1999(1): 22, 1999. Basionym: *Pediocactus despainii*.  
**Pyrrhocactus kattermannii** R. Kiesling, in Zuloaga & Morrone, Cat. Pl. Vasc. Rep. Argent. 2: 477, 1246, 1999. Typus: *Kattermann* 593 (DBG). [*Nom. nov. pro Eriosyce andreaeana* Kattermann 1994.]  
**Rebutia amblypetala** (F. Ritter) Mosti, Cactus & Co. 3(4): 196, ills., SEM-ills., 1999. Basionym: *Rebutia rosalbiflora* var. *amblypetala*.  
**Rebutia atrovirens** var. *pseudoritteri* (Rausch) Mosti, Cactus & Co. 3(4): 198, ill., 1999. Basionym: *Lobivia atrovirens* var. *pseudoritteri*.  
**Rebutia diersiana** ssp. *atrovirens* (Rausch) Mosti, Cactus & Co. 3(4): 205, ill., SEM-ills., 1999. Basionym: *Rebutia diersiana* var. *atrovirens*.  
**Rebutia gavazzii** Mosti, Cactus & Co. 3(4): 207-209, ills., SEM-ills., 1999. Typus: Rausch 493 (FI) [Ex cult. S. Mosti].  
**Rhipsalis boliviiana** cv. Innes Kimnach, Cact. Succ. J. (US) 71(2): 91, 1999. [A white-flowered selection.]  
**Ritterocactus Doweld, Sukkulenty** 1999(2): 22, 1999. Typus: *Echinocactus mammulosus* Lemaire.  
**Ritterocactus allosiphon** (Marchesi) Doweld, *Sukkulenty* 1999(2): 22, 1999. Basionym: *Notocactus allosiphon*.  
**Ritterocactus arnostianus** (Lisal & Kolarik) Doweld, *Sukkulenty* 1999(2): 22, 1999. Basionym: *Notocactus arnostianus*.  
**Ritterocactus buiningii** (Buxbaum) Doweld, *Sukkulenty* 1999(2): 22, 1999. Basionym: *Notocactus buiningii*.  
**Ritterocactus crassigibbus** (F. Ritter) Doweld, *Sukkulenty* 1999(2): 22, 1999. Basionym: *Notocactus crassigibbus*.  
**Ritterocactus curvispinus** (F. Ritter) Doweld, *Sukkulenty* 1999(2): 22, 1999. Basionym: *Notocactus curvispinus*.  
**Ritterocactus xerubescens** (Osten) Doweld, *Sukkulenty* 1999(2): 22, 1999. Basionym: *Echinocactus xerubescens*.  
**Ritterocactus herteri** (Werdermann) Doweld, *Sukkulenty* 1999(2): 22, 1999. Basionym: *Echinocactus herteri*.  
**Ritterocactus mammulosus** (Lemaire) Doweld, *Sukkulenty* 1999(2): 22, 1999. Basionym: *Echinocactus mammulosus*.  
**Ritterocactus mammulosus** ssp. *brasiliensis* (Havlicek) Doweld, *Sukkulenty* 1999(2): 22, 1999. Basionym: *Notocactus mammulosus* var. *brasiliensis*.  
**Ritterocactus mammulosus** ssp. *erythracanthus*

- (Schlosser & Brederoo) Doweld, Sukkulenty 1999(2): 22, 1999. Basionym: *Notocactus erythracanthus*.
- Ritterocactus mammulosus* ssp. *eugeniae* (van Vliet) Doweld, Sukkulenty 1999(2): 22, 1999. Basionym: *Notocactus eugeniae*.
- Ritterocactus mammulosus* ssp. *submammulosus* (Lemaire) Doweld, Sukkulenty 1999(2): 22, 1999. Basionym: *Echinocactus submammulosus*.
- Ritterocactus megalanthus* (Schlosser & Brederoo) Doweld, Sukkulenty 1999(2): 22, 1999. Basionym: *Notocactus megalanthus*.
- Ritterocactus meonacanthus* (Prestlé) Doweld, Sukkulenty 1999(2): 22, 1999. Basionym: *Notocactus meonacanthus*.
- Ritterocactus mueller-melchersii* (Fric ex Backeberg) Doweld, Sukkulenty 1999(2): 22, 1999. Basionym: *Notocactus mueller-melchersii*.
- Ritterocactus mueller-melchersii* ssp. *gutierrezii* (Abraham) Doweld, Sukkulenty 1999(2): 22, 1999. Basionym: *Notocactus gutierrezii*.
- Ritterocactus mueller-melchersii* ssp. *winkleri* (van Vliet) Doweld, Sukkulenty 1999(2): 23, 1999. Basionym: *Notocactus winkleri*.
- Ritterocactus permutteratus* (F. Ritter) Doweld, Sukkulenty 1999(2): 23, 1999. Basionym: *Notocactus permutteratus*.
- Ritterocactus rauschii* (van Vliet) Doweld, Sukkulenty 1999(2): 23, 1999. Basionym: *Notocactus rauschii*.
- Ritterocactus rutilans* (Däniker & Krainz) Doweld, Sukkulenty 1999(2): 23, 1999. Basionym: *Notocactus rutilans*.
- Ritterocactus rutilans* ssp. *veenianus* (van Vliet) Doweld, Sukkulenty 1999(2): 23, 1999. Basionym: *Notocactus veenianus*.
- Ritterocactus uebelmannianus* (Buining) Doweld, Sukkulenty 1999(2): 23, 1999. Basionym: *Notocactus uebelmannianus*.
- Ritterocactus uebelmannianus* ssp. *pleiocephalus* (Gerloff & Königs) Doweld, Sukkulenty 1999(2): 23, 1999. Basionym: *Notocactus uebelmannianus* var. *pleiocephalus*.
- Salmonopuntia* P. V. Heath, Calyx 6(2): 41, 1999. Typus: *Opuntia salmiana* Pfeiffer 1837.
- Salmonopuntia salmiana* (Parmentier ex Pfeiffer) P. V. Heath, Calyx 6(2): 41, 1999. Basionym: *Opuntia salmiana*. [Specific epithet unnecessarily corrected to 'salmonana' (Rec. 60C1).]
- Salmonopuntia salmiana* fa. *alba* P. V. Heath, Calyx 6(2): 41, 1999. [Nom. nov. pro *Opuntia albiflora* K. Schumann 1903. Specific epithet unnecessarily corrected to 'salmonana' (Rec. 60C1).]
- Salmonopuntia salmiana* fa. *glauca* P. V. Heath, Calyx 6(2): 41, 1999. [Nom. nov. pro *Opuntia spiegazzinii* F. A. C. Weber 1898. Specific epithet unnecessarily corrected to 'salmonana' (Rec. 60C1).]
- Salmonopuntia salmiana* fa. *rosea* P. V. Heath, Calyx 6(2): 41, 1999. [Nom. nov. pro *Opuntia ipatiana* Cárdenas 1952. Specific epithet unnecessarily corrected to 'salmonana' (Rec. 60C1).]
- Sclerocactus* Sect. *Coloradoa* (Boissevain & Davidson) Doweld, Sukkulenty 1999(1): 27, 1999. Basionym: *Coloradoa*.
- Sclerocactus* Sect. *Mesae-Verdae* Hochstätter, Piante Grasse 19(1): 18, 1999. Typus: *Coloradoa mesae-verdae*.
- Sclerocactus* Sect. *Parviflori* Hochstätter, Piante Grasse 19(1): 17-18, 1999. Typus: *Sclerocactus parviflorus*.
- Sulcorebutia langeri* J. Falkenberg & K. Neumann ex Augustin & al., Kakt. and. Sukk. 50(8): 201-204, ills., 1999. Typus: *Swoboda 240* (ZSS, LPB). [First published invalidly (Art. 34.1b) as provisional name by J. Falkenberg & K. Neumann, Kakt. and. Sukk. 32(2): 34-35, ills., 1981, based on *Langer* s.n.]
- Sulcorebutia purpurea* var. *minor* Donald ms. ex Fritz, Kakt. and. Sukk. 50(7): 163-165, 1999. Nom. inval. (Art. 34.1a, 36.1). [Provisional name, based on an unpublished manuscript name by Donald.]
- Sulcorebutia tiraquensis* var. *aguilarii* Augustin & Gertel, Cactus & Co. 3(3): 117-118, 120-121, ills., 1999. Typus: *Swoboda 220* (ZSS, LPB).
- Sulcorebutia tiraquensis* var. *renatae* Hentzschel & S. Beck, Cactus & Co. 3(3): 119, 122-123, ills., 1999. Typus: *Gertel 109* (ZSS, LPB).
- Tephrocacteae* Doweld, Sukkulenty 1999(1): 26, 1999. Typus: *Tephrocactus*.
- Thelocactus* Ser. *Ancistrocactoides* Doweld, Sukkulenty 1999(1): 31, 1999. Typus: *Echinocactus macdowellii* Rebut ex Quehl.
- Thelocactus* Ser. *Bicolores* (Kladiwa) Doweld, Sukkulenty 1999(1): 30, 1999. Basionym: *Thelocactus* Sect. *Bicolores*.
- Thelocactus bicolor* ssp. *bolaensis* (Runge) Doweld, Sukkulenty 1999(1): 30, 1999. Basionym: *Echinocactus bolaensis*.
- Thelocactus bicolor* ssp. *commodus* (R. Haas) Doweld, Sukkulenty 1999(1): 30, 1999. Basionym: *Thelocactus bicolor* var. *commodus*.
- Thelocactus flavus* Mosco & Zanovello, Cactus & Co. 3(1): 20-23, ills., 1999. Typus: *Kuenzler 362* (PAD) [Ex cult. A. Mosco].
- Thelocactus leucacanthus* ssp. *schnollii* (Weingart) Mosco & Zanovello, Cact. Consensus Init. No. 7: 18, 1999. Basionym: *Thelocactus leucacanthus* var. *schnollii*.
- Thelocactus rinconensis* ssp. *freudenbergeri* (R. Haas) Mosco & Zanovello, Cact. Consensus Init. No. 7: 18, 1999. Basionym: *Thelocactus rinconensis* var. *freudenbergeri*.
- Thelocactus rinconensis* ssp. *multicephalus* (Halda & Panarotto ex Halda) J. Lüthy, Kakt. and. Sukk. 50(4): 80, 1999. Basionym: *Thelocactus multicephalus*.
- Turbinicarpus* Sect. *Normanbokeae* (Kladiwa & Buxbaum) Doweld, Sukkulenty 1999(1): 27, 1999. Basionym: *Normanbokea*.
- Turbinicarpus* ssp. *dickisoniae* (Glass & Foster) Panarotto, Piante Grasse 18(3): 120, 1999. Basionym: *Turbinicarpus schmiedickeanus* var. *dickisoniae*. [Dated 1998, received Feb. 1999.]

- Turbinicarpus mandragora* ssp. *beguinii* (N. P. Taylor) J. Lüthy, Kakt. and. Sukk. 50(11): 279, 1999. Basionym: *Thelocactus beguinii*.
- Turbinicarpus mandragora* ssp. *booleanus* (G. S. Hinton) J. Lüthy, Kakt. and. Sukk. 50(11): 279, 1999. Basionym: *Turbinicarpus booleanus*.
- Turbinicarpus mandragora* ssp. *pailanus* (Halda & Panarotto) J. Lüthy, Kakt. and. Sukk. 50(11): 279, 1999. Basionym: *Turbinicarpus pailanus*.
- Turbinicarpus mandragora* ssp. *subterraneus* (Backeberg) J. Lüthy, Kakt. and. Sukk. 50(11): 279, 1999. Basionym: *Echinocactus subterraneus*.
- Turbinicarpus mandragora* ssp. *zaragozae* (Glass & Foster) J. Lüthy, Kakt. and. Sukk. 50(11): 279, 1999. Basionym: *Gymnocalycus subterraneus* var. *zaragozae*.
- Turbinicarpus pseudomacrochele* fa. *lausseri* (Diers & G. Frank) Panarotto, Piante Grasse 18(3): 120, 1999. Basionym: *Turbinicarpus pseudomacrochele* var. *lausseri*. [Dated 1998, received Feb. 1999.]
- Turbinicarpus pseudomacrochele* ssp. *minimus* (G. Frank) J. Lüthy & A. Hofer, Kakt. and. Sukk. 50(11): 280, 1999. Basionym: *Turbinicarpus kraenzianus* fa. *minimus*.
- Turbinicarpus saueri* ssp. *ysabelae* (Schlange) J. Lüthy, Kakt. and. Sukk. 50(11): 280, 1999. Basionym: *Thelocactus ysabelae*.
- Turbinicarpus schmiedickeanus* fa. *schwarzii* (Shurly) Panarotto, Piante Grasse 18(3): 120, 1999. Basionym: *Strombocactus schwarzii*. [Dated 1998, received Feb. 1999.]
- Turbinicarpus schmiedickeanus* ssp. *andersonii* Mosco, Cact. Consensus Init. No. 7: 18, 1999. Typus: *Anderson* 4932 (US).
- Turbinicarpus schmiedickeanus* ssp. *bonatzii* (G. Frank) Panarotto, Piante Grasse 18(3): 120, 1999. Basionym: *Turbinicarpus bonatzii*. [Dated 1998, received Feb. 1999.]
- Turbinicarpus schmiedickeanus* ssp. *panarottoi* (Rfha) J. Lüthy, Kakt. and. Sukk. 50(11): 280, 1999. Basionym: *Turbinicarpus schmiedickeanus* var. *panarottoi*. [Appears to be antedated by *T. schmiedickeanus* ssp. *andersonii* Mosco 1999, for which *T. schmiedickeanus* var. *panarottoi* (treated as invalid by Mosco l.c.) is given as a synonym.]
- Turbinicarpus schmiedickeanus* ssp. *rioverdensis* (G. Frank) J. Lüthy, Kakt. and. Sukk. 50(11): 280, 1999. Basionym: *Turbinicarpus rioverdensis*.
- Turbinicarpus schmiedickeanus* ssp. *rubriflorus* (G. Frank) Panarotto, Piante Grasse 18(3): 120, 1999. Basionym: *Turbinicarpus schwarpii* var. *rubriflorus*. [Dated 1998, received Feb. 1999.]
- Ursopuntia* P. V. Heath, Calyx 6(2): 41, 1999. Typus: *Opuntia weberi* Spegazzini. [Nom. nov. pro *Opuntia* Ser. *Weberiana* Britton & Rose 1919.]
- Ursopuntia textoris* P. V. Heath, Calyx 6(2): 41, 1999. Nom. illeg. (Art. 52.1). [Nom. nov. illeg. pro *Opuntia weberi* Spegazzini 1898.]
- Ursopuntia textoris* var. *deminuta* (Rausch) P. V. Heath, Calyx 6(2): 42, 1999. Incorrect name (Art. 11.4), based on *Tephrocactus weberi* var. *deminutus*.
- Ursopuntia textoris* var. *dispar* (Castellanos & Lelong) P. V. Heath, Calyx 6(2): 42, 1999. Incorrect name (Art. 11.4), based on *Opuntia weberi* var. *dispar*.
- Ursopuntia textoris* var. *setiger* (Backeberg & F. M. Knuth) P. V. Heath, Calyx 6(2): 42, 1999. Incorrect name (Art. 11.4), based on *Tephrocactus setiger*.
- Weingartia neumanniana* ssp. *kargliana* (Rausch) Slaba, Kaktusy 35(3): 68, ill., 1999. Basionym: *Weingartia kargliana*.
- Wigginsia langsdorffii* ssp. *multiceps* (Hofacker & Herm) Doweld, Sukkulenty 1999(2): 25, 1999. Basionym: *Parodia langsdorffii* ssp. *multiceps*.
- Wigginsia langsdorffii* ssp. *pulvinatus* (van Vliet) Doweld, Sukkulenty 1999(2): 25, 1999. Basionym: *Notocactus pulvinatus*.
- Wigginsia pauciareolata* (Aechavaleta) R. Kiesling, in Zuloaga & Morrone, Cat. Pl. Vasc. Rep. Argent. 488, 1246, 1999. Basionym: *Echinocactus pauciareolatus*.

## CRASSULACEAE

- Aeonium appendiculatum* Bañares, Willdenowia 29(1): 98-101, ill., 1999. Typus: *Bañares et Marrero* 39570 (TFC, B).
- Aeonium urbicum* var. *meridionale* Bañares, Willdenowia 29(1): 98, ill. (p. 97), 1999. Typus: *Bermúdez et Bañares* 39569 (TFC, B).
- Aizopsis* Sect. *Villosae* (Borissova) S. Gontcharova, Bull. Nation. Sci. Mus. Tokyo, Ser. B, 25(2): 55, 1999. Basionym: *Sedum* Ser. *Villosa*.
- Aizopsis kurilensis* (Voroschilov) S. Gontcharova, Bull. Nation. Sci. Mus. Tokyo, Ser. B, 25(2): 54, 1999. Basionym: *Sedum kurilense*.
- Aizopsis maximowiczii* (Regel) S. Gontcharova, Bull. Nation. Sci. Mus. Tokyo, Ser. B, 25(2): 54, 1999. Basionym: *Sedum maximowiczii*.
- Aizopsis middendorfiana* ssp. *sichotensis* (Voroschilov) S. Gontcharova, Bull. Nation. Sci. Mus. Tokyo, Ser. B, 25(2): 54-55, 1999. Basionym: *Sedum sichotense*.
- Combesia muscosa* var. *variegata* P. V. Heath, Calyx 6(2): 61, 1999. Typus: [Icono]: Gard. Chron., Ser. 3, 117: 167, fig. 80 (right). [Based on *Crassula lycopodioides* *variegata* Lamb 1945 and first published (l.c. 3(4): 122, 1993) as a combination for this name.]
- Crassula* cv. *Amulet* M. Holmes, Cact. Succ. J. (Woollahra) 22(3): 53-54, ill., 1999. [= *C. ausensis* × *C. mesembrianthemopsis*.]
- Crassula* cv. *Talisman* M. Holmes, Cact. Succ. J. (Woollahra) 21(7): 131-132, ill., 1999. [Dated Dec. 1998, received 10. 3. 1999. = *Crassula perfoliata* var. *falcata* × *C. elegans* (*C. schoenlandii* form).]
- Crassula* cv. *Tinkerbell* M. Holmes, Cact. Succ.

- J. (Woollahra) 21(8): 144-145, ill., 1999. [= *Crassula 'Springtime'* × *C. karasana*.]
- Graptoveria* cv. Cherry Princess H. Shimizu, Cact. Succ. J. Japan 12(11): 4, ill., 1999. [= *Graptopetalum (Tacitus) bellum* × *Echeveria laui*.]
- Graptoveria* cv. Madonna H. Shimizu, Cact. Succ. J. Japan 12(11): 5, ill., 1999. [= *Graptopetalum (Tacitus) bellum* × *Echeveria laui*.]
- Hylotelephium angustum* var. *longipedunculum* J. M. Shang & K. T. Fu, Guihaia 19(3): 207, 1999. Typus: *Exploration of Resources in Tsiang XXX*:491 (UKG).
- Hylotelephium uralensis* (Ruprecht) Byalt, Bot. Zhurn. (Moscow & Leningrad) 83(1): 128, 1998. Basionym: *Sedum uralense*.
- Macrosepalum tetrumerum* (Trautvetter) Palanov, Bot. Zhurn. (Moscow & Leningrad) 73(6): 890, 1988. Basionym: *Sedum tetramerum*. [Omitted previously.]
- Ohbaea* Byalt & I. V. Sokolova, Kew Bull. 54: 476, 1999. Typus: *Sedum balfourii* Hamet. [Nom. nov. pro *Balfouria* (H. Ohba) H. Ohba 1995 (*non Balfouria* R. Brown 1810).]
- Ohbaea balfourii* (Hamet) Byalt & I. V. Sokolova, Kew Bull. 54: 476, 1999. Basionym: *Sedum balfourii*.
- Orostachys aliciae* var. *komarovii* (Hamet) H. Ohba, J. Jap. Bot. 74(1): 61, 1999. Basionym: *Sedum aliciae* var. *komarovii*.
- Orostachys ramosissimus* (Maximowicz) Byalt, Problemi Botaniki n rubeshe 20/21 vekov [Botanical Problems at the change 20. / 21. Century; Abstracts of Papers at the Congress of the Russian Botanical Society May 1998 in St. Petersburg], 167, 1998. Basionym: *Umbilicus ramosissimus*.
- Orostachys vyschinii* Bezdeleva, in S. S. Kharkevich (ed.), Vasc. Pl. Russian Far East 7: 232, 1995.
- Pachyphytum garciae* Pérez-Calix & Glass, Acta Bot. Mex. 48: 4-6-7, ills., 1999. Typus: *Pérez-Calix et Zamudio* 3574 (IEB).
- Pachyphytum machucae* I. García & al., Acta Bot. Mex. 47: 10-11, ill., 1999. Typus: *García Ruiz* 4497 (IEB, CIMI, ENCB, MEXU).
- Prometheum muratdaghense* (Kit Tan) 't Hart, Succulenta 78(5): 236, 1999. Basionym: *Rosularia muratdaghenensis*.
- Prometheum serpentinum* var. *giganteum* (Eggli) 't Hart, Succulenta 78(5): 236, 1999. Basionym: *Rosularia serpentinica* var. *gigantea*.
- Pseudosedum ferganense* ssp. *parvum* Kamelin & Byalt, Komarovia 1: 39-40, 1999. Typus: *Kamelin et al.* 969 (LE).
- Rhodiola integrifolia* ssp. *neomexicana* (Britton) H. Ohba, J. Jap. Bot. 74(1): 61, 1999. Basionym: *Rhodiola neomexicana*.
- Rhodiola integrifolia* ssp. *procera* (R. T. Clausen) H. Ohba, J. Jap. Bot. 74(1): 61, 1999. Basionym: *Sedum integrifolium* ssp. *procerum*.
- Rhodiola rosea* ssp. *krivochizhinii* (Siplivinsky) S. Gontcharova, Bull. Nation. Sci. Mus. Tokyo, Ser. B, 25(2): 56, 1999. Basionym: *Rhodiola* *krivochizhinii*.
- Rhodiola rosea* ssp. *sachalinensis* (Borissova) S. Gontcharova, Bull. Nation. Sci. Mus. Tokyo, Ser. B, 25(2): 56, 1999. Basionym: *Rhodiola sachalinensis*.
- Sedum dasypylum* fa. *donatianum* (Vis. & Sacc.) Tavormina, Piante Grasse 18(4): 131, 1999. Nom. inval. (Art. 33.2). [Dated 1998, publ. May 1999. Basionym not traced.]
- Sedum dasypylum* fa. *glaucum* (Lit.) Tavormina, Piante Grasse 18(4): 131, 1999. Nom. inval. (Art. 33.2), based on *Sedum dasypylum* var. *glaucum*. [Dated 1998, publ. May 1999.]
- Sedum dasypylum* var. *elisae* Tavormina, Piante Grasse 18(4): 134, ill. (p. 132, fig. 7), 1999. Based on *Tavormina* 38. Nom. inval. (Art. 36.1, 37.5). [Dated 1998, publ. May 1999.]
- Sedum decipiens* (Baker) Thiede & 't Hart, Novon 9: 124, 1999. Basionym: *Cotyledon decipiens*.
- Sedum incé* 't Hart & Alpinar, Edinburgh J. Bot. 56(2): 182, 1999. Typus: *Alpinar et 't Hart* 24 (ISTE 72678, U) [Ex cult. BG Utrecht (HRT 32001)].
- Sedum kimmachii* Byalt, Kew Bull. 54: 458, 1999. Typus: CU [Ex cult. Hort. Clausen 44-119, 1952]. [Nom. nov. pro *Sedum decumbens* R. T. Clausen 1975 (*non Sedum decumbens* Lucé 1823). First illegitimately named *S. clausenii* Byalt 1998.]
- Sedum meyranianum* J. Metzger & Acevedo Rosas, Cact. Succ. J. (US) 71(6): 316-317, 1999. Typus: *Metzger* 7001.1 (IBUG, BASBG, Herb. Metzger).
- Sedum plicatum* Thiede & 't Hart, Novon 9: 124, 1999. Typus: *Weberbauer* 3000 (B). [Nom. nov. pro *Cotyledon stricta* Diels 1906 (= *Villadia dielsii* Baehni & Macbride 1937) (*non Sedum strictum* K. Koch 1847, *non Sedum dielsii* Hamet 1913.)]
- Sedum reniforme* (H. Jacobsen) Thiede & 't Hart, Novon 9: 125, 1999. Basionym: *Villadia reniformis*.
- Sedum sarmentosum* cv. *Iijima* R. Stephenson, Sedum Soc. Newslett. No. 48: 29, 1999.
- Sedum wannanense* X. H. Guo & al., Acta Bot. Yunnan. 21(1): 25, 1999. Typus: *Guo et al.* 970504 (ANUB, KUN).
- Sedum wannanense* var. *incarnatum* X. H. Guo & al., Acta Bot. Yunnan. 21(1): 26, 1999. Typus: *Guo* 970505 (ANUB, KUN).
- Sedum weberbaueri* (Diels) Thiede & 't Hart, Novon 9: 125, 1999. Basionym: *Cotyledon weberbaueri*.
- Sedum yildizianum* Sümbül, Doga Turk Bot. Derg. 14(1): 55-57, ills., 1990. Typus: *Sümbül* 2231 (HUB, ANK).
- Sempervivum globiferum* ssp. *allionii* (Jordan & Fourreau) 't Hart & Bleij, Succulenta 78(1): 40, 1999. Basionym: *Diopogon allionii*.
- Sempervivum globiferum* ssp. *arenarium* (W. D. J. Koch) 't Hart & Bleij, Succulenta 78(1): 40, 1999. Basionym: *Sempervivum arenarium*.
- Sempervivum globiferum* ssp. *hirtum* (Linné) 't Hart & Bleij, Succulenta 78(1): 40, 1999. Basionym: *Sempervivum hirtum*.

- Sempervivum marmoreum** ssp. *ballsi* (Wale) Zonneveld, Succulenta 78(2): 92, 1999. Basionym: *Sempervivum ballsi*.
- Sempervivum marmoreum** ssp. *erythraeum* (Velenovsky) Zonneveld, Succulenta 78(2): 92, 1998. Basionym: *Sempervivum erythraeum*. [Sphalm. 'erythreum'].
- Sempervivum marmoreum** ssp. *reginae-amaliae* (Heldreich & Sartori ex Boissier) Zonneveld, Succulenta 78(2): 92, 1999. Basionym: *Sempervivum reginae-amaliae*.
- Sempervivum tectorum** var. *arvernense* (Lecocq & Lamotte) Zonneveld, Succulenta 78(2): 92, 1999. Basionym: *Sempervivum arvernense*.
- Sempervivum transcaucasicum** ssp. *aghricum* (Kit Tan & Sorger) Byalt, Novosti Sist. Vyssh. Rast. 31: 121, 1998. Basionym: *Sempervivum globiferum* ssp. *aghricum*.
- Sinocrassula indica** var. *maculosa* H. Chuang ex Thiede, Cact. Succ. J. (US) 71(3): 160, 1999. Typus: Wang 81964 (KUN). [Nom. nov. pro *Sinocrassula luteorubra* var. *maculosa* H. Chuang 1997 (nom. inval., Art. 43.1).]

## EUPHORBIACEAE

- Euphorbia adenopoda** var. *obtusifolia* Rauh, Trop. subtrop. Pfl.-welt 100: 17, 1999. Nom. illeg. (Art. 36.1, 37.1).
- Euphorbia ambariatoensis** Rauh & Bardot-Vaucoulen, Succulentes 22(3): 4-7, ills., 1999. Typus: *Bardot-Vaucoulen et Andrianantoanina* 1006 (P).
- Euphorbia beharensis** var. *adpressifolia* Rauh, Trop. subtrop. Pfl.-welt 100: 13-14, ills. (p. 28), 1999. Typus: Rauh 74672 (HEID).
- Euphorbia beharensis** var. *guillemetii* (Ursch & Léandri) Rauh, Trop. subtrop. Pfl.-welt 100: 10, ills. (p. 25), 1999. Basionym: *Euphorbia guillemetii*.
- Euphorbia beharensis** var. *squarrosa* Rauh, Trop. subtrop. Pfl.-welt 100: 14-15, ills. (p. 29), 1999. Typus: Rauh 74989 (HEID).
- Euphorbia beharensis** var. *truncata* Rauh, Trop. subtrop. Pfl.-welt 100: 11-12, ills. (pp. 26-27), 1999. Typus: Rauh 68567 (HEID).
- Euphorbia bemarahaensis** Rauh & R. Mangelsdorff, Succulentes 22(1): 7-12, ills., 1999. Typus: *Mangelsdorff* s.n. in HEID 75054 (HEID). [Epithet probably correctable to 'bemarahensis' (as usually used)?]
- Euphorbia gamkensis** Marx, Cact. Succ. J. (US) 71(1): 37-40, ills., 1999. Typus: Marx 225 (GRA).
- Euphorbia gradyi** V. W. Steinmann & Ramírez-Roa, Haseltonia 6: 102-104, ills., 1999. Typus: Steinmann 784 (MEX, ARIZ, BM, DAV, ENCB, HUMO, IBUG, LSU, MICH, NY, RSA). [Dated 1998 on the cover, publ. 1999.]
- Euphorbia labatii** Rauh & Bardot-Vaucoulen, Succulentes 22(4): 3-7, ills., 1999. Typus: *Labat et Andrianantoanina* 2838 (P, TAN).
- Euphorbia maritae** Rauh, Brit. Cact. Succ. J.

- 17(4): 217-220, ills., 1999. Typus: Specks 1076 (HEID).
- Euphorbia martiniae** Rauh, Succulentes 22(3): 8-12, ills., 1999. Typus: *Bardot-Vaucoulen et Andrianantoanina* 1012 (P, TAN).
- Euphorbia meloformis** fa. *falsa* (N. E. Brown) Marx, Euphorbiaceae Study Group Bull. 12(1): 32, 1999. Basionym: *Euphorbia falsa*.
- Euphorbia meloformis** fa. *magna* R. A. Dyer ex Marx, Euphorbiaceae Study Group Bull. 12(1): 13, ill. (p. 15), 1999. Typus: Marx 550 (GRA). [Based on a manuscript name of R. A. Dyer.]
- Euphorbia neobosseri** var. *itampolensis* Rauh, Trop. subtrop. Pfl.-welt 100: 8, ills. (p. 22), 1999. Typus: *Bana* s.n. in HEID 73303 (HEID).
- Euphorbia neohumbertii** cv. *Rubrifolia* Rauh ex Trager, Cact. Succ. J. (US) 71(2): 97, 1999.
- Euphorbia seibanicola** Lavranos & Al-Gifri, Cact. Succ. J. (US) 71(3): 135-139, ills., 1999. Typus: *Lavranos et Meintjes* 1936 (K).
- Euphorbia suppressa** Marx, Cact. Succ. J. (US) 71(1): 33-36, ills., 1999. Typus: Marx 227 (GRA).

## GERANIACEAE

- Pelargonium angustipetalum** E. M. Marais, South Afr. J. Bot. 65(1): 51-52, ills., 1999. Typus: *Drijfhout* 1371 (NBG, BOL, K, MO, PRE, S).
- Pelargonium parvipetalum** E. M. Marais, South Afr. J. Bot. 65(1): 53-54, ills., 1999. Typus: *Bruyns* 1519 (NBG, BOL, K, MO, PRE, S).
- Pelargonium rubiginosum** E. M. Marais, South Afr. J. Bot. 65(1): 54-57, ills., 1999. Typus: *van Jaarsveld* 4100 (NBG, BOL, K, MO, PRE, S).

## HYACINTHACEAE

- Lachenalia doleritica** G. D. Duncan, Bothalia 28(2): 134-135, ill., 1998. Typus: *Thomas* s.n. in NBG 140212 (NBG).
- Leidebouria atrobrunnea** S. Venter, Bothalia 28(1): 15-16, ills., 1998. Typus: *Venter* 13460 (PRE, NU, UNIN).
- Leidebouria crispa** S. Venter, Bothalia 28(2): 179, ills., 1998. Typus: *Venter* 11202 (PRE, NU, UNIN).
- Leidebouria dolomiticola** S. Venter, Bothalia 28(1): 16-17, ills., 1998. Typus: *Venter* 13089a (PRE, NU, UNIN).
- Leidebouria macowanii** (Baker) S. Venter, Bothalia 28(2): 181, 1998. Basionym: *Scilla macowanii*.
- Leidebouria parvifolia** S. Venter, Bothalia 28(2): 180, ills., 1998. Typus: *Venter* 12609a (PRE).
- Ornithogalum toxicarium** C. & R. H. Archer, South Afr. J. Bot. 65(5-6): 431-433, 1999. Ty-

Repertorium Plantarum Succulentarum 50

pus: *Retief et Reid* 299 (PRE).

LAMIACEAE

**Plectranthus fasciculatus** P. I. Forster, *Haseltonia* 6: 14-16, ill., 1999. Typus: *Forster et al.* 13709 (BRI, QRS). [Dated 1998, publ. June 1999.]

LENTIBULARIACEAE

**Pinguicula elizabethiae** Zamudio, *Acta Bot. Mex.* 47: 16-18, ills., 1999. Typus: *Zamudio et Pérez* 10029 (IEB).  
**Pinguicula moranensis** var. **neovolcanica** Zamudio, *Acta Bot. Mex.* 47: 16-18, 1999. Typus: *Zamudio* 9144 (IEB).

MELASTOMATACEAE

**Miconia amplinodis** Umaña & Almeda, *Novon* 5(1): 110-113, ills., 1995. Typus: *Umaña et al.* 495 (CR, CAS, COL, F, MEXU, MO, US, USJ).  
**Sonerila nagyana** Cellinese, *Novon* 7(2): 104-105, ills., 1997. Typus: *Cellinese* 66 (BO, FLAS, K, L).

PEDALIACEAE

**Uncarina turicana** Lavranos, *Kakt. and. Sukk.* 50(12): 317-319, ills., 1999. Typus: *Röösli et Hoffmann* 47/96 (P, HBG, ZSS).

PORFULACACEAE

**Portulaca yecorensis** Henrickson & van Deender, *Sida* 18(4): 1002, 1999. Typus: *van Deender et al.* 98-1942 (ARIZ, CAS, MEXU, TEX).

# BIBLIOGRAPHIA

- [1] Adams, K. R. & Adams, R. K. (1999). How does our *Agave* grow? Reproductive biology of a suspected ancient Arizona cultivar, *Agave murpheyi* Gibson. *Desert Pl.* 14(2): 11-20, ills., diag. [Dated 1998, received 20. 2. 1999.]
- [2] Addicott, J. F. (1998). Regulation of mutualism between yuccas and yucca moths: Population level processes. *Oikos* 81(1): 119-129. [Omitted previously.]
- [3] Addicott, J. F. & Bao, T. (1999). Limiting the costs of mutualism: Multiple modes of interaction between Yuccas and Yucca Moths. *Proc. Roy. Soc. London, Ser. B, Biol. Sci.* 266(1415): 197-202.
- [4] Affermi, M. (1999). A mathematical approach to the classification of *Mammillaria* and *Coryphantha* species. *J. Mammillaria Soc.* 39(4): 48-49.
- [5] Affermi, M. (1999). Sarà *Mammillaria xanthina*? *Piante Grasse* 19(2): 46-48, ills.
- [6] Akhiani, K. (1999). *Rosularia subspicata* (Freyn et Sint.) Boriss. (*Crassulaceae*), a new [record] for the flora of Iran. *Iranian J. Bot.* 8(1): 9-11, ills.
- [7] Alp, P. R. (1999). A note on *Brachstelma gerrardii* Harvey. *Asklepios No.* 77: 15, ills. (p. 16).
- [8] Alsemgeest, W. & al. (1999). Het geslacht *Thehocactus*. 20. De nieuwste ontwikkelingen 3. *Succulenta* 78(4): 153-155, ills.
- [9] Anaya, A. (1999). *Ariocarpus bravoanus* and *A. fissuratus* var. *hintonii*. *Cactus & Co.* 3(1): 13-14, ills.
- [10] Anderson, E. F. (1999). *Ariocarpus*: Some reminiscences. *Cact. Succ. J. (US)* 71(4): 180-190, ills.
- [11] Anderson, E. F. (1999). Some nomenclatural changes in the *Cactaceae*, subfamily *Opuntioideae*. *Cact. Succ. J. (US)* 71(6): 324-325. [Erratum: l.c., 72(1): 46, 2000.]
- [12] Anderson, M. (1999). *Ariocarpus* cultivars: An overview of cristates, hybrids, monstrose forms and other oddities. *Cact. Succ. J. (US)* 71(4): 191-200, ills.
- [13] Andrianova, E. A. & Berkutenko, A. N. (1998). [Russian]: The biology of germination of the seeds of species of the Magadan District. In: *Problemy botaniki na rubezhe XX-XXI vekov*; 26.-29. Mai 1998; 2: 269. St. Petersburg (RU): Rast. Akad. Nauk. [Omitted previously. Includes data on *Sedum cyanescens* and *Rhodiola atropurpurea*.]
- [14] Appenzeller, O. (ed.) (1999). *Feldliste Eberhard Lutz 1986 bis 1999*. Osnabrück (D): Arbeitskreis für Mammillarienfreunde. 60 pp. [= Sonderheft 1999 des Arbeitskreises für Mammillarienfreunde e.V. Errata: *Mitteilungsbl. AfM* 24(1): 59, 2000.]
- [15] Arenas, P. & Scarpa, G. F. (1999). Ethnobotany of *Stetsonia coryne* (*Cactaceae*), the "Cardón" of the Gran Chaco. *Haseltonia* 6: 42-51, ills., map. [Dated 1998, publ. June 1999.]
- [16] Arizaga, S. (1999). ¿Quienes son los polinizadores naturales de *Agave*? El caso de un Maguey endémico del Desierto Intertropical de Tehuacán - Cuicatlán. *Nakari* 10(2): 42-44.
- [17] Arizaga, S. & Ezcurra, E. (1995). Insurance against reproductive failure in a semelparous plant: Bulbil formation in *Agave macroacantha* flowering stalks. *Oecologia* 101(3): 329-334. [Omitted previously.]
- [18] Arnold, D. H. & Mauseth, J. D. (1999). Effects of environmental factors on development of wood. *Amer. J. Bot.* 86(3): 367-371.
- [19] Audissou, J.-A. (1999). The Dragon Tree in Morocco. *Dracaena draco* ssp. *ajgal* Benabid & Cuzin. *Cact. Aventures No.* 41: 23-25, ills.
- [20] Álvarez de Zayas, A. (1995). Los Agaves de las Antillas. *Bol. Soc. Bot. México* 57: 37-48, ills., map. [Omitted previously.]
- [21] Bakker, F. T. & al. (1999). A trnL-F based phylogeny for species of *Pelargonium* (*Geraniaceae*) with small chromosomes. *Pl. Syst. Evol.* 216(3-4): 309-324.
- [22] Bañares Baudet, A. (1999). Notes on the taxonomy of *Aeonium urbicum* and *A. appendiculatum* sp. nova (*Crassulaceae*). *Willdenowia* 29(1-2): 95-103, ills., map, key.
- [23] Barcenas Luna, R. T. (1999). Patrones de distribución de Cactáceas en el Estado de Guanajuato. México (MEX): UNAM. 25 pp. [M.Sc. thesis.]
- [24] Bayer, M. B. (1999). *Haworthia* revisited. A revision of the genus. Hatfield (RSA): Umdaus Press. 250 pp., ills., maps.
- [25] Bayer, M. B. (1999). Is classification science or art? *Asklepios No.* 77: 3-10.
- [26] Bayer, M. B. (1999). A shadow of the past - *Haworthia arachnoidea* again. *Haworthiad* 13(4): 132-135.
- [27] Bella, S. & Turrini, R. E. (1999). Sulla fioritura di *Portulacaria afra* Jacq. (*Portulacaceae*) in Sicilia. *Piante Grasse* 18(4): 122-125, ills. [Dated 1998, publ. May 1999.]
- [28] Belmonte, E. & al. (1999). Categorías de conservación de Cactáceas nativas de Chile. *Bol. Mus. Nac. Hist. Nat. Chile* 47: 69-89. [Dated 1998, publ. 1999.]

- [29] Berg, C. C. & Hijman, M. E. E. (1999). The genus *Dorstenia* (*Moraceae*). *Ilicifolia* 2: 211 pp., ills., keys.
- [30] Bergner, J. (1999). Die Früchte der Notokakteen. Teil 1 / Teil 2 / Teil 3. *Internoto* 20(1): 19-24, (2): 46-52, (3): 74-80, ills.
- [31] Berresford, P. (1999). Eine dicht bedornte Form aus dem *E.[chinocereus] longisetus*-Komplex. *Echinocereenfreund* 12(2): 43-46, ills.
- [32] Berresford, P. & Hoxey, P. (1999). *Echinocereus knippelianus* in habitat. *Brit. Cact. Succ. J.* 17(1): 17-20, ills.
- [33] Beugin, M. (1999). Réflexion sur le genre *Astrophytum*. *A. coahuilense* = *A. myriostigma*? ou pas? *Succulentes* 22(2): 31-32, ills.
- [34] Beyhl, F. E. (1999). Der Süd-arabische Drachenbaum (*Dracaena serrulata* Baker). *Palmengarten* 63(1): 28-31, ills.
- [35] Blum, W. (1999). *Echinocereus torowea-pensis* (P. C. Fischer) H. Fuersch ist ein jüngeres Synonym von *Echinocereus canyensis* E. U. Clover & L. Jotter. *Echinocereenfreund* 12(4): 87-93, ills.
- [36] Blum, W. & Lange, M. (1999). Was ist *Echinocereus orcuttii* Rose ex Orcutt? *Echinocereenfreund* 12(1): 19-23, ills.
- [37] Blum, W. & Lange, M. (1999). Das Ende einer Legende: *Echinocereus boyce-thompsonii* Orcutt? *Echinocereenfreund* 12(1): 22-24, ills.
- [38] Blum, W. & Lange, M. (1999). Was ist *Echinocereus bonkeriae* Thornber et Bonker? *Echinocereenfreund* 12(1): 3-5, ills.
- [39] Blum, W. & Oldach, T. (1999). Festlegung des Neotyps von *Echinocereus milleri* W. Blum, H. Kuenzler et T. Oldach. *Echinocereenfreund* 12(4): 94, ill.
- [40] Blum, W. & Waldeis, D. (1999). Revision der Sektion *Wilcoxia* (Genus *Echinocereus*) (N. L. Britton & J. N. Rose) N. P. Taylor. *Echinocereenfreund* 12(4): 95-106, ills., map.
- [41] Bolliger, T. (1999). Eine weiss blühende Berghauswurz (*Sempervivum monatum* Linné) aus dem Bergell (Südost-Schweiz). *Kakt. and. Sukk.* 50(11): 291-292, ills.
- [42] Boulos, L. (1999). Flora of Egypt. Volume 1. *Azollaceae - Oxalidaceae*. Cairo (Egypt): Al Hadara Publishing. [Aizoaceae pp. 44-49; Portulacaceae pp. 49-50; Crassulaceae pp. 238-242.]
- [43] Böer, B. & Chaudhary, S. A. (1999). New records for the flora of the United Arab Emirates. *Willdenowia* 29(1-2): 159-165, map. [Includes taxa of *Crassula*, *Sedum* and *Umbilicus*.]
- [44] Brand, T. (1999). Mykorrhiza bei Sukkulanten. *Kakt. and. Sukk.* 50(10): 264-267, ills.
- [45] Braun, P. J. (1999). *Siccobaccatus* defended. *Cact. Consensus Init. No. 7*: 9.
- [46] Braun, P. J. & Esteves Pereira, E. (1999). Het geslacht *Discocactus* Pfeiffer. 4 / 5. Het *Discocactus estevesii*-complex. *Succulenta* 78(2): 76-83, (5): 225-230, ills., diag. [Continued from vol. 77.]
- [47] Bravo-Hollis, H. & Arias, S. (1999). Sinopsis de la familia *Cactaceae* en Mesoamérica. *Cact. Suc. Mex.* 44(1): 4-15, 18-19.
- [48] Breckwoldt, S. & K. (1999). An den Standorten der hellblühenden Echinocereen nördlich von Hermosillo. *Echinocereenfreund* 12(1): 25-27, ills.
- [49] Breckwoldt, S. & K. (1999). Eine unmögliche Reisezeit, im Hochsommer auf der Baja California. *Echinocereenfreund* 12(4): 107-110, ills. [On *Echinocereus ferreirianus*, *E. brandegeei* and *E. lindsayi*.]
- [50] Breuer, I. (1999). The collector's first choice - Haworthias of the Section *Retusae* – Part 1. *Haworthiad* 13(1): 30-34, ills.
- [51] Breuer, I. (1999). Summarised results of literature analysis of chromosome counting in the genus *Haworthia*. *Haworthiad* 13(3): 88-93.
- [52] Breuer, I. (ed.) & Holloway, S. (1999). J. R. Brown: Notes on Haworthias. Niederzier / Homburg (Saar) (D): Ingo Breuer / Arbeitskreis für Mammillarienfreunde. ix + 219 pp. [Reprint of J. R. Brown's papers on *Haworthia*, with a short biographical note.]
- [53] Brickwood, J. (1999). Provisional classification of the genus *Parodia* C. Spegazzini. *Mitteilungsbl. Inter-Parodia-Kette* No. 13: 7-11. [Includes numerous provisional new combinations, which are not indexed in this database.]
- [54] Brullo, S. & al. (1998). *Crassula campestris* (Eckl. & Zeyh.) Endl. (*Crassulaceae*), a new record for the Italian flora. *Willdenowia* 28(1-2): 53-58, ills., map.
- [55] Brummitt, R. K. (1999). Report of the Committee for Spermatophyta: 48. *Taxon* 48(2): 359-371. [Includes a comment (p. 368) on the proposal to conserve *Mossia intervallaris*.]
- [56] Bruyns, P. V. (1999). The relationships of *Huerniopsis* and *Piaranthus* (*Apocynaceae - Asclepiadoideae*). *Syst. Bot.* 24(3): 379-397, ills., SEM-ills., map, diags.
- [57] Bruyns, P. V. (1999). Subtribes and tribes of *Asclepiadaceae* – a response to Liede. *Taxon* 48(1): 23-26.
- [58] Bruyns, P. V. (1999). A systematic assessment of *Ophionella* (*Apocynaceae; Asclepiadoideae; Stapeliaceae*). *Bot. J. Linn. Soc.* 131(4): 383-398, ills., map, key.
- [59] Bruyns, P. V. (1999). The systematic position of *Quaqua* (*Apocynaceae - Asclepiadoideae*) with a critical revision of the species. *Bot. Jahrb. Syst.* 121(3): 311-402, ills., key, maps.
- [60] Bruyns, P. V. (1999). The systematic

- position of *Rhytidocaulon* (*Apocynaceae – Asclepiadoideae*). Edinburgh J. Bot. 56(2): 211-228, ill., map, key.
- [61] Bruyns, P. V. (1999). A systematic analysis with notes on the taxonomy of *Notechidopsis* (*Apocynaceae: Asclepiadoideae*). Kew Bull. 54(2): 327-345, ill., map, key.
- [62] Bruyns, P. V. (1999). The status of *Larry-leachia* Plowes and additional synonymy for *Lavrania* Plowes. South Afr. J. Bot. 65(4): 302-305, ill.
- [63] Bruyns, P. V. (1999). Validation of *Tromotricha* Sect. *Caruncularia*. South Afr. J. Bot. 65(4): 305-306.
- [64] Burgoyne, P. M. (1999). *Jensenobotrya lossoviiana*: an island of genetic material in a sea of sand. Aloe 35(3-4): 94-96, ill. [Dated 1998, received March 1999.]
- [65] Burgoyne, P. M. & Condy, G. (1999). *Anacamptseros baeseckeii*. *Avonia quinaria* subsp. *alstonii*. Flow. Pl. Afr. 56: 54-60, pl. 2150, maps.
- [66] Burgoyne, P. M. & Smith, G. F. (1999). Preparing useful herbarium specimens of succulents and other plants with fleshy parts. Aloe 35(3-4): 102-103, ill. [Dated 1998, received March 1999.]
- [67] Burgoyne, P. M. & Wyk, A. E. van (1999). Notes on African plants. *Crassulaceae*. *Crassula maputensis*: A new record for the FSA region. Bothalia 29(2): 254-255, ill.
- [68] Burow, W. (1999). *Aporocactus flagelliformis* (Linné) Lemaire am Wuchsart. Kakt. and. Sukk. 50(3): 49-50, ill.
- [69] Burow, W. (1999). Fundort von *Echinocereus poselgeri* ssp. *kroenleinii* wiederentdeckt. Kakt. and. Sukk. 50(5): 114, ill.
- [70] Burow, W. (1999). *Thelocactus tulensis* var. *buekii* (Klein) E. F. Anderson. Kakt. and. Sukk. 50(7): 181-183, ill.
- [71] Burton, C. M. (1999). It's called *Hoya caudata* from Sumatra – but what is it really? Hoyan 20(3): 45-48, ill.
- [72] Burton, C. M. (1999). *Hoya* trio for colour blind people. Hoyan 21(1): 3-8, ill. [On *Hoya odorata* Schlechter etc.]
- [73] Burton, C. M. (1999). *Hoya coriacea* & *Hoya fraterna*. Hoyan 21(1): 9-13, ill.
- [74] Butterworth, C. A. & Wallace, R. S. (1999). Phylogenetic studies of the tribe *Cacteae*. Cact. Consensus Init. No. 8: 7-9, diag.
- [75] Byalt, V. V. (1997). [Russian:] On the geographical distribution of the genus *Orostachys* (*Crassulaceae*). In: Abstracts of the 6. Conference of Young Botanists in St. Petersburg; p. 4. St. Petersburg (RU): Rossickaja Akademija Nauk. [Omitted previously.]
- [76] Byalt, V. V. (1998). [Russian:] On the correct name for *Orostachys chanetii* (*Crassulaceae*). In: Problemi botaniki na rubesh 20. - 21. vekov [Botanical Problems at the change of the 20. / 21. Century. Abstracts of papers given at the Congress of the Russian Botanical Society], p. 167. St. Petersburg (RU): Rossickaja Akademija Nauk. [Omitted previously.]
- [77] Byalt, V. V. (1998). [Russian:] On the systematic position of *Sedum uralense* (*Crassulaceae*). Bot. Zhurn. (Moscow & Leningrad) 83(1): 126-129.
- [78] Byalt, V. V. (1998). [Russian:] On the teratological forms in the genus *Orostachys* (*Crassulaceae*). Bot. Zhurn. (Moscow & Leningrad) 83(11): 87-89.
- [79] Byalt, V. V. (1998). [Russian:] The genera *Rosularia* and *Prometheum* (*Crassulaceae*) in the Caucasus. Bot. Zhurn. (Moscow & Leningrad) 83(8): 106-110.
- [80] Byalt, V. V. (1998). [Russian:] De Familia *Crassulaceae* notae systematicae. Novosti Sist. Vyssh. Rast. 31: 120-122. [Publ. Dec. 1998 according to Byalt (pers. comm., June 1999).]
- [81] Byalt, V. V. (1998). [Russian:] Generis *Sedum* L. (*Crassulaceae*) de uno specie e Caucaso occidentali. Novosti Sist. Vyssh. Rast. 31: 122-127, ill.
- [82] Byalt, V. V. (1999). *Crassulaceae*. In: Baitenov, M. S. [ed.]: Flora of Kazakhstan. Illustrated key of families and genera; 1: 101-102, ill. (pp. 268-269). Almaty (Kazakhstan): Gylym.
- [83] Byalt, V. V. (1999). *Meterostachys sikokiana*, a new genus and species of flowering plant for the flora of China. Sedum Soc. Newslett. No. 49: 51-53, map, ill. [Probably a translation of a paper published 1997 in Bot. Zhurn., cf. RPS 49 for Byalt 1997.]
- [84] Byalt, V. V. (1999). The list of type specimens of *Crassulaceae* from Western Australia, Tasmania and South America kept in the herbarium of the Komarov Botanical Institute (LE). Bot. Zhurn. (Moscow & Leningrad) 84(12): 87-90.
- [85] Byalt, V. V. (1999). [Russian:] Genera *Tiliaria*, *Chiastophyllum* and *Macrosepalum* (*Crassulaceae*) in the Caucasus. Bot. Zhurn. (Moscow & Leningrad) 84(2): 118-120.
- [86] Byalt, V. V. (1999). The list of type specimens from the family *Crassulaceae*, kept in the herbarium of St. Petersburg Forest Academy (KFTA). Bot. Zhurn. (Moscow & Leningrad) 84(7): 46-49.
- [87] Byalt, V. V. (1999). [Russian:] What is *Sedum telephium* & *pluricaule* (*Crassulaceae*)? Bot. Zhurn. (Moscow & Leningrad) 84(9): 46-48.
- [88] Byalt, V. V. & Sokolova, I. V. (1999). Who is the author of the name *Orostachys* (*Crassulaceae*)? Taxon 48(1): 63-65.

- [89] Carlquist, S. (1998). Wood and bark anatomy of *Caricaceae*: Correlations with systematics and habit. IAWA J. 19(2): 191-206.
- [90] Carlquist, S. (1999). Wood, stem, and root anatomy of *Basellaceae* with relation to habit, systematics, and cambial variants. Flora 194(1): 1-12, illus.
- [91] Casas, A. & al. (1999). Morphological variation and the process of domestication of *Stenocereus stellatus* (*Cactaceae*) in Central Mexico. Amer. J. Bot. 86(4): 522-533.
- [92] Casas, A. & al. (1999). Reproductive biology and the process of domestication of the columnar cactus *Stenocereus stellatus* in Central Mexico. Amer. J. Bot. 86(4): 534-542, map, diag.
- [93] Castillo Campos, G. & al. (1999). *Garrya ovata* Benth. ssp. *goldmanii* (Wooton et Standl.) Dahling (*Garryaceae*) and *Beschorneria calcicola* Garcia Mendoza (*Agavaceae*): two new reports from Veracruz, Mexico. Polibotanica 8: 65-68. [Dated 1998, publ. 1999.]
- [94] Castillo Martínez, R. & Calix de Dios, H. (1999). Panorama actual de la Pitahaya (*Hylocereus* spp., *Cactaceae*). Nakari 10(3): 73-81, ill.
- [95] Cesal, P. (1999). *Coryphantha valida* (J. A. Purpus) L. Bremmer [sic!] - Standortbeobachtungen. Mitteilungsbl. AfM 23(1): 4-9, 26, illus.
- [96] Chahinian, B. J. (1999). Variegated Sansevierias. / La variegatura nel genere *Sansevieria*. Cactus & Co. 3(1): 43-47, (2): 66-69, illus.
- [97] Charles, G. (1999). The genus *Epostoa* Br. & R. Brit. Cact. Succ. J. 17(2): 68-79, illus., map.
- [98] Cházaro Basañez, M. & Machuca Nuñez, J. A. (1999). Las Crasuláceas del Estado de Jalisco, México. Nakari 10(2): 27-29, illus. [List of species.]
- [99] Cházaro Basañez, M. & al. (1999). Dos "Siemprevivas" (*Crassulaceae*) endémicas de la Barranca de "Guadalajara", Jalisco, México. Nakari 10(1): 1-9, map, illus.
- [100] Cházaro Basañez, M. & Flores Macías, A. (1999). *Graptopetalum amethystinum* (Rose) Walther rediscovered! Cact. Aventures No. 43: 9-12, illus.
- [101] Cházaro Basañez, M. & Mostul, B. (1999). In habitat: *Agave guadalajarana* Trel. Cact. Aventures No. 44: 10-12, illus.
- [102] Chen, J. J. & al. (1999). [Chinese:] The chemical constituents of *Rhodiola atuntsuensis*. Acta Bot. Yunnan. 21(4): 525-530.
- [103] Clifton, R. (1999). *Pelargonium xerophyton*, *P. desertorum*. Geraniaceae Group News 1999(spring): 4-5, illus.
- [104] Cole, D. T. (1999). *Trichocaulon*: The smooth-stemmed species. Le specie a fusto glabro. Cactus & Co. 3(1): 73-84, illus., maps. [Reprinted with some modifications from Asklepios 31: 73-83, 1984.]
- [105] Collenette, S. (1999). *Duvalias* in Saudi Arabia. Asklepios No. 78: 4-6, illus., map.
- [106] Collenette, S. (1999). *Adenium obesum* in Saudi Arabia. Brit. Cact. Succ. J. 17(2): 101-105, illus., map.
- [107] Collenette, S. (1999). The ceropegias of Saudi Arabia. Brit. Cact. Succ. J. 17(4): 181-187, illus., map.
- [108] Colunga-García Marín, P. & al. (1999). Isozymatic variation and phylogenetic relationships between Henequen (*Agave fourcroydes*) and its wild ancestor *A. angustifolia* (*Agavaceae*). Amer. J. Bot. 86(1): 115-123.
- [109] Costa Silva, D. da & Halburgo Alves, J. L. de (1999). Anatomia dos órgãos vegetativos de seis espécies de *Pilosocereus* Byles & Rowley (*Cactaceae*). Bol. Bot. Univ. São Paulo 18: 53-60, illus.
- [110] Craib, C. (1999). The ecology and status of *Haworthia limifolia* east of the Masongololo mountain in South Africa's KwaZulu Natal. Haworthiad 13(2): 49-51, ill. (p. 47).
- [111] Craib, C. (1999). The ecology of *Gasteria batesiana* at the Paris Dam site in the Bivane River Gorge. Haworthiad 13(2): 51-52, ill. (p. 47).
- [112] Craib, C. (1999). The function of cliff faces in the ecology of *Gasteria batesiana*. Haworthiad 13(4): 135-137.
- [113] Craib, C. (1999). Zur Ökologie von *Harpagophytum procumbens* ssp. *transvaalensis* in der Nord-Provinz Südafrikas. Kakt. and. Sukk. 50(10): 249-253, illus.
- [114] Crook, R. & Mottram, R. (1999). *Opuntia* index. Part 5: Nomenclatural note and I - L. Bradleya 17: 109-131, illus. [Continued from vol. 16. Continued in vol. 18.]
- [115] Crouch, N. & al. (1999). South Africa's rarest caudiciform cucurbit, *Gerrardanthus tomentosus*. Bradleya 17: 95-100, illus.
- [116] Cumming, D. M. (1999). New nothogenera proposed for four trigeneric hybrids within *Aloeaceae*. Haworthiad 13(1): 20-21.
- [117] Cumming, D. M. (1999). Thirty years of twitching forceps in *Aloeaceae*. Haworthiad 13(4): 141-147. [On hybridization.]
- [118] Daniel, P. & Umamaheswari, P. (1999). Did Willdenow validly publish the name *Trianthemum triquetra* (*Aizoaceae*)? Indian J. Forest. 22(4): 409-410.
- [119] Das, A. B. & al. (1999). New report on chromosome number, karyotype and 4C DNA content in three species of *Pachypodium* Lindley. Caryologia 51(3-4): 245-252, illus. [Dated 1998, publ. 1999.]
- [120] Das, A. B. & al. (1999). Interspecific vari-

- ation of nuclear DNA and structural changes in meiotic and mitotic chromosome in some species of *Mammillaria* (Cactaceae). *Caryologia* 51(3-4): 289-301, illus. [Dated 1998, publ. 1999.]
- [121] Das, A. B. & al. (1999). Karyotype diversity in thirteen species of *Mammillaria* in the family Cactaceae. *Cytobios* 97(385): 117-125.
- [122] Das, A. B. & al. (1999). Studies on chiasma frequency and nuclear 4C-DNA amount in seven species of *Mammillaria*. *Cytobios* 97(385): 95-101.
- [123] Das, A. B. & al. (1999). Somatic chromosome number and karyotype diversity in fifteen species of *Mammillaria* of the family Cactaceae. *Cytobios* 97(386): 141-151.
- [124] Das, A. B. & al. (1999). 4C-DNA variations and karyotype diversity in nine species of *Ferocactus* B. & R. *Cytologia* 64(1): 17-24.
- [125] Das, P. & al. (1999). New cactus cultivars. Orissa (India): Regional Plant Resource Centre, Bhubaneswar. 28 pp., illus.
- [126] Degen, R. & Mereles, F. (1996). Checklist de las plantas colectadas en el Chaco Boreal, Paraguay. *Rojasiana* 3(1): 1-176. [Omitted previously. *Cactaceae* pp. 53-57; *Portulacaceae* pp. 132-133.]
- [127] Diagre, D. (1999). High altitudes. Cact. Aventures No. 41: 2-7, illus. [Included for the illustrations of Chilean high-altitude cacti.]
- [128] Dicht, R. F. & Lüthy, A. D. (1999). Im Feld wiedergefunden: *Coryphantha vogtherriana* Werdermann & Bödeker. *Kakt. and. Sukk.* 50(6): 143-145, illus.
- [129] Dicht, R. F. & Lüthy, A. D. (1999). *Coryphantha glassii* spec. nov., eine neue Art aus Zentral-Mexiko. *Kakt. and. Sukk.* 51(1): 1-5, illus. [Dated 2000, publ. late Dec. 1999.]
- [130] Dold, A. P. & Phillipson, P. B. (1998). A revision of *Lachenalia* (Hyacinthaceae) in the Eastern Cape, South Africa. *Bothalia* 28(2): 141-149, illus., maps, key.
- [131] Dold, T. & Weeks, D. (1999). The status of *Brachystelma campanulatum* N. E. Br. in the Eastern Cape, South Africa. *Aloe* 36(1): 21, illus.
- [132] Doorenbos, J. & al. (1998). The sections of *Begonia* including descriptions, keys and species lists (Studies in Begoniaceae VI). Wageningen (NL): Wageningen Agricultural University. 266 pp., illus., keys. [= Wageningen Agricultural University Papers 98-2.]
- [133] Dortort, F. (1999). *Pediocactus* - The not-so-plain "Cactus of the Plains". Part 1 / Part 2. *Cact. Succ. J. (US)* 71(5): 245-252, (6): 292-300, illus.
- [134] Doweld, A. B. (1999). Amplification of the genus *Neolloydia* Britton & Rose. *Cact. Consensus Init. No. 7*: 11-17, SEM-illus.
- [135] Doweld, A. B. (1999). The polyphyletism of the genus *Echinocactus* as evidenced by its seed coat anatomy and morphology. Die Polyfylie [sic] der Gattung *Echinocactus* nachgewiesen durch den anatomischen Aufbau und die Morphologie der Samen haut. *Cactaceae Rev.* 2(1): 9-14, SEM-illus. [Continued in 3(1).]
- [136] Doweld, A. B. (1999). *Puebloa*, a new genus of Cactaceae. *Sukkulenty* 1999(1): 19-23.
- [137] Doweld, A. B. (1999). Tribal taxonomy of *Pereskioideae* and *Opuntioideae* (Cactaceae). Synopsis tribuum *Pereskioidearum* Opuntioidearumque. *Sukkulenty* 1999(1): 25-26.
- [138] Doweld, A. B. (1999). Nomenclatural adjustments in Cacteae (Cactoideae - Cactaceae). *Sukkulenty* 1999(1): 27-31.
- [139] Doweld, A. B. (1999). [Russian:] An outline of the phylogenetic system of classification of the tribe Cacteae (Cacoideae - Cactaceae). II. System of classification of the subtribes *Pediocactinae* - *Thelocactinae* - *Coryphanthinae*. Generico-specific synopsis of the subtribe *Pediocactinae*. *Sukkulenty* 1999(1): 4-18, 24, illus.
- [140] Doweld, A. B. (1999). *Ritterocactus* & *Peronocactus*: New generic segregates from polyphyletic *Notocactus* (Notocacteae - Cactaceae). I. Formal taxonomy and classification. *Sukkulenty* 1999(2): 20-25, SEM-illus.
- [141] Doweld, A. B. (1999). [Russian:] An outline of the phylogenetic system of classification of the tribe Cacteae (Cactoideae - Cactaceae). III. System of classification of the subtribes *Epithelanthinae*, *Echinocactinae*, *Astrophytinae*. *Sukkulenty* 1999(2): 26-42, SEM-illus.
- [142] Dunbar, K. R. & Facelli, J. M. (1999). The impact of a novel invasive species, *Orbea variegata* (African Carrion Flower) on the Chenopod shrublands of South Australia. *J. Arid Environm.* 41: 37-48.
- [143] Eggli, U. & Leuenberger, B. E. (1999). *Eulychnia castanea* Phil. (Cactaceae): Geographical distribution and variation. *Gayana, Bot.* 55(2): 89-92, illus., map.
- [144] Escobar Santos, V. E. & Huerta Martínez, F. M. (1999). Relaciones ecológicas de *Ferocactus histrix* (DC.) Lindsay en los Llanos de Ojuelos, Jalisco - Zacatecas. *Cact. Suc. Mex.* 44(2): 40-43, 46-48, diag.
- [145] Ewest, W. (1999). *Euphorbia copiapina* and relatives. *Euphorbiaceae Study Group Bull.* 12(3): 92-97, illus.
- [146] Ezcurra, E. & Medina L., R. (1997). Flora del Valle de Tehuacán-Cuicatlán. Fasc. 18. *Fouquieriaceae* DC. México D.F. (MEX): Instituto de Biología, Universidad Nacional Autónoma de México. 13 pp., key, illus. [Omitted previously.]
- [147] Fahr, J. (1999). Beobachtungen und Gedanken über die Standorte der *Parodia subterranea*, *Parodia culpinensis* und *Parodia*

- occulta* in der Pampa de Culpina und angrenzenden Gebieten. Mitteilungsbl. Inter-Parodia-Kette No. 12: 3-8, illus., maps.
- [148] Favell, P. & al. (1999). Notes on two aloes from Yemen, including the description of a new species, *A. ahmarensis*. *Cact. Succ. J. (US)* 71(5): 257-261, illus.
- [149] Fernández, A. (1999). Anatomía en especies de *Opuntia* (Cactaceae) de Venezuela. II. Estomatogénesis en *Opuntia bisetosa* Pittieri, *O. boldinghi* Britton et Rose, *O. elatior* Miller, *O. schumannii* F. A. C. Weber y *O. sp. nov.* (inédita). *Ernstia*, ser. 2, 8(4): 115-134, SEM-illus.
- [150] Ferryman, R. & Middleditch, H. (ed.) (1999). *Islaya laui*. *Chileans* 17(56): 95-97, illus. [Dated 1998, received 4. Feb. 1999.]
- [151] Fioretto, A. & al. (1999). Crassulacean Acid Metabolism in *Sedum dasypyllosum* L. *Pl. Biosystems* 133(3): 239-250.
- [152] Firdous, S. & al. (1999). A new glycoside from *Polianthes tuberosa*. *Fitoterapia* 70(2): 203-204.
- [153] Fitz-Maurice, W. A. & B. (1999). Field notes. New locations for *Ariocarpus agavooides*. *Cact. Succ. J. (US)* 71(5): 271-272, illus.
- [154] Forster, P. I. (1999). The correct names for two species of South African *Brachystelma* (*Apocynaceae*: *Stapeliaeae*). *Aloe* 36(1): 22.
- [155] Forster, P. I. (1999). Notes on *Cynanchum marnierianum* Rauh (*Apocynaceae*). *Asklepios* No. 76: 13-14, ill. [First description of fruits.]
- [156] Forster, P. I. (1999). A putative treatment for *Euphorbia* sap-burn in humans. *Cact. Succ. J. (US)* 71(4): 218.
- [157] Forster, P. I. (1999). *Euphorbia norfolkiana* Boiss., a threatened species from Norfolk Island. *Euphorbiaceae Study Group Bull.* 12(1): 8-12, illus.
- [158] Forster, P. I. (1999). Gender in a population of *Euphorbia polygona* Haw. *Euphorbiaceae Study Group Bull.* 12(2): 56-60, illus.
- [159] Forster, P. I. (1999). *Euphorbia homorhiza* A. R. Sm. - a curious geophytic *Euphorbia* from Mexico. *Euphorbiaceae Study Group Bull.* 12(3): 101-104, illus.
- [160] Forster, P. I. (1999). *Plectranthus fasciculatus* (Lamiaceae), a new species from north-eastern Queensland, Australia. *Hasseltonia* 6: 14-16, ill., map. [Dated 1998, publ. June 1999.]
- [161] Forster, P. I. & Liddle, D. J. & I. M. (1999). The genus *Hoya* R.Br. (*Asclepiadaceae*: *Marsdenieae*) as commonly cultivated in Australia. *Asklepios* No. 78: 18-32, illus., key.
- [162] Frank, G. R. W. (1999). *Echinocereus bonkeriae* fa. "Nase" aus Arizona. *Kakt. and. Sukk.* 50(6): 140-141, illus.
- [163] Frank, G. R. W. (1999). Neue Erkenntnisse zur Einstufung des *Echinocereus pectinatus* ssp. *ctenoides*. *Kakt. and. Sukk.* 51(1): 19-23, illus. [Dated 2000, publ. late Dec. 1999.]
- [164] Fredrickx, T. (1999). *Astrophytum asterias* (Zucc.) Lem. *Cact. Vetpl. (Wijnegem - 2)* 16(3): 35-38, illus.
- [165] Fritz, G. (1999). Eine besondere Form von *Sulcorebutia purpurea* var. *minor*. *Kakt. and. Sukk.* 50(7): 163-165, illus.
- [166] Fritz, G. (1999). Enige notities betreffende *Sulcorebutia cardenasiana* Vásquez. *Tijdschr. Liefhebber. Cact. Vetpl. Kamerpl.* 12(8): 125-128, illus., map.
- [167] Frolov, Y. M. (1998). [Russian:] The biomorphological variability of *Rhodiola rosea* (Crassulaceae) in the Pechora Urals. In: *Problemy botaniki na rubezhe XX-XXI vekov*; 26. - 29. Mai 1998; 2: 333. St. Petersburg (RU): Rast. Akad. Nauk. [Omitted previously.]
- [168] Frolov, Y. M. (1999). [Russian:] Population aspects of a study of the Pechora Urals *Rhodiola rosea* L., initial material for introduction. In: *Biologicheskoe ranoobrazie. Itogi Introduktzii; Materialy II mezdunarodnoy nauchnoj konferentzii*, 20. - 23. Aprelya 1999, Sankt Petersburg; pp. 309-310.
- [169] Frolov, Y. M. & Poletaeva, I. I. (1998). [Russian:] The variability of seeds of *Rhodiola rosea* (Crassulaceae) in the Polar Urals. In: *Problemy botaniki na rubezhe XX-XXI vekov*; 26. - 29. Mai 1998; 1: 86-87. St. Petersburg (RU): Rast. Akad. Nauk. [Omitted previously.]
- [170] Frolov, Y. M. & Poletaeva, I. I. (1999). [Russian:] Biological rhythm of *Rhodiola rosea* L. seed ability to germinate. In: *Biologicheskoe ranoobrazie. Itogi Introduktzii; Materialy II mezdunarodnoy nauchnoj konferentzii*, 20. - 23. Aprelya 1999, Sankt Petersburg; pp. 390-391, 1 pl.
- [171] Fukuyama, Y. (1996). Portuloside A, a monoterpane glucoside, from *Portulaca oleracea*. *Phytochemistry* 42(6): 1625-1628. [Omitted previously.]
- [172] Gandhi, R. (1999). Carallumas of the Indian subcontinent. New Delhi (India): published by the author. 42 pp., illus., map, key.
- [173] García Ruiz, I. & al. (1999). Suculentas de la Barranca La Gloria, Michoacán, México. *Cact. Suc. Mex.* 44(2): 37-39.
- [174] Gavrilova, G. (1999). [Russian:] Flora of Latvian vascular plants. List of taxa. Riga (LAT): Latvijas Akad. Bibliotheka. 136 pp. [*Crassulaceae* p. 33, *Portulacaceae* p. 22.]
- [175] Gehrig, H. H. & al. (1997). Detection of DNA polymorphism in the genus *Kalanchoe* by RAPD-PCR fingerprint and its relationships to infrageneric taxonomic position and ecophysiological photosynthetic behaviour of the species. *Pl. Sci. (Elsevier)* 125(1): 41-51. [Omitted previously.]

ously.]

[176] Geissler, R. (1999). *Tephrocactus viridis & atroviridis*. Tephrocactus Study Group 5(2): 337-340, illus.

[177] Gerloff, N. (1999). Where *Gymnocalycium horstii* Buining has its roots. / Alle radici di *Gymnocalycium horstii* Buining. Cactus & Co. 3(4): 179-184, illus., map.

[178] Gerloff, N. (1999). *N.[otocactus] submammulosus* (Lemaire) Berger ex Backeberg: Gibt es abweichende Formen und Übergänge? Internoto 20(1): 3-18, illus., maps.

[179] Gerloff, N. (1999). Nonsense aus der Consens-Initiative. Internoto 20(4): 115-120, illus., map. [On *Notocactus* taxonomy.]

[180] Gerloff, N. (1999). *Notocactus oxycostatus*, een goede soort. Succulenta 78(6): 266-272, illus., map.

[181] Gerloff, N. & Gemmrich, W. (1999). Leserfragen. *Notocactus supertextus?* Internoto 20(3): 104-108, illus.

[182] Gerloff, N. & Zahra, R. (1999). *Notocactus ruoffii*. Brit. Cact. Succ. J. 17(2): 90-93, illus., map.

[183] Gilmer, K. & Thomas, H.-P. (1999). *Austrocylindropuntia atroviridis*: Eine *A. floccosa* ohne Haare. Kakt. and. Sukk. 50(2): 46-47, illus.

[184] Gilmer, K. & Thomas, H.-P. (1999). Beobachtungen an *Austrocylindropuntia malyana*. Kakt. and. Sukk. 50(6): 129-135, illus.

[185] Glazkova, E. A. (1997). [Russian:] About the flora of islands in the eastern part of the Gulf of Finland. In: Tezisy VI molodyozhnoj konferencii botanikov v Sankt-Petersburge, 12. - 16. Maya 1997; pp. 5-6. St. Petersburg (RU): Izd. Boyanych. [Includes records of *Sedum*. Omitted previously. Repeated in Problemy Botaniki na rubezhe XX-XXI Vekov, 26. - 29. Maya 1998, St. Petersburg; 2: 188.]

[186] Glen, H. F. & Hardy, D. (1999). Stem-surface sculpture: a potentially valuable character in some cacti as shown by a survey of stem microstructure. Haseltonia 6: 52-62, SEM-illus. [Dated 1998, publ. June 1999.]

[187] Godinez-Alvarez, H. & al. (1999). Biotic interactions and the population dynamics of the long-lived columnar cactus *Neobuxbaumia tetetzo* in the Tehuacán Valley, Mexico. Canad. J. Bot. 77(2): 203-208.

[188] Gola, E. M. (1997). Phyllotactic spectra in cacti: *Mammillaria* species and some genera from *Rebutia* group. Acta Soc. Bot. Poloniae 66(3-4): 237-257, illus. [Omitted previously.]

[189] Gomes, I. & al. (1999). New data on the distribution and conservation status of some angiosperms of the Cape Verde Islands, W Africa. Willdenowia 29(1-2): 105-114, illus. [Includes *Euphorbia tuckeyana* (p. 110).]

[190] Gontcharova, S. B. (1999). [Russian:] Some peculiarities of species and life forms distribution of the genus *Sedum* (Crassulaceae). In: Nedoluzhko, V. A. (ed.): Proceedings of the Botanical Gardens of the Far-Eastern Branch of the Russian Academy of Sciences, 1: 80-87. Vladivostok (RU): Dalnauka.

[191] Gontcharova, S. B. (1999). Conspectus of *Sedoideae* (Crassulaceae) of the Russian Far East. Bull. Nation. Sci. Mus. Tokyo, Ser. B, 25(2): 49-63, map.

[192] Gontcharova, S. B. (1999). Ornamentation of the testa of some eastern Asian *Sedoideae* (Crassulaceae). Bull. Nation. Sci. Mus. Tokyo, Ser. B, 25(4): 131-141, SEM-illus.

[193] Gontcharova, S. B. (1999). [Russian:] Biomorphology of the genus *Sedum* L. (Crassulaceae) from the flora of the Russian Far East. Komarovskie Chteniya (Vladivostok) 53: 261-276, illus.

[194] Gontcharova, S. B. & Abankina, M. N. (1999). [Russian:] Peculiarities of structure and germination of seeds of some Far Eastern *Sedum* L. In: Biologicheskoje ranoobrazie. Itogi Introduktzii; Materialy II mezdunarodnoj nauchnoj konferencii, 20. - 23. Aprelya 1999, Sankt Petersburg; pp. 346-347.

[195] Gontcharova, S. B. & Abankina, M. N. (1999). [Russian:] Features of structure and germination of seeds of some species of the Far Eastern genus *Sedum* L. Rastitel'n. Resursy 1: 46-52, illus.

[196] Gorin, V. I. & Kireev, E. A. (1998). [Russian:] Rare species in the flora of the Archedinsko-Donski Sands. In: Problemy botaniki na rubezhe XX-XXI vekov; 26. - 29. Mai 1998; 2: 244. St. Petersburg (RU): Rast. Akad. Nauk. [Omitted previously. Includes data on *Sempervivum ruthenicum*.]

[197] Green, T. (1999). The *Hoya finlaysonii* group. Fraterna 12(4): 4-11, illus.

[198] Greuter, W. & Raus, T. (eds.) (1998). Med-Checklist Notulæ, 17. Willdenowia 28(1-2): 163-174. [Includes a distribution record for *Sedum tubiferum*.]

[199] Grierson, A. J. C. & Long, D. G. (1999). Flora of Bhutan: including a record of plants from Sikkim and Darjeeling. Vol. 2, part 2. Edinburgh (GB): Royal Botanic Gardens. [This part includes the *Asclepiadaceae*.]

[200] Groen, L. E. & Maesen, L. J. G. van der (1999). Revision of the genus *Faucaria* (Ruschioideae: Aizoaceae) in South Africa. Bothalia 29(1): 35-58, illus., maps, key.

[201] Gupta, R. K. & al. (1997). Phenotypic stability of *Agave* species on bouldery wastelands (Riverbed) of Doon Valley. Indian Forester 123(4): 331-337. [Omitted previously.]

[202] Hajek, M. (1999). In culture / In Kultur:

- [203] Halda, J. J. (1999). *Gymnocalycium spegazzinii* Britton & Rose a jeho blízcej přesobuzní. Cactaceae etc. 9(3): 83-85, illus.
- [204] Halford, A. S. & Nowak, R. S. (1996). Distribution and ecological characteristics of *Lewisia longipetala* (Piper) Clay, a high-altitude endemic plant. Great Basin Naturalist 56(3): 225-236. [Omitted previously.]
- [205] Halvorsen, R. & al. (1999). Portulakk *Portulaca oleracea* ssp. *oleracea* funnet i Larvik kommune, Vestfold. Blyttia 57(4): 187.
- [206] Hammer, S. A. (1999). Rainbow notions. Mesemb Study Group Bull. 14(2): 35-38. [On flower colours and pollination in Mesembs.]
- [207] Hammer, S. A. (1999). *Cylindrophyllum Schwantes*. Mesemb Study Group Bull. 14(3): 60-61.
- [208] Hammer, S. A. (1999). Sheepish shepherds: Notes on *Stomatium agnatum* (Haw.) Schwantes. Mesemb Study Group Bull. 14(3): 77-78.
- [209] Hammer, S. A. (1999). Notes on *Conophytum ratum* and its friends. Mesemb Study Group Bull. 14(4): 85-86.
- [210] Hammer, S. A. (1999). Some recondite Rhynophyllums. Mesemb Study Group Bull. 14(4): 90-92.
- [211] Hammer, S. A. & Barnhill, C. (1999). *Lithops*. Treasures of the Veld (Observations on the genus *Lithops* N. E. Br.). Ansty (GB): British Cactus and Succulent Society. 148 pp., illus., key, maps.
- [212] Hanáček, P. & Ricánek, M. (1999). Sukulentní maleziste Jemu - okolí San'a, Lodor a Jabal Al-Arays. Adenium 12(1): 10-16, illus.
- [213] Hancock, K. (1999). Locating and conserving native cacti in Canada (Saskatchewan). Amateurs' Digest 10(5): 28-29, illus.
- [214] Hancock, K. (1999). Locating and conserving native cacti in Alberta. Amateurs' Digest 11(1): 26-28, map.
- [215] Hancock, K. (1999). Locating and conserving native cacti in British Columbia, Canada. Amateurs' Digest 11(2): 17-19, map.
- [216] Hansen, P. (1999). Die Formenvielfalt von *Lophophora diffusa* (Croizat) Bravo. Kakt. und. Sukk. 50(9): 213-218, illus., map.
- [217] Hargreaves, B. J. (1999). *Brachystelma* in Botswana, Malawi and Lesotho. Asklepios No. 77: 11-14, illus.
- [218] Hargreaves, B. J. (1999). Succulents in the Sudd. Euphorbiaceae Study Group Bull. 12(3): 105-110, illus.
- [219] 't Hart, H. (1999). Adaptive radiation and evolution of Macaronesian *Sedum* (Crassulaceae). In: Proceedings of the International Botanical Congress, St. Louis 1999, Abstract 4.2.3. : 33.
- [220] 't Hart, H. (1999). Macaronesian *Sedum* Part 3. Sedum Soc. Newslett. No. 49: 67-72, key.
- [221] 't Hart, H. (1999). Evolutie en classificatie van de macaronesische *Sedum* soorten. Succulenta 78(4): 177-190, illus., key.
- [222] 't Hart, H. (1999). Twee nieuwe combinaties in *Prometheum* H. Ohba. Succulenta 78(5): 231-238, illus. [Includes a synopsis of *Prometheum* and data on its phylogeny.]
- [223] 't Hart, H. & Bleij, B. (1999). Nieuwe namen in *Sempervivum* Sect. *Jovibarba* (Crassulaceae). Succulenta 78(1): 35-42, illus.
- [224] 't Hart, H. & al. (1999). Biosystematic, molecular and phytochemical evidence for the multiple origin of sympetalous in Eurasian *Sedoideae* (Crassulaceae). Biochem. Syst. & Ecol. 27: 407-426.
- [225] Hartmann, H. E. K. (1999). An annotated list of the species placed in *Ruschia* (Aizoaceae). Bradleya 17: 38-74, illus., map.
- [226] Hayashi, M. (1999). Cladistic analysis of *Haworthia*. Haworthiad 13(1): 15-17, 20, diags.
- [227] Hayashi, M. (1999). Radiation analysis of *Haworthia*. Haworthiad 13(1): 8-15, maps, illus. (pp. 18-19).
- [228] Hayashi, M. (1999). Mechanism of radiative evolution and evolution cycle. Haworthiad 13(2): 39-46, diags.
- [229] Heath, P. V. (1999). Notes on Euphorbiaceous epiphets (first decade). Calyx 6(2): 49-50. [Proposal of several changes to specific epiphets on linguistic grounds, perhaps not permissible under the ICBN.]
- [230] Heath, P. V. (1999). Notes on Cactaceous epiphets (first decade). Calyx 6(2): 56-57. [Proposal of several changes to specific epiphets on linguistic grounds, perhaps not permissible under the ICBN.]
- [231] Heath, P. V. (1999). Notes on Portulacaceous epiphets (first decade). Calyx 6(2): 78-79. [Proposal of several changes to specific epiphets on linguistic grounds, perhaps not permissible under the ICBN.]
- [232] Heek, W. van (1999). Besuch bei *Turbinicarpus* und Co. Kakt. and. Sukk. 50(5): 101-103, illus. [Included for the illustrations of *Ariocarpus confusus*.]
- [233] Heek, W. van & Heimen, G. (1999). Micranthocereen. Die Edelsteine der Säulenkakteen. Kaktusblüte 1999: 11-17, illus. [Included for the illustrations.]
- [234] Heek, W. van & Strecker, W. (1999).

- Micranthocereus polyanthus*. Kakt. and. Sukk. 51(1): 15-18, ills. [Dated 2000, publ. late Dec. 1999.]
- [235] Helm, C. & K. (1999). Merhfach dichotom verzweigte Mammillarien. Kakt. and. Sukk. 50(12): 297-301, ills.
- [236] Hentzschel, G. (1999). Untersuchungen zur Verwandtschaft der Gattungen *Gymnocalycium*-Pfeiffer, *Weingartia* Werdermann und *Sulcorebutia* Backeberg. *Gymnocalycium* 12(2): 287-290, (3): 291-294, ills., diags.
- [237] Hentzschel, G. (1999). Het geslacht *Sulcorebutia* Backeberg emend. Hentzschel. *Succulenta* 78(3): 131-142, ills.
- [238] Hershkovitz, M. A. (1999). *Montia linearis* (Douglas) E. Greene (Portulacaceae) in Maryland. *J. Torrey Bot. Soc.* 126(4): 350-351.
- [239] Heyligers, P. C. (1999). The occurrence and history of *Tetragonia decumbens* (Aizoaceae) in New South Wales. *Telopea* 8(3): 371-373.
- [240] Hill, S. R. & James, A. (1998). New plant records for Dominica, Lesser Antilles. *Sida* 18(1): 297-305. [Includes *Agave russiana*.]
- [241] Hils, M. (1999). Auf der Suche nach *Melocactus delessertianus*. Kakt. and. Sukk. 50(7): 157-159, ills.
- [242] Hochstätter, F. (1999). Documentation of Nomenclature / Dokumentation der Nomenklatur I: *Pediocactus* (Cactaceae). *Cactaceae Rev.* 1(2): 16-17. [Dated 1998, received Feb. 1999.]
- [243] Hochstätter, F. (1999). Darstellung der Gattung *Sclerocactus*. Kakt. and. Sukk. 50(5): 115-119, (6): 150-155, ills., key, map.
- [244] Hochstätter, F. (1999). *Yucca arkansana* Trelease 1902 und die neue Subspecies *Yucca arkansana* ssp. *louisianensis* Hochstätter. *Kaktusbüte* 1999: 24-31, ills., map.
- [245] Hochstätter, F. (1999). Revisione di *Sclerocactus parviflorus* e dei suoi taxa infraspecifici. *Piante Grasse* 19(1): 2-19, ills., map.
- [246] Hochstätter, F. (1999). Het geslacht *Yucca* (Agavaceae). Deel 2 (vervolg) / Deel 3 / Deel 4. *Succulenta* 78(1): 24-34, (3): 120-129, (5): 207-218, ills., maps, keys. [Part 3 was first published in a German version in *Kaktusbüte* 1999: 24-31, 1999. Continued in vol. 79.]
- [247] Hodgson, W. C. (1999). Agaves and humans: The continuing story of a continuing connection. *Sonoran Quart.* 53(4): 6-8, ills.
- [248] Hodgson, W. C. (1999). A new Flora for Arizona in preparation. Agavaceae. Agave Family. Part 1. *Agave* L. Century Plant, Maguey. *J. Arizona-Nevada Acad. Sci.* 32(1): 1-21, keys, maps, ills.
- [249] Hofacker, A. (1999). *Gymnocalycium denudatum* aus Südbrasiliien. Kakt. and. Sukk. 50(7): 166-168, ills.
- [250] Hofer, A. (1999). *Selenicereus spinulosus* (DC.) Britton et Rose am Standort in Nordostmexiko. *EPIG Rundschreiben* 11(3): 95-99, ills.
- [251] Hofmann, B. (1999). Wie stehen *M. [ammillaria] giganthothele* Hort., *M. uberiformis* Zuccari und *M. sphaerica* Dietrich zu *M. longimamma* De Candolle? *Mitteilungsbl. AfM* 23(3): 141-145, 147, 149, 152, ills.
- [252] Hofmann, B. (1999). *Coryphantha pallida* Br. & R., *Coryphantha calipensis* Bravo und *Coryphantha cornifera* (DC.) Lemaire. *Mitteilungsbl. AfM* 23(4): 199-205, 207, 209, ills. (pp. 210-211, 213-214).
- [253] Holland, J. N. & Fleming, T. H. (1999). Mutualistic interactions between *Upiga virens* (Pyralidae), a pollinating seed-consumer, and *Lophocereus schottii* (Cactaceae). *Ecology* 80(6): 2074-2084.
- [254] Holloway, S. (1999). Chromosomes in *Haworthia*: Their structure, function and replication, and their utility in taxonomic and other studies. *Haworthiad* 13(2): 59-65.
- [255] Huerta Martínez, F. M. & al. (1999). [Spanish:] Multivariate analysis of "Pitayo" and "Cardón" populations in Sayula, Jalisco. *Bol. Soc. Bot. México* 64: 11-24.
- [256] Hunt, D. R. (1999). CITES Cactaceae checklist. Richmond (GB): Royal Botanic Gardens Kew / Milbourne Port (GB): David Hunt. Ed. 2; 315 pp. [Corrections: See *Cact. Consensus Init.* 7: 31 (1999); 8: 31 (1999); *Cact. Syst. Init.* 9: 29-32 (2000).]
- [257] Hunt, D. R. (1999). The ghost in the Valley of Ghosts. *Brit. Cact. Succ. J.* 17(4): 188-190, ills. [On *Mammillaria orcuttii* and *M. phantasma*.]
- [258] Hunt, D. R. (1999). Notes on *Corynocactus* B. & R. *Cact. Consensus Init.* No. 7: 30-32.
- [259] Hunt, D. R. (1999). The genera of the Cactoideae: current status. *Cact. Consensus Init.* No. 8: 11-18.
- [260] Hunt, D. R. (1999). Who's for *Bisnaga*? *Cact. Consensus Init.* No. 8: 19-20.
- [261] Hunt, D. R. (1999). The Opuntioids: all sections or all genera? *Cact. Consensus Init.* No. 8: 3-6.
- [262] Hunt, D. R. (1999). Species? Nova? *Mammillaria Postscripts* No. 8: 8-20, keys. [On *Mammillaria phantasma*, *M. marcosii*, and including a tentative key to Ser. *Stylothelae* by W. A. & B. Fitz Maurice.]
- [263] Hunt, D. R. (ed.) (1999). What to do about the less-than-species? *Cact. Consensus Init.* No. 8: 23-28.
- [264] Huxman, T. E. & Loik, M. E. (1996). Seeds of *Yucca whipplei* var. *whipplei* germinate in the fruit. *Southw. Naturalist* 41(3): 318-320.

- [Omitted previously.]
- [265] Ibisch, P. (1999). Boliviens epiphytische Kakteen und ihre ökologische und geographische Verbreitung. Teil 5. EPIG Rundschreiben 10(4): 111-123, ills., maps. [Dated 1998, publ. Febr. 1999. Concluded from 10(3), 1998.]
- [266] Ichimura, K. & Suto, K. (1998). Environmental factors controlling flower opening and closing in a *Portulaca* hybrid. Ann. Bot. (London), n.s. 82(1): 67-70.
- [267] Iliff, J. (1999). The problem of *Opuntia longispina* Haw. Cact. Consensus Init. No. 7: 9-11.
- [268] Immelmann, K. (1999). *Piperaceae* in Southern Africa: a very brief summary. SABONET News 4(2): 125-126, ills.
- [269] Jaarsveld, E. J. van (1999). The reintroduction of *Gasteria baylissiana* - a check up. Brit. Cact. Succ. J. 17(3): 119-121, ills.
- [270] Jalas, J. (1999). Atlas Flora Europaea notes. 14. Ann. Bot. Fenn. 36: 9-10. [Includes data on *Hylotelephium*.]
- [271] Janeba, Z. (1999). Podrod *Tephrocactus* a ostatní opuncie. Kaktusy 35(4): 103-107, ills.
- [272] Jantschgi, G. & Lechner, P. (1999). Taxonomische Neuordnung des [*Turbinicarpus*] *Macrochele*-Aggregates und Beschreibung einer neuen Subspecies. Turbi-Now No. 5: 1-16, ills., map. [Dated Dec. 1998, received 27. Feb. 1999.]
- [273] Johnson, M. B. (1999). *Jatropha* (*Euphorbiaceae*) in Southwestern United States and adjacent Northern Mexico. Desert Pl. 14(2): 21-28, ills. [Dated 1998, received 20. 2. 1999.]
- [274] Johnson, M. B. (1999). Texas Hechtias - terrestrial bromeliads along the Rio Grande. Desert Pl. 15(1): 26-28, ills.
- [275] Jonkers, B. (1999). What is *Caralluma aucheriana* (Decaisne) N. E. Brown? Asklepios No. 77: 17-26, ills., map.
- [276] Jorgensen, T. H. & Frydenberg, J. (1999). Diversification in insular plants: inferring the phylogenetic relationship in *Aeonium* (*Crassulaceae*) using ITS sequence nuclear ribosomal DNA. Nordic J. Bot. 19(5): 613-621.
- [277] Jorgensen, T. H. & Olesen, J. M. (1999). Growth rules based on the modularity of the Canarian *Aeonium* (*Crassulaceae*) and their phylogenetic value. Bot. J. Linn. Soc. 132: 223-240, ills.
- [278] Kapranova, N. N. & Zhivukhina, N. A. (1999). [Russian:] Comparative morphology of the fruits and survival strategy in the *Mesembryanthemaceae* in the arid environment. Sukkulenty 1999(1): 35-42, ills.
- [279] Kapranova, N. N. & Zhivukhina, N. A. (1999). [Russian:] Comparative morphology of the fruits and survival strategy in the *Mesembryanthemaceae* in the arid environment. Part 2. Sukkulenty 1999(2): 1-14, ills.
- [280] Kattermann, H. (1999). Variabilität innerhalb von *Eriosyce subgibbosa*. Succulenta 78(6): 257-263, ills., map.
- [281] Käsinger, F. (1999). Die Parodien der Sierra de Ambato (Teil 2). Mitteilungsbl. Inter-Parodia-Kette No. 13: 3-6, ills. [Continued from No. 11.]
- [282] Kessler, M. & Helme, N. (1999). Floristic diversity and phytogeography of the central Tuichi Valley, an isolated dry forest locality in the Bolivian Andes. Candollea 54(2): 341-366, maps.
- [283] Khan, H. A. (1997). Morphotaxonomical studies of *Furcraea* (*Agavaceae*) of India. J. Pl. Anat. Morphol. 7(2): 140-147. [Omitted previously.]
- [284] Khmelev, K. F. & Kirik, A. I. (1998). [Russian:] The peculiarities of age structure in coenopopulations of separate representative of the family *Crassulaceae*. In: Problemy botaniki na rubezhe XX-XXI vekov; 26. - 29. Mai 1998; 1: 355-356. St. Petersburg (RU): Rast. Akad. Nauk. [Omitted previously.]
- [285] Khrustaleva, I. A. (1997). Floristicheskie spisok okresnostej ozera B. Tassor [Floristic checklist of the neighbourhood of Lake B. Tassor]. In: Botanicheskie issledovaniya Sibiri i Kazakhstan: Sborn. Nauchn. Trudov; Vyp. 3; pp. 23-26. [Omitted previously. Includes *Orostachys spinosa*.]
- [286] Kiesling, R. (1999). *Cactaceae*. In: Zuloaga, F. O. & Morrone, O. (eds.): Catálogo de las Plantas Vasculares de la República Argentina II: 423-488, 1245-1246. St. Louis (US: MO): Missouri Botanical Garden Press.
- [287] Kiesling, R. (1999). Nuevos sinónimos de *Opuntia ficus-indica* (*Cactaceae*). Hickenia 2(66): 309-314, ills.
- [288] Kiesling, R. (1999). Les Cactées de Bolivie. Succulentes 22(Spécial): 3-48, ills., diag., map, key. [Includes a 16-pp. booklet with the complete English version of the original text.]
- [289] Klackenberg, J. (1999). Revision of the Malagasy genera *Petropentia* and *Ischnolepis* (*Apocynaceae* s.l., *Periplocoideae*). Candollea 54(2): 257-339, ills., key, maps.
- [290] Klak, C. (1999). Investigation into the systematics of the *Lampranthus* group (*Aizoaceae*). Mesemb Study Group Bull. 14(2): 30-34, ills.
- [291] Kleinjan, C. A. & Edwards, P. B. (1999). A reappraisal of the identification and distribution of *Asparagus asparagoides* in southern Africa. South Afr. J. Bot. 65(1): 23-31, maps.
- [292] Kleszewski, K.-P. (1999). An den Standorten von *Astrophytum capricorne* var. *senile* (Fric) Okumura und *Astrophytum capricorne* var. *aureum* (Moeller) Okumura in Coahuila. Kaktusblüte 1999: 34-38, ills., map.

- [293] Kunte, L. (1999). *Melocactus bellavistensis* Rauh & Backbg. ssp. *bellavistensis* N. P. Taylor [sic!]. *Kaktusy* 35(3): 66-67, illus.
- [294] Lajos, N. (1999). Anisits János Dániel emlékére. In memoriam János Dániel Anisits. *Debreceni Pozsgás-Tár* 1999(2): 2-83, illus.
- [295] Lange, A. M. de & al. (1999). Propagation and cultivation of the rare succulent, *Euphorbia woodii* N. E. Br., a Zulu medicinal plant from the eastern seaboard of South Africa. *Aloe* 35(3-4): 98-101, illus., map. [Dated 1998, received March 1999.]
- [296] Lange, M. (1999). Notes on *Wilcoxia* names. Note sui nomi di *Wilcoxia*. *Cactus & Co.* 3(2): 100.
- [297] Lange, M. (1999). Über die Grünen (Teil IV): *Echinocereus enneacanthus* Engelmann und seine Synonyme. *Echinocereenfreund* 12(2): 31-39, illus.
- [298] Lange, M. (1999). Zur Geschichte und Variabilität von *Echinocereus huitcholensis* (F. A. C. Weber) Gürke. *Kakt. and. Sukk.* 50(8): 193-195, illus.
- [299] Lavranos, J. J. (1999). Osservazioni sulle succulente che crescono attorno a Galgala nel nord-est della Somalia. *Piante Grasse* 18(3): 82-93, illus. [Dated 1998, received Feb. 1999.]
- [300] Lavranos, J. J. & Al-Gifri, A. N. (1999). A new, spiny *Euphorbia* and an amplified description of a perennial woody species, both from the Hadhramaut, Yemen. *Cact. Succ. J. (US)* 71(3): 135-142, illus. [On *E. riebeckii* Pax.]
- [301] Lavranos, J. J. & Röösli, W. (1999). The habitats of *Pachypodium* in Madagascar. Part 2. *Cact. Succ. J. (US)* 71(1): 4-22, illus. [Part 1 published l.c. 68(4): 171-176, illus., 1996.]
- [302] Leeuwenberg, A. J. M. & Rapanarivo, S. H. J. V. (1999). (1404) Proposal to conserve the name *Pachypodium rosulatum* (Apocynaceae) with a conserved type. *Taxon* 48(1): 181.
- [303] Leirana-Alcocer, J. & Parra-Tabla, V. (1999). Factors affecting the distribution, abundance and seedling survival of *Mammillaria gaumeri*, an endemic cactus of coastal Yucatán, Mexico. *J. Arid Environm.* 41(4): 421-428.
- [304] Letz, R. (1997). *Jovibarba globifera* (L.) J. Parn. (*Crassulaceae, Semperfivoideae*) in Bratislava (Slovakia): Notes on taxonomy, nomenclature, distribution, ecology and conservation status. *Biologia (Bratislava)* 52(1): 41-47. [Omitted previously.]
- [305] Leuenberger, B. E. & Eggli, U. (1999). Notes on the genus *Blossfeldia* (*Cactaceae*) in Argentina. *Haseltonia* 6: 2-13, illus., map. [Dated 1998, publ. June 1999.]
- [306] Leuenberger, B. E. & Eggli, U. (1999). Typification of *Cereus nigripilis* Phil. (*Cactaceae*) from Chile. *Gayana, Bot.* 56(2): 109-113, illus.
- [307] Levin, G. M. (1999). Russian: Succulents in Turkmenistan. *Sukkulenty* 1999(1): 1-3.
- [308] Liede, S. (1999). Subtribes and genera of *Asclepiadaceae*: reply to Bruyns's response. *Taxon* 48(1): 27-29.
- [309] Likhonos, T. A. (1997). [Russian:] Study of the karyotypes of the genus *Rhodiola* L. (*Crassulaceae*). In: *Tezisy VI molodyozhnoj konferentzii botanikov v Sankt-Petersburge, 12.-16. Maya 1997*; pp. 8. St. Petersburg (RU): Izd. Boyanich. [Omitted previously.]
- [310] Likhonos, T. A. (1998). [Russian:] Karyological study of the species of the genus *Rhodiola* L. (*Crassulaceae*). In: *Problemy botaniki na rubezhe XX-XXI vekov*; 26 - 29. Mai 1998; 1: 178-179. St. Petersburg (RU): Rast. Akad. Nauk. [Omitted previously.]
- [311] Locatelli, E. & Machado, I. C. S. (1999). Comparative study of the floral biology of two ornithophilous species of *Cactaceae*: *Melocactus zehntneri* and *Opuntia palmadora*. *Bradleya* 17: 75-85, illus.
- [312] Locatelli, E. & Machado, I. C. S. (1999). Floral biology of *Cereus fernambucensis*: a sphingophilous cactus of [the] restinga. *Bradleya* 17: 86-94, illus.
- [313] Lodé, J. (1999). Nowhere else: *Mammillaria marcosii* Glass & Fitz Maurice. *Cact. Aventures No. 41*: 20-21, illus.
- [314] Lutz, E. (1999). Die Kakteenflora des Organ Pipe National Monument. *Kakt. and. Sukk.* 50(2): 37-41, (3): 67-69, illus.
- [315] Lutz, E. (1999). Auf Exkursion in der "Waterpocket Fold". *Kakt. and. Sukk.* 50(9): 227-229, (10): 259-261, illus. [Included for the illustrations of *Pediocactus* and *Sclerocactus*.]
- [316] Lutz, E. (1999). *Escobaria runyonii* am Standort beobachtet. *Mitteilungsbl. AfM* 23(4): 190-192, illus. (pp. 206, 208).
- [317] Lutz, E. & Pötschke, A. (1999). Der *Escobaria vivipara*-Komplex im Überblick. Teil I / Teil II. *Mitteilungsbl. AfM* 23(2): 75-82, 86, (3): 124-129, 146, 148, 150-151, illus., maps.
- [318] Lüthy, J. M. (1999). Beobachtungen an *Escobaria tuberculosa* (Engelmann) Britton & Rose. *Kakt. and. Sukk.* 50(10): 255-258, illus.
- [319] Lüthy, J. M. (1999). Mexikanische Kakteen: Neue Namen – neue Arten? *Kakt. and. Sukk.* 50(2): 28-31, (7): 177-180, illus.
- [320] MacPherson, P. (1997). New Zealand Pigmyweed invades Glasgow. *Glasgow Naturalist* 23(2): 55. [Omitted previously.]
- [321] Mace, S. (1999). The attraction of *Dinteranthus*. *Brit. Cact. Succ. J.* 17(3): 163-166, illus. [Included for the comparative data and the illustrations.]
- [322] Machado, M. (1999). The cacti of Morro

- do Chapéu, Bahia, Brazil. Brit. Cact. Succ. J. 17(4): 203-213, illus.
- [323] Machado, M. (1999). The Brazilian Blue Beauty. Il cereo azzurro del Brasile. Cactus & Co. 3(2): 56-61, illus. [On *Pilosocereus pentaedrophorus*.]
- [324] Machado, M. (1999). *Uebelmannia pectinifera* ssp. *flavispina* in habitat. Cactus & Co. 3(4): 161-174, illus.
- [325] Maddams, B. & Barker-Fricker, S. (1999). *Mammillaria tetrancistra*. J. Mammillaria Soc. 39(2): 18-21, illus.
- [326] Mächler, W. (1999). Trektocht door de Quebrada San Ramón. Succulenta 78(6): 249-233, illus. [Included for the illustrations of Chilean cacti.]
- [327] Maggs, G. L. & al. (1999). Taxonomy of the genus *Pelargonium* (*Geraniaceae*): the section *Polyactium*. 3. The subsection *Polyactium*. South Afr. J. Bot. 65(2): 115-143, illus., maps, key.
- [328] Mahr, D. L. (1999). A brief visit to the succulent commiphoras of Namibia. Aloe 35(3-4): 72-74, illus., map. [Dated 1998, received March 1999.]
- [329] Marais, E. M. (1999). New species of *Pelargonium* (*Geraniaceae*) from Namaqualand. South Afr. J. Bot. 65(1): 50-58, illus., map.
- [330] Marchant, T. A. & al. (1999). Population ecology of *Dudleya multicaulis* (*Crassulaceae*); a rare narrow endemic. Madroño 45(3): 215-220, map, diag.
- [331] Martínez Avalos, J. G. (1998). Características biológicas de cactáceas del noreste de México en relación al estado de riesgo de extinción. Nuevo León (MEX): Fac. Ciencias Forestales, Univ. Autónoma de Nuevo León. Unpublished M.Sc. thesis; v + 70 pp. [Cited from *Mammillaria Postscripts* No. 8: 4, 1999.]
- [332] Martinez Palacios, A. & al. (1999). Genetic diversity of the endangered endemic *Agave victoriae-reginae* (*Agavaceae*) in the Chihuahuan Desert. Amer. J. Bot. 86(8): 1093-1098.
- [333] Martino, L. Di (ed.) (1999). Aggiornamenti e correzioni allo Speciale *Echinocereus*. Updated and corrections to the *Echinocereus* special issue. Cactus & Co. 3(2): 89-100, illus.
- [334] Marx, G. (1999). Introducing a new and aptly named *Haworthia*: *H. magnifica* var. *splendens* J. D. Venter & S. A. Hammer. Aloe 35(3-4): 92-93, illus. [Dated 1998, received March 1999.]
- [335] Marx, G. (1999). The South African melon-shaped Euphorbias: The full picture as known to date. Euphorbiaceae Study Group Bull. 12(1): 13-34, illus., map, key.
- [336] Masinde, P. S. (1999). Notes on Archer's (1992) Kenya *Ceropegia* Scrapbook. Haseltonia 6: 107-114, illus. [Dated 1998, publ. June 1999.]
- [337] Masinde, P. S. (1999). A new Kenyan species of *Ceropegia* (*Asclepiadaceae* - *Stapeliteae*), with notes on allied taxa. Kew Bull. 54(2): 477-481.
- [338] Masinde, P. S. & Albers, F. (1999). Die ostafrikanische *Ceropegia ballyana* Bullock (*Asclepiadaceae* - *Stapeliteae*). Kakt. and. Sukk. 50(12): 303-308, illus.
- [339] Mason, C. T. jr. (1999). *Fouquieriaceae*. Ocotillo Family. J. Arizona-Nevada Acad. Sci. 32(1): 55-56, map, ill.
- [340] Massey, L. S. & Hamrick, J. L. (1998). Genetic diversity and population structure of *Yucca filamentosa* (*Agavaceae*). Amer. J. Bot. 85(3): 340-345. [Omitted previously.]
- [341] Massey, L. S. & Hamrick, J. L. (1999). Breeding structure of a *Yucca filamentosa* (*Agavaceae*) population. Evolution 53(4): 1293-1298.
- [342] Matos, A. M. & al. (1999). Localización de NORs en cromosomas de *Aloe vera* L. (*Aloeaceae*). Acta Bot. Venez. 21(2): 1-9, illus. [Dated 1998, publ. 1999.]
- [343] Matter, R. (1999). Auf der Suche nach *Yucca nana*. Kakt. and. Sukk. 50(5): 107-108, illus.
- [344] Mauseth, J. D. (1999). Comparative anatomy of *Eupostoa*, *Pseudeupostoa*, *Thrixanthocheirus* and *Vatricania* (*Cactaceae*). Bradleya 17: 27-37, illus.
- [345] Mauseth, J. D. (1999). Anatomical adaptations to xeric conditions in *Mathuenia* (*Cactaceae*), a relictual, leaf-bearing cactus. J. Pl. Res. 112: 307-315.
- [346] Mays, H. (1999). Miscellaneous observations on a visit to Baja California. Brit. Cact. Succ. J. 17(1): 37-42, illus. [Included for the observations on wind-blown effects on *Fouquieria columnaris*.]
- [347] Medail, F. & Quezel, P. (1999). The phytogeographical significance of southwestern Morocco compared to the Canary Islands. Pl. Ecol. 140(2): 221-244.
- [348] Mészáros, Z. (1999). Kuba *Melocactus-fajai*. Alba Flora No. 21: 19-27, illus., map, key. [= Kakt. Világ 23(6): 19-27; = Anisitsianum 5: 39-47, illus., 1999.]
- [349] Metzing, D. & al. (1999). Typification of *Gymnocalycium quehlianum* (*Cactaceae*). Hicenia 3(3): 9-11.
- [350] Meve, U. (1999). Bemerkungen zur Stapelien-Flora von Tansania. Kakt. and. Sukk. 50(9): 219-224, illus.
- [351] Meve, U. & Collenette, S. (1999). Subdivision of *Rhytidocaulon macrolobum* (*Asclepiadaceae*). Edinburgh J. Bot. 56(1): 79-84, map, illus.
- [352] Meve, U. & Liede, S. (1999). *Asclepiadoideae* and *Periplocoideae* (*Apocynaceae* s.l.) of

- the Thunberg herbarium. *Nordic J. Bot.* 19(2): 129-138, ills.
- [353] Middleditch, H. (ed.) (1999). *Weingartia* in southern Bolivia. *Chileans* 17(56): 51-55, map. [Dated 1998, received 4. Feb. 1999.]
- [354] Middleditch, H. (ed.) (1999). *Oreocereus* fruit - a juicy story. *Chileans* 17(56): 55-59. [Dated 1998, received 4. Feb. 1999.]
- [355] Middleditch, H. (ed.) (1999). *Parodia occulta*. *Chileans* 17(56): 61-64. [Dated 1998, received 4. Feb. 1999.]
- [356] Middleditch, H. (ed.) (1999). *Echinopsis aurea* v. *Echinopsis fallax*. *Chileans* 17(56): 77-88. [Dated 1998, received 4. Feb. 1999.]
- [357] Mies, B. A. (1999). Bottle-trees and heat on Socotra (Yemen): A big-foot story. A temperature study of *Adenium socotranum* (*Apocynaceae*) and *Dendrosicyos socotranus* (*Cucurbitaceae*). *Cact. Succ. J. (US)* 71(2): 60-73, ills. [German text on the same subject published 1998 in *Kakt. und Sukk.*] [358] Miller, R. E. & al. (1999). Phylogenetic systematics of *Ipomoea* (*Convolvulaceae*) based on ITS and Waxy sequences. *Syst. Bot.* 24(2): 209-227, diags.
- [359] Mimaki, Y. & al. (1997). Pregnane glycosides from *Sansevieria trifasciata*. *Phytochemistry* 44(1): 107-111. [Omitted previously.]
- [360] Mimaki, Y. & al. (1998). Steroidal saponins from aerial parts of *Sansevieria cylindrica*. *Natural Med.* 52(4): 374. [Omitted previously.]
- [361] Mizireva, O. M. (1995). [Russian:] On the distribution of the species of the family *Crassulaceae* in the Ciscaucasus. In: *Voprosy ekologii i okhrany prirody Stavropol'ya: Materialy nauchno-prakticheskoy konferentsii* 11. - 12. Dekabrya 1995 g Stavropol'; pp. 92-93. Stavropol (RU): Izd. SGPI. [Cited from V. V. Byalt, pers. comm. 1999. Omitted previously.]
- [362] Mizireva, O. M. (1996). [Russian:] Outlook of a study of the genus *Sedum* L. in the Central Ciscaucasus. *Vestn. Stavropol'sk. Gosud. Univ.* No. 6: 131-133, ills. [Cited from V. V. Byalt, pers. comm. 1999. Previously omitted.]
- [363] Møller Jensen, B. (1999). *Opuntia "Rutilans"*. *Kakt. og and. Sukk.* 34(1): 12-16, (2): 27-30, ills.
- [364] Møller Jørgensen, P. & León-Yáñez, S. (eds.) (1999). Catalogue of the vascular plants of Ecuador. *Catálogo de las plantas vasculares del Ecuador*. St. Louis (US: MO) etc.: Missouri Botanical Garden.
- [365] Moran, R. (1999). The name of *Echeveria*. *Cact. Succ. J. (US)* 71(6): 301-306, ills.
- [366] Mordinova, M. N. (1998). [Russian:] *Sedum purpureum* in condition of introduction. In: *Problemy botaniki na rubezhe XX-XXI vekov*; 26. - 29. Mai 1998; 1: 188. St. Petersburg (RU): Rast. Akad. Nauk. [Omitted previously.]
- [367] Moreton, R. (1999). *Tephrocacti* in northern Chile. *Tephrocactus Study Group* 5(4): 353-356, ills.
- [368] Moryakina, V. A. & Sviridova, T. P. (1998). [Russian:] The phenological variability and plant introduction. In: *Problemy botaniki na rubezhe XX-XXI vekov*; 26. - 29. Mai 1998; 2: 310-311. St. Petersburg (RU): Rast. Akad. Nauk. [Omitted previously. Includes data on the intra-specific variability of *Rhodiola rosea*.]
- [369] Mosco, A. & Zanolotto, C. (1999). *Turbinicarpus zaragozae*. *Brit. Cact. Succ. J.* 17(2): 106-108, ills., SEM-ills.
- [370] Mosco, A. & Zanolotto, C. (1999). Comments on some of Doweld's new genera and a proposal to resurrect *Hamatocactus*. *Cact. Consensus Init.* No. 8: 21-23.
- [371] Mosco, A. & Zanolotto, C. (1999). (1401) Proposal to reject the name *Echinocactus smithii* (*Cactaceae*). *Taxon* 48(1): 177-178.
- [372] Mosti, S. (1999). Un'interessante sezione del vasto genere *Rebutia* / An interesting section of the vast genus *Rebutia*: *Digitorebutia* Buining & Donald. *Cactus & Co.* 3(4): 187-208, ills., SEM-ills. [Continued in vol. 4.]
- [373] Mühl, A. (1999). *Pediocactus simpsonii* (Engelmann) Britton & Rose ssp. *robustior* (Coulter) Hochstätter in northern Nevada / ... in Nord-Nevada. *Cactaceae Rev.* 1(2): 3-10, ills. [Dated 1998, received Feb. 1999.]
- [374] Mühl, A. (1999). At the habitats of *Navajoa peeblesiana* Croizat. An den Standorten von *Navajoa peeblesiana* Croizat. *Cactaceae Rev.* 2(2): 4-9, ills.
- [375] Müller, H. (1999). Insektenbesuch an extrafloralen Nektarien der Gattung *Ferocactus* Britton & Rose. *Kakt. and. Sukk.* 51(1): 7-10, ills. [Dated 2000, publ. late Dec. 1999. Observations in cultivation.]
- [376] Nagl, H. & Pemdl, H. (1999). Der [*Turbinicarpus*] *pseudomacrochele* - *krainzianus* Komplex. *Turbi-Now* No. 6: 1, 3-9, ills.
- [377] Nedúchal, J. (1999). Rod *Notocactus* Fric 1928. Podrod *Malacocarpus* (Salm-Dyck 1850) Buxbaum in Krainz 1967. *Minimus* 30(2): 27-36, ills.
- [378] Neuhuber, G. J. A. (1999). *Gymnocalycium stellatum* Speg. Die schönsten Fundorte. *Gymnocalycium* 12(1): A-B, ills.
- [379] Neuhuber, G. J. A. (1999). *Gymnocalycium monvillei*, eine Richtigstellung und zwei neue Varietäten. *Gymnocalycium* 12(2): 283-286, ills., map.
- [380] Neut, P. (1999). Aus der Vergangenheit gerettet, immer noch lebend: *Notocactus verbeekianus* n.n. *Internoto* 20(2): 42-45, ill.

- [381] Neut, P. (1999). Enkel bevindingen en besluiten omtrent *Notocactus oxycostatus* fa. *securituberculatus* (F. Ritter 1979) N. Gerloff 1993. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 12(5): 67-70, ill. [Perhaps a translation of a paper originally written by N. Gerloff (cf. p. 70).]
- [382] Newton, L. E. (1999). Peter Bally and his succulent plant legacy. Nairobi (Kenya): L. E. Newton. 30 pp., ills. [Short biography and extensive bibliography.]
- [383] Newton, L. E. (1999). A bibliography of succulent plant bibliography. Bradleya 17: 132-136.
- [384] Newton, L. E. (1999). *Sedum forsterianum* at its type locality. Brit. Cact. Succ. J. (US) 14(6): 146, ills.
- [385] Newton, L. E. (1999). *Euphorbia unispina* – not a species in Sudan. Cact. Succ. J. (US) 71(5): 261.
- [386] Newton, L. E. (1999). Aloes in East Africa. Haworthiad 13(4): 137-140, ills.
- [387] Newton, L. E. (1999). The taxonomic tangle of a Kenyan *Sansevieria*. EANHS Bull. 29(3): 18-19.
- [388] Niklas, K. J. & al. (1999). Biomechanics of the columnar cactus *Pachycereus pringlei*. Amer. J. Bot. 86(6): 767-775.
- [389] Nilsson, M. & Middleditch, H. (ed.) (1999). We find *Rebutia gonjianii*. Chileans 17(56): 69-74, ills. [Dated 1998, received 4. Feb. 1999.]
- [390] Nyffeler, R. (1999). *Notocactus* versus *Parodia* – the search for a generic classification of the subtribe *Notocactinae*. Cact. Consensus Init. No. 7: 6-8.
- [391] O'Leary, M. C. & Boyle, T. H. (1999). Cultivar identification and genetic diversity within a *Haworthia* (Cactaceae) clonal germplasm collection using isozymes. J. Amer. Soc. Hort. Sci. 124(4): 373-376.
- [392] Ohsaki, A. & al. (1995). A diterpenoid from *Portulaca pilosa*. Phytochemistry 40(1): 205-207. [Omitted previously.]
- [393] Ohsaki, A. & al. (1999). Phylogenetic and chemotaxonomic significance of diterpenes in some *Portulaca* species (Portulacaceae). Biochem. Syst. & Ecol. 27(3): 289-296.
- [394] Ollerton, J. (1999). Fly trapping in *Ceropegia* flowers – evidence of ant-predation of pollinators. Asklepios No. 77: 31-32, ill.
- [395] Opel, M. R. & Hammer, S. A. (1999). *Batrachia*: a new section of the genus *Conophytum* N. E. Brown (Aizoaceae). Cact. Succ. J. (US) 71(3): 153-158, ills. [Includes data on anatomy.]
- [396] Orlando, V. E. (1999). Le *Opuntia* di Villa Carmela / The *Opuntia* of Villa Carmela. Cactus & Co. 3(3): 108-116, ills. [Included for the extensive list of cultivated material.]
- [397] Ostolaza, C. (1999). Los Cactus de Linneo (2). Quepo 13: 14-23, ills. [Continued from Vol. 12.]
- [398] Ostolaza, N. (1999). The Quebrada Tinajas / La Quebrada Tinajas. Cactus & Co. 3(1): 9-12, ills. [Included for the illustrations of Peruvian cacti.]
- [399] Oybak, E. & al. (1997). Pollen grains in some Turkish *Sempervivum* L. (Crassulaceae). Turk. J. Bot. 21(1): 27-29. [Omitted previously.]
- [400] Palmer, H. (1999). Die Vielfalt der Blütenfarben von Hybriden zwischen *Notocactus herteri* × *Notocactus buiningii*. Internoto 20(3): 100-103, ills.
- [401] Palmer, H. (1999). Hybriden zwischen *Parodia* und *Notocactus* sind möglich. Internoto 20(4): 134-137, ills. [On *Parodia penicillata* × *Notocactus horstii*.]
- [402] Papsch, W. (1999). Namensverzeichnis für die Gattung *Gymnocalycium* Pfeiffer ex Mittler. Gymnocalycium 12(5): 313-342. [Corrections and additions: see l.c. 13(1): 351-354, 2000.]
- [403] Parra-Tabla, V. & al. (1998). Is *Echeveria gibbiflora* (Crassulaceae) fecundity limited by pollen availability? An experimental study. Funct. Ecol. 12(4): 591-595. [Omitted previously.]
- [404] Parsons, R. F. (1997). *Carpobrotus modestus* (Aizoaceae), a post-fire pioneer in semi-arid southern Australia. J. Arid Environm. 37(3): 454-459. [Omitted previously.]
- [405] Patil, N. (1999). Range extension for *Ceropegia oculata* Hook., an endangered species of Maharashtra. J. Bombay Nat. Hist. Soc. 96(2): 354.
- [406] Pavelka, P. (1999). *Crassula ausensis* subsp. *titanopsis* Pavelka, a new discovery from southern Namibia. Cact. Succ. J. (US) 71(2): 78-80, ills.
- [407] Pavelka, P. (1999). Rod *Conophytum* N. E. Brown – vybrané druhy. Kaktusy 35(speciál 1): 32 pp., ills., maps.
- [408] Peckover, R. (1999). Two interesting *Bryophyllum* species. Aloe 35(3-4): 106, ills. [Dated 1998, received March 1999. Included for the illustrations.]
- [409] Peckover, R. (1999). *Euphorbia perangusta* on the brink of extinction. Can we help? Veld. Fl. (1975+) 85(4): 170-171, ills.
- [410] Pellmyr, O. & Augenstein, E. J. (1997). Pollination biology of *Hesperaloe parviflora*. Southw. Naturalist 42(2): 182-187. [Omitted previously.]
- [411] Pellmyr, O. & al. (1997). Genetic consequences of specialization: *Yucca* moth behavior

- and self-pollination in yuccas. *Oecologia* 109(2): 273-278. [Omitted previously.]
- [412] Peralta, I. E. (1999). *Portulacaceae*. In: Zuloaga, F. O. & Morrone, O. (eds.): *Catálogo de las Plantas Vasculares de la República Argentina II*: 948-960. St. Louis (US: MO): Missouri Botanical Garden Press.
- [413] Petit, S. (1999). The effectiveness of two bat species as pollinators of two species of columnar cacti on Curaçao. *Haseltonia* 6: 22-31, diags. [Dated 1998, publ. June 1999. On *Subpilocereus repandus* and *Stenocereus griseus*.]
- [414] Pérez-Calix, E. & Glass, C. (1999). *Pachyphytum brevifolium* Rose (*Crassulaceae*) a un siglo de su descubrimiento y *Pachyphytum garciae*, una especie nueva del centro de México. *Acta Bot. Mex.* 48: 1-10, illus.
- [415] Pfab, M. F. & Witkowski, E. T. F. (1999). Fire survival of the critically endangered succulent, *Euphorbia clivicola* R. A. Dyer – Fire-avoider or fire-tolerant? *Afr. J. Ecol.* 37(3): 249-257.
- [416] Pfösser, M. & Speta, F. (1999). Phylogenetics of *Hyacinthaceae* based on plastid DNA sequences. *Ann. Missouri Bot. Gard.* 86(4): 852-875.
- [417] Pilbeam, J. (1999). Mammillarias in abundance. *Brit. Cact. Succ. J.* 17(1): 9-12, illus. [On recent synonymizations.]
- [418] Pilbeam, J. (1999). *Mammillaria* – a splitter's review (the series *Longiflorae*). *Cact. Succ. J. (US)* 71(1): 23-32, illus. [Included for the illustrations.]
- [419] Pin, A. B. (1998). Nota sobre dos especies de *Brasiliopuntia* (*Cactaceae*): *B. schulzii* y *B. brasiliensis*. *Rojasiana* 4(2): 144-163, key, illus.
- [420] Pinkava, D. J. (1999). A new Flora for Arizona in preparation. *Cactaceae*. Cactus Family. Part 3. *Cylindropuntia* (Engelm.) Knuth. Chollas. *J. Arizona-Nevada Acad. Sci.* 32(1): 32-47, key, maps, illus.
- [421] Pinkava, D. J. (1999). A new Flora for Arizona in preparation. *Cactaceae*. Cactus Family. Part 4. *Grusonia* F. Rchb. Club-chollas. *J. Arizona-Nevada Acad. Sci.* 32(1): 48-52, key, maps, illus.
- [422] Pinkava, D. J. & al. (1999). Chromosome numbers in some cacti of western North America. VII. *Haseltonia* 6: 32-41. [Dated 1998, publ. June 1999.]
- [423] Poremski, S. & al. (1997). Vegetation of inselbergs, quarzitic outcrops and ferricretes in Rwanda and eastern Zaïre (Kivu). *Bull. Jard. Bot. Belg.* 66(1-2): 81-99.
- [424] Porter, J. M. (1999). *Sclerocactus* and *Pediocactus*: a summary of the molecular evidence. *Cact. Consensus Init. No. 7*: 5-6.
- [425] Potgieter, M. J. & Wyk, A. E. van (1999). Leaf anatomy of the southern African *Icacinaceae* and its taxonomic significance. *South Afr. J. Bot.* 65(3): 153-162, illus., SEM-ills. [Includes *Pyrenacantha*.]
- [426] Powell, A. M. (1999). Third generation experimental hybrids in the *Echinocereus ×lloydii* complex (*Cactaceae*). *Haseltonia* 6: 91-95, illus. [Dated 1998, publ. June 1999.]
- [427] Prantner, J. (1999). *Oreocereus henrikssonianus* Backeberg × *Matucana polzii* Diers, Donald & Zecher. *Kakt. and. Sukk.* 50(11): 293-295, illus.
- [428] Pritchard, D. (1999). Moroccan Euphorbias. Le euforbie del Marocco. *Cactus & Co.* 3(2): 62-65, illus.
- [429] Pritchard, D. (1999). Some notes on *Euphorbia clavarioides* Boiss. *Euphorbiaceae Study Group Bull.* 12(2): 74-77, illus.
- [430] Procházka, J. (1999). Rod *Austrocactus* v Patagonii. *Cactaceae etc.* 9(3): 95-98, illus.
- [431] Puime, G. (1999). Inflorescence and aestivation in *Jatropha podagrica*. *Euphorbiaceae Study Group Bull.* 12(2): 70-73, illus.
- [432] Qiu, S. X. & al. (1999). Studies on the C-21 steroids from Asclepiadaceous plants, part VII – Bidesmosidic pregnane glycosides from *Caralluma lasiantha*. *Phytochemistry* 50: 485-493.
- [433] Rapanarivo, S. H. J. V. & al. (1999). *Pachypodium* (*Apocynaceae*). Taxonomy, habitats and cultivation. Rotterdam (NL) / Brookfield (US): A. A. Balkema. 120 pp., illus., key, 16 col. pl. [Also published in a (softbound) edition without the colour plates, being the Ph.D. thesis of the author.]
- [434] Rashidi, A. & al. (1999). A new glycoside from *Polianthes tuberosa* Linn. *Pakistan J. Sci. Industr. Res.* 42(1): 26.
- [435] Raudonat, U. (1999). Wohin gehört *Echinocereus* sp. UR 29? *Echinocereenfreund* 12(3): 61-69, illus. [On *Echinocereus ortegae*.]
- [436] Rauh, W. (1999). Weitere neue und wenig bekannte Euphorbien aus Madagaskar. *Trop. subtrop. Pfl.-welt* 100: 35 pp., illus.
- [437] Rauh, W. & Bardot-Vaucoulon, M. (1999). Nouvelles Euphorbes du Massif de l'Ankarana, au nord-ouest de Madagascar (seconde partie). *Succulentae* 22(4): 3-10, illus. [Includes data on *Euphorbia ankaranae* Leandri.]
- [438] Rebman, J. P. & al. (1999). Diversity and documentation for the *Cactaceae* of Lower California, Mexico. *Cact. Suc. Mex.* 44(1): 20-26.
- [439] Rechel, E. A. & al. (1999). Ecology of the threatened cactus, *Sclerocactus glaucus*. *Cact. Succ. J. (US)* 71(3): 143-145, illus.
- [440] Regnat, H. (1999). Die Sukkulantenbilder aus dem Codex Vindobonensis. *Kakt. and. Sukk.* 50(5): 120-121, illus.

- [441] Rennemann, L. (1999). Beobachtungen an *Ariocarpus kotschoubeyanus*. Kakt. and. Sukk. 50(3): 71, ill. [On offsets on old plants.]
- [442] Reveal, J. L. (1999). Validly published suprageneric names in *Cactaceae* Juss. proposed prior to 1900. Sukkulenty 1999(1): 33-34.
- [443] Ricánek, M. & Hanácek, P. (1999). *Rhytidocalon tortum* (N. E. Br.) M. Gilbert refund after 100 years. Cact. Succ. J. (US) 71(2): 81-85, ills.
- [444] Ríha, J. (1999). Rozmanitost *Turbinicarpus pseudomacrochele* (Backeb.) Buxbaum & Backeb. Kaktusy 35(2): 61-63, ills.
- [445] Rischer, W. (1999). *Echinocereus scheeri* (J. Salm-Dyck) F. Scheer bei Nabogame. Echinocereenfreund 12(3): 79-80, ills. (pp. 74, 77-78).
- [446] Rischer, W. (1999). *Echinocereus acifer* (Otto ex Salm-Dyck) Jacobi. Kakt. and. Sukk. 50(7): 171-176, ills., map.
- [447] Rischer, W. & Trocha, W. (1999). Die *Echinocereus scheeri*-Gruppe. Echinocereenfreund : Sonderausgabe 1999, 105 pp., ills., maps. SEM-ills.
- [448] Rodgerson, C. & Hammer, S. A. (1999). *Conophytum bilobum* – a bi-partisan view. Mesemb Study Group Bull. 14(2): 42-44, ill.
- [449] Rodriguez, A. (1999). Discovering more caudiciform plants. New Plantsman 6(3): 166-186, ills.
- [450] Rogozinski, H. (1999). *Mammillaria hamiltonhoymiae*. Mitteilungsbl. AfM 22(4): 204-205, 207, 209, 211-212, ill. [Dated 1998, publ. Feb. 1999.]
- [451] Rogozinski, H. & Plein, W. (1999). Drei neue (?) Mammillarien aus Guanajuato, Mexiko. Mitteilungsbl. AfM 23(3): 130-136, 151, 153, ills.
- [452] Rogozinski, H. & Plein, W. (1999). Auf Ehrenbergs Spuren. Mitteilungsbl. AfM 23(4): 193-199, ills. (pp. 208, 210). [Continued in vol. 24.]
- [453] Rogozonski, H. (1999). Stellungnahme zum Artikel: "Mammillaria stella-de-tacubaya und *M. gasseriana* – ein neuer Gesichtspunkt". Mitteilungsbl. AfM 22(4): 221-227, ills., SEM-ills. [Dated 1998, publ. Feb. 1999.]
- [454] Rowley, G. D. (1999). *Pachypodium & Adenium*. Holbury (GB): The Cactus File, Cirio Publishing Services. 80 pp., ills. [Cactus File handbook 5.]
- [455] Rowley, G. D. (1999). Salm-Dyck's cactus paintings. Bradleya 17: 1-26, ills.
- [456] Rowley, G. D. (1999). The stick *Ceropegia*: *C. dichotoma*. La *Ceropegia candela*: *C. dichotoma*. Cactus & Co. 3(3): 132-134, ills., map, key.
- [457] Römer, R. C. (1999). Gibt es am Typstandort von *Mammillaria saboae* Glass wirklich *Echinocereus adustus* Engelm.? Mitteilungsbl. AfM 22(4): 189-192, 206, ills. [Dated 1998, publ. Feb. 1999.]
- [458] Rundel, P. W. & al. (1995). Winter growth phenology and leaf orientation in *Pachypodium namaquanum* (Apocynaceae) in the Succulent Karoo of the Richtersveld, South Africa. Oecologia 101(4): 472-477. [Omitted previously.]
- [459] Sacchi, G. (1999). *Alluaudia procera* Drake: un'inattesa fioritura / the unexpected bloom. Cactus & Co. 3(3): 139-142, ills.
- [460] Sadlo, J. & Stepankova, J. (1999). *Sedum caucasicum*: a new species for Turkey. Preslia 71(1-2): 37-40.
- [461] Salywon, A. (1999). *Burseraceae*. Torchwood Family. J. Arizona-Nevada Acad. Sci. 32(1): 29-31, key, ill., map.
- [462] Sato, D. (1999). Enjoying *Lophophora*. Cact. Succ. J. Japan 13(1): 2-13, ills. [Text in Japanese. Included for the illustrations depicting variability and selected weird growth forms.]
- [463] Scherer, E. (1999). Zur Blütenvielfalt von *Echinocereus dasycanthus*. Kakt. and. Sukk. 50(3): 56-58, ills.
- [464] Schrempf, E. (1999). *Mammillaria longiflora* (Britton & Rose) Berger auch bei Sombrerete. Mitteilungsbl. AfM 23(2): 73-74, ill. (p. 86).
- [465] Schultheis, L. M. & Baldwin, B. G. (1999). Molecular phylogenetics of *Fouquieriaceae*: Evidence from nuclear rDNA ITS studies. Amer. J. Bot. 86(4): 578-589, diags.
- [466] Schupke, P. (1999). Die Kakteenflora im Senilis-Tal. Kakt. and. Sukk. 50(12): 326-329, ills. [Includes mention of erosion as a threatening factor.]
- [467] Scott, R. (1999). Of ghosts and other pale apparitions. Haworthiad 13(1): 27-30, ill. [On white-variegated *Gasteria* cultivars (incl. list).]
- [468] Seda, V. (1999). Sulkorebucie z okolí Sucre. Kaktusy 35(2): 56-61, ills.
- [469] Semenov, D. V. & al. (1999). [Russian:] The wettability of cactus spines. Sukkulenty 1999(1): 43-51, ills.
- [470] Shen, Z. G. & al. (1999). [Chinese:] Morphological and anatomical studies on the leaves of four species of *Aloe*. Acta Bot. Boreal.-Occid. Sin. 19(4): 688-693, ills.
- [471] Shimizu, H. (1998). [Japanese paper illustrating *Tacitus bellus* × *Echeveria laui* crossings and selections]. Cact. Succ. J. Japan 12(11): 2-5, ills.
- [472] Shirley, G. P. (1999). White Adeniums. Cact. Succ. J. (US) 71(3): 132-134, ills.
- [473] Siems, K. & al. (1995). On the chemical nature of epicuticular waxes in some succulent *Kalanchoe* and *Senecio* species. Zeitschr.

- Naturforsch. Sect. C, Biosci. 50(5-6): 451-454. [Omitted previously.]
- [474] Silva, D. C. & Alves, J. L. H. (1999). Anatomia dos órgãos vegetativos de seis espécies de *Pilosocereus* Byles et Rowley (Cactaceae). Bol. Bot. Univ. São Paulo 18: 53-60, illus.
- [475] Slaba, R. (1999). Nejvýznamnejší objev A. F. Frice: *Obregonia denegrii* Fric. Kaktusy 35(2): 35-38, illus. [Includes notes on the convergence with *Turbinicarpus alonsoi*.]
- [476] Slaba, R. (1999). *Eulychnia acida* Philippi – nejkrásnejší zástupce rodu. Kaktusy 35(4): 119-122, illus., map.
- [477] Slaba, R. (1999). *Neolloydia smithii* (*Gymnocalycium beguinii*) – druh nejenom mnoha jmen, ale i mnoha stanovist [a species with many names occurring in many places]. Kaktusy 35(4): 98-103, illus.
- [478] Sleiter, G. (1999). Il genero *Notocactus*. Piante Grasse 19(3): 82-99, (4): 122-136, illus. [Synopsis, included for the illustrations. Second part (issue no. 4) published early in 2000.]
- [479] Sloan, T. (1999). Nevada Fieldnotes Spring 1998. Nevada-Feldnotizen im Frühjahr 1998. *Sclerocactus nyensis* Hochstätter and *Sclerocactus polyancistrus* (Engelmann & Bigelow) Britton & Rose. Cactaceae Rev. 2(1): 4-8, illus.
- [480] Smale, T. & Wagner, G. (1999). New southern *Conophytum pellucidum* populations. Mesemb Study Group Bull. 14(2): 45-47, illus.
- [481] Smith, G. F. & Crouch, N. R. (1999). Mesembs in the muthi-market: *Lithops lesliei* as an ethnomedicinal plant. Brit. Cact. Succ. J. 17(3): 133-137, illus.
- [482] Smith, G. F. & Forster, P. I. (1999). *Astroloba corrugata*: A new name for an 'old' species. Haworthiad 13(4): 129-132, ill.
- [483] Smith, G. F. & Steyn, E. M. A. (1999). Notes on African plants. Agavaceae. *Agave vivipara*: The correct name for *Agave angustifolia*. Bothalia 29(1): 100, ill.
- [484] Smith, G. F. & Steyn, E. M. A. (1999). A first record of *Agave decipiens* naturalised in southern Africa. South Afr. J. Bot. 65(3): 249-252.
- [485] Smith, G. F. & Swartz, P. (1999). Re-establishing *Aloe suzannae* in Madagascar. Part 3. The next chapter. Brit. Cact. Succ. J. 17(1): 45-49, illus.
- [486] Smith, G. F. & al. (1997). Portulacaceae. *Portulaca rhodesiana*, a succulent hitherto unrecorded in Southern Africa. Bothalia 27(2): 139-140, map. [Omitted previously.]
- [487] Smith, G. F. & al. (1999). *Gasteria baylissiana*. Curtis's Bot. Mag., ser. nov., 16(1): 24-28, pl. 359, illus.
- [488] Smith, G. F. & al. (1999). *Senecio abbreviatus*. Flow. Pl. Afr. 56: 111-114, pl. 2159, map.
- [489] Smith, G. F. & al. (1999). *Senecio rowleyanus*. Flow. Pl. Afr. 56: 116-120, pl. 2160, map.
- [490] Smith, G. F. & al. (1999). *Aloe pruinosa*. *Rhipsalis baccifera* subsp. *mauritiana*. Flow. Pl. Afr. 56: 2-6, pl. 2141, map; 94-98, pl. 2156, maps.
- [491] Smith, G. F. & al. (1999). *Delosperma cooperi* fa. *cooperi*. Flow. Pl. Afr. 56: 46-52, pl. 2149, illus., map.
- [492] Smith, G. F. & al. (1999). The International Organization for Succulent Plant Study (IOS): its role and potential services to the international scientific community. Taxon 48(4): 715-720.
- [493] Solichon, J.-M. (1999). *Trichocereus*: un genre condamné à disparaître? Succulentes 22(4): 19-24, illus.
- [494] Sosa, V. J. & Fleming, T. H. (1999). Seedling performance in a trioeccious cactus, *Pachycereus pringlei*: Effects of maternity and paternity. Pl. Syst. Evol. 218: 145-151, diags.
- [495] Sotomayor, J. M. & al. (1999). Distribución y status de conservación de las especies del género *Turbinicarpus* (Backeberg) Buxbaum et Backeberg, que se desarrollan en el Estado de San Luis Potosí, México. Nakari 10(2): 30-33.
- [496] Springate, L. (1999). *Sedum sarmentosum* 2. Notes on recent papers describing Chinese plants. Sedum Soc. Newslett. No. 49: 57-59, key.
- [497] Staník, R. (1999). Sty'ale obl'úbené astrofytá. 1. *Astrophytum myriostigma*. Cactaceae etc. 9(4): 123-127, illus.
- [498] Stanley, R. E. (1999). A critical look at Werner Reppenhagens "Die Gattung *Mammillaria* Monographic" Part Nine / Part Ten. J. Mammillaria Soc. 39(2): 21-25, (3): 35-37, (4): 44, 47-48.
- [499] Starha, R. (1999). Hybridní turbinicarpus. Cactaceae etc. 9(4): 146-149, illus., SEM-illus.
- [500] Starha, R. & al. (1999). Alkaloids of the genus *Turbinicarpus* (Cactaceae). Biochem. Syst. & Ecol. 27(8): 839-841.
- [501] Starr, G. (1999). Two recent *Agave* introductions. Desert Pl. 14(2): 30-31, illus. [Dated 1998, received 20. 2. 1999.]
- [502] Starr, G. (1999). *Dasyllirion* – the Shaggy Lilies. Desert Pl. 15(1): 29-32, illus.
- [503] Stephenson, R. (1999). Northeast Tunisia in Spring. Sedum Soc. Newslett. No. 50: 75-84, map, illus. (pl. 21-26). [On *Sedum* in Tunisia.]
- [504] Stephenson, R. (1999). *Sedum tuberosum*. Sedum Soc. Newslett. No. 51: 5-8, illus.
- [505] Stephenson, R. & J. (1999). Julian Alps stonecrops. Sedum Soc. Newslett. No. 48: 29-33,

map.

[506] Strigl, F. (1999). Erfahrungen aus 30 Jahren Kreuzungsversuchen. Kakt. and. Sukk. 50(8): 209-210, ills. [Includes *Hildewintera aureispina* × *Chamaecereus silvestrii* and *Cleistocactus strausii* × *Echinopsis* sp.]

[507] Strlic, M. (1998). The Stinking or the Curly? – Unveiling the identity of *Dorstenia foetida* (Forssk.) Schweinf. New Zealand Cact. Succ. J. 51(3): 96-102, (4): 143-147, ills. [Omitted previously.]

[508] Strlic, M. & Pavelka, P. (1999). *Sarcocaulon lavrani* J. J. Hálád. Geraniaceae Group News 1999(autumn): 4-5, ills.

[509] Stuchlík, S. (1999). *Notocactus langsdorffii* (Lehmann) Kraenzl. Kaktusy 35(2): 40-41, ills.

[510] Stuchlík, S. (1999). *Notocactus minimus* Fric & Krzgr. versus *Notocactus tenuicylindricus* Ritt. Kaktusy 35(3): 88-90, ills.

[511] Stuchlík, S. (1999). Malakokarpusy – skutecnosti a pochybnosti. Minimus 30(1): 3-11, ills. [Concluded from vol. 29.]

[512] Stuchlík, S. (1998). *Notocactus herteri* Werd. má ruzné podoby. Kaktusy 34(4): 98-101, ills. [Dated 1998 but exact publication date unknown and received only in 1999.]

[513] Stuchlík, S. (1998). Rod *Notocactus* Fric 1928, sekce *Eriocactus*. Kaktusy 34(Speciál 2): 32 pp., ills., maps. [Dated 1998 but exact publication date unknown and received only in 1999.]

[514] Studier, G. (1999). Die Früchte der Mammillarien – Formen und Unterschiede. Teil I. Mitteilungsbl. AfM 22(4): 227-232, ills. (pp. 213, 215). [Dated 1998, publ. Feb. 1999.]

[515] Studier, G. (1999). Die Früchte der Mammillarien – Formen und Unterschiede. Teil II / Teil III. Mitteilungsbl. AfM 23(1): 24-25, 27, 29-43, (2): 92-111, ills. [Continued from vol. 22(4), dated 1998, publ. 1999.]

[516] Takahashi, C. & al. (1997). The use of genomic in situ hybridization (GISH) to show transmission of recombinant chromosomes by a partially fertile bigeneric hybrid, *Gasteria lutzii* × *Aloe aristata* (Aloaceae), to its progeny. Chromosoma 105(6): 342-348. [Omitted previously.]

[517] Tavormina, G. (1999). Succulente della flora italiana. *Sedum dasypyliflorum* L. (1753) 1700. Piante Grasse 18(4): 130-135, ills., maps. [Dated 1998, publ. May 1999. Included for the distribution information. English translation in *Sedum Soc. Newslett.* No. 54: 58-63, 2000.]

[518] Taylor, N. P. (1999). The splitter's guide to *Echinocereus*. Cact. Consensus Init. No. 7: 21-29.

[519] Taylor, N. P. (1999). *Rhipsalis puniceodiscus*. Curtis's Bot. Mag., ser. nov., 16(1): 29-33, pl. 360, ills.

[520] Thiede, J. & Eggli, U. (1999). Einbeziehung von Manfreda Salisbury, *Polianthes* Linné und *Prochnyanthes* in *Agave* (Agavaceae). Kakt. and. Sukk. 50(5): 109-113, ill.

[521] Till, H. (1999). Bemerkungen zu *Gymnocalycium angelae* Meregalli. Gymnocalycium 12(2): vi, ills.

[522] Till, H. & Amerhauser, H. (1999). *Gymnocalycium cardenasianum* Ritter – die nördlichste Art aus dem Spagazzini-Aggregat. Gymnocalycium 12(4): 305-312, ills.

[523] Tismér, G. & al. (1999). Ein Blühkalender der Rhipsalideen. Kakt. and. Sukk. 50(10): 241-248, ills., diag.

[524] Tjaden, W. (1999). Ruckerianum again. Epiphytes 23(92): 92-95.

[525] Todd, C. & Rambuda, T. (1999). *Aloe lutescens*. Veld. Fl. (1975+) 85(2): 87, ills.

[526] Trame, A. M. & al. (1995). Field and genetic studies testing optimal outcrossing in *Agave schottii*, a long-lived clonal plant. Oecologia 104(1): 93-100. [Omitted previously.]

[527] Trocha, W. (1999). *Echinocereus polyanthus* Engelmann spec. Escobedo. Echinoceanfreund 12(2): 49-52, ills.

[528] Troia, A. & al. (1998). Indagini tassonomiche e corologiche sul genere *Sedum* L. serie *Rupreste* Berger (Crassulaceae) in Sicilia. Naturalista Sicil., Ser. 4a, 22(1-2): 73-85, ills. [English abstract in *Sedum Soc. Newslett.* No. 50: 93-94, 1999.]

[529] Tschapka, M. & al. (1999). Bat-pollination of *Weberocereus tunilla*, an epiphytic rain forest cactus with functional flagelliflory. Pl. Biol. 1: 554-559, ills.

[530] Uhl, C. H. (1999). Chromosomes and hybrids of *Echeveria* VI. Series *Angulatae* Walther and series *Pruinosae* Walther. Haseltonia 6: 63-90, ills. [Dated 1998, publ. June 1999.]

[531] Uhl, C. H. & Moran, R. (1999). Chromosomes of *Villadia* and *Altamiranoa* (Crassulaceae). Amer. J. Bot. 86(3): 387-397, ills.

[532] Ullmann, J. (1999). *Echinopsis aurea* - minulost a soucasnost zajímavého druhu. Kaktusy 35(1): 13-17, ills.

[533] Valverde, T. & al. (1999). Patrón de distribución y abundancia de *Mammillaria magnimamma* en la reserva del Pedregal de San Ángel, México D.F. Cact. Suc. Mex. 44(3): 64-74, diags.

[534] Vandebroeck, F. & Middleditch, H. (ed.) (1999). We find *Tephrocactus subterraneus*. Chileans 17(56): 74-77. [Dated 1998, received 4. Feb. 1999.]

[535] Vanvinckenroye, F. & Smets, E. (1999). Floral ontogeny of *Anacampseros* subg. *Anacampseros* sect. *Anacampseros* (Portulacaceae). Syst. Geogr. Pl. 68(1-2): 173-194, ills.

- [536] Vasiljeva, I. M. (1999). [Russian:] Comparative morphological study of primary stages of ontogenesis of some genera of *Notocacteae* Buxb. (*Cactaceae*). In: Biologicheskoj ranoobrazie. Itogi Introduktzii; Materialy II mezhdunarodnoj nauchnoj konferentzii, 20. - 23. Aprilya 1999, Sankt Petersburg; pp. 119-123, figs. 1-3, 2 pl.
- [537] Venter, F. (1999). *Adenia repanda* (Burch.) Engl. – a rare and neglected succulent. New Zealand Cact. Succ. J. 52(4): 112-117, ills.
- [538] Venter, H. J. T. & Verhoeven, R. L. (1999). A taxonomic revision of *Schlechterella* (*Periplocoideae*, *Apocynaceae*). South Afr. J. Bot. 64(6): 350-355, ills., key, map. [Dated 1998, received April 1999.]
- [539] Verhoeven, R. L. & Venter, H. J. T. (1998). Pollinium structure in *Periplocoideae* (*Apocynaceae*). Grana 37: 1-14. [Omitted previously.]
- [540] Vila, M. & Antonio, C. M. d' (1998). Fitness of invasive *Carpobrotus* (*Aizoaceae*) hybrids in coastal California. Ecoscience 5(2): 191-199.
- [541] Viljoen, A. M. & Wyk, B-E. van (1999). The chemotaxonomic value of two cinnamoyl chromones, aloeresin E and F, in *Aloe* (*Aloeaceae*). Taxon 48(4): 747-754, diags.
- [542] Viljoen, A. M. & al. (1999). Plicataloside in *Aloe*: a chemotaxonomic appraisal. Biochem. Syst. & Ecol. 27(5): 507-517.
- [543] Villavicencio, M. A. & Perez-Escandon, B. E. (1995). [Spanish:] Fruit types of *Yucca filifera* and associated forms of *Tegeticula yuccasella* (*Lepidoptera*). Bol. Soc. Bot. México 57: 121-123. [Omitted previously.]
- [544] Vlk, V. (1999). Kaum bekannt: *Euphorbia longituberculosa* Hochstetler [sic] ex Boissier. Kakt. and. Sukk. 50(5): 122-123, ills.
- [545] Vlk, V. (1999). *Euphorbia gymnochycoides* M. G. Gilbert & S. Carter. Kakt. and. Sukk. 50(8): 191-192, ills.
- [546] Vollmer, B. (1999). Auf Epiphytensuche in Costa Rica. EPIG Rundschreiben 10(4): 124-129, ills. [Dated 1998, publ. Febr. 1999. On epiphytic cacti.]
- [547] Wagner, G. F. (1999). Einige Bemerkungen zur Familie *Mesembryanthemaceae*. Teil 1. Avonia 17(1): 9-14, ills. [On *Conophytum pellucidum* and *C. hanae*.]
- [548] Wakabayashi, M. & Ohba, H. (1999). Chromosome numbers of seven species of *Sedum* and *Sinocrassula indica* (*Crassulaceae*) in East Himalaya. J. Jap. Bot. 74(4): 228-235, ills.
- [549] Walker, C. (1999). A tale of dragons – the pachycaul species of *Dracaena*. Brit. Cact. Succ. J. 17(4): 171-177, ills., map.
- [550] Walker, C. C. (1999). Arabian Asclepiads of Albert Deflers. Asklepios No. 76: 23-32, ills.
- [551] Walker, C. C. (1999). The "smooth-stemmed trichocaulons. A hotbed of controversy! *Trichocaulon a fusto glabro*. Un focolaio di controversie! Cactus & Co. 3(1): 85-88, ills.
- [552] Welman, W. G. & Meeuse, A. D. J. (1998). Revised key to *Ipomoea* (*Convolvulaceae*) in southern Africa. Bothalia 28(1): 19-24, key.
- [553] Williams, M. (1999). Variabilidad en el género *Matucana*. Quepo 13: 93-100, ills.
- [554] Williamson, G. (1999). Notes on *Bulbine mesembryanthoides* Haw. Aloe 36(1): 14-15, ills.
- [555] Williamson, G. (1999). The September 1997 FWR expedition to the Sperrgebiet (Forbidden Diamond Area) in Namibia. Aloe 36(1): 4-7, ills.
- [556] Williamson, G. (1999). The Epupa Valley under siege. Bradleya 17: 101-108, ills., map.
- [557] Williamson, G. (1999). A summary of discovered *Bulbine* species (*Asphodelaceae*) from Northern Namaqualand. Part 3 / Part 4. Haworthiad 13(3): 80-85, (4): 152-157, ills., maps. [Continued from l.c. 12 (4), 1998.]
- [558] Winter, B. de & Condy, G. (1999). *Entandrophragma caudatum*. Flow. Pl. Afr. 56: 74-80, pl. 2153, map, ills.
- [559] Winter, P. J. D. & Hahn, N. (1999). A new species of *Khadia* N. E. Br. (*Mesembryanthemaceae*) from the Northern Province of South Africa. Aloe 36(1): 16-19, ills., key. [With key to *Khadia*.]
- [560] Wojciechowicz, M. K. & Samardakiewicz, M. (1997). The development of female gametophyte and antipodal embryo formation in *Sedum fabaria*. Biol. Pl. 40(2): 193-202. [Omitted previously.]
- [561] Yannitsaros, A. (1998). Additions to the flora of Kithira (Greece) I. Willdenowia 28(1-2): 77-94. [Various succulent taxa reported as neophytes.]
- [562] Zahra, R. (1999). *Pierrebraunia* – a new genus for an interesting cactus from Brazil. Brit. Cact. Succ. J. 17(1): 13-16, ills. [Included for the illustrations.]
- [563] Zambrano Chavez, N. & al. (1999). Algunas Cactáceas de Arequipa. Quepo 13: 86-92, ills.
- [564] Zamudio, S. (1999). Notas sobre la identidad de *Pinguicula moranensis* H.B.K., con la descripción de una variedad nueva. Acta Bot. Mex. 49: 23-34, ills.
- [565] Zonneveld, B. J. M. (1999). Enige nieuwe combinaties in *Sempervivum*. Succulenta 78(2): 84-94, ills.
- [566] Zonneveld, B. J. M. (1999). Witbloejende *Sempervivum arachnoideum*. Succulenta 78(3):

106-109, ills.

[567] Zuloaga, F. O. & Morrone, O. (eds.) (1999). Catálogo de las plantas vasculares de la República Argentina II. St. Louis (US: MO): Missouri Botanical Garden Press. [This volume includes the *Cactaceae*.]

## BIBLIOGRAPHIA

## Cross-References of Author Names

- Abankina, M. N.: → Gontcharova, S. B.  
 Adams, R. K.: → Adams, K. R.  
 Al-Gifri, A. N.: → Lavranos, J. J.  
 Albers, F.: → Masinde, P. S.  
 Alves, J. L. H.: → Silva, D. C.  
 Amerhauser, H.: → Till, H.  
 Antonio, C. M. d': → Vila, M.  
 Arias, S.: → Bravo-Hollis, H.  
 Augenstein, E. J.: → Pellmyr, O.  
 Baldwin, B. G.: → Schultheis, L. M.  
 Bao, T.: → Addicott, J. F.  
 Bardot-Vaucoulon, M.: → Rauh, W.  
 Barker-Fricker, S.: → Maddams, B.  
 Barnhill, C.: → Hammer, S. A.  
 Berkutenko, A. N.: → Andrianova, E. A.  
 Bleij, B.: → 't Hart, H.  
 Boyle, T. H.: → O'Leary, M. C.  
 Calix de Dios, H.: → Castillo Martínez, R.  
 Chaudhary, S. A.: → Böer, B.  
 Collenette, S.: → Meve, U.  
 Condy, G.: → Burgoyne, P. M.  
 Condy, G.: → Winter, B. de  
 Crouch, N. R.: → Smith, G. F.  
 Edwards, P. B.: → Kleinjan, C. A.  
 Eggli, U.: → Leuenberger, B. E.  
 Eggli, U.: → Thiede, J.  
 Esteves Pereira, E.: → Braun, P. J.  
 Ezcurra, E.: → Arizaga, S.  
 Facelli, J. M.: → Dunbar, K. R.  
 Fleming, T. H.: → Holland, J. N.  
 Fleming, T. H.: → Sosa, V. J.  
 Flores Macias, A.: → Cházaro Basañez, M.  
 Forster, P. I.: → Smith, G. F.  
 Frydenberg, J.: → Jorgensen, T. H.  
 Gemmrich, W.: → Gerloff, N.  
 Glass, C.: → Pérez-Calix, E.  
 Hahn, N.: → Winter, P. J. D.  
 Halburgo Alves, J. L. de: → Costa Silva, D. da  
 Hammer, S. A.: → Opel, M. R.  
 Hammer, S. A.: → Rodgerson, C.  
 Hamrick, J. L.: → Massey, L. S.  
 Hanácek, P.: → Ricánek, M.  
 Hardy, D.: → Glen, H. F.  
 Heimen, G.: → Heek, W. van  
 Helme, N.: → Kessler, M.  
 Hijman, M. E. E.: → Berg, C. C.  
 Holloway, S.: → Breuer, I. (ed.)  
 Hoxey, P.: → Berresford, P.  
 Huerta Martínez, F. M.: → Escobar Santos, V. E.  
 James, A.: → Hill, S. R.  
 Kireev, E. A.: → Gorin, V. I.  
 Kirik, A. I.: → Khmelev, K. F.  
 Lange, M.: → Blum, W.  
 Lechner, P.: → Jantschgi, G.  
 Leuenberger, B. E.: → Eggli, U.  
 León-Yáñez, S. (eds.): → Möller Jørgensen, P.  
 Liddle, D. J. & I. M.: → Forster, P. I.  
 Liede, S.: → Meve, U.  
 Loik, M. E.: → Huxman, T. E.  
 Long, D. G.: → Grierson, A. J. C.  
 Lüthy, A. D.: → Dicht, R. F.  
 Machado, I. C. S.: → Locatelli, E.  
 Machuca Nuñez, J. A.: → Cházaro Basañez, M.  
 Maesen, L. J. G. van der: → Groen, L. E.  
 Mauseth, J. D.: → Arnold, D. H.  
 Medina L., R.: → Ezcurra, E.  
 Meeuse, A. D. J.: → Welman, W. G.  
 Mereles, F.: → Degen, R.  
 Middleditch, H. (ed.): → Ferryman, R.  
 Middleditch, H. (ed.): → Nilsson, M.  
 Middleditch, H. (ed.): → Vandebroeck, F.  
 Moran, R.: → Uhl, C. H.  
 Morrone, O. (eds.): → Zuloaga, F. O.  
 Mostul, B.: → Cházaro Basañez, M.  
 Mottram, R.: → Crook, R.  
 Nowak, R. S.: → Halford, A. S.  
 Ohba, H.: → Wakabayashi, M.  
 Oldach, T.: → Blum, W.  
 Olesen, J. M.: → Jorgensen, T. H.  
 Parra-Tabla, V.: → Leirana-Alcocer, J.  
 Pavelka, P.: → Strlic, M.  
 Perez-Escandon, B. E.: → Villavicencio, M. A.  
 Perndl, H.: → Nagl, H.  
 Phillipson, P. B.: → Dold, A. P.  
 Plein, W.: → Rogozinski, H.  
 Poletaeva, I. I.: → Frolov, Y. M.  
 Pötschke, A.: → Lutz, E.  
 Quezel, P.: → Medail, F.  
 Rambuda, T.: → Todd, C.  
 Rapanarivo, S. H. J. V.: → Leeuwenberg, A. J. M.  
 Raus, T. (eds.): → Greuter, W.  
 Ricánek, M.: → Hanácek, P.  
 Röösli, W.: → Lavranos, J. J.  
 Samardakiewicz, M.: → Wojciechowicz, M. K.  
 Scarpa, G. F.: → Arenas, P.  
 Smets, E.: → Vanvinckenroye, F.  
 Smith, G. F.: → Burgoyne, P. M.  
 Sokolova, I. V.: → Byalt, V. V.  
 Speta, F.: → Pfosser, M.  
 Stepankova, J.: → Sadlo, J.  
 Steyn, E. M. A.: → Smith, G. F.  
 Strecker, W.: → Heek, W. van  
 Suto, K.: → Ichimura, K.  
 Sviridova, T. P.: → Moryakina, V. A.  
 Swartz, P.: → Smith, G. F.  
 Thomas, H.-P.: → Gilmer, K.  
 Trocha, W.: → Rischer, W.  
 Turrisi, R. E.: → Bella, S.  
 Umamaheswari, P.: → Daniel, P.  
 Venter, H. J. T.: → Verhoeven, R. L.  
 Verhoeven, R. L.: → Venter, H. J. T.  
 Wagner, G.: → Smale, T.

Repertorium Plantarum Succulentarum 50

- Waldeis, D.: → Blum, W.  
Wallace, R. S.: → Butterworth, C. A.  
Weeks, D.: → Dold, T.  
Witkowski, E. T. F.: → Pfab, M. F.  
Wyk, A. E. van: → Burgoyne, P. M.  
Wyk, A. E. van: → Potgieter, M. J.  
Wyk, B-E. van: → Viljoen, A. M.  
Zahra, R.: → Gerloff, N.  
Zanovello, C.: → Mosco, A.  
Zhivukhina, N. A.: → Kapranova, N. N.



